

Cucumber Report

20-Apr-2023, 10:39:36 am

Start : Apr 20, 10:38:39.881 am

End : Apr 20, 10:39:34.429 am

Duration : 54.548 s

Features


Scenarios

Steps

PASSED - 2
FAILED - 1
SKIPPED - 0


PASSED - 3
FAILED - 3
SKIPPED - 0

PASSED - 23
FAILED - 3
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>feature to test google search functionality</u>	25.545 s	1	1	0	0	5	5	0	0
<u>Ease My Trip Flight Booking</u>	54.516 s	3	0	3	0	26	8	3	15
<u>Login Functionality</u>	22.319 s	2	2	0	0	10	10	0	0

#	Feature Name	Scenario Name
1	<u>Ease My Trip Flight Booking</u>	<u>E-Commerce end-to-end flow</u>
2		<u>User Booked One Way Flight</u>
3		<u>User Booked Round Trip Flight</u>





#	Feature Name	T	P	F	S	Duration
1	<u>feature to test google search functionality</u>	1	1	0	0	25.545 s
2	<u>Ease My Trip Flight Booking</u>	3	0	3	0	54.516 s
3	<u>Login Functionality</u>	2	2	0	0	22.319 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>	5	5	0	0	25.536 s
2	<u>Ease My Trip Flight Booking</u>	<u>E-Commerce end-to-end flow</u>	7	2	1	4	50.953 s
3		<u>User Booked One Way Flight</u>	10	3	1	6	52.631 s
4		<u>User Booked Round Trip Flight</u>	9	3	1	5	54.482 s
5	<u>Login Functionality</u>	<u>Test Login Functionality(Positive)</u>	5	5	0	0	22.315 s
6		<u>Test Login Functionality(Negative)</u>	5	5	0	0	21.971 s

feature to test google search functionality



PASSED	DURATION - 25.545 s	Scenarios		Steps	
/ 10:38:39.881 am // 10:39:05.426 am /		Total - 1		Total - 5	
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Validate google search is working



PASSED	DURATION - 25.536 s		Steps	
/ 10:38:39.890 am // 10:39:05.426 am /			Total - 5	
feature to test google search functionality			Pass - 5	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given browser is open	PASSED	8.788 s
2	And user is on google search page	PASSED	5.467 s
3	When user enters a text in search box	PASSED	2.522 s
4	And hits enter	PASSED	8.022 s
5	Then user is navigated to search results	PASSED	0.665 s

Ease My Trip Flight Booking

FAILED	DURATION - 54.516 s	Scenarios		Steps	
/ 10:38:39.913 am // 10:39:34.429 am /		Total - 3		Total - 26	
		Pass - 0		Pass - 8	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 15	



E-Commerce end-to-end flow

<div><div>FAILED</div><div>DURATION - 50.953 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 7</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 4</div></div>	<div></div>
/ 10:38:39.914 am // 10:39:30.867 am /				
Ease My Trip Flight Booking				

#	Step / Hook Details	Status	Duration
1	Given Open the browser for E-commarce site	PASSED	8.871 s
2	And User is on the website	PASSED	23.330 s
3	And User complete the login process	FAILED	18.684 s
	<p>org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: MicrosoftEdge=112.0.1722.48) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [af85ffcb7985ff946943baf912b08d1e, clickElement {id=74fed90f-6451-403c-9bc5-b95ad8185c97}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 112.0.1722.48, ms:edgeOptions: {debuggerAddress: localhost:51933}, msedge: {msedgedriverVersion: 112.0.1722.48 (d0924f8b9cb9..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\Microsoft\Edge\Sandboxing\EdgeChromium\112.0.1722.48\msedge\userDataDir}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51933/devtools, se:cdpVersion: 112.0.1722.48, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge (af85ffcb7985ff946943baf912b08d1e)] -> xpath: //span[text()='Login']] Session ID: af85ffcb7985ff946943baf912b08d1e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at implementation.Ease_My_Trip_Methods.login_Ecommerce(Ease_My_Trip_Methods.java:273) at stepdefination_UI.Ease_My_Trip_Steps.user_complete_the_login_process(Ease_My_Trip_Steps.java:155)</p>		

#	Step / Hook Details	Status	Duration
	at ?.User complete the login process(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:33) * Not displayable characters are replaced by '?'. 4 When User enter the item name and search the product 5 And User add the product into the cart 6 And fillup all the required address details and payment details 7 Then User assert the order details		
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)	FAILED	0.006 s



User Booked One Way Flight

FAILED	DURATION - 52.631 s		Steps Total - 10 Pass - 3 Fail - 1 Skip - 6	
/ 10:38:39.943 am // 10:39:32.574 am /				
Ease My Trip Flight Booking				

#	Step / Hook Details	Status	Duration
1	Given Open the browser for Ease My Trip	PASSED	18.503 s
2	And User is on the Ease my trip website	PASSED	32.598 s
3	When User click on One Way Option	PASSED	0.198 s
4	And User-filled travel details for Mumbai to Delhi org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <div class="innerspccr" id="frmcity" onclick="MulticityClearText('fromautoFill', 'FromSector_show','F');">...</div> is not clickable at point (199, 222). Other element would receive the click: <input id="a_FromSector_show" type="text" class="srctinput autoFill" placeholder="From" autocomplete="off"> (Session info: MicrosoftEdge=112.0.1722.48) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [af85ffcb7985ff946943baf912b08d1e, clickElement {id=141346ac-bd1e-4eb6-bf4e-447f67f7b546}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 112.0.1722.48, ms:edgeOptions: {debuggerAddress: localhost:51933}, msedge: {msedgedriverVersion: 112.0.1722.48 (d0924f8b9cb9..., userDataDir: C:\Users\ONKARJ~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51933/devtoo..., se:cdpVersion: 112.0.1722.48, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	1.284 s

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on WINDOWS (af85ffcb7985ff946943baf912b08d1e)] -> id: frmcity] Session ID: af85ffcb7985ff946943baf912b08d1e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at implementation.Ease_My_Trip_Methods.travel_Details(Ease_My_Trip_Methods.java:85) at stepdefination_UI.Ease_My_Trip_Steps.fillup_all_travel_details(Ease_My_Trip_Steps.java:37) at ?.User-filled travel details for Mumbai to Delhi(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:7) * Not displayable characters are replaced by '?'.		
5	And User click on the search button	SKIPPED	0.001 s
6	And User navigated to search result page	SKIPPED	0.001 s
7	And User click on book button	SKIPPED	0.001 s
8	And User navigated to the flight details page	SKIPPED	0.001 s
9	And User filled the details and click on continue booking	SKIPPED	0.013 s
10	Then User complete the payment process	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)	FAILED	0.010 s



User Booked Round Trip Flight

<div>FAILED</div> <div>DURATION - 54.482 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 10:38:39.947 am // 10:39:34.429 am /</div>				
<div>Ease My Trip Flight Booking</div>				



#	Step / Hook Details	Status	Duration
1	Given Open the broser for Ease My Trip for Round Trip	PASSED	8.842 s
2	And User is on the Ease My trip website for Round Trip	PASSED	38.437 s
3	When User click on the Round Trip Option	PASSED	3.722 s
4	And User fillup all travel details for Round Trip org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input autocomplete="off" name="" type="text" class="input_cld hide-ddate round-but1" id="rdate" placeholder="Return" style="opacity: 0 !important; position: absolute;"> is not clickable at point (874, 223). Other element would receive the click: <p id="rtag" class="rou_noti" style="">...</p> (Session info: MicrosoftEdge=112.0.1722.48) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [af85ffcb7985ff946943baf912b08d1e, clickElement {id=9f8dbd25-133e-48d3-8587-8dd7b266aa57}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 112.0.1722.48, ms:edgeOptions: {debuggerAddress: localhost:51933}, msedge: {msedgedriverVersion: 112.0.1722.48 (d0924f8b9cb9..., userDataDir: C:\Users\ONKARJ~1\AppData\L..., networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51933/devtoo..., se:cdpVersion: 112.0.1722.48, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[EdgeDriver: msedge on WINDOWS (af85ffcb7985ff946943baf912b08d1e)] -> id: rdate] Session ID: af85ffcb7985ff946943baf912b08d1e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)	FAILED	3.401 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at implementation.Ease_My_Trip_Methods.travel_details_round_trip(Ease_My_Trip_Methods.java:197) at stepdefination_UI.Ease_My_Trip_Steps.fillup_all_travel_details_for_round_trip(Ease_My_Trip_Steps.java:100) at ?.User fillup all travel details for Round Trip(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:23) * Not displayable characters are replaced by '?'.		
5	And User click on the Search button for Round Trip	SKIPPED	0.003 s
6	And User is navigated to search result page for round trip	SKIPPED	0.002 s
7	And User select the flights and click on book button	SKIPPED	0.002 s
8	And User filled the details and click on continue booking for round trip	SKIPPED	0.003 s
9	Then User complete the payment process for round trip	SKIPPED	0.002 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.011 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		

Login Functionality

PASSED	DURATION - 22.319 s	Scenarios Total - 2 Pass - 2 Fail - 0 Skip - 0		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	
/ 10:38:39.926 am // 10:39:02.245 am /					

Test Login Functionality(Positive)

PASSED	DURATION - 22.315 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 10:38:39.930 am // 10:39:02.245 am /				
Login Functionality				

#	Step / Hook Details	Status	Duration
1	Given browser is open for login	PASSED	8.782 s
2	And User is on login page	PASSED	3.961 s
3	When User enters markwill@gamil.com and Markwill@1234	PASSED	4.481 s
4	And user clicks in login button	PASSED	2.099 s
5	Then user is navigated to home page	PASSED	2.962 s

Test Login Functionality(Negative)

PASSED		DURATION - 21.971 s	
/ 10:38:39.988 am // 10:39:01.959 am /			
Login Functionality			

Step	Duration (s)
1	8.815
2	1.939
3	2.304
4	1.044
5	2.962

Steps
Total - 5
Pass - 5
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given browser is open for invalid user	PASSED	8.815 s
2	And User is on login page for invalid user	PASSED	1.939 s
3	When User filled jonhgardner@gamil.com and john@1234 for invalid user	PASSED	2.304 s
4	And user clicks in login button for invalid user	PASSED	1.044 s
5	Then user get error	PASSED	7.846 s