

Cucumber Report

19-Apr-2023, 2:39:17 pm

Start : Apr 19, 2:37:57.471 pm

End : Apr 19, 2:39:14.700 pm

Duration : 1 m 17.229 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 4
SKIPPED - 0


PASSED - 19
FAILED - 4
SKIPPED - 18




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	24.728 s	2	2	0	0	10	10	0	0
<u>feature to test google search functionality</u>	25.025 s	1	0	1	0	5	3	1	1
<u>Ease My Trip Flight Booking</u>	1 m 17.178 s	3	0	3	0	26	6	3	17

#	Feature Name	Scenario Name
1	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>
2	<u>Ease My Trip Flight Booking</u>	<u>User Booked Round Trip Flight</u>
3		<u>User Booked One Way Flight</u>
4		<u>E-Commerce end-to-end flow</u>

TAG	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@login	1	1	0	0	1	1	0	0
@raw	1	0	1	0	1	0	1	0
@demo	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Functionality	2	2	0	0	24.728 s
2	feature to test google search functionality	1	0	1	0	25.025 s
3	Ease My Trip Flight Booking	3	0	3	0	1 m 17.178 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Test Login Functionality(Positive)</u>	5	5	0	0	23.819 s
2		<u>Test Login Functionality(Negative)</u>	5	5	0	0	24.690 s
3	<u>feature to test google search functionality</u>	<u>Validate google search is working</u>	5	3	1	1	25.025 s
4	<u>Ease My Trip Flight Booking</u>	<u>User Booked Round Trip Flight</u>	9	1	1	7	10.859 s
5		<u>User Booked One Way Flight</u>	10	2	1	7	1 m 0.602 s
6		<u>E-Commerce end-to-end flow</u>	7	3	1	3	1 m 17.118 s

Login Functionality



PASSED	DURATION - 24.728 s	Scenarios		Steps	
/ 2:37:57.471 pm // 2:38:22.199 pm /		Total - 2		Total - 10	
		Pass - 2		Pass - 10	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Test Login Functionality(Positive)

<div>PASSED</div>	<div>DURATION - 23.819 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>11.5</td></tr><tr><td>2</td><td>6.5</td></tr><tr><td>3</td><td>2.5</td></tr><tr><td>4</td><td>2.0</td></tr><tr><td>5</td><td>2.5</td></tr></tbody></table></div>	Step	Duration (s)	1	11.5	2	6.5	3	2.5	4	2.0	5	2.5	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>5</div></div>
Step	Duration (s)															
1	11.5															
2	6.5															
3	2.5															
4	2.0															
5	2.5															
<div>/ 2:37:57.487 pm // 2:38:21.306 pm /</div>																
<div>Login Functionality</div>																
<div>@login</div>																



#	Step / Hook Details	Status	Duration
1	Given browser is open for login	PASSED	11.020 s
2	And User is on login page	PASSED	6.498 s
3	When User enters markwill@gamil.com and Markwill@1234	PASSED	2.215 s
4	And user clicks in login button	PASSED	1.820 s
5	Then user is navigated to home page	PASSED	2.212 s

Test Login Functionality(Negative)



PASSED	<i>DURATION - 24.690 s</i>		Steps	
/ 2:37:57.509 pm // 2:38:22.199 pm /			Total - 5	
<i>Login Functionality</i>			Pass - 5	
			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given browser is open for invalid user	PASSED	10.806 s
2	And User is on login page for invalid user	PASSED	6.763 s
3	When User filled jonhgardner@gamil.com and john@1234 for invalid user	PASSED	2.134 s
4	And user clicks in login button for invalid user	PASSED	1.527 s
5	Then user get error	PASSED	3.412 s

feature to test google search functionality

FAILED	DURATION - 25.025 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 2:37:57.502 pm // 2:38:22.527 pm /					

Validate google search is working



FAILED	DURATION - 25.025 s		Steps Total - 5 Pass - 3 Fail - 1 Skip - 1	
/ 2:37:57.502 pm // 2:38:22.527 pm /				
feature to test google search functionality				
@raw				

#	Step / Hook Details	Status	Duration
1	Given browser is open	PASSED	10.359 s
2	And user is on google search page	PASSED	3.962 s
3	When user enters a text in search box	PASSED	0.515 s
4	And hits enter	FAILED	10.129 s



org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=112.0.5615.87)
 Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6'
 Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [89ac1244126bc4dc8a2b7bac831336d1, sendKeysToElement {id=9f9de5b2-9a91-480f-a207-fc8333f98aff, value=[Ljava.lang.CharSequence;@5fd5d90b]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:55194}, networkConnectionEnabled: false,

#	Step / Hook Details	Status	Duration
	<p>pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55194/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (89ac1244126bc4dc8a2b7bac831336d1)] -> name: q] Session ID: 89ac1244126bc4dc8a2b7bac831336d1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at stepdefination_UI.GoogleSearchSteps.hits_enter(GoogleSearchSteps.java:53) at ?.hits enter(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/GoogleSearch.feature:8) * Not displayable characters are replaced by '?'. </p>		
5	Then user is navigated to search results	SKIPPED	0.001 s
	<p>AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)</p> <p>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112) </p>	FAILED	0.002 s

Ease My Trip Flight Booking



FAILED	DURATION - 1 m 17.178 s	Scenarios		Steps	
/ 2:37:57.522 pm // 2:39:14.700 pm /		Total - 3		Total - 26	
		Pass - 0		Pass - 6	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 17	

User Booked Round Trip Flight

<div>FAILED</div> <div>DURATION - 10.859 s</div>			<div>Steps</div> <div>Total - 9</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 7</div>	
/ 2:37:57.522 pm // 2:38:08.381 pm /				
Ease My Trip Flight Booking				

#	Step / Hook Details	Status	Duration
1	Given Open the broser for Ease My Trip for Round Trip	PASSED	10.621 s
2	And User is on the Ease My trip website for Round Trip java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at implementation.Ease_My_Trip_Methods.navigate_To_EaseMyTrip(Ease_My_Trip_Methods.java:71) at stepdefination_UI.Ease_My_Trip_Steps.user_is_on_the_ease_my_trip_website_for_round_trip(Ease_My_Trip_Steps.java:88) at ?.User is on the Ease My trip website for Round Trip(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:21) * Not displayable characters are replaced by '?'.	FAILED	0.072 s
3	When User click on the Round Trip Option	SKIPPED	0.001 s
4	And User fillup all travel details for Round Trip	SKIPPED	0.001 s
5	And User click on the Search button for Round Trip	SKIPPED	0.102 s
6	And User is navigated to search result page for round trip	SKIPPED	0.002 s
7	And User select the flights and click on book button	SKIPPED	0.002 s
8	And User filled the details and click on continue booking for round trip	SKIPPED	0.001 s
9	Then User complete the payment process for round trip	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)	FAILED	0.008 s

User Booked One Way Flight

<div><div>FAILED</div><div>DURATION - 1 m 0.602 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 10</div><div>Pass - 2</div><div>Fail - 1</div><div>Skip - 7</div></div>	<div></div>
/ 2:37:57.545 pm // 2:38:58.147 pm /				
Ease My Trip Flight Booking				

#	Step / Hook Details	Status	Duration
1	Given Open the browser for Ease My Trip	PASSED	10.930 s
2	And User is on the Ease my trip website	PASSED	34.455 s
3	When User click on One Way Option org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#oway"} (Session info: chrome=112.0.5615.87) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0301d95f16aa77cf0e471529f20705db, findElement {using=id, value=oway}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\gcmh...}, goog:chromeOptions: {debuggerAddress: localhost:55188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:55188/devtoo..., se.cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0301d95f16aa77cf0e471529f20705db at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)	FAILED	15.143 s

#	Step / Hook Details	Status	Duration
	at implementation.Ease_My_Trip_Methods.one_Way(Ease_My_Trip_Methods.java:81) at stepdefination_UI.Ease_My_Trip_Steps.click_on_one_way_option(Ease_My_Trip_Steps.java:31) at ?.User click on One Way Option(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:6) * Not displayable characters are replaced by '?'.		
4	And User-filled travel details for Mumbai to Delhi	SKIPPED	0.003 s
5	And User click on the search button	SKIPPED	0.002 s
6	And User navigated to search result page	SKIPPED	0.003 s
7	And User click on book button	SKIPPED	0.002 s
8	And User navigated to the flight details page	SKIPPED	0.001 s
9	And User filled the details and click on continue booking	SKIPPED	0.001 s
10	Then User complete the payment process	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		

E-Commerce end-to-end flow

FAILED DURATION - 1 m 17.118 s / 2:37:57.582 pm // 2:39:14.700 pm / Ease My Trip Flight Booking @demo		Steps Total - 7 Pass - 3 Fail - 1 Skip - 3	
--	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Open the browser for E-commarce site	PASSED	10.990 s
2	And User is on the website	PASSED	19.278 s
3	And User complete the login process	PASSED	31.099 s
4	When User enter the item name and search the product	FAILED	15.735 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 15.000 (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0301d95f16aa77cf0e471529f20705db, sendKeysToElement		

#	Step / Hook Details	Status	Duration
	<pre>{id=dc81da73-c90f-42b5-a7a4-b3f8e2edb164, value=[Ljava.lang.CharSequence;@666b3be5]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c..., userDataDir: C:\Users\ONKARJ~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:55188}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55188/devtoo..., se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (0301d95f16aa77cf0e471529f20705db)] -> xpath: (//input[@type="search"])[1]] Session ID: 0301d95f16aa77cf0e471529f20705db at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:113) at implementation.Ease_My_Trip_Methods.search_the_product(Ease_My_Trip_Methods.java:283) at stepdefination_UI.Ease_My_Trip_Steps.user_enter_the_item_name_and_search_the_product(Ease_My_Trip_Steps.java:158) at ?.User enter the item name and search the product(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/ cucumberbdd_UI/EaseMyTrip.feature:35) * Not displayable characters are replaced by '?'. </pre>		
5	And User add the product into the cart	SKIPPED	0.001 s
6	And fillup all the required address details and payment details	SKIPPED	0.000 s
7	Then User assert the order details	SKIPPED	0.000 s
	<p>AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)</p> <pre>java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)</pre>	FAILED	0.003 s