


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Login Functionality	25.095 s	2	1	1	0	10	6	1	3	
Ease My Trip Flight Booking	47.529 s	3	0	3	0	26	11	3	12	
feature to test google search functionality	27.860 s	1	0	1	0	5	3	1	1	

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Login Functionality	Test Login Functionality(Positive)
2	Ease My Trip Flight Booking	User Booked One Way Flight
3		User Booked Round Trip Flight
4		E-Commerce end-to-end flow
5	feature to test google search functionality	Validate google search is working

FEATURES SUMMARY



#	Feature Name	T	P	F	S	Duration
1	Login Functionality	2	1	1	0	25.095 s
2	Ease My Trip Flight Booking	3	0	3	0	47.529 s
3	feature to test google search functionality	1	0	1	0	27.860 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality	Test Login Functionality(Positive)	5	1	1	3	24.656 s
2		Test Login Functionality(Negative)	5	5	0	0	25.066 s
3	Ease My Trip Flight Booking	User Booked One Way Flight	10	9	1	0	47.529 s
4		User Booked Round Trip Flight	9	1	1	7	9.150 s
5		E-Commerce end-to-end flow	7	1	1	5	7.113 s
6	feature to test google search functionality	Validate google search is working	5	3	1	1	27.860 s

DETAILED SECTION -- 6 --

Login Functionality

FAILED	DURATION - 25.095 s	Scenarios		Steps	
		Total - 2		Total - 10	
/ 5:37:46.334 pm //	′ 5:38:11.429 pm /	Pass - 1	2	Pass - 6	10
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	
				Jp	


Test Login Functionality(Positive)



#	Step / Hook Details	Status	Duration
1	Given browser is open for login	PASSED	7.472 s
2	And User is on login page	FAILED	11.348 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 8.601 (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [851cc73cd1b9b4b9831e57e8da5eea74, get {url=https://naveenautomationlabs.com/opencart/index.php?route=account/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\ONKARJ=1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:61969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61969/devtoo, se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 851cc73cd1b9b4b9831e57e8da5eea74 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:297) at stepdefination_U1.Login_steps.user_is_on_login_page(Login_steps.java:37) at ?.User is on login page(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_U1/Login_Test.feature:4) * Not displayable characters are replaced by '?'.		
3	When User enters markwill@gamil.com and Markwill@1234	SKIPPED	0.001 s
4	And user clicks in login button	SKIPPED	0.001 s
5	Then user is navigated to home page	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario) failedScreenshot	PASSED	5.783 s

Test Login Functionality(Negative)



#	Step / Hook Details	Status	Duration
1	Given browser is open for invalid user	PASSED	7.466 s
2	And User is on login page for invalid user	PASSED	5.542 s
3	When User filled jonhgardner@gamil.com and john@1234 for invalid user	PASSED	1.570 s


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
4	And user clicks in login button for invalid user	PASSED	1.159 s
5	Then user get error	PASSED	9.289 s

Ease My Trip Flight Booking

FAILED	DURATION - 47.529 s	Scenarios		Steps	
		Total - 3		Total - 26	
/ 5:37:46.374 pm // 5	5:38:33.903 pm /	Pass - 0	3	Pass - 11	26
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 12	

User Booked One Way Flight




#	Step / Hook Details	Status	Duration
1	Given Open the browser for Ease My Trip	PASSED	14.588 s
2	And User is on the Ease my trip website	PASSED	9.900 s
3	When User click on One Way Option	PASSED	0.256 s
4	And User-filled travel details for Mumbai to Delhi	PASSED	2.699 s
5	And User click on the search button	PASSED	4.153 s
6	And User navigated to search result page	PASSED	0.326 s
7	And User click on book button	PASSED	8.711 s
8	And User navigated to the flight details page	PASSED	0.175 s
9	And User filled the details and click on continue booking	PASSED	6.615 s
10	Then User complete the payment process	FAILED	0.081 s
	org.openqa.selenium.ElementNotInteractableException: Element <input class="inp-mnu2" id="CC" type="text"/> could not be scrolled into view Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6'		

DETAILED SECTION -- 9 --

Step / Hook Details	Status	Duration
Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [45446198-3179-48ae-b68c-11a347608967, clickElement {id=f49c56e8-49b4-40ea-96a7-7a7e1a88d53c}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 111.0.1, moz:accessibilityChecks: false, moz:buildID: 20230321111920, moz:debuggerAddress: 127.0.0.1:2469, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 1708, moz:profile: C:\Users\ONKARJ~1\AppData\L, moz:shutdownTimeout: 60000, moz:useNonSpecCompliantPointerOrigin: false, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://127.0.0.1:2469/devtool, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Element: [[FirefoxDriver: firefox on WINDOWS (45446198-3179-48ae-b68c-11a347608967)] -> id: CC] Session ID: 45446198-3179-48ae-b68c-		
11a347608967		
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257)		
at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78)		
at implementation.Ease_My_Trip_Methods.payment_Details(Ease_My_Trip_Methods.java:162)		
at stepdefination_UI.Ease_My_Trip_Steps.user_complete_the_payment_process(Ease_My_Trip_Steps.java:73)		
at ?.User complete the payment process(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/		
EaseMyTrip.feature:13)		
* Not displayable characters are replaced by '?'.		
AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.008 s
java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null		
at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		


User Booked Round Trip Flight

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
1	Given Open the broser for Ease My Trip for Round Trip	PASSED	9.125 s
2	And User is on the Ease My trip website for Round Trip	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at implementation.Ease_My_Trip_Methods.navigate_To_EaseMyTrip(Ease_My_Trip_Methods.java:71) at stepdefination_UI.Ease_My_Trip_Steps.user_is_on_the_ease_my_trip_website_for_round_trip(Ease_My_Trip_Steps.java:88) at ?.User is on the Ease My trip website for Round Trip(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip.feature:21) * Not displayable characters are replaced by '?'.		
3	When User click on the Round Trip Option	SKIPPED	0.000 s
4	And User fillup all travel details for Round Trip	SKIPPED	0.001 s
5	And User click on the Search button for Round Trip	SKIPPED	0.001 s
6	And User is navigated to search result page for round trip	SKIPPED	0.003 s
7	And User select the flights and click on book button	SKIPPED	0.001 s
8	And User filled the details and click on continue booking for round trip	SKIPPED	0.001 s
9	Then User complete the payment process for round trip	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		

E-Commerce end-to-end flow




#	Step / Hook Details	Status	Duration
1	Given Open the browser for E-commarce site	PASSED	6.973 s
2	And User is on the website	FAILED	0.019 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.manage()" because "this.driver" is null at implementation.Ease_My_Trip_Methods.navigate_To_Ecommerce(Ease_My_Trip_Methods.java:269) at stepdefination_UI.Ease_My_Trip_Steps.user_is_on_the_website(Ease_My_Trip_Steps.java:150) at ?.User is on the website(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/EaseMyTrip. feature:32) * Not displayable characters are replaced by '?'.		
3	And User complete the login process	SKIPPED	0.004 s
4	When User enter the item name and search the product	SKIPPED	0.001 s
5	And User add the product into the cart	SKIPPED	0.001 s
6	And fillup all the required address details and payment details	SKIPPED	0.001 s
7	Then User assert the order details	SKIPPED	0.000 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.008 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		

feature to test google search functionality

Scenarios		Steps	
Total - 1		Total - 5	
Pass - 0	1	Pass - 3	5
Fail - 1		Fail - 1	
Skip - 0		Skip - 1	
	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1	Total - 1 Pass - 0 Fail - 1 Total - 5 Pass - 3 Fail - 1

DETAILED SECTION -- 12 --

Validate google search is working



#	Step / Hook Details	Status	Duration
	Given browser is open	PASSED	7.709 s
2	And user is on google search page	PASSED	8.241 s
3	When user enters a text in search box	PASSED	1.273 s
4	And hits enter	FAILED	10.600 s
	org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 10.000 (Session info: chrome=112.0.5615.87) Build info: version: '4.8.1', revision: '8ebccac989' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7072010dd7a97b4903168248d0d24cc7, sendKeysToElement (id=336d4fd-0353-4c50-ad8f-ac6b99fd7163, value=[1_java.lang.CharSequence]@46fa6b12]] Capabilities (acceptinsecure/Certs: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\ONKARJ=1\AppData\L), goog:chromeOptions: (debuggerAddress: localhost:61983}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61983/devtoo, se.cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prif: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prif: true, tr		

DETAILED SECTION -- 13 --

#	Step / Hook Details	Status	Duration
	at stepdefination_UI.GoogleSearchSteps.hits_enter(GoogleSearchSteps.java:53) at ?.hits enter(file:///C:/Users/Onkar%20Jadhao/eclipse-workspace/CucumberTest/src/test/java/cucumberbdd_UI/GoogleSearch.feature:7) * Not displayable characters are replaced by '?'.		
5	Then user is navigated to search results	SKIPPED	0.001 s
	AFTER - stepdefination_UI.Login_steps.failedScreenshot(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because "this.driver" is null at stepdefination_UI.Login_steps.failedScreenshot(Login_steps.java:112)		