

Started on	Sunday, 22 March 2020, 10:40 PM
State	Finished
Completed on	Sunday, 22 March 2020, 10:46 PM
Time taken	6 mins 24 secs
Marks	4.00/5.00
Grade	80.00 out of 100.00
Feedback	Congratulations!! You have passed by securing more than 80%

Question 1

Correct

Mark 1.00 out of 1.00

Which of the following are non-semantic tag(s) of HTML5?

Select one or more:

- ☐ a. <nav>
- ☐ b. <header>
- ☒ c. ✓
- ☒ d. <div> ✓

Your answer is correct.

The correct answers are: <div>,

Question 2

Incorrect

Mark 0.00 out of 1.00

A book is implemented as a web page which has many topics in it.To make navigation to each topic easy, hyperlinks needs to be provided in the page. Which of the following option will do that?

Select one:

- ☒ a. Topic 1

Topic.2

Introduction of topic.1
Introduction of topic.2 ✗
- ☐ b. Topic 1

Topic.2

<div>Introduction of topic.1</div>
<div>Introduction of topic.2</div>
- ☐ c. Topic 1

Topic.2

- ☐ d. Topic 1

Topic.2

Introduction of topic.1
Introduction of topic.2

Your answer is incorrect.

The correct answer is: Topic 1

Topic.2

Correct
Mark 1.00 out of 1.00

Which of the following option is used to display the range value in the image as shown above.

- Select one:
- ☐ a. Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100" oninput="markOutputId.value = markInputId.value">
 - ☐ b. Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100">
 - ☐ c. Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100" oninput="markOutputId.value = markInputId.value" outputname="markOutputName" id="markOutputId">
 - ☒ d. Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100" oninput="markOutputId.value = markInputId.value"><output name="markOutputName" id="markOutputId"></output> ✓

Your answer is correct.

The correct answer is: Mark Range(1to100)<input type="range" name="mark" id="markInputId" min="1" max="100" oninput="markOutputId.value = markInputId.value"><output name="markOutputName" id="markOutputId"></output>

Question 4
Correct
Mark 1.00 out of 1.00

Consider the below code snippet:

```
<form action="success.html" novalidate="novalidate">  
<input type="checkbox" name="Qualification" value="UG">UG<br>  
<input type="checkbox" name="Qualification" value="PG">PG<br>  
<input type="checkbox" name="Qualification" value="12th" required="required"> 12th<br>  
</form>
```

The validation code has been written to check atleast one checkbox, the code is not working what could be the reason.

- Select one:
- ☐ a. The required attribute will not work for checkbox.
 - ☐ b. The value for novalidate should be "validate".
 - ☐ c.
 cannot be used in between the input tag.
 - ☒ d. In the form attribute, we have given novalidate. ✓

Your answer is correct.

The correct answer is: In the form attribute, we have given novalidate.

Question 5
Correct
Mark 1.00 out of 1.00

Which of the following tag provides a hint to the user of what can be entered in the field, on placing the cursor on the corresponding field?

- Select one:
- ☒ a. placeholder ✓
 - ☐ b. required
 - ☐ c. title
 - ☐ d. pattern

Your answer is correct.

The correct answer is: placeholder

