## <u>Dashboard</u> / <u>RDBMS</u> / <u>Joins & Subquery</u> / <u>Pre-Quiz</u>

Started on	Tuesday, 17 March 2020, 6:42 PM
State	Finished
Completed on	Tuesday, 17 March 2020, 6:46 PM
Time taken	4 mins 7 secs
Marks	10.00/10.00
Grade	<b>100.00</b> out of 100.00
Foodbook	Congretulationally Voy have passed by acquiring many than 200/

**Feedback** Congratulations!!! You have passed by securing more than 80%

## Question **1**

Correct

Mark 1.00 out of 1.00

Which SQL statement produces an error?

## Select one:

a. SELECT job\_id, SUM(salary)
 FROM emp\_dept\_vu
 WHERE department\_id IN (10,20)
 GROUP BY job\_id
 HAVING SUM(salary) > 20000;

- b. None of the statements produce an error; all are valid.
- c. SELECT \*
  FROM emp\_dept\_vu;
- d. SELECT department\_id, job\_id, AVG(salary)
   FROM emp\_dept\_vu
   GROUP BY department\_id, job\_id;
- e. SELECT department\_id, SUM(salary)
   FROM emp\_dept\_vu
   GROUP BY department\_id;

The correct answer is: None of the statements produce an error; all are valid.

# Question **2**

Correct

Mark 1.00 out of 1.00

Which statement would display the highest credit limit available in each income level in each city in the Customers table?

## Select one:

- a. SELECT cust\_city, cust\_income\_level,MAX(cust\_credit\_limit)
   FROM customers
   GROUP BY cust\_credit\_limit , cust\_income\_level, cust\_city ;
- b. SELECT cust\_city, cust\_income\_level,MAX(cust\_credit\_limit)
   FROM customers
   GROUP BY cust\_city, cust\_income\_level; ✓
- c. SELECT cust\_city, cust\_income\_level,MAX(cust\_credit\_limit)
   FROM customers
   GROUP BY cust\_city, cust\_income\_level,cust\_credit\_limit;
- d. SELECT cust\_city, cust\_income\_level,MAX(cust\_credit\_limit)
   FROM customers
   GROUP BY cust\_city , , cust\_income\_level ,MAX(cust\_credit\_limit);

The correct answer is: SELECT cust\_city, cust\_income\_level,MAX(cust\_credit\_limit) FROM customers
GROUP BY cust\_city, cust\_income\_level;



## **Promotions Table**

Column Name	Datatype	Constraint
Promo_id	Number	PK
Promo_name	Varchar	
Promo_begin_date	Date	
Promo_end_date	Date	

## Sales Table

Column Name	Datatype	Constraint
Promo_id	Number	FK
Cust_id	Number	FK
Time_id	Date	

## **Customer Table**

Column Name	Datatype	Constraint
cust_id	Number	PK
cust_name	Varchar	

The Below query will generate a report showing the promo name along with the customer name for all products that were sold during their promo campaign and before 30th October 2007.

SELECT promo\_name,cust\_name FROM promotions p JOIN sales s

ON(time\_id BETWEEN promo\_begin\_date AND promo\_end\_date)

JOIN customer c ON (s.cust\_id = c.cust\_id) AND time\_id < '30-oct-2007';

Which statement is true regarding the above query?

## Select one:

- a. It produces an error because the join order of the tables is incorrect.
- b. It executes successfully and gives the required result.
- c. It produces an error because equijoin and nonequijoin conditions cannot be used in the same
- d. It executes successfully but does not give the required result.

Your answer is correct.

The correct answer is: It executes successfully but does not give the required result.



WHERE cust\_credit\_limit > 1000
GROUP BY cust\_city
HAVING AVG(cust\_credit\_limit) BETWEEN 5000 AND 6000;

Which statement is true regarding the outcome of the above query?

### Select one:

- a. Date functions
- b. It executes successfully.
- c. It returns an error because WHERE and HAVING clauses cannot be used in the same SELECT statement.
- d. It returns an error because WHERE and HAVING clauses cannot be used to apply conditions on the same column.
- e. It returns an error because the BETWEEN operator cannot be used in the HAVING clause.

Your answer is correct.

The correct answer is: It executes successfully.

## Question



Correct

Mark 1.00 out of 1.00

To display the names of employees who earns more than the average salary of all employees.

SELECT last\_name, first\_name FROMemployee

WHEREsalary > AVG(salary);

Which change should you make to achieve the desired results?

## Select one:

- a. Move the function to the SELECT clause and add a GROUP BY clause.
- b. Move the function to the SELECT clause and add a GROUP BY clause and a HAVING clause.
- c. Change the function in the WHERE clause.
- d. Use a subquery in the WHERE clause to compare the average salary value.

The correct answer is: Use a subquery in the WHERE clause to compare the average salary value.



Select one:

- a. SELECT last\_name, department\_name, location\_id
   FROM employees , departments ;
- b. SELECT e.last\_name, d.department\_name, d.location\_id
   FROM employees e, departments d
   WHERE e.department\_id =d.department\_id;
- c. SELECT e.last\_name, d.department\_name, d.location\_id
   FROM employees e, departments d
   WHERE manager\_id =manager\_id;
- d. SELECT employees.last\_name, departments.department\_name, departments.location\_id FROM employees e, departments d
   WHERE e.department\_id =d.department\_id;

Your answer is correct.

The correct answer is: SELECT e.last\_name, d.department\_name, d.location\_id FROM employees e, departments d WHERE e.department\_id =d.department\_id;

## Question **7**

Correct

Mark 1.00 out of 1.00

Which statements would execute successfully?

### Select one or more:

a. SELECT SUM (subject1+subject2+subject3) FROM marks

WHERE student\_name IS NULL 🗸

b. SELECT student\_name,subject1FROM marksWHERE subject1 > AVG(subject1);

c. SELECT student\_name,SUM(subject1)FROM marks

WHERE student\_name LIKE 'R%';

✓ d. SELECT SUM (DISTINCT NVL(subject1,0)),MAX(subject1)
FROM marks
WHERE subject1 > subject2; ✓

The correct answers are: SELECT SUM (DISTINCT NVL(subject1,0)),MAX(subject1)

FROM marks

WHERE subject1 > subject2;, SELECT SUM (subject1+subject2+subject3)

FROM marks

WHERE student\_name IS NULL



Emp_ld	Dept_ld	Commission
1	10	500
2	20	1000
3	10	
4	10	600
5	30	800
6	30	200
7	10	
8	20	300

Which tasks would require sub queries or joins in order to be performed in a single step?

### Select one or more:

- a. Finding the total commission earned by the employees in department 10
- ✓ b. Listing the employees who earn the same amount of commission as employee 3 
  ✓
- c. Finding the number of employees who earn a commission that is higher than the average commission of the company
  - ~
- d. Listing the employees whose annual commission is more than 6000
- e. Listing the employees who do not earn commission and who are working for department 20 in descending order of the employee ID
- f. Listing the departments whose average commission is more that 600

## Your answer is correct.

The correct answers are: Listing the employees who earn the same amount of commission as employee 3, Finding the number of employees who earn a commission that is higher than the average commission of the company

## Question **9**

Correct

Mark 1.00 out of 1.00

The following query is written to retrieve all those product IDs from the SALES table that have more than 55000 sold and have been ordered more than 10 times:

SELECT prod\_id FROM sales WHERE quantity\_sold > 55000 AND COUNT(\*)>10

GROUP BY prod\_id HAVING COUNT(\*)>10;

Which statement is true regarding this SQL statement?

## Select one:

- a. It executes successfully and generates the required result.
- b. It produces an error because COUNT (\*) should be only in the HAVING clause and not in the WHERE clause. ✓
- c. It executes successfully but produces no result because COUNT(prod\_id) should be used instead of COUNT(\*).
- d. It produces an error because COUNT (\*) should be specified the SELECT clause also .

The correct answer is: It produces an error because COUNT (\*) should be only in the HAVING clause and not in the WHERE clause.



## Select one or more:

- a. The WHERE clause can be used to apply additional conditions in SELECT statement containing the ON or the USING clause. 
   ✓
- b. Maximum of one pair of columns can be joined between two tables using the ON clause
- c. Both USING and ON clause can be used for equijoins and nonequijoins

## Your answer is correct.

The correct answers are: The ON clause can be used to join tables on columns that have different names but compatible data types., The WHERE clause can be used to apply additional conditions in SELECT statement containing the ON or the USING clause.