
18-10-2026

Agenda:


Python-3 - recap


String operation (completed)

Control-flow ⟶ 


control flow ⟶ if elif else
for while

Control-flow











print("control flow is completed")

loop





iterable → "Hello" ← str


→ [1,2,3,4]


→ (1,2,3)

→ {"101": [1,2,3],
"102": [2,3,4]}

range (start, end (exclusive), step=1)

range (1, 11) → (1, ... 10)





```
list_values = list(range(0,11))
for i in list_values:
    if i in [3,4,5]:
        pass
    else:
        print(i)
print("Iteration completed")
```

i=3, i=4, i=5 → continue

i=3 →
i=4 →
i=5 →
i=6 → 6 Iteration com

```
for i in range(0,11):
    print(i)
    if i == 7:
        for j in range(0,300):
            if j == 3:
                break
            print("Welcome to FDE bootcamp")
```

True

i = [0 . . . 299]

i = [0 . . . 10]

0 1 2 : 6 7 welcom welc welcom 8 9 10

i=0 i=1 i=2 : i=7 j=0 j=1 j=2 j=3 → false i=8 i=9 i=10

for condition :

dry run

problem statement

while → end of loop is not defined

if True/false → while True/False

skip

Software → website/application → UX

storing user data → Tell user ?

compliance → rules

T&C page

while not_convert:




tqdm → UX
→ 5 minutes
→

functions :—

payment → credit card = " "



1000 lines ← .ipynb




q=1

def name



.py


price quantity
↓ ↓
12, 60





calculate_total ( )

calculate_total ( )

calculate_total ( )








```
def add(a, b):
    print(a+b)

add(1,2)
```

```
def add(a=0, b=0):
    print(a+b)

def add(a=0, b):
    print(a+b)

def add(a, b=0):
    print(a+b)

add(10)
```