


Cisco №13



Router0

Physical Config **CLI** Attributes

IOS Command Line Interface

Would you like to enter the initial configuration dialog? [yes/no]:

Press RETURN to get started!




```

Router>enable
Router#
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface FastEthernet0/0
Router(config-if)#no shutdown
Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/0, changed state to up
Router(config-if)#exit
Router(config)#interface FastEthernet0/1
Router(config-if)#no shutdown
Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/1, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/1, changed state to up
Router(config-if)#int fa0/0
Router(config-if)#exit
Router(config)#int fa0/0
Router(config-if)#ip address 192.168.0.3 255.255.255.0
Router(config-if)#no sh
Router(config-if)#exit
Router(config)#int fa0/1
Router(config-if)#ip address 192.168.3.1 255.255.255.0
Router(config-if)#no sh
Router(config-if)#exit
Router(config)#

```

Copy Paste

Top



```
Router(config-if)#ip address 192.168.3.1 255.255.255.0
Router(config-if)#no sh
Router(config-if)#exit
Router(config)#ip route 0.0.0.0 0.0.0.0 192.168.3.2
Router(config)#
```

Copy

Paste

Pochti rabotaet 😊😊

