Tri Selection: procedure selection (n; enties, @ to:tob): Melsel pour i de la-m-1 faire 7-1 cape-t(i) tont que F), 1 et tmp (1-17 fois t[876 t[8-1] & C- 8-1, his took open type entie cuties on reel ! Tri abulle!

procedure bubble (n'entier, Q, t; (ob);

poméde Do m-lfoire;

sit(17) t (i+1) Ass

tmp = t(i) t[i] = t[i+1] t[i+1] = tmp

bubble (n, t) Vin (i

Fin pour

3/2/	Cype
i	entre
try bulle	procedure.
iminy)	

Tri Shelle. Procedure Shell (M: enties, O) t: tob); Debut: Pas = 1 Kont opne pos > 3+1 < m done POO L- POS 103+1 I'm tout open. pepoler pas a m-1 fair tmp = tri7 ront que & 7/1 et tre-Post (pur Joni t [83] ~ t [8-805] SI-8-ROS & - Kond ofme Res Frul mound or (300 (V)

project. Moth complex.

Contisione:

Bely fund coli (2-2i)

Od 12 tea 46 46

Jention cole (registrio): Sturg:

Margarti.

13/12/27:

Correction devois Sym not:

P.P.
Algorithme point-equilibre &

Debout

Soloin (P, C)

Soloin

1 (29 i		
Jos	bype	
m m	entres Oraine mot	

Sontion (mind) (: estes, c: enter): bookson:

Dehan

Fi

1 <--1

Reputer

1-1+1

chelder - maling & nigget

Juropusar chek = four on 1= c-1

Fletomme Jeh.

Fi

procedure respli la Co

1

Sh Sh Si Sh