



NET622.FA3.WEEK9.ONNEILE



Router0

PhysicalConfigCLIAttributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

FastEthernet0/0

Port Status

Bandwidth

Duplex

MAC Address

IP Configuration

IPv4 Address

Subnet Mask

Tx Ring Limit

On

100 Mbps

10 Mbps

Auto

Half Duplex

Full Duplex

Auto

0060.7009.BE17

10

Equivalent IOS Commands

```
Router>enable
Router#
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface FastEthernet0/0
Router(config-if)#no shutdown
Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/0, changed state to up
```

Top

Router0

PhysicalConfigCLIAttributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

FastEthernet0/0

Port Status

Bandwidth

Duplex

MAC Address

IP Configuration

IPv4 Address

Subnet Mask

Tx Ring Limit

On

100 Mbps

10 Mbps

Auto

Half Duplex

Full Duplex

Auto

0060.7009.BE17

192.168.2.2

255.255.255.0

10

Equivalent IOS Commands

```
Router>enable
Router#
Router#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#interface FastEthernet0/0
Router(config-if)#no shutdown
Router(config-if)#
%LINK-5-CHANGED: Interface FastEthernet0/0, changed state to up
%LINEPROTO-5-UPDOWN: Line protocol on Interface FastEthernet0/0, changed state to up
ip address 192.168.2.2 255.255.255.0
Router(config-if)#
```

Top

Router0

Physical **Config** CLI Attributes

GLOBAL

Settings

Algorithm Settings

ROUTING

Static

RIP

INTERFACE

FastEthernet0/0

FastEthernet1/0

Serial2/0

Serial3/0

FastEthernet4/0

FastEthernet5/0

FastEthernet1/0

Port Status ☒ On

Bandwidth ☐ 100 Mbps ☐ 10 Mbps ☒ Auto

Duplex ☐ Half Duplex ☐ Full Duplex ☒ Auto

MAC Address 0060 5CA2 747E

IP Configuration

IPv4 Address 192.168.1.2

Subnet Mask 255.255.255.0

Tx Ring Limit 10

Equivalent IOS Commands

```
!LINEPROTO-S-UPDOWN: Line protocol on Interface FastEthernet0/0, changed state to up
ip address 192.168.2.2 255.255.255.0
Router(config-if)#
Router(config-if)#exit
Router(config)#interface FastEthernet1/0
Router(config-if)#no shutdown
Router(config-if)#
!LINK-S-CHANGED: Interface FastEthernet1/0, changed state to up

!LINEPROTO-S-UPDOWN: Line protocol on Interface FastEthernet1/0, changed state to up
ip address 192.168.1.2 255.255.255.0
Router(config-if)#
```

☐ Top

Router0

Physical Config **CLI** Attributes

IOS Command Line Interface

```
Router(config-if)#
!LINK-S-CHANGED: Interface FastEthernet1/0, changed state to up

!LINEPROTO-S-UPDOWN: Line protocol on Interface FastEthernet1/0, changed state to up
ip address 192.168.1.2 255.255.255.0
Router(config-if)#
Router(config-if)#exit
Router(config)#router rip
Router(config-router)#
Router(config-router)#end
Router(config-router)#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#router rip
Router(config-router)#
$SYS-S-CONFIG_I: Configured from console by console

Router(config-router)#
Router(config-router)#
Router(config-router)#end
Router(config-router)#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
Router(config)#
Router(config)#
$SYS-S-CONFIG_I: Configured from console by console

Router(config)#router rip
Router(config-router)#
Router(config-router)#ip dhcp pool P1
Router(dhcp-config)#network 192.168.1.0 255.255.255.0
Router(dhcp-config)#default-router 192.168.1.2
Router(dhcp-config)#ex
Router(config)#dhcp pool P2
Router(config)#ip dhcp poo P2
Router(dhcp-config)#network 192.168.2.0 255.255.255.0
Router(dhcp-config)#default-router 192.168.2.2
Router(dhcp-config)#exit
Router(config)#
```

☐ Top

Copy Paste

PhysicalConfigServicesDesktopProgrammingAttributes

P Configuration

IP Configuration

DHCP

Static

IPV4 Address

192.168.1.4

Subnet Mask

255.255.255.0

Default Gateway

192.168.1.2

DNS Server

192.168.1.9

IPv6 Configuration

Automatic

Static

IPV6 Address

Link Local Address

FE80::20C:85FF:FE08:7AA0

Default Gateway

DNS Server

802.1X

Use 802.1X Security

Authentication

MD5

Username

Password

PhysicalConfigServicesDesktopProgrammingAttributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DHCP

Interface

FastEthernet0

Service

On

Off

Pool Name

serverPool

Default Gateway

192.168.1.2

DNS Server

192.168.1.9

Start IP Address

192

168

1

0

Subnet Mask

255

255

255

0

Maximum Number of Users

256

TFTP Server

0.0.0.0

WLC Address

0.0.0.0

Add

Save

Remove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	192.168.1.2	192.168.1.9	192.168.1.0	255.255.2...	256	0.0.0.0	0.0.0.0

Top

PhysicalConfigServicesDesktopProgrammingAttributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

DHCP

InterfaceFastEthernet0ServiceOnOff

Pool NameserverPoolA

Default Gateway192.168.2.1

DNS Server192.168.1.9

Start IP Address : 19216810

Subnet Mask: 2552552550

Maximum Number of Users : 256

TFTP Server: 0.0.0.0

WLC Address: 0.0.0.0

AddSaveRemove

Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPoolA	192.168.2.1	192.168.1.9	192.168.1.0	255.255.2...	256	0.0.0.0	0.0.0.0
serverPool	192.168.1.2	192.168.1.9	192.168.1.0	255.255.2...	256	0.0.0.0	0.0.0.0

Top

PhysicalConfigDesktopProgrammingAttributes

IP Configuration

InterfaceFastEthernet0

IP Configuration

DHCP

Static

DHCP request successful.

IPv4 Address192.168.1.1

Subnet Mask255.255.255.0

Default Gateway192.168.1.2

DNS Server0.0.0.0

IPv6 Configuration

Automatic

Static

IPv6 Address

Link Local AddressFE80::203:E4FF:FE56:3EE8

Default Gateway

DNS Server

802.1X

Use 802.1X Security

AuthenticationMD5

Username

Password

Top

PC1

Physical Config **Desktop** Programming Attributes

IP Configuration

Interface FastEthernet0

IP Configuration

☒ DHCP ☐ Static DHCP request successful.

IPv4 Address 192.168.1.3

Subnet Mask 255.255.255.0

Default Gateway 192.168.1.2

DNS Server 0.0.0.0

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::20C:85FF:FE06:1239

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

☐ Top

DNS

Physical Config Services **Desktop** Programming Attributes

IP Configuration

IP Configuration

☐ DHCP ☒ Static

IPv4 Address 192.168.1.9

Subnet Mask 255.255.255.0

Default Gateway 192.168.1.2

DNS Server 192.168.1.9

IPv6 Configuration

☐ Automatic ☒ Static

IPv6 Address /

Link Local Address FE80::260:2FFF:FEE7:78CC

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication MD5

Username

Password

☐ Top

PC2

Physical

Config

Desktop

Programming

Attributes

IP Configuration

X

Interface

FastEthernet0

▼

IP Configuration

☒ DHCP

☐ Static

DHCP request successful.

IPv4 Address

192.168.1.1

Subnet Mask

255.255.255.0

Default Gateway

192.168.1.2

DNS Server

192.168.1.9

IPv6 Configuration

☐ Automatic

☒ Static

IPv6 Address

/

Link Local Address

FE80::201:96FF:FE09:4017

Default Gateway

DNS Server

802.1X

☐ Use 802.1X Security

Authentication

MD5

▼

Username

Password

Top

