
MODULE *E2T*

LOCAL INSTANCE *Naturals*

LOCAL INSTANCE *Sequences*

LOCAL INSTANCE *TLC*

CONSTANT *E2TNode*

Message type constants

CONSTANT

SubscribeRequest,

SubscribeResponse

CONSTANTS

UnsubscribeRequest,

UnsubscribeResponse

VARIABLES *e2tNbConn*, *e2tNbConnId*

E2TNB \triangleq INSTANCE *Messaging* WITH *Nil* \leftarrow "<nil>", *conn* \leftarrow *e2tNbConn*, *connId* \leftarrow *e2tNbConnId*

Message type constants

CONSTANT

E2Setup,

E2SetupResponse,

E2SetupFailure

CONSTANT

ResetRequest,

ResetResponse

CONSTANT

RICSubscriptionRequest,

RICSubscriptionResponse,

RICSubscriptionFailure

CONSTANT

RICSubscriptionDeleteRequest,

RICSubscriptionDeleteResponse,

RICSubscriptionDeleteFailure

CONSTANT

RICControlRequest,

RICControlResponse,

RICControlFailure,

RICServiceUpdate

CONSTANT

E2ConnectionUpdate,
E2ConnectionUpdateAcknowledge,
E2ConnectionUpdateFailure

CONSTANT

E2NodeConfigurationUpdate,
E2NodeConfigurationUpdateAcknowledge,
E2NodeConfigurationUpdateFailure

Failure cause constants

CONSTANT

MiscFailureUnspecified,
MiscFailureControlProcessingOverload,
MiscFailureHardwareFailure,
MiscFailureOMIntervention

CONSTANT

ProtocolFailureUnspecified,
ProtocolFailureTransferSyntaxError,
ProtocolFailureAbstractSyntaxErrorReject,
ProtocolFailureAbstractSyntaxErrorIgnoreAndNotify,
ProtocolFailureMessageNotCompatibleWithReceiverState,
ProtocolFailureSemanticError,
ProtocolFailureAbstractSyntaxErrorFalselyConstructedMessage

CONSTANT

RICFailureUnspecified,
RICFailureRANFunctionIDInvalid,
RICFailureActionNotSupported,
RICFailureExcessiveActions,
RICFailureDuplicateAction,
RICFailureDuplicateEvent,
RICFailureFunctionResourceLimit,
RICFailureRequestIDUnknown,
RICFailureInconsistentActionSubsequentActionSequence,
RICFailureControlMessageInvalid,
RICFailureCallProcessIDInvalid

CONSTANT

RICServiceFailureUnspecified,
RICServiceFailureFunctionNotRequired,
RICServiceFailureExcessiveFunctions,
RICServiceFailureRICResourceLimit

CONSTANT

TransportFailureUnspecified,
TransportFailureTransportResourceUnavailable

VARIABLES *e2tSbConn*, *e2tSbConnId*

$E2TSB \triangleq$ INSTANCE *Messaging* WITH *Nil* \leftarrow "<nil>", *conn* \leftarrow *e2tSbConn*, *connId* \leftarrow *e2tSbConnId*

$$\begin{aligned}
E2TNBHandleSubscribe(c, m) &\triangleq \\
&\wedge E2TNB!Reply(c, [type \mapsto SubscribeResponse]) \\
&\wedge \text{UNCHANGED } \langle \rangle
\end{aligned}$$

$$\begin{aligned}
E2TNBHandleUnsubscribe(c, m) &\triangleq \\
&\wedge E2TNB!Reply(c, [type \mapsto UnsubscribeResponse]) \\
&\wedge \text{UNCHANGED } \langle \rangle
\end{aligned}$$

$$\begin{aligned}
E2TNBHandleMessage(c, m) &\triangleq \\
&\wedge \vee \wedge m.type = SubscribeRequest \\
&\quad \wedge E2TNBHandleSubscribe(c, m) \\
&\wedge \vee \wedge m.type = UnsubscribeRequest \\
&\quad \wedge E2TNBHandleSubscribe(c, m) \\
&\wedge \text{UNCHANGED } \langle \rangle
\end{aligned}$$

$$\begin{aligned}
E2TSBHandleE2Setup(c, m) &\triangleq \\
&\wedge E2TSB!Reply(c, [type \mapsto E2SetupResponse]) \\
&\wedge \text{UNCHANGED } \langle \rangle
\end{aligned}$$

$$\begin{aligned}
E2TSBHandleMessage(c, m) &\triangleq \\
&\wedge \vee \wedge m.type = E2Setup \\
&\quad \wedge E2TSBHandleE2Setup(c, m) \\
&\wedge \text{UNCHANGED } \langle \rangle
\end{aligned}$$

$$\begin{aligned}
E2TInit &\triangleq \\
&\wedge E2TNB!Init \\
&\wedge E2TSB!Init
\end{aligned}$$

$$\begin{aligned}
E2TNext &\triangleq \\
&\vee \exists c \in E2TNB!Connections : E2TNB!Disconnect(c) \\
&\vee \exists c \in E2TSB!Connections : E2TSB!Disconnect(c) \\
&\vee \exists c \in E2TNB!Connections : E2TNB!Handle(c, E2TNBHandleMessage) \\
&\vee \exists c \in E2TSB!Connections : E2TSB!Handle(c, E2TSBHandleMessage)
\end{aligned}$$

\ * Modification History
\ * Last modified Tue Aug 10 06:31:08 PDT 2021 by jordanhalterman
\ * Created Tue Aug 10 04:55:45 PDT 2021 by jordanhalterman