```
– module Log -
INSTANCE Naturals
INSTANCE Sequences
LOCAL INSTANCE IOUtils
LOCAL INSTANCE Json
CONSTANT Enabled
CONSTANT File
CONSTANT CurrentState
Constant SuccessorState
FormatOpts \triangleq
                                  \mapsto "TXT"
      [format
       charset

→ "UTF-8"

       openOptions \mapsto \langle \text{"WRITE"}, \text{"CREATE"}, \text{"APPEND"} \rangle ]
Init \triangleq
      \land IOExec(\langle "rm", "-f", File \rangle).exitValue = 0
Log(context) \triangleq
       Enabled \Rightarrow
                                                      \stackrel{\triangle}{=} [k \in \{k \in \text{DOMAIN } \textit{CurrentState} : \text{DOMAIN } \textit{CurrentState}[k] \neq \{\}\} \mapsto \textit{CurrentState}[k]
             Let currentState
                       successorState \triangleq [k \in \{k \in Domain \ SuccessorState : Domain \ SuccessorState[k] \neq \{\}\} \mapsto SuccessorState = \{k \in \{k \in Domain \ SuccessorState : Domain \ SuccessorState[k] \neq \{\}\} \mapsto SuccessorState = \{k \in \{k \in Domain \ SuccessorState : Domain \ SuccessorState[k] \neq \{\}\} \mapsto SuccessorState = \{k \in \{k \in Domain \ SuccessorState : Domain \ SuccessorState[k] \neq \{\}\} \mapsto SuccessorState = \{k \in \{k \in Domain \ SuccessorState : Domain \ SuccessorState[k] \neq \{\}\} \mapsto SuccessorState = \{k \in \{k \in Domain \ SuccessorState : Domain \ SuccessorState : Domain \ SuccessorState[k] \neq \{\}\} \mapsto SuccessorState = \{k \in \{k \in Domain \ SuccessorState : Domain \ SuccessorState : Domain \ SuccessorState[k] \neq \{\}\} \mapsto SuccessorState[k] = \{k \in \{k \in Domain \ SuccessorState : Domain \ SuccessorState[k] \neq \{\}\} \}
                                                       \triangleq [context
                       record
                                                                                             \mapsto context
                                                               currentState \mapsto currentState,
                                                               successorState \mapsto [k \in \{k \in DOMAIN \ successorState : k \in DOMAIN \ currentState \}]
                                                                                                          currentState[k] \neq successorState[k]] \mapsto successorState[k]]]
                      Serialize(ToJsonObject(record) \circ "\n", File, FormatOpts).exitValue = 0
Action(action, context) \stackrel{\Delta}{=}
      \land action
      \land \quad action \Rightarrow Log(context)
Assume Enabled \in Boolean
```

 $[\]backslash * \ {\bf Modification} \ {\bf History}$

^{\ *} Last modified Mon Feb 21 01:49:57 PST 2022 by jordanhalterman

^{*} Created Sun Feb 20 01:18:19 PST 2022 by jordanhalterman