This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

REV. NO	MM/DD/YY	SIGNATURE	CHANGED NO	CHANGED CONTENTS
05	FEB./26/26	BOWON CHOI	EKMQ100654	ITEM No. 08 is Created.
04	DEC./19/25	BOWON CHOI	EKMPB00565	ITEM No. 07 is Updated. - No revision / Update the example of the Origin.
03	SEP./08/25	BOWON CHOI	EKMP800441	ITEM No. 03 is Changed. - No revision / Update the example of the LG address.
02	AUG./12/25	BOWON CHOI	EKMP701040	ITEM No. 04 is Changed.(REV00→REV01) - Change the Vietnam importer address.
01	MAY/14/25	BOWON CHOI	DKMP400403	ITEM No. 07 is Changed.(REV00→REV01) - S mark is changed to QR code.

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인은 득한 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

SECTION / GRADE	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0.10	0.15	0.20	0.30	0.45	0.70	0.70	1.0
2	0.15	0.20	0.30	0.45	0.70	1.0	1.0	1.5
3	0.20	0.30	0.45	0.70	1.0	1.5	1.5	2.0
4	0.30	0.45	0.70	1.0	1.5	2.0	2.0	3.0
5	0.45	0.70	1.0	1.5	2.0	3.0	3.0	4.0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

DRAWN	JUL./09/20	B. W. CHOI
CHECKED	JUL./09/20	J. Y. BANG
APPROVED	JUL./09/20	J. O. KIM

LG

SHIPPING LABEL
~LED OUTSOURCING~
MEZ688283(01P)

PRINTING COLOR	MATERIAL(VENDOR)/ADHESIVE	SIZE W(±0.2)	SIZE H(±0.2)	REMARK	ITEM NO
-	ART PAPER 100 g (WHITE) Permanent Type 3.5 kg·f/cm2 ~	150	175	TR (MRP_India)	01
		40	50	PD (Turkey)	02
		80	65	WM (NOM_Mexico)	03
		70	60	TV (Vietnam)	04
		52	24	MF (Israel_H.Y.E)	05
		50	25	GS (Algeria)	06
		75	90	WN (Argentina)	07
		120	50	DG (Uzbekistan)	08
					09
					10
					11
					12
					13
					14
					15
					16
					17
					18
					19
					20
					21
					22
					23
					24
					25
					26
					27
					28
					29
					30
					31
					32
					33

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인은 득한 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

GRADE \ SECTION	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0.10	0.15	0.20	0.30	0.45	0.70	0.70	1.0
2	0.15	0.20	0.30	0.45	0.70	1.0	1.0	1.5
3	0.20	0.30	0.45	0.70	1.0	1.5	1.5	2.0
4	0.30	0.45	0.70	1.0	1.5	2.0	2.0	3.0
5	0.45	0.70	1.0	1.5	2.0	3.0	3.0	4.0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

DRAWN	JUL./09/20	B. W. CHOI
CHECKED	JUL./09/20	J. Y. BANG
APPROVED	JUL./09/20	J. O. KIM

LG

SHIPPING LABEL
~LED OUTSOURCING~
MEZ688283(02P)

LABEL DIMENSION

[Unit : mm]

The Unrolling Direction
풀림방향



OVERPRINTING INFORMATION

* All contents of label be overprinted.
* Minimum size of overprint font : 6 mm (H)

- ⓐ Sales Model Name : 판매모델명
- a-2 Screen Size(Inch) 화면 크기(인치)
- a-3 Production Name 생산공장명
- a-4 MANURACTURED_Date/Month/Year : ex) 01/07/2019 제조년월일_일/월/년
- a-5 ARGENTIAN REGULATION MARK 아르헨티나 규격 마크
- a-6 PRODUCTION ADDRESS(RUSSIAN/UKRAINE) 생산지 주소(러시아어/우크라이나어)
- a-7 SET Dimension (Comma) 세트 사이즈 (콤마)
- a-8 SET Weight (comma) 세트 무게 (콤마)
- a-9 Color_SET (RUSSIAN/UKRAINE) 색상_세트 (러시아어/우크라이나어)
- a-10 Product Name_Mexico 제품명칭_멕시코
- a-11 Exporter Address_Mexico 수출업자 주소_멕시코
- a-12 Net Quantity 제품의 수량
- a-13 Total Size (With Packing) 총 사이즈 (포장 포함)
- a-14 Tolta Weight (With Packing) 총 무게 (포장 포함)
- a-15 Color_SET (CHINESE) 색상_세트 (중국어)
- a-16 Product Name_China 제품명칭_중국
- a-17 Producer & Production plant_China 생산자 & 생산지_중국
- a-18 Product Name_Indonesia 제품명칭_인도네시아
- a-19 Product Name_Thailand 제품명칭_태국
- a-19 Product Name_Taiwan 제품명칭_대만
- a-20 UL & FACTORY ID
- a-21 Product Name_Mexico 제품명칭_멕시코
- a-21 HDMI
- a-22 Product Name_Russia 제품명칭_러시아
- a-23 Indonesia MOT No. 인도네시아 MOT 번호
- a-24 Product Name_Peru 제품명칭_페루
- a-25 Japan Annual Power Consumption 일본 연간 소비전력
- a-26 Japan JQA 일본 JQA
- a-27 Taiwan Warning 대만 경고문구
- a-28 Production Address_Turkey 생산지 주소_터키
- a-29 Representative address 대표 주소
- a-30 Product Name_Vietnam 제품명칭_베트남
- a-31 Production Address_Vietnam 생산지 주소_베트남
- a-32 Production Name_India 제품명칭_인도
- a-33 Manufacturer_Taiwan 제조자_대만
- a-34 DoU Mark_Ukraine DoU 마크_우크라이나
- a-35 HG or CD Free Mark_Europe 수은 or 카드뮴 프리 마크_유럽
- a-36 VCCI_Japan VCCI_일본
- a-37 CLASS A CAUTION_CHINA CLASS A 경고문구_중국
- a-38 Representative address_Algeria 대표 주소_알제리
- a-39 Product Name_Argentina 제품명칭_아르헨티나
- a-40 Product Name_Israel 제품명칭_이스라엘
- a-41 Production Address_Argentina 생산지 주소_아르헨티나
- a-42 Product Name_Uzbekistan 제품명칭_우즈베키스탄
- a-43 Total Size (With Packing) (Comma) 총 사이즈 (포장 포함)(콤마)
- a-44 Tolta Weight (With Packing) (Comma) 총 무게 (포장 포함) (콤마)
- ⓑ MODEL NO. (Regulation Model Name) : 기기의명칭 (규격모델명)
- ⓒ Model.Suffix : ex) LED-OS.CEUDLH 모델형명
- ⓓ Power 정격
- d-1 Power (Comma) 정격 (콤마)
- d-2 Power_Russia (Comma) 정격_러시아 (콤마)
- d-3 Mexico_On Power (Comma) 멕시코_On Power (콤마)
- d-4 Mexico_Stand by (Comma) 멕시코_Stand by (콤마)
- d-5 Voltage & Range
- d-6 Current Value (Comma)
- d-7 Power Consumption
- ⓔ Serial No. 일련번호
- ⓖ Logistics Serial No. 일련번호
- ⓕ MANURACTURED in Arabic : ex) 02 / 2019 제조년월
- f-1 MANURACTURED Year : ex) 2020 제조년
- f-2 MANURACTURED Year/Month/Date : ex) 2020/02/07 제조년월일
- ⓗ Logistic Product Code : : from Barcode of Accessory Master. Logistic Product Code : 악세서리마스터의 바코드부분 참고.
- ⓚ Work Order 제번
- ⓟ Origin : ex) MADE IN CHINA * SAME AS BOX LABEL MADE BY LG Electronics 원산지표기
- p-1 Origin_Uzbekistan 우즈베키스탄 원산지 — CHINA PRODUCTION / XITOY / CHINA
- ⓢ Address_Indonesia 인도네시아 수입자주소
- ⓣ Indonesia RF Certification No.
- ⓤ Indonesia RF PLG ID
- ⓥ BIS Mark
- ⓦ Production Address_INDIA 인도향 생산지 주소
- ⓩ PRODUCT NAME 1 기자재의 명칭
- z-1 PRODUCT NAME 2 품명
- z-2 Manufacturer/Manufacturing Country 제조자제조국가
- z-3 Manufacturer Name 제조업자명
- z-4 KC(Safety) No. KC(안전) 인증번호
- z-5 KC(EMC) No. KC(EMC) 인증번호
- z-6 UNIT SALE PRICE * If the NET QUANTITY is "1 NUMBER", UNIT SALE PRICE same as MRP.
- z-7 MRP (Inclusive of Taxse)

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인은 득할 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

GRADE \ SECTION	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0.10	0.15	0.20	0.30	0.45	0.70	0.70	1.0
2	0.15	0.20	0.30	0.45	0.70	1.0	1.0	1.5
3	0.20	0.30	0.45	0.70	1.0	1.5	1.5	2.0
4	0.30	0.45	0.70	1.0	1.5	2.0	2.0	3.0
5	0.45	0.70	1.0	1.5	2.0	3.0	3.0	4.0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

DRAWN	JUL./09/20	B. W. CHOI
CHECKED	JUL./09/20	J. Y. BANG
APPROVED	JUL./09/20	J. O. KIM

SHIPPING LABEL
~LED OUTSOURCING~
MEZ688283(03P)

[ITEM NO. "01"] TR (MRP_India)

MODEL NO. : LAEB015-GN ⓑ
PRODUCT : VIDEO MONITOR ⓐ-32
NET QUANTITY : 1 NUMBER ⓧ
INPUT WATTAGE : 275 W ⓨ
MONTH AND YEAR OF MANUFACTURE : 04/2022 ⓕ
MRP : ₹ 16 899.00 Z-7 (INCL. OF ALL TAXES)
UNIT SALE PRICE : ₹ 16 899.00 Z-6 PER NUMBER
VOLTAGE FREQUENCY : AC 100-240 V~ 50/60 Hz
PRODUCTION MODEL : LAEB015-GN.ATRLLA ⓒ

IMPORTED BY : LG ELECTRONICS INDIA LTD.
REGD. OFFICE : A-24/6, MOHAN COOPERATIVE
INDUSTRIAL ESTATE, MATHURA ROAD,
NEW DELHI - 110044

FOR FEEDBACK/SUGGESTION, PLEASE WRITE TO
: "CUSTOMER CARE EXECUTIVE" AT THE ADDRESS
SAME AS IMPORTER GIVEN ABOVE.
SMS : 5757554 (TOLL FREE)1800 180 9898
EMAIL : B2BSUPPORT.INDIA@LGEPARTNER.COM

COUNTRY OF ORIGIN : MADE IN CHINA ⓟ

[ITEM NO. " 02 "] PD (Turkey)

Imalatci :
K-tronics (Suzhou) Technology Co., Ltd
No.1088, Dajing Road, Z-2
Economic and Technological Development Zone,
Wujiang District, Suzhou,
Jiangsu Province, 215200, P.R. China

Yetkili Temsilci :
LG ELECTRONICS TICARET A.Ş.
Fulya Mah.
Büyükdere Cad.
Torun Center A Blok
No:74a İç Kapı No:78,
Şişli / İstanbul
www.lg.com
E-mail: infolgetr@lge.com
Tel.no. : +90 (212)314 52 52

MEZ68828302(REV00)

[ITEM NO. " 03 "] WM (NOM_Mexico)

PRODUCTO	MONITOR DE LCD Z-2
MODELO	LED-OS ⓑ
IMPORTADOR	LG ELECTRONICS MÉXICO S.A. DE C.V. SOR JUANA INÉS DE LA CRUZ 555 COL. SAN LORENZO INDUSTRIAL TLALNEPANTLA DE BAZ ESTADO DE MÉXICO C.P. 54033
EXPORTADOR	LG Electronics Inc. a-11 LG Twin Tower 128, Yeoui-daero, Yeongdeungpo-gu, Seoul 07336, Republic of Korea
PAIS DE ORIGEN	HECHO EN CHINA ⓟ
CARACTERISTICAS ELECTRICAS	TENSION DE ALIMENTACION/FRECUENCIA DE OPERACION : AC 100-240 V~ 50/60 Hz d-5 CORRIENTE NOMINAL : 11,4 A d-6
CONSUMO DE ENERGÍA POR UNIDAD DE TIEMPO EN OPERACIÓN(Wh) : 540,4 d-3	

NOM

MEZ68828303(REV00)

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인은 득한 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

SECTION / GRADE	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0.10	0.15	0.20	0.30	0.45	0.70	0.70	1.0
2	0.15	0.20	0.30	0.45	0.70	1.0	1.0	1.5
3	0.20	0.30	0.45	0.70	1.0	1.5	1.5	2.0
4	0.30	0.45	0.70	1.0	1.5	2.0	2.0	3.0
5	0.45	0.70	1.0	1.5	2.0	3.0	3.0	4.0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

DRAWN	JUL./09/20	B. W. CHOI
CHECKED	JUL./09/20	J. Y. BANG
APPROVED	JUL./09/20	J. O. KIM

LG

SHIPPING LABEL
~LED OUTSOURCING~
MEZ688283(04P)

[ITEM NO. “04 ”] TV (Vietnam)

Tên hàng : Màn hình chuyên dụng (a-3)
Model : LED-OS (b)
Cơ sở sản xuất, lắp ráp : K-tronics (Suzhou) Technology Co., Ltd (a-3)
Địa chỉ cơ sở sản xuất, lắp ráp :
No.1088, Dajing Road, Economic and Technological Development Zone, Wujiang District, Suzhou, Jiangsu Province, 215200, P.R. China
Đơn vị nhập khẩu: CHI NHÁNH CÔNG TY TNHH LG ELECTRONICS VIỆT NAM HẢI PHÒNG TẠI HÀ NỘI
Địa chỉ: Tầng 15,16, Tòa văn phòng, Lotte Mall Hà Nội, 272 Võ Chí Công, Phường Tây Hồ, Hà Nội, Việt Nam
Điện thoại : 84-24-39345151 Fax : 84-24-39345152
Nước sản xuất : Trung Quốc
Kích thước (mm) : 1102,2 x 638,5 x 38,6 (a-7)
Khối lượng tịnh (kg) : 14,1 (a-8)
Định lượng : (a-12) chiếc / 1 hộp
Thông số kỹ thuật : AC 100-240 V~ 50/60 Hz 1,0 A 85 W (d-1) (d-7)
Thông tin cảnh báo an toàn : Xem trên bao bì và tài liệu đi kèm theo máy
Hướng dẫn sử dụng, bảo quản : Xem trong tài liệu đi kèm theo máy
Tháng/năm sản xuất : 07/2020 (f)
MEZ68828304(REV01)

[ITEM NO. “05 ”] MF (Israel_H.Y.E)

שם היבואן: ח.י. אלקטרוניקה ורכיבים בע"מ
התע"ש 14 כפר סבא. טל': 6683*
שם היצרן: אל.ג'י אלקטרוניקס, LG Electronics
שנת ייצור: 2021 (c-1)
ארץ הייצור: סין CHINA
שם המוצר:
LED screen - מסך לד (a-1)
MEZ68828305 (REV00)

[ITEM NO. “06 ”] GS (Algeria)

LED-OS (a)
اسم المصدر : ال جي الكترونيكس
اسم المستورد : شركة ذات امسؤولية امحدودة أل جي إلكترونيك الجزائر
عنوان المستورد : قاوش قطعة رقم 01 شارع محمد بوضياف رقم 98 الشراقة الجزائر
المنتوج : مونيتور لافتات
بلد المنشأ : الصين
MEZ68828306 (REV00)

[ITEM NO. “07 ”] WN (Argentina)

Garantiza : LG Electronics Argentina S.A.
Juramento 1775 piso 13
(C1428DNA) Ciudad de Buenos Aires
Argentina
CUIT : 30-70728048-0
Tel. : 0800-345-5422
Dimensiones (mm) : 995,6 X 587,6 X 113,7 (a-7)
(W x H x D)
Peso (kg) : 21,1 (a-8)
Fabricado en China (p)
LED-OS (b)
TARJETA DE GARANTIA INCLUIDA
WITH WARRANTY CARD
AR
MEZ68828307(REV01)

[ITEM NO. “08 ”] DG (Uzbekistan)

MAHSULOT / PRODUCT	:	LG
ISHLAB CHIQARUVCHI / PRODUCER	:	LG
RUSUMI / MODEL	:	LED OS (b)
MAHSULOT TURI / PRODUCT TYPE	:	LED SCREEN (a-1)
QUTI O'LCHAMLARI (EXCHXB) / BOX DIMENSIONS (W x D x H)	:	812,2 mm x 130,5 mm x 490,5 mm (a-1)
UMUMIY OG'IRLIGI / TOTAL WEIGHT (kg)	:	6,1 (a-1)
ISHLAB CHIQARILGAN DAVLAT / MADE IN	:	XITOY / CHINA (c-1)

MEZ68828308(REV00)

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인은 득한 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

SECTION / GRADE	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0,10	0,15	0,20	0,30	0,45	0,70	0,70	1,0
2	0,15	0,20	0,30	0,45	0,70	1,0	1,0	1,5
3	0,20	0,30	0,45	0,70	1,0	1,5	1,5	2,0
4	0,30	0,45	0,70	1,0	1,5	2,0	2,0	3,0
5	0,45	0,70	1,0	1,5	2,0	3,0	3,0	4,0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

DRAWN	JUL./09/20	B. W. CHOI
CHECKED	JUL./09/20	J. Y. BANG
APPROVED	JUL./09/20	J. O. KIM

LG

SHIPPING LABEL
~LED OUTSOURCING~
MEZ688283(05P)