This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

REV. NO	MM/DD/YY	SIGNATURE	CHANGED NO	CHANGED CONTENTS
05	FEB./06/25	B.W. CHOI	EKMP100331	ITEM No. 01 is Changed. (REV02→REV03 / Change the Company name of LGEIL)
04	FEB./03/25	E.B. CHOI	EKMP200014	ITEM No. 02 is Changed. - Change the Company name of LGEIL
03	MAR./21/22	B.W. CHOI	EKLM200481	ITEM No. 01 is Changed. (REV01→REV02) ITEM No. 02 is Changed. -Change the contents of the label
02	SEP./10/21	B.W. CHOI	EKML600479	ITEM No. 02 is Created.
01	JUL./06/21	B.W. CHOI	EKML700037	ITEM No. 01 is Changed. (REV00→REV01, Design Change)

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인을 득할 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

SECTION / GRADE	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0.10	0.15	0.20	0.30	0.45	0.70	0.70	1.0
2	0.15	0.20	0.30	0.45	0.70	1.0	1.0	1.5
3	0.20	0.30	0.45	0.70	1.0	1.5	1.5	2.0
4	0.30	0.45	0.70	1.0	1.5	2.0	2.0	3.0
5	0.45	0.70	1.0	1.5	2.0	3.0	3.0	4.0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

LG

DRAWN	JUN./16/21	B. W. CHOI
CHECKED	JUN./16/21	J. Y. BANG
APPROVED	JUN./16/21	J. O. KIM

INDIA MRP ~ACCESSARY ~

MEZ689405(01P)

PRINTING COLOR	MATERIAL(VENDOR)/ADHESIVE	SIZE W(±0.2)	SIZE H(±0.2)	REMARK	ITEM NO
BLACK	YUPO R-80 (WHITE PP 80 ㎛) Permanent Type 3.5 kg·f/cm2 ~	150	80	LAAF015-EG_ALL PRODUCTION	01
-		85	235	SIGNAGE STAND_ALL PRODUCTION	02
					03
					04
					05
					06
					07
					08
					09
					10
					11
					12
					13
					14
					15
					16
					17
					18
					19
					20
					21
					22
					23
					24
					25
					26
					27
					28
					29
					30
					31
					32
					33

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인은 득한 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

GRADE \ SECTION	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0.10	0.15	0.20	0.30	0.45	0.70	0.70	1.0
2	0.15	0.20	0.30	0.45	0.70	1.0	1.0	1.5
3	0.20	0.30	0.45	0.70	1.0	1.5	1.5	2.0
4	0.30	0.45	0.70	1.0	1.5	2.0	2.0	3.0
5	0.45	0.70	1.0	1.5	2.0	3.0	3.0	4.0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

DRAWN	JUN./16/21	B. W. CHOI
CHECKED	JUN./16/21	J. Y. BANG
APPROVED	JUN./16/21	J. O. KIM

LG

INDIA MRP ~ACCESSARY ~

MEZ689405(02P)

[LABEL DIMENSION]

[Unit : mm]



OVERPRINTING INFORMATION

* Minimum size of overprint font : 6 mm (H)

ⓐ Sales Model Name : from Job Expression of BOM.
영업모델명 : BOM의 작업 설명란 참고하여 적용.

ⓑ Model.Suffix : Model.Suffix from Production Schedule
모델 형명 : 생산 계획상의 Model.Suffix를 표시함

ⓒ Product Name : from Job Expression of BOM.
제품명 : BOM의 작업 설명란 참고하여 적용.

ⓓ MONTH AND YEAR OF MANUFACTURE ex) 11/2017
생산 월/년 ex) 11/2017

ⓔ MRP(Inclusive of Taxes) :
MRP(세금포함) : 제품 가격으로서 이 가격은 매월 변경 될 수 있으며, Global 운영 그룹에서
제조 생산 전 영업으로부터 입수한 가격 정보를 SLS 물류 지원팀 및 제조에 통보하여 적용할 것.
* MRP Price should be applied as India's currency "Rupee". Do not use ,(comma) and Expressed to two decimal places.
* MPR 가격은 인도 화폐 단위 "루피"로 적용 할 것. ,(콤마)는 사용하지 않으며, 소수점 2자리까지 표현할 것.

ⓕ Origin of Country :
원산지 :

PRODUCTION SITE	Overprinting Contents
KOREA	MADE IN KOREA
INDONESIA	MADE IN INDONESIA

ⓖ UNIT SALE PRICE :
UNIT 당 가격 : 제품 가격으로서 이 가격은 매월 변경 될 수 있으며, Global 운영 그룹에서
제조 생산 전 영업으로부터 입수한 가격 정보를 SLS 물류 지원팀 및 제조에 통보하여 적용할 것.
* NET QUANTITY가 1 NUMBER일 경우 MRP와 동일하게 적용
* UNIT SALE PRICE should be applied as India's currency "Rupee". Do not use ,(comma) and Expressed to two decimal places.
* UNI 당 가격은 인도 화폐 단위 "루피"로 적용 할 것. ,(콤마)는 사용하지 않으며, 소수점 2자리까지 표현할 것.

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인은 득할 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

GRADE \ SECTION	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0.10	0.15	0.20	0.30	0.45	0.70	0.70	1.0
2	0.15	0.20	0.30	0.45	0.70	1.0	1.0	1.5
3	0.20	0.30	0.45	0.70	1.0	1.5	1.5	2.0
4	0.30	0.45	0.70	1.0	1.5	2.0	2.0	3.0
5	0.45	0.70	1.0	1.5	2.0	3.0	3.0	4.0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

DRAWN	JUN./16/21	B. W. CHOI
CHECKED	JUN./16/21	J. Y. BANG
APPROVED	JUN./16/21	J. O. KIM

LG

INDIA MRP ~ACCESSARY ~

MEZ689405(03P)

[ITEM NO. "01"] LAAF015-EG_ALL PRODUCTION

MODEL NO. : LAAF015-EG
NET QUANTITY : 1 NUMBER
PRODUCT : LED SPARE PARTS
PRODUCTION MODEL : LAAF015-EG.ATR

IMPORTED BY : LG ELECTRONICS INDIA LTD.
REGD. OFFICE : A-24/6, MOHAN COOPERATIVE
INDUSTRIAL ESTATE, MATHURA ROAD,
NEW DELHI - 110044

MEZ68940501(REV03)

The Unrolling Direction
풀림방향

[ITEM NO. "02"] SIGNAGE STAND_ALL PRODUCTION

4R-3

MODEL NO. : ST-653TW ⓐ PRODUCT : DESKTOP STAND ⓒ
COUNTRY OF ORIGIN : MADE IN KOREA ⓕ NET QUANTITY : 1 NUMBER
MONTH AND YEAR OF MANUFACTURE : 06/2021 ⓓ
MRP : ₹ 16 899.00 ⓔ (INCL. OF ALL TAXES)
UNIT SALE PRICE : ₹ 16 899.00 ⓖ PER NUMBER
PRODUCTION MODEL : ST-653TW.ATRLLA ⓑ
IMPORTED BY : LG ELECTRONICS INDIA LTD. REGD. OFFICE : A-24/6,
MOHAN COOPERATIVE INDUSTRIAL ESTATE, MATHURA ROAD, NEW DELHI - 110044
FOR FEEDBACK/SUGGESTION, PLEASE WRITE TO : "CUSTOMER CARE EXECUTIVE" AT
THE ADDRESS SAME AS IMPORTER GIVEN ABOVE. (TOLL FREE)1800 180 9898
SMS : 5757554 EMAIL : B2BSUPPORT.INDIA@LGEPARTNER.COM

The Unrolling Direction
풀림방향

* All contents of the label are overprinted.

NOTE

[Restriction of Hazardous Substances]
Hazardous substances on this product should be satisfied by substance regulation of Level A-I, A-II, SVHC according to LG(52)B—5011 standard. Especially, Part should be followed and controlled the following specification.
(1) Hazardous substances test report should be submitted when part certification test and first mass production.
(2) Especially, Don't use or contain lead (Pb) and cadmium (Cd) in ink.

1. 입고 방식 : Roll Type / 종이포장
2. 양산 전 설계의 승인은 득할 것.

1. Packing method when delivering : Roll type
2. Submit samples and get approval of the engineering department before mass production.

DIMENSIONAL TOLERANCE

GRADE \ SECTION	4 ~ BELOW	5 ~ 12	13 ~ 36	37 ~ 110	111 ~ 330	331 ~ 1000	331 ~ 1000	1000 ~ OVER
1	0.10	0.15	0.20	0.30	0.45	0.70	0.70	1.0
2	0.15	0.20	0.30	0.45	0.70	1.0	1.0	1.5
3	0.20	0.30	0.45	0.70	1.0	1.5	1.5	2.0
4	0.30	0.45	0.70	1.0	1.5	2.0	2.0	3.0
5	0.45	0.70	1.0	1.5	2.0	3.0	3.0	4.0

ANGULAR 90° ±
UNLESS OTHERWISE SEPCIFIED

This drawing belongs to LGE. Those who drain away illegally shall be punished according to the relevant rules and the company standards.

THIRD ANGLE PROJECT

SCALE	UNIT
1/1	mm

DRAWN	JUN./16/21	B. W. CHOI
CHECKED	JUN./16/21	J. Y. BANG
APPROVED	JUN./16/21	J. O. KIM

LG

INDIA MRP
~ACCESSARY ~

MEZ689405(04P)