

F-16C Block 50 — Cockpit Element Reference

Generated from `clickabledata.lua`, `command_defs.lua`, `devices.lua`.

Contents

1 dev=2 — CONTROL_INTERFACE

Key suffix	Hint	arg	cmd	dev	cmd symbol
97	ADV MODE Switch	97	0	2	control_commands.AdvMode
108	Autopilot ROLL Switch, STRG SEL/ATT HOLD/HDG SEL	108	0	2	control_commands.ApRoll
358	STORES CONFIG Switch, CAT III/CAT I	358	0	2	control_commands.StoresCor
425	MANUAL PITCH Override Switch, OVRD/NORM	425	0	2	control_commands.ManualPit
560	ROLL TRIM Wheel	560	0	2	control_commands.RollTrim
562	PITCH TRIM Wheel	562	0	2	control_commands.PitchTrim
564	TRIM/AP DISC Switch, DISC/NORM	564	0	2	control_commands.TrimApDis
565	YAW TRIM Knob	565	0	2	control_commands.YawTrim
566	DIGITAL BACKUP Switch, OFF/BACKUP	566	0	2	control_commands.DigitalBa
567	ALT FLAPS Switch, NORM/EXTEND	567	0	2	control_commands.AltFlaps
568	MANUAL TF FLYUP Switch, EN-ABLE/DISABLE	568	0	2	control_commands.ManualTF
572	LE FLAPS Switch, AUTO/LOCK	572	0	2	control_commands.LeFlaps
573	FLCS RESET Switch, OFF/RESET	573	0	2	control_commands.FlcsReset
574	BIT Switch, OFF/BIT	574	0	2	control_commands.BitSw
757	Throttle, OFF/IDLE	757	0	2	control_commands.Throttled

2 dev=3 — ELEC_INTERFACE

Key suffix	Hint	arg	cmd	dev	cmd symbol
510	MAIN PWR Switch, MAIN PWR/BATT/OFF	510	0	3	elec_commands.MainPwrSw
511	ELEC CAUTION RESET Button - Push to reset	511	0	3	elec_commands.CautionReset
579	EPU/GEN Test Switch, EPU/GEN /OFF	579	0	3	elec_commands.EPU_GEN_Test

3 dev=4 — FUEL_INTERFACE

Key suffix	Hint	arg	cmd	dev	cmd symbol
159	External Fuel Transfer Switch, NORM/ WING FIRST	159	0	4	fuel_commands.ExtFuelTrans
555	AIR REFUEL Switch, OPEN/CLOSE	555	0	4	fuel_commands.AirRefuelSw
556	ENGINE FEED Knob, OFF/NORM/AFT/FWD	556	0	4	fuel_commands.EngineFeedSw
557	TANK INERTING Switch, TANK INERTING /OFF	557	0	4	fuel_commands.TankInerting
558	FUEL MASTER Switch Cover, OPEN/CLOSE	558	0	4	fuel_commands.FuelMasterSw
559	FUEL MASTER Switch, MASTER/OFF	559	0	4	fuel_commands.FuelMasterSw

4 dev=6 — ENGINE_INTERFACE

Key suffix	Hint	arg	cmd	dev	cmd symbol
448	ENG CONT Switch Cover, OPEN/CLOSE	448	0	6	engine_commands.EngContSwC
449	ENG CONT Switch, PRI/SEC	449	0	6	engine_commands.EngContSw
451	MAX POWER Switch (is inoperative), MAX POWER/OFF	451	0	6	engine_commands.MaxPowerSw
527	EPU Switch Cover for ON, OPEN/CLOSE	527	0	6	engine_commands.EpuSwCvrOn
528	EPU Switch, ON/NORM/OFF	528	0	6	engine_commands.EpuSw
529	EPU Switch Cover for OFF, OPEN/CLOSE	529	0	6	engine_commands.EpuSwCvrOf
575	FIRE & OHEAT DETECT Test Button - Push to test	575	0	6	engine_commands.FireOheatT

continued...

Key suffix	Hint	arg	cmd	dev	cmd symbol
710	Engine ANTI ICE Switch, ON/AUTO/OFF	710	0	6	engine_commands.EngAntiIce

5 dev=7 — GEAR_INTERFACE

Key suffix	Hint	arg	cmd	dev	cmd symbol
354	HOOK Switch, UP/DN	354	0	7	gear_commands.HookSw
356	BRAKES Channel Switch, CHAN 1/CHAN 2	356	0	7	gear_commands.BrakesChanne
359	HORN SILENCER Button - Push to reset	359	0	7	gear_commands.HornSilencer
361	DN LOCK REL Button - Push to reset	361	0	7	gear_commands.DownLockRelE
362	LG Handle, UP/DN	362	0	7	gear_commands.LGHandle
380	ALT GEAR Handle, PULL/STOW	380	0	7	gear_commands.AltGearHandl
381	ALT GEAR Handle - Push to reset	381	0	7	gear_commands.AltGearReset

6 dev=8 — OXYGEN_INTERFACE

Key suffix	Hint	arg	cmd	dev	cmd symbol
576	OBOGS BIT Switch, BIT/OFF	576	0	8	oxygen_commands.ObogsBitSw
727	Diluter Lever, 100 percent/NORM	727	0	8	oxygen_commands.DiluterLev
728	Supply Lever, PBG/ON/OFF	728	0	8	oxygen_commands.SupplyLever

7 dev=10 — CPT_MECH

Key suffix	Hint	arg	cmd	dev	cmd symbol
600	Canopy Handle, UP/DOWN	600	0	10	cpt_commands.CanopyHandle
601	CANOPY JETTISON T-Handle, PULL/STOW	601	0	10	cpt_commands.CanopyTHandle
785	Ejection Safety Lever, ARMED/LOCKED	785	0	10	cpt_commands.EjectionSafet
796	Hide Stick toggle	796	0	10	cpt_commands.StickHide

8 dev=11 — EXTLIGHTS_SYSTEM

Key suffix	Hint	arg	cmd	dev	cmd symbol
360	LANDING TAXI LIGHTS Switch, LAND-ING/OFF/TAXI	360	0	11	extlights_commands.Landing
531	ANTI-COLL Knob, OFF/1/2/3/4/A/B/C	531	0	11	extlights_commands.AntiCol
532	FLASH STEADY Switch, FLASH/STEADY	532	0	11	extlights_commands.PosFlas
533	WING/TAIL Switch, BRT/OFF/DIM	533	0	11	extlights_commands.PosWing
534	FUSELAGE Switch, BRT/OFF/DIM	534	0	11	extlights_commands.PosFus
535	FORM Knob	535	0	11	extlights_commands.FormKn
536	MASTER Switch, OFF/ALL/A-C/FORM/NORM	536	0	11	extlights_commands.Master
537	AERIAL REFUELING Knob	537	0	11	extlights_commands.AerialF

9 dev=12 — CPTLIGHTS_SYSTEM

Key suffix	Hint	arg	cmd	dev	cmd symbol
116	Master Caution Button - Push to reset	116	0	12	cptlights_commands.MasterC
577	MAL & IND LTS Test Button - Push to test	577	0	12	cptlights_commands.MalIndL

continued...

Key suffix	Hint	arg	cmd	dev	cmd symbol
685	PRIMARY CONSOLES BRT Knob	685	0	12	cptlights_commands.Console
686	PRIMARY INST PNL BRT Knob	686	0	12	cptlights_commands.IntsPnl
687	PRIMARY DATA ENTRY DISPLAY BRT Knob	687	0	12	cptlights_commands.DataEnt
688	FLOOD CONSOLES BRT Knob	688	0	12	cptlights_commands.Console
690	FLOOD INST PNL BRT Knob	690	0	12	cptlights_commands.InstPnl
794	AOA Indexer Dimming Lever	794	0	12	cptlights_commands.IndBrTA
795	AR Status Indicator Dimming Lever	795	0	12	cptlights_commands.IndBrTA

10 dev=13 — ECS_INTERFACE

Key suffix	Hint	arg	cmd	dev	cmd symbol
602	DEFOG Lever	602	0	13	ecs_commands.DefogLever
692	TEMP Knob	692	0	13	ecs_commands.TempKnob
693	AIR SOURCE Knob, OFF/NORM/DUMP/RAM	693	0	13	ecs_commands.AirSourceKnob

11 dev=14 — INS

Key suffix	Hint	arg	cmd	dev	cmd symbol
719	INS Knob, OFF/STOR HDG/NORM/NAV/CAL/INFLT ALIGN/ATT	719	0	14	ins_commands.ModeKnob

12 dev=15 — RALT

Key suffix	Hint	arg	cmd	dev	cmd symbol
673	RDR ALT Switch, RDR ALT/STBY/OFF	673	0	15	ralt_commands.PwrSw

13 dev=17 — UFC

Key suffix	Hint	arg	cmd	dev	cmd symbol
100	RF Switch, SILENT/QUIET/NORM	100	0	17	ufc_commands.RF_Sw
122	F-ACK Button	122	0	17	ufc_commands.F_ACK
125	IFF IDENT Button	125	0	17	ufc_commands.IFF_IDENT
165	ICP COM Override Button, COM1(UHF)	165	0	17	ufc_commands.COM1
166	ICP COM Override Button, COM2(VHF)	166	0	17	ufc_commands.COM2
167	ICP IFF Override Button, IFF	167	0	17	ufc_commands.IFF
168	ICP LIST Override Button, LIST	168	0	17	ufc_commands.LIST
169	ICP Master Mode Button, A-A	169	0	17	ufc_commands.AA
170	ICP Master Mode Button, A-G	170	0	17	ufc_commands.AG
171	ICP Priority Function Button, 1(T-ILS)	171	0	17	ufc_commands.DIG1_T_ILS
172	ICP Priority Function Button, 2/N(ALOW)	172	0	17	ufc_commands.DIG2_ALOW
173	ICP Priority Function Button, 3	173	0	17	ufc_commands.DIG3
174	ICP Recall Button, RCL	174	0	17	ufc_commands.RCL
175	ICP Priority Function Button, 4/W(STPT)	175	0	17	ufc_commands.DIG4_STPT
176	ICP Priority Function Button, 5(CRUS)	176	0	17	ufc_commands.DIG5_CRUS
177	ICP Priority Function Button, 6/E(TIME)	177	0	17	ufc_commands.DIG6_TIME
178	ICP Enter Button, ENTR	178	0	17	ufc_commands.ENTR
179	ICP Priority Function Button, 7(MARK)	179	0	17	ufc_commands.DIG7_MARK
180	ICP Priority Function Button, 8/S(FIX)	180	0	17	ufc_commands.DIG8_FIX
181	ICP Priority Function Button, 9(A-CAL)	181	0	17	ufc_commands.DIG9_A_CAL
182	ICP Priority Function Button, 0(M-SEL)	182	0	17	ufc_commands.DIG0_M_SEL

continued...

Key suffix	Hint	arg	cmd	dev	cmd symbol
183	ICP DED Increment/Decrement Switch, Up	183	0	17	ufc_commands.DED_INC
183	ICP DED Increment/Decrement Switch, Down	183	0	17	ufc_commands.DED_DEC
184	ICP Data Control Switch, RTN	184	0	17	ufc_commands.DCS_RTN
184	ICP Data Control Switch, SEQ	184	0	17	ufc_commands.DCS_SEQ
185	ICP Data Control Switch, UP	185	0	17	ufc_commands.DCS_UP
185	ICP Data Control Switch, DN	185	0	17	ufc_commands.DCS_DOWN
187	ICP FLIR Polarity Button, Wx	187	0	17	ufc_commands.Wx
188	ICP FLIR Increment/Decrement Switch, Up	188	0	17	ufc_commands.FLIR_INC
188	ICP FLIR Increment/Decrement Switch, Down	188	0	17	ufc_commands.FLIR_DEC
189	ICP FLIR GAIN/LEVEL Switch, GAIN/LVL/AUTO	189	0	17	ufc_commands.FLIR_GAIN_Sw
190	ICP HUD Symbology Intensity Knob	190	0	17	ufc_commands.SYM_Knob
191	ICP Raster Intensity Knob	191	0	17	ufc_commands.BRT_Knob
192	ICP Reticle Depression Control Knob	192	0	17	ufc_commands.RET_DEPR_Knob
193	ICP Raster Contrast Knob	193	0	17	ufc_commands.CONT_Knob
718	UFC Switch, UFC/OFF	718	0	17	ufc_commands.UFC_Sw

14 dev=19 — MMC

Key suffix	Hint	arg	cmd	dev	cmd symbol
104	ALT REL Button - Push to release	104	0	19	mmc_commands.AltRel
105	MASTER ARM Switch, MASTER ARM/OFF/SIMULATE	105	0	19	mmc_commands.MasterArmSw
353	EMER STORES JETTISON Button - Push to jet-tison	353	0	19	mmc_commands.EmerStoresJett
355	GND JETT ENABLE Switch, ENABLE/OFF	355	0	19	mmc_commands.GroundJett
675	HUD Scales Switch, VV/VAH / VAH / OFF	675	0	19	mmc_commands.VvVah
676	HUD Flightpath Marker Switch, ATT/FPM / FPM / OFF	676	0	19	mmc_commands.AttFpm
677	HUD DED/PFLD Data Switch, DED / PFL / OFF	677	0	19	mmc_commands.DedData
678	HUD Depressible Reticle Switch, STBY / PRI / OFF	678	0	19	mmc_commands.DeprRet
679	HUD Velocity Switch, CAS / TAS / GND SPD	679	0	19	mmc_commands.Spd
680	HUD Altitude Switch, RADAR / BARO / AUTO	680	0	19	mmc_commands.Alt
681	HUD Brightness Control Switch, DAY / AUTO BRT / NIGHT	681	0	19	mmc_commands.Brt
682	HUD TEST Switch, STEP / ON / OFF	682	0	19	mmc_commands.Test
715	MMC Switch, MMC/OFF	715	0	19	mmc_commands.MmcPwr
717	MFD Switch, MFD/OFF	717	0	19	mmc_commands.MFD

15 dev=22 — SMS

Key suffix	Hint	arg	cmd	dev	cmd symbol
103	LASER ARM Switch, ARM/OFF	103	0	22	sms_commands.LaserSw
670	LEFT HDPT Switch, ON/OFF	670	0	22	sms_commands.LeftHDPT
671	RIGHT HDPT Switch, ON/OFF	671	0	22	sms_commands.RightHDPT
716	ST STA Switch, ST STA/OFF	716	0	22	sms_commands.StStaSw

16 dev=24 — MFD_LEFT

Key suffix	Hint	arg	cmd	dev	cmd symbol
300	Left MFD OSB 1	300	0	24	mfd_commands.OSB_1
301	Left MFD OSB 2	301	0	24	mfd_commands.OSB_2

continued...

Key suffix	Hint	arg	cmd	dev	cmd symbol
302	Left MFD OSB 3	302	0	24	mfd_commands.OSB_3
303	Left MFD OSB 4	303	0	24	mfd_commands.OSB_4
304	Left MFD OSB 5	304	0	24	mfd_commands.OSB_5
305	Left MFD OSB 6	305	0	24	mfd_commands.OSB_6
306	Left MFD OSB 7	306	0	24	mfd_commands.OSB_7
307	Left MFD OSB 8	307	0	24	mfd_commands.OSB_8
308	Left MFD OSB 9	308	0	24	mfd_commands.OSB_9
309	Left MFD OSB 10	309	0	24	mfd_commands.OSB_10
310	Left MFD OSB 11	310	0	24	mfd_commands.OSB_11
311	Left MFD OSB 12	311	0	24	mfd_commands.OSB_12
312	Left MFD OSB 13	312	0	24	mfd_commands.OSB_13
313	Left MFD OSB 14	313	0	24	mfd_commands.OSB_14
314	Left MFD OSB 15	314	0	24	mfd_commands.OSB_15
315	Left MFD OSB 16	315	0	24	mfd_commands.OSB_16
316	Left MFD OSB 17	316	0	24	mfd_commands.OSB_17
317	Left MFD OSB 18	317	0	24	mfd_commands.OSB_18
318	Left MFD OSB 19	318	0	24	mfd_commands.OSB_19
319	Left MFD OSB 20	319	0	24	mfd_commands.OSB_20
320	Left MFD GAIN Rocker Switch, Up/Increase	320	0	24	mfd_commands.GAIN_Rocker_U
320	Left MFD GAIN Rocker Switch, Down/Decrease	320	0	24	mfd_commands.GAIN_Rocker_D
321	Left MFD SYM Rocker Switch, Up/Increase	321	0	24	mfd_commands.SYM_Rocker_UP
321	Left MFD SYM Rocker Switch, Down/Decrease	321	0	24	mfd_commands.SYM_Rocker_DC
322	Left MFD CON Rocker Switch, Up/Increase	322	0	24	mfd_commands.CON_Rocker_UP
322	Left MFD CON Rocker Switch, Down/Decrease	322	0	24	mfd_commands.CON_Rocker_DC
323	Left MFD BRT Rocker Switch, Up/Increase	323	0	24	mfd_commands.BRT_Rocker_UP
323	Left MFD BRT Rocker Switch, Down/Decrease	323	0	24	mfd_commands.BRT_Rocker_DC

17 dev=25 — MFD_RIGHT

Key suffix	Hint	arg	cmd	dev	cmd symbol
326	Right MFD OSB 1	326	0	25	mfd_commands.OSB_1
327	Right MFD OSB 2	327	0	25	mfd_commands.OSB_2
328	Right MFD OSB 3	328	0	25	mfd_commands.OSB_3
329	Right MFD OSB 4	329	0	25	mfd_commands.OSB_4
330	Right MFD OSB 5	330	0	25	mfd_commands.OSB_5
331	Right MFD OSB 6	331	0	25	mfd_commands.OSB_6
332	Right MFD OSB 7	332	0	25	mfd_commands.OSB_7
333	Right MFD OSB 8	333	0	25	mfd_commands.OSB_8
334	Right MFD OSB 9	334	0	25	mfd_commands.OSB_9
335	Right MFD OSB 10	335	0	25	mfd_commands.OSB_10
336	Right MFD OSB 11	336	0	25	mfd_commands.OSB_11
337	Right MFD OSB 12	337	0	25	mfd_commands.OSB_12
338	Right MFD OSB 13	338	0	25	mfd_commands.OSB_13
339	Right MFD OSB 14	339	0	25	mfd_commands.OSB_14
340	Right MFD OSB 15	340	0	25	mfd_commands.OSB_15
341	Right MFD OSB 16	341	0	25	mfd_commands.OSB_16
342	Right MFD OSB 17	342	0	25	mfd_commands.OSB_17
343	Right MFD OSB 18	343	0	25	mfd_commands.OSB_18
344	Right MFD OSB 19	344	0	25	mfd_commands.OSB_19
345	Right MFD OSB 20	345	0	25	mfd_commands.OSB_20
346	Right MFD GAIN Rocker Switch, Up/Increase	346	0	25	mfd_commands.GAIN_Rocker_U
346	Right MFD GAIN Rocker Switch, Down/Decrease	346	0	25	mfd_commands.GAIN_Rocker_D
347	Right MFD SYM Rocker Switch, Up/Increase	347	0	25	mfd_commands.SYM_Rocker_UP
347	Right MFD SYM Rocker Switch, Down/Decrease	347	0	25	mfd_commands.SYM_Rocker_DC
348	Right MFD CON Rocker Switch, Up/Increase	348	0	25	mfd_commands.CON_Rocker_UP
348	Right MFD CON Rocker Switch, Down/Decrease	348	0	25	mfd_commands.CON_Rocker_DC
349	Right MFD BRT Rocker Switch, Up/Increase	349	0	25	mfd_commands.BRT_Rocker_UP

continued...

Key suffix	Hint	arg	cmd	dev	cmd symbol
349	Right MFD BRT Rocker Switch, Down/Decrease	349	0	25	mfd_commands.BRT_Rocker_DC

18 dev=28 — EHSI

Key suffix	Hint	arg	cmd	dev	cmd symbol
46	Mode (M) Button	46	0	28	ehsi_commands.ModeBtn

19 dev=30 — HMCS

Key suffix	Hint	arg	cmd	dev	cmd symbol
392	HMCS SYMBOLOGY INT Knob	392	0	30	hmcs_commands.IntKnob

20 dev=31 — FCR

Key suffix	Hint	arg	cmd	dev	cmd symbol
672	FCR Switch, FCR/OFF	672	0	31	fcr_commands.PwrSw

21 dev=32 — CMDS

Key suffix	Hint	arg	cmd	dev	cmd symbol
365	O1 Expendable Category Switch, ON/OFF	365	0	32	cmds_commands.O1Exp
366	O2 Expendable Category Switch, ON/OFF	366	0	32	cmds_commands.O2Exp
367	CH Expendable Category Switch, ON/OFF	367	0	32	cmds_commands.ChExp
368	FL Expendable Category Switch, ON/OFF	368	0	32	cmds_commands.FlExp
371	Jettison Switch, JETT/OFF	371	0	32	cmds_commands.Jett
373	MWS Source Switch, ON/OFF (no function)	373	0	32	cmds_commands.MwsSrc
374	JMR Source Switch, ON/OFF	374	0	32	cmds_commands.JmrSrc
375	RWR 555 Switch, ON/OFF	375	0	32	cmds_commands.RwrSrc
377	PROGRAM Knob, BIT/1/2/3/4	377	0	32	cmds_commands.Prgm
378	MODE Knob, OFF/STBY/MAN/SEMI/AUTO/BYP	378	0	32	cmds_commands.Mode
604	CHAFF/FLARE Dispense Button - Push to dis- pense	604	0	32	cmds_commands.DispBtn

22 dev=33 — RWR

Key suffix	Hint	arg	cmd	dev	cmd symbol
140	RWR Intensity Knob - Rotate to adjust brightness	140	0	33	rwr_commands.IntKnob
141	RWR Indicator Control HANDOFF Button	141	0	33	rwr_commands.Handoff
143	RWR Indicator Control LAUNCH Button	143	0	33	rwr_commands.Launch
145	RWR Indicator Control MODE Button	145	0	33	rwr_commands.Mode
147	RWR Indicator Control UNKNOWN SHIP Button	147	0	33	rwr_commands.UnknownShip
149	RWR Indicator Control SYS TEST Button	149	0	33	rwr_commands.SysTest
151	RWR Indicator Control T Button	151	0	33	rwr_commands.TgtSep
395	RWR Indicator Control SEARCH Button	395	0	33	rwr_commands.Search
397	RWR Indicator Control ACT/PWR Button	397	0	33	rwr_commands.ActPwr
399	RWR Indicator Control ALTITUDE Button	399	0	33	rwr_commands.Altitude
401	RWR Indicator Control POWER Button	401	0	33	rwr_commands.Power

continued...

Key suffix	Hint	arg	cmd	dev	cmd symbol
404	RWR Indicator Control DIM Knob - Rotate to adjust brightness	404	0	33	rwr_commands.BrtKnob

23 dev=35 — IFF_CONTROL_PANEL

Key suffix	Hint	arg	cmd	dev	cmd symbol
540	IFF MASTER Knob, OFF/STBY/LOW/NORM/EMER	539	0	35	iff_commands.MasterKnob
541	IFF M-4 CODE Switch, HOLD/ A/B /ZERO	541	0	35	iff_commands.M4CodeSw
542	C & I Knob, UFC/BACKUP	542	0	35	iff_commands.CNI_Knob
543	IFF MODE 4 REPLY Switch, OUT/A/B	543	0	35	iff_commands.M4ReplySw
544	IFF MODE 4 MONITOR Switch, OUT/AUDIO	544	0	35	iff_commands.M4MonitorSw
553	IFF ENABLE Switch, M1/M3 /OFF/ M3/MS	553	0	35	iff_commands.EnableSw

24 dev=37 — UHF_CONTROL_PANEL

Key suffix	Hint	arg	cmd	dev	cmd symbol
410	UHF CHAN Knob	410	0	37	uhf_commands.ChannelKnob
411	UHF Manual Frequency Knob 100 MHz	411	0	37	uhf_commands.FreqSelector1
412	UHF Manual Frequency Knob 10 MHz	412	0	37	uhf_commands.FreqSelector1
413	UHF Manual Frequency Knob 1 MHz	413	0	37	uhf_commands.FreqSelector1
414	UHF Manual Frequency Knob 0.1 MHz	414	0	37	uhf_commands.FreqSelector0
415	UHF Manual Frequency Knob 0.025 MHz	415	0	37	uhf_commands.FreqSelector0
416	UHF Mode Knob	416	0	37	uhf_commands.FreqModeKnob
417	UHF Function Knob	417	0	37	uhf_commands.FunctionKnob
418	UHF Tone Button	418	0	37	uhf_commands.TToneSw
419	UHF SQUELCH Switch	419	0	37	uhf_commands.SquelchSw
420	UHF VOL Knob	420	0	37	uhf_commands.VolumeKnob
421	UHF TEST DISPLAY Button	421	0	37	uhf_commands.TestDisplayBt
422	UHF STATUS Button	422	0	37	uhf_commands.StatusBtn
734	Access Door, OPEN/CLOSE	734	0	37	uhf_commands.AccessDoor

25 dev=39 — INTERCOM

Key suffix	Hint	arg	cmd	dev	cmd symbol
430	COMM 1 Power Knob	430	0	39	intercom_commands.COM1_Pow
431	COMM 2 Power Knob	431	0	39	intercom_commands.COM2_Pow
432	SECURE VOICE Knob	432	0	39	intercom_commands.SecureVo
433	MSL Tone Knob	433	0	39	intercom_commands.MSL_Tone
434	COMM 1 (UHF) Mode Knob	434	0	39	intercom_commands.COM1_Mod
435	COMM 2 (VHF) Mode Knob	435	0	39	intercom_commands.COM2_Mod
436	TF Tone Knob	436	0	39	intercom_commands.TF_ToneK
437	THREAT Tone Knob	437	0	39	intercom_commands.THREAT_T
440	INTERCOM Knob	440	0	39	intercom_commands.INTERCOM
441	TACAN Knob	441	0	39	intercom_commands.TACAN_Kr
442	ILS Power Knob	442	0	39	intercom_commands.ILS_Powe
443	HOT MIC CIPHER Switch, HOT MIC / OFF / CIPHER	443	0	39	intercom_commands.HotMicCi
694	ZEROIZE Switch Cover, OPEN/CLOSE	694	0	39	intercom_commands.ZeroizeS
695	ZEROIZE Switch, OFP/OFF/DATA	695	0	39	intercom_commands.ZeroizeS
696	Voice Message Inhibit Switch, VOICE MESSAGE/INHIBIT	696	0	39	intercom_commands.VMS_Inhi

continued...

Key suffix	Hint	arg	cmd	dev	cmd symbol
701	PLAIN Cipher Switch, CRAD 1/PLAIN/CRAD 2	701	0	39	intercom_commands.PlainCip
711	IFF ANT SEL Switch, LOWER/NORM/UPPER	711	0	39	intercom_commands.IFF_AntS
712	UHF ANT SEL Switch, LOWER/NORM/UPPER	712	0	39	intercom_commands.UHF_AntS

26 dev=41 — MIDS

Key suffix	Hint	arg	cmd	dev	cmd symbol
723	MIDS LVT Knob, ZERO/OFF/ON	723	0	41	mids_commands.PwrSw

27 dev=42 — KY58

Key suffix	Hint	arg	cmd	dev	cmd symbol
705	KY-58 MODE Knob, P/C/LD/RV	705	0	42	ky58_commands.KY58_ModeSw
706	KY-58 FILL Knob, Z 1-5/1/2/3/4/5/6/Z ALL	706	0	42	ky58_commands.KY58_FillSw
707	KY-58 Power Knob, OFF/ON/TD	707	0	42	ky58_commands.KY58_PowerSw
708	KY-58 VOLUME Knob	708	0	42	ky58_commands.KY58_Volume

28 dev=45 — AAU34

Key suffix	Hint	arg	cmd	dev	cmd symbol
62	Barometric Setting Knob	62	0	45	alt_commands.ZERO

29 dev=46 — AMI

Key suffix	Hint	arg	cmd	dev	cmd symbol
71	SET INDEX Knob	71	0	46	ami_commands.SettingKnob

30 dev=50 — ADI

Key suffix	Hint	arg	cmd	dev	cmd symbol
22	Pitch Trim Knob	22	0	50	device_commands.Button_1

31 dev=51 — CLOCK

Key suffix	Hint	arg	cmd	dev	cmd symbol
627	Clock Elapsed Time Knob	628	0	51	clock_commands.CLOCK_right

32 dev=59 — GPS

Key suffix	Hint	arg	cmd	dev	cmd symbol
720	GPS Switch, GPS/OFF	720	0	59	gps_commands.PwrSw

33 dev=60 — IDM

Key suffix	Hint	arg	cmd	dev	cmd symbol
721	DL Switch, DL/OFF	721	0	60	idm_commands.PwrSw

34 dev=61 — MAP

Key suffix	Hint	arg	cmd	dev	cmd symbol
722	MAP Switch, MAP/OFF	722	0	61	map_commands.PwrSw

35 dev=66 — ECM_INTERFACE

Key suffix	Hint	arg	cmd	dev	cmd symbol
455	ECM Power Switch	455	0	66	ecm_commands.PwrSw
456	ECM DIM Knob	456	0	66	ecm_commands.DimRotary
457	ECM XMIT Switch	457	0	66	ecm_commands.XmitSw
458	ECM RESET Button	458	0	66	ecm_commands.ResetBtn
459	ECM BIT Button	459	0	66	ecm_commands.BitBtn
460	ECM 1 Button	460	0	66	ecm_commands.OneBtn
465	ECM 2 Button	465	0	66	ecm_commands.TwoBtn
470	ECM 3 Button	470	0	66	ecm_commands.ThreeBtn
475	ECM 4 Button	475	0	66	ecm_commands.FourBtn
480	ECM 5 Button	480	0	66	ecm_commands.FiveBtn
485	ECM 6 Button	485	0	66	ecm_commands.SixBtn
490	ECM FRM Button	490	0	66	ecm_commands.FrmBtn
495	ECM SPL Button	495	0	66	ecm_commands.SplBtn