

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 10:15:33 CET

imalat AD

adidas

Size Page	62 - Women replaces 50				Sample Size	36	Developer	Awan, Khan			CAD Pattern Maker	TBA			
Product Type	HOODED SWEAT	Gender	FEMALE	Age	ADULT	Brand	ADIDAS	Consumer Facing Product Name	OVERSIZED HOODIE FLEECE	Technology Concept	NO TECHNOLOGY CONCEPT	Intended Use	FASHION		
Product Dimensions:		Width	0.00	Height	0.00	Depth	0.00	Volume	0.00	Weight	0.00				
Seasonal Sourcing Sizes			28, 32, 36, 40, 44, 48, 52												
Consumer Fit							OVERSIZED								
Workmanship		APPROVED			Artwork/Trim		APPROVED			Style Fit		APPROVED			

Colorway Name	Article #	Special Usage	Special Usage Cust	Quarter	Colorway Status
PRELOVED CRIMSON F24	JW2044	FAST FASHION STYLE	JD SPORTS (SMU)	Q3Q4	IN RANGE

adidas PROPRIETARY AND CONFIDENTIAL INFORMATION: This document contains proprietary and confidential information belonging exclusively to adidas. If you are not an intended and authorized recipient of this document, you are hereby notified that any dissemination, copying or use of any information in this document is strictly prohibited by law. If you have received this document in error or without authorization, please immediately notify adidas. © by adidas AG, 2021

S100F2425W0702 | ESS OS HOODIE

FIT/REF

OVERSIZED FIT:

- refer to L-GLX2099F24-> option 2
- refer to L-GLX2009S24 for grading
- refer for hood fit and grading : X-GLX7108S23
- refer for pocket fit and grading: X-GLX7208S23

F2425W204 | ESS OS HOODIE

PATTERN AMENDMENTS

FIXED FIT:

- follow pattern in clo file:
- sleeve length +3cm
- back length: 72 cm
- logo position follow clo file
- size spec has been uploaded to Flex

FABRICS

- 70025822 fleece
- 60017204 single jersey
- 70010269 1 x 1 rib

TRIMS

- 80015995 Miscellaneous
- 80016664 Tiecords
- 80027430 Tape

ARTWORKS


- 62696715 embroidery 29.8027 x 29.0408 mm

MODULAR/WMS FEATURES

- tiecord ends to be folded and stitched

OVERSIZED FIT:
-L-GLX2099F24-> option 2'yi ref. alın
-Seri için L-GLX2009S24 ü ref. alın
-Kapüşon fit ve serisi için : X-GLX7108S23
-cep fit ve serisi için: X-GLX7208S23
BAZ MODEL : F2425W204

İLİK

KORDON UCU KATLANIP
DİKİLMELİF2425W204 BAZ MODELİN İŞÇİLİĞİ
BİREBİR BAZ ALINACAK

PACKAGING

62758932

LABELING

62771176

ORIGINALS APP TREFOIL ESSENTIALS

FW24

S100F2425W0702 | ESS OS HOODIE



FABRICS

- 10 70025822 FLEECE
- 20 60017204 SINGLE JERSEY

- 30 70010269 1 X 1 RIB

TRIMS

- 200 80015995 MISCELLANEOUS
- 210 80016664 TIECORDS
- 220 80027430 TAPE



S100F2425W0702 | ESS OS HOODIE

FABRICS

10 70025822 FLEECE

10

20 60017204 SINGLE JERSEY

20

30 70010269 1 X 1 RIB,

30

TRIMS

200 80015995 MISCELLANEOUS






200

210 80016664 TIECORDS

210


220 80027430 TAPE

220



S100F2425W0702 | ESS OS HOODIE

IY7346



ARTWORKS		
600	62696715 EMBROIDERY	<div></div> WHITE 001A
WORKMANSHIP		
	1L_1.5MM	<div></div> Preloved Crimson F24 AFAK
	3CO_1.5+4.5+7.5MM	<div></div> Preloved Crimson F24 AFAK
	1L_20MM	<div></div> Preloved Crimson F24 AFAK
	2CO_14+20MM	<div></div> Preloved Crimson F24 AFAK
	BARTACK	<div></div> Preloved Crimson F24 AFAK
	1C_6MM	<div></div> Preloved Crimson F24 AFAK
	1L_8MM	<div></div> Preloved Crimson F24 AFAK
	2CO_14+20MM BACK	<div></div> Preloved Crimson F24 AFAK
	BARTACK	<div></div> Preloved Crimson F24 AFAK

Working # :	S100F2425W0702	Season :	FW2024
Model Name :	OS HOODIE FL	Date and Time :	29-Apr-24 at 10:15:33 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN		
Factory Code :	ABW003		
Lifecycle State :	BUY READY		

General Info:	
BOM Curr	
General Info	563 WORKMANSHIP & LABEL/PACKAGING STANDARD
Spec. Inst.	
General Info Text	GENERAL INFO "WORKMANSHIP & LABEL/PACKAGING STANDARD" - Manual "Workmanship Standard" and manual for "hangtag Positions", "Label Positions" and "Packaging" is part of this A/D and valid for creation and production
Customized L&P:	
Care Label Layout Approval Request (aJapan) Warranty Hangtag/sticker and Care Label Layout Approval Request (aChina)	

Working # :S100F2425W0702

Model Name :OS HOODIE FL

Factory :ARIK BEY TEKSTIL ENERJI VE SIN

Factory Code :ABW003

Lifecycle State :BUY READY

Season :FW2024

Date and Time :29-Apr-24 at 10:15:33 CET

adidas

MAIN COMPONENT																
Part Group #	Part ID	Part Name	Material	Supplier	Desc	Width	Lead Time (Days)	Material Remarks	Supplier Remarks	Caution Code	Remarks	Supp UOM	Yield	Level	T1 Remarks	PRELOVE D CRIMSON F24 JW2044 IN RANGE
10	575	T main body	70025822 Fleece	05A001 - ARIK BEY (TURKEY)	80%COTT ON/20%POLYESTER(100%RECYCLED); Solid; 300.0 G/SQM; brushed back; Better Cotton, MADE WITH MORE SUSTAINABLE MATERIALS	170 - cm	21					M		1		preloved crimson - AFAK
		Ana beden, kollar, kapşon, kanguru cep														
20	4400	T hood lining	60017204 Single jersey	05A001 - ARIK BEY (TURKEY)	100%COTT ON; Solid; 160.0 G/SQM; enzyme finish, silicon finish; Better Cotton	180 - cm	21	5%org mgh 6259805.fo co/pes mgh 5%org 62615088n odyo 62689004 This material has been USTS Tested added for Y-3 SS21 SMS for GRAPHIC STYLES @Arik Bey				M		1		preloved crimson - AFAK
		Kapşon astarı														
30	1845	T cuff and waistband	70010269 1 x 1 rib	05A001 - ARIK BEY (TURKEY)	100%COTT ON; Solid; 430.0 G/SQM; Better Cotton	155 - cm	21					M		1		preloved crimson - AFAK
		Etek ve kol ucu ribana														

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 10:15:33 CET

adidas

MAIN COMPONENT																
Part Group #	Part ID	Part Name	Material	Supplier	Desc	Width	Lead Time (Days)	Material Remarks	Supplier Remarks	Caution Code	Remarks	Supp UOM	Yield	Level	T1 Remarks	PRELOVE D CRIMSON F24 JW2044 IN RANGE
40	5675	T interlining	70023519 Interlining	05A001 - ARIK BEY (TURKEY)	100%POLY ESTER(100 %RECYCLED); Solid; 47.0 G/SQM; Pass; MADE WITH RECYCLED MATERIAL S. Primegreen	150 - cm	25					M		1		white - 001A
	Tela															

Working # :	S100F2425W0702	Season :	FW2024
Model Name :	OS HOODIE FL	Date and Time :	29-Apr-24 at 10:15:33 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN		
Factory Code :	ABW003		
Lifecycle State :	BUY READY		

adidas

TRIM															
Part Group #	Part ID	Part Name	Material	Supplier	Desc	Lead Time (Days)	Material Remarks	Supplier Remarks	TRIM WORKMANSHIP	Remarks	Supp UOM	Yield	Level	T1 Remarks	PRELOVED CRIMSON F24 JW2044 IN RANGE
200	15010	T thread #1	80015995 Miscellaneous	0GH018 - COATS TURKEY	Miscellaneous; MADE TO BE REMADE; MADE WITH RECYCLED MATERIALS; Thread; None; None; 100%POLYESTER(100%RECYCLED); 1.0 X 1.0	7	composition: 100%REC. PES; Epic EcoVerde (rec. PES)	For all details please contact local Coats. LT/MOQ may change based on TKT size/substrate version. Info here are for basic version.		Tex 24	M		1		DYE TO MATCH - 4977
205	15015	T thread #2	80015997 Miscellaneous	0GH018 - COATS TURKEY	Miscellaneous; MADE TO BE REMADE; MADE WITH RECYCLED MATERIALS; Thread; None; None; 100%POLYESTER(100%RECYCLED); 1.0 X 1.0	7	composition: 100%REC. PES; Gramax EcoVerde (rec. PES), rec.PES version of 80016003	For all details please contact local Coats. LT/MOQ may change based on TKT size/substrate version. Info here are for standard version.		Tex 18	M		1		DYE TO MATCH - 4977

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 10:15:33 CET

adidas

TRIM															
Part Group #	Part ID	Part Name	Material	Supplier	Desc	Lead Time (Days)	Material Remarks	Supplier Remarks	TRIM WORKMAN SHIP	Remarks	Supp UOM	Yield	Level	T1 Remarks	PRELOVED CRIMSON F24 JW2044 IN RANGE
210	16035	T buttonhole	80015995 Miscellaneous	0GH018 - COATS TURKEY	Miscellaneous; MADE TO BE REMADE; MADE WITH RECYCLED MATERIALS ; Thread; None; None; 100%POLY ESTER(100 %RECYCLED); 1.0 X 1.0	7	composition: 100%REC.PES; Epic EcoVerde (rec. PES)	For all details please contact local Coats. LT/MOQ may change based on TKT size/substrate version. Info here are for basic version.		Tex 24	M		1		DYE TO MATCH - 4977
		İlik													
220	15060	T embroidery thread	80015999 Miscellaneous	0GH018 - COATS TURKEY	Miscellaneous; MADE WITH RECYCLED MATERIALS ; Thread; None; None; 100%POLY ESTER(100 %RECYCLED); 1.0 X 1.0	7	composition: 100%REC.PES; Sylko Ecoverde (rec. PES)	For all details please contact local Coats. LT/MOQ may change based on substrate version . Info here are for standard version.			M		1		
		Nakış ipliği													
230	16725	T tiecord	80016664 TieCORDs	05A001 - ARIK BEY (TURKEY)	TieCORDs; Braided, Cord, Elasticity - no Info, Flat; None; Plain; None; None; NA - TieCORD; NA - Ending; 10.0	14	composition: 100%CO; Mother of tieCORD same look as 80013709 but just in Cotton braided, flat, no ending, plain, 10 mm				M		1		preloved crimson - AFAK
		Kordon													

adidas PROPRIETARY AND CONFIDENTIAL INFORMATION: This document contains proprietary and confidential information belonging exclusively to adidas. If you are not an intended and authorized recipient of this document, you are hereby notified that any dissemination, copying or use of any information in this document is strictly prohibited by law. If you have received this document in error or without authorization, please immediately notify adidas. © by adidas AG, 2021

Season :	FW2024
Date and Time :	29-Apr-24 at 10:15:33 CET



Part Group #	Part ID	Part Name	Material	Supplier	Desc	Lead Time (Days)	Material Remarks	Supplier Remarks	TRIM WORKMANSHIP	Remarks	Supp UOM	Yield	Level	T1 Remarks	PRELOVED CRIMSON F24 JW2044 IN RANGE
240	15375 <div>BNT</div>	T backnecktape	80027430 Tape	05A001 - ARIK BEY (TURKEY)	Tape; MADE WITH RECYCLED MATERIALS; Elastic, Embossed, Standard, Woven; Unicolor; adidas Logo; 91%POLYESTER(100%RECYCLED)/9%E LASTANE; 10.0 X	21	composition: 91%REC.PES/9%EL; recPES version of #80000994				M		1		preloved crimson - AFAK
250	15620 <div>Kapşon tape</div>	T tape hood	80019655 Tape	05A001 - ARIK BEY (TURKEY)	Tape; MADE TO BE REMADE; MADE WITH RECYCLED MATERIALS; Elasticity - no Info, Function - no Info, Making - no Info, Twill; Unicolor; None; 100%POLYESTER(100%RECYCLED); 6.0 X	21	rPES of 61004126 LO APPVD for outlook & hand feel May 28 2020				M		1		white - 001A

Working # :	S100F2425W0702	Season :	FW2024
Model Name :	OS HOODIE FL	Date and Time :	29-Apr-24 at 10:15:33 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN		
Factory Code :	ABW003		
Lifecycle State :	BUY READY		

adidas

ARTWORK														
Part Group #	Part ID	Part Name	Material	Supplier	Desc	Material Remarks	Supplier Remarks	Cust. Artwork Size	Remarks	Supp UOM	Yield	Level	T1 Remarks	PRELOVE D CRIMSON F24 JW2044 IN RANGE
600	20020	T artwork front	62696715 Corporate ID	0SP001 - Flex PLM Apparel Supplier1	Embroidery Corporate ID 29 mm 29.82 mm	**new standard from SS15** trefoil filled + adidas: vertical stitching direction		WxH : 29.8027X29 .0408 mm	Execuation : Embroidery, WxH : 29.8027X29 .0408 mm	each		1		white - 001A
		Önde artwork												

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 10:15:33 CET

adidas

PACKAGING											
Part Group #	Part ID	Part Name	Material	Supplier	Desc	Material Remarks	Remarks	Supp UOM	Yield	T1 Remarks	PRELOVED CRIMSON F24 JW2044 IN RANGE
900	40120	packaging 1	62758932 Packaging	0M8001 - Generic Supplier	Price OVR based on used polybag size						

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 10:15:33 CET

adidas

LABEL														
Part Group #	Part ID	Part Name	Material	Supplier	Material Remarks	Remarks	Label Regions	Supplier Remarks	Label Position	Supp UOM	Yield	Desc	T1 Remarks	PRELOVED CRIMSON F24 JW2044 IN RANGE
800	30010	T label group	62771176 Label Group	00V001 - AVERY DENNISON (CHINA)	7mm seam allowance on both sides for deco and size label need to be ensured		ASPA, CN, NAM, EMEA, LAM, Japan					Label Group SS22 DL ORI NO FUNCTION WOMENS LOOP LABEL (SMALL) REC PES		
800	30010-1	Label 1	62770793 Size Label	00V001 - AVERY DENNISON (CHINA)	SS22 SIZE LABEL SMALL ORI WOMENS KIDS SHORT ALPHA & NUMERIC REC PES		LAM, EMEA, NAM		see manual for label position - 404			Size Label SS22 SIZE LABEL SMALL ORI WOMENS KIDS SHORT ALPHA & NUMERIC REC PES		
800	30010-2	Label 2	62770408 Decorative Label	00V001 - AVERY DENNISON (CHINA)	SS22 DL ORI NO FUNCTION WOMENS & KIDS LOOP LABEL (SMALL) REC PES (For aChina order, do not apply this DL for size 104 and below)		NAM, Japan, ASPA, EMEA, LAM, CN		see manual for label position - 404			Decorative Label SS22 DL ORI NO FUNCTION WOMENS & KIDS LOOP LABEL (SMALL) REC PES (For aChina order, do not apply this DL for size 104 and below)		
800	30010-3	Label 3	62759440 Care Label	00V001 - AVERY DENNISON (CHINA)	Apparel Care Label ASPA SF rec. PES ONE ASIA		ASPA, Japan, CN		see manual for label position - 404			Care Label Printed Apparel Care Label ASPA SF rec. PES ONE ASIA		
800	30010-4	Label 4	62754732 Care Label	00V001 - AVERY DENNISON (CHINA)	replaces 62003698 / 62002733. White tape only!		EMEA, NAM		see manual for label position - 404			Care Label FW 18 SF rec. PES Care Label EMEA NAM		
800	30010-5	Label 5	62002417 Security	00V001 - AVERY DENNISON (CHINA)	Adicomp1 label for Apparel		CN, Japan, LAM, NAM, EMEA, ASPA		see manual for label position - 404			Security ATACA		

adidas PROPRIETARY AND CONFIDENTIAL INFORMATION: This document contains proprietary and confidential information belonging exclusively to adidas. If you are not an intended and authorized recipient of this document, you are hereby notified that any dissemination, copying or use of any information in this document is strictly prohibited by law. If you have received this document in error or without authorization, please immediately notify adidas. © by adidas AG, 2021

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 10:15:33 CET

adidas

LABEL														
Part Group #	Part ID	Part Name	Material	Supplier	Material Remarks	Remarks	Label Regions	Supplier Remarks	Label Position	Supp UOM	Yield	Desc	T1 Remarks	PRELOVED CRIMSON F24 JW2044 IN RANGE
800	30010-6	Label 6	62770813 Size Label	00V001 - AVERY DENNISON (CHINA)	SS22 SIZE LABEL SMALL ORI SHORT ONE ASIA REC. PES		Japan, ASPA, CN		see manual for label position - 404			Size Label SS22 SIZE LABEL SMALL ORI SHORT ONE ASIA REC. PES		
810	30060	T CLADD	62754775 Care Label	00V001 - AVERY DENNISON (CHINA)	width 35/length 70mm, printed on both sides.		EMEA, NAM		see manual for label position - 404			Care Label FW 18 Care Label additional small SF rec. PES		
820	30055	T care label	62754776 Care Label	00V001 - AVERY DENNISON (CHINA)	width 35/length 140mm, printed on both sides.		ASPA, NAM, LAM, EMEA		see manual for label position - 404			Care Label FW 18 Care Label additional large SF rec. PES		

Working # :

S100F2425W0702

Model Name :

OS HOODIE FL

Factory :

ARIK BEY TEKSTIL ENERJI VE SIN

Factory Code :

ABW003

Lifecycle State :

BUY READY

Season :

FW2024

Date and Time :

29-Apr-24 at 10:15:33 CET

adidas

PROCESS											
Part Group #	Part ID	Part Name	Material	Supplier	Desc	Material Remarks	Remarks	Supp UOM	Yield	T1 Remarks	PRELOVED CRIMSON F24 JW2044 IN RANGE

Working # :

S100F2425W0702

Model Name :

OS HOODIE FL

Factory :

ARIK BEY TEKSTIL ENERJI VE SIN

Factory Code :

ABW003

Lifecycle State :

BUY READY

Season :

FW2024

Date and Time :

29-Apr-24 at 10:15:33 CET

adidas

Fiber Text

Multi Part	Fiber Text Position	Fiber Text Position (China)	Fiber Text Position (Japan)	Legal Composition	Article
	MAIN MATERIAL - 78			80%COTTON/20%POLYESTER(100%RECYCLED)	JW2044

Working # :	S100F2425W0702		Season :	FW2024
Model Name :	OS HOODIE FL		Date and Time :	29-Apr-24 at 10:15:33 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN			
Factory Code :	ABW003			
Lifecycle State :	BUY READY			







Label Remarks								
Part Name	Part Number	Level	Material	Supplier	Desc.	Remarks (International)	Remarks (China)	Remarks (Japan)

Working # : S100F2425W0702
Model Name : OS HOODIE FL
Factory : ARIK BEY TEKSTIL ENERJI VE SIN
Factory Code : ABW003
Lifecycle State : BUY READY



Season : FW2024
Date and Time : 29-Apr-24 at 10:15:33 CET

Article Group	DEFAULT GROUP
Group Related Articles	JW2044
Regions	ASIA, EUROPE, UNITED STATES
OS HOODIE FL	

Care Symbols	Care Instructions
A5	 MACHINE WASH WARM 249 Washing
B1	 DO NOT BLEACH 149 Bleach
C1	 DO NOT TUMBLE DRY 193 Dry
CN1	 LINE DRY 175 Natural Dry
D2	 COOL IRON IF NEEDED 353 Iron
E1	 DO NOT DRY CLEAN 176 Dry Clean
Extra Instructions Group	
DO NOT USE FABRIC SOFTENER 156	
USE MILD DETERGENT ONLY 172	
WASH AND IRON INSIDE OUT 33	
EXCLUSIVE OF TRIMMING AND DECORATION 462	

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 10:15:33 CET

adidas

Hang Tags

Hangtag Group Ref Number	Hangtag Group	Hangtag Ref Number	Hangtag	Supplier	Supplier Name	Selling Region	Position # (see manual)	Order
62773372	62773372 SS22 COVER ORI STANDARD	62773043	62773043 SS22 COVER ORI STANDARD INT	00V001	AVERY DENNISON (CHINA)	ASPA, CN, EMEA, JAPAN, LAM, NAM	414	1
62773372	62773372 SS22 COVER ORI STANDARD	62773143	62773143 SS22 STRING ORGANIC COTTON (20 CM STANDARD LENGTH)	00V001	AVERY DENNISON (CHINA)	ASPA, CDN, CN, EMEA, JAPAN, LAM, NAM	414	1
62615431	62615431 ILALOG	62615430	62615430 ILALOG	00V001	AVERY DENNISON (CHINA)	ASPA, CN, EMEA, JAPAN, LAM, NAM	414	2

ILA Labels

Name	Count
BARCODE ST. GENERIC SMALL (H 55, W 35MM)	1
ADICOMP1 LABEL FOR APPAREL	1

Working # :	S100F2425W0702	Season :	FW2024
Model Name :	OS HOODIE FL	Date and Time :	29-Apr-24 at 15:31:15 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN		
Factory Code :	ABW003		
Lifecycle State :	BUY READY		

adidas

Remarks:		OVERSIZED FIT: -refer to L-GLX2099F24-> option 2 -refer to L-GLX2009S24 for grading -refer for hood fit and grading : X-GLX7108S23 -refer for pocket fit and grading: X-GLX7208S23 FIXED FIT: -follow pattern in clo file: -sleeve length +3cm -back length: 72 cm -POMs marked in turquoise follow clo file -for arm position update as per BP Specs update as per P1 comments.21-06-2023 P2 comments checked.27-08-2023						
- 001 : L-GLX2099S23_international production								
				Base Size: 36			UOM:	
Product Type	POM Code	POM Description	Additional Details	Tol [+]	Tol [-]	BP/Reference Measurements	Proto Measurements	Final Measurements
Default								
		OPTION 2						
	A	Chest width (meas. 2cm below armhole)		2.000	1.000	135.000	135.000	135.000
	D	Hem opening stretch pattern meas		2.000	1.000	133.000	133.000	133.000
	D	Waistband width		2.000	1.000	102.500	102.500	102.500
	D4	Waistband height (tolerance +/- 10%)		0.000	0.000	6.000	6.000	6.000
	H	Shoulder length		0.800	0.400	19.100	19.100	19.100
	I	Sleeve length (with cuff)		1.000	0.500	59.300	59.300	59.300
	I1	Total sleeve length (from CB to HPS to sleeve opening meas. on fold))(pattern meas.)		0.000	0.000	88.000	88.000	88.000
	J	Sleeve width (meas. 2cm below armhole)		1.000	0.500	55.200	55.200	55.200
	L	Forearm width (24.4cm above cuff hem)		1.000	0.500	42.500	42.500	42.500
	M	Sleeve Opening stretch pattern meas		1.000	0.500	31.000	31.000	31.000
	M	Sleeve cuff width (rib)		1.000	0.500	19.000	19.000	19.000
	M1	Sleeve cuff height (tolerance +/- 10%)		0.000	0.000	6.000	6.000	6.000
	N	Back neck width (HPS to HPS)		1.000	0.500	19.000	19.000	19.000
	O1	Front neck drop (HPS to c.f. neck seam)		0.500	0.000	9.500	9.500	9.500

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 15:31:15 CET

adidas

Remarks:

OVERSIZED FIT: -refer to L-GLX2099F24-> option 2 -refer to L-GLX2009S24 for grading -refer for hood fit and grading : X-GLX7108S23 -refer for pocket fit and grading: X-GLX7208S23 FIXED FIT: -follow pattern in clo file: -sleeve length +3cm -back length: 72 cm -POMs marked in turquoise follow clo file -for arm position update as per BP Specs update as per P1 comments.21-06-2023 P2 comments checked.27-08-2023

- 001 : L-GLX2099S23_international production

				Base Size: 36			UOM:	
Product Type	POM Code	POM Description	Additional Details	Tol [+]	Tol [-]	BP/Reference Measurements	Proto Measurements	Final Measurements
	O2	Back neck drop (HPS to c.b. neck seam)		0.500	0.000	2.000	2.000	2.000
	R1	1/2 Hood length front (top edge of hood to CF)		0.500	0.500	41.200	41.200	41.200
	R2	Hood length meas. along seam		0.500	0.500	57.200	57.200	57.200
	R3	1/2 Hood width		0.500	0.500	28.300	28.300	28.300
	R4	1/2 Hood width meas. point from CB neckline (meas. straight)		0.000	0.000	19.700	19.700	19.700
	R5	Overlap width		0.000	0.000	4.000	4.000	4.000
		Hood tie cord length		2.000	1.000	110.000	110.000	110.000
	S	Minimum neck opening stretched		0.000	0.000	56.000	56.000	56.000
	Z	Back length (regular length)		1.500	1.000	72.000	72.000	72.000
	G	Functional pocket opening (BP without coverstitch)		0.500	0.500	18.100	18.100	18.100
	G1	Upper pocket width		1.000	0.500	21.000	21.000	21.000
	G2	Middle pocket width		1.000	0.500	38.000	38.000	38.000
	G3	Lower pocket width		1.000	0.500	34.000	34.000	34.000
	G4	Pocket height		1.000	0.500	22.500	22.500	22.500
	Y1	Front logo meas.;; down from NK seam		0.500	0.500	5.500	5.500	5.500

adidas PROPRIETARY AND CONFIDENTIAL INFORMATION: This document contains proprietary and confidential information belonging exclusively to adidas. If you are not an intended and authorized recipient of this document, you are hereby notified that any dissemination, copying or use of any information in this document is strictly prohibited by law. If you have received this document in error or without authorization, please immediately notify adidas. © by adidas AG, 2021

Working # :	S100F2425W0702	Season :	FW2024
Model Name :	OS HOODIE FL	Date and Time :	29-Apr-24 at 15:31:15 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN		
Factory Code :	ABW003		
Lifecycle State :	BUY READY		

adidas

Remarks:		OVERSIZED FIT: -refer to L-GLX2099F24-> option 2 -refer to L-GLX2009S24 for grading -refer for hood fit and grading : X-GLX7108S23 -refer for pocket fit and grading: X-GLX7208S23 FIXED FIT: -follow pattern in clo file: -sleeve length +3cm -back length: 72 cm -POMs marked in turquoise follow clo file -for arm position update as per BP Specs update as per P1 comments.21-06-2023 P2 comments checked.27-08-2023													
Measurement Set: - 001 : L-GLX2099S23_international production				Base Size: 36 UOM: cm											
Product Type	POM Code	POM Description	Additional Details	Tol [+]	Tol [-]	26	GR 26	28	GR 28	30	GR 30	32	GR 32	34	GR 34
Default															
		OPTION 2													
	A	Chest width (meas. 2cm below armhole)		2.000	1.000	120.00 0	-3.000	123.00 0	-3.000	126.00 0	-3.000	129.00 0	-3.000	132.00 0	-3.000
	D	Hem opening stretch pattern meas		2.000	1.000	118.00 0	-3.000	121.00 0	-3.000	124.00 0	-3.000	127.00 0	-3.000	130.00 0	-3.000
	D	Waistband width		2.000	1.000	89.000	-2.700	91.700	-2.700	94.400	-2.700	97.100	-2.700	99.800	-2.700
	D4	Waistband height (tolerance +/- 10%)		0.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000
	H	Shoulder length		0.800	0.400	16.400	-0.500	16.900	-0.600	17.500	-0.500	18.000	-0.600	18.600	-0.500
	I	Sleeve length (with cuff)		1.000	0.500	59.300	0.000	59.300	0.000	59.300	0.000	59.300	0.000	59.300	0.000
	I1	Total sleeve length (from CB to HPS to sleeve opening meas. on fold))(pattern meas.)		0.000	0.000	85.000	-0.600	85.600	-0.600	86.200	-0.600	86.800	-0.600	87.400	-0.600
	J	Sleeve width (meas. 2cm below armhole)		1.000	0.500	51.200	-0.800	52.000	-0.800	52.800	-0.800	53.600	-0.800	54.400	-0.800
	L	Forearm width (24.4cm above cuff hem)		1.000	0.500	39.300	-0.700	40.000	-0.600	40.600	-0.700	41.300	-0.600	41.900	-0.600
	M	Sleeve Opening stretch pattern meas		1.000	0.500	29.900	-0.400	30.300	-0.400	30.700	-0.300	31.000	-0.400	31.400	0.400
	M	Sleeve cuff width (rib)		1.000	0.500	17.100	-0.400	17.500	-0.400	17.900	-0.300	18.200	-0.400	18.600	-0.400
	M1	Sleeve cuff height (tolerance +/- 10%)		0.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000
	N	Back neck width (HPS to HPS)		1.000	0.500	18.500	-0.100	18.600	-0.100	18.700	-0.100	18.800	-0.100	18.900	-0.100
	O1	Front neck drop (HPS to c.f. neck seam)		0.500	0.000	8.700	-0.200	8.900	-0.100	9.000	-0.200	9.200	-0.100	9.300	-0.200
	O2	Back neck drop (HPS to c.b. neck seam)		0.500	0.000	1.200	-0.200	1.400	-0.100	1.500	-0.200	1.700	-0.100	1.800	-0.200

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY


Season :
Date and Time :

FW2024
29-Apr-24 at 15:31:15 CET

adidas

Remarks:	OVERSIZED FIT: -refer to L-GLX2099F24-> option 2 -refer to L-GLX2009S24 for grading -refer for hood fit and grading : X-GLX7108S23 -refer for pocket fit and grading: X-GLX7208S23 FIXED FIT: -follow pattern in clo file: -sleeve length +3cm -back length: 72 cm -POMs marked in turquoise follow clo file -for arm position update as per BP Specs update as per P1 comments.21-06-2023 P2 comments checked.27-08-2023														
Measurement Set: - 001 : L-GLX2099S23_international production					Base Size: 36 UOM: cm										
Product Type	POM Code	POM Description	Additional Details	Tol [+]	Tol [-]	26	GR 26	28	GR 28	30	GR 30	32	GR 32	34	GR 34
	R1	1/2 Hood length front (top edge of hood to CF)		0.500	0.500	41.200	0.000	41.200	0.000	41.200	0.000	41.200	0.000	41.200	0.000
	R2	Hood length meas. along seam		0.500	0.500	55.800	-0.300	56.100	-0.200	56.300	-0.300	56.600	-0.200	56.800	-0.400
	R3	1/2 Hood width		0.500	0.500	27.000	-0.300	27.300	-0.200	27.500	-0.300	27.800	-0.200	28.000	-0.300
	R4	1/2 Hood width meas. point from CB neckline (meas. straight)		0.000	0.000	19.700	0.000	19.700	0.000	19.700	0.000	19.700	0.000	19.700	0.000
	R5	Overlap width		0.000	0.000	4.000	0.000	4.000	0.000	4.000	0.000	4.000	0.000	4.000	0.000
		Hood tie cord length		2.000	1.000	110.000	0.000	110.000	0.000	110.000	0.000	110.000	0.000	110.000	0.000
	S	Minimum neck opening stretched		0.000	0.000	54.000	0.000	54.000	-1.000	55.000	0.000	55.000	-1.000	56.000	0.000
	Z	Back length (regular length)		1.500	1.000	68.200	-0.800	69.000	-0.700	69.700	-0.800	70.500	-0.700	71.200	-0.800
	G	Functional pocket opening (BP without coverstitch)		0.500	0.500	17.100	0.000	17.100	0.000	17.100	0.000	17.100	0.000	17.100	-1.000
	G1	Upper pocket width		1.000	0.500	19.500	0.000	19.500	0.000	19.500	0.000	19.500	0.000	19.500	-1.500
	G2	Middle pocket width		1.000	0.500	35.500	0.000	35.500	0.000	35.500	0.000	35.500	0.000	35.500	-2.500
	G3	Lower pocket width		1.000	0.500	31.500	0.000	31.500	0.000	31.500	0.000	31.500	0.000	31.500	-2.500
	G4	Pocket height		1.000	0.500	21.000	0.000	21.000	0.000	21.000	0.000	21.000	0.000	21.000	-1.500
	Y1	Front logo meas.; down from NK seam		0.500	0.500	5.500	0.000	5.500	0.000	5.500	0.000	5.500	0.000	5.500	0.000

Logo yerleşimi : NK dikişinden aşağı



Working # :	S100F2425W0702	Season :	FW2024
Model Name :	OS HOODIE FL	Date and Time :	29-Apr-24 at 15:31:15 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN		
Factory Code :	ABW003		
Lifecycle State :	BUY READY		

Remarks:		OVERSIZED FIT: -refer to L-GLX2099F24-> option 2 -refer to L-GLX2009S24 for grading -refer for hood fit and grading : X-GLX7108S23 -refer for pocket fit and grading: X-GLX7208S23 FIXED FIT: -follow pattern in clo file: -sleeve length +3cm -back length: 72 cm -POMs marked in turquoise follow clo file -for arm position update as per BP Specs update as per P1 comments.21-06-2023 P2 comments checked.27-08-2023													
Measurement Set: - 001 : L-GLX2099S23_international production				Base Size: 36 UOM: cm											
Product Type	POM Code	POM Description	Additional Details	Tol [+]	Tol [-]	36	GR 36	38	GR 38	40	GR 40	42	GR 42	44	GR 44
Default															
		OPTION 2					0.000								
	A	Chest width (meas. 2cm below armhole)		2.000	1.000	135.00 0	0.000	138.00 0	3.000	141.00 0	3.000	144.50 0	3.500	148.00 0	3.500
	D	Hem opening stretch pattern meas		2.000	1.000	133.00 0	0.000	136.00 0	3.000	139.00 0	3.000	142.50 0	3.500	146.00 0	3.500
	D	Waistband width		2.000	1.000	102.50 0	0.000	105.20 0	2.700	107.90 0	2.700	111.10 0	3.200	114.30 0	3.200
	D4	Waistband height (tolerance +/- 10%)		0.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000
	H	Shoulder length		0.800	0.400	19.100	0.000	19.700	0.600	20.200	0.500	20.900	0.700	21.600	0.700
	I	Sleeve length (with cuff)		1.000	0.500	59.300	0.000	59.300	0.000	59.300	0.000	59.300	0.000	59.300	0.000
	I1	Total sleeve length (from CB to HPS to sleeve opening meas. on fold))(pattern meas.)		0.000	0.000	88.000	0.000	88.600	0.600	89.200	0.600	89.900	0.700	90.600	0.700
	J	Sleeve width (meas. 2cm below armhole)		1.000	0.500	55.200	0.000	55.800	0.600	56.400	0.600	57.200	0.800	58.000	0.800
	L	Forearm width (24.4cm above cuff hem)		1.000	0.500	42.500	0.000	43.100	0.600	43.700	0.600	44.300	0.600	44.900	0.600
	M	Sleeve Opening stretch pattern meas		1.000	0.500	31.000	0.000	31.300	0.300	31.700	0.400	32.100	0.400	32.400	0.300
	M	Sleeve cuff width (rib)		1.000	0.500	19.000	0.000	19.300	0.300	19.700	0.400	20.100	0.400	20.400	0.300
	M1	Sleeve cuff height (tolerance +/- 10%)		0.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000
	N	Back neck width (HPS to HPS)		1.000	0.500	19.000	0.000	19.100	0.100	19.200	0.100	19.300	0.100	19.400	0.100
	O1	Front neck drop (HPS to c.f. neck seam)		0.500	0.000	9.500	0.000	9.600	0.100	9.800	0.200	9.900	0.100	10.100	0.200
	O2	Back neck drop (HPS to c.b. neck seam)		0.500	0.000	2.000	0.000	2.100	0.100	2.300	0.200	2.400	0.100	2.600	0.200

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 15:31:15 CET

adidas

Remarks:	OVERSIZED FIT: -refer to L-GLX2099F24-> option 2 -refer to L-GLX2009S24 for grading -refer for hood fit and grading : X-GLX7108S23 -refer for pocket fit and grading: X-GLX7208S23 FIXED FIT: -follow pattern in clo file: -sleeve length +3cm -back length: 72 cm -POMs marked in turquoise follow clo file -for arm position update as per BP Specs update as per P1 comments.21-06-2023 P2 comments checked.27-08-2023														
Measurement Set: - 001 : L-GLX2099S23_international production					Base Size: 36 UOM: cm										
Product Type	POM Code	POM Description	Additional Details	Tol [+]	Tol [-]	36	GR 36	38	GR 38	40	GR 40	42	GR 42	44	GR 44
	R1	1/2 Hood length front (top edge of hood to CF)		0.500	0.500	41.200	0.000	41.200	0.000	41.200	0.000	41.200	0.000	41.200	0.000
	R2	Hood length meas. along seam		0.500	0.500	57.200	0.000	57.400	0.200	57.700	0.300	57.900	0.200	58.300	0.400
	R3	1/2 Hood width		0.500	0.500	28.300	0.000	28.500	0.200	28.900	0.400	29.100	0.200	29.400	0.300
	R4	1/2 Hood width meas. point from CB neckline (meas. straight)		0.000	0.000	19.700	0.000	19.700	0.000	19.700	0.000	19.700	0.000	19.700	0.000
	R5	Overlap width		0.000	0.000	4.000	0.000	4.000	0.000	4.000	0.000	4.000	0.000	4.000	0.000
		Hood tie cord length		2.000	1.000	110.000	0.000	110.000	0.000	110.000	0.000	110.000	0.000	110.000	0.000
	S	Minimum neck opening stretched		0.000	0.000	56.000	0.000	57.000	1.000	57.000	0.000	58.000	1.000	58.000	0.000
	Z	Back length (regular length)		1.500	1.000	72.000	0.000	72.700	0.700	73.500	0.800	74.200	0.700	75.000	0.800
	G	Functional pocket opening (BP without coverstitch)		0.500	0.500	18.100	0.000	18.100	0.000	18.100	0.000	18.100	0.000	18.100	0.000
	G1	Upper pocket width		1.000	0.500	21.000	0.000	21.000	0.000	21.000	0.000	21.000	0.000	21.000	0.000
	G2	Middle pocket width		1.000	0.500	38.000	0.000	38.000	0.000	38.000	0.000	38.000	0.000	38.000	0.000
	G3	Lower pocket width		1.000	0.500	34.000	0.000	34.000	0.000	34.000	0.000	34.000	0.000	34.000	0.000
	G4	Pocket height		1.000	0.500	22.500	0.000	22.500	0.000	22.500	0.000	22.500	0.000	22.500	0.000
	Y1	Front logo meas.;; down from NK seam		0.500	0.500	5.500	0.000	5.500	0.000	5.500	0.000	5.500	0.000	5.500	0.000

Working # :	S100F2425W0702	Season :	FW2024
Model Name :	OS HOODIE FL	Date and Time :	29-Apr-24 at 15:31:15 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN		
Factory Code :	ABW003		
Lifecycle State :	BUY READY		

Remarks:		OVERSIZED FIT: -refer to L-GLX2099F24-> option 2 -refer to L-GLX2009S24 for grading -refer for hood fit and grading : X-GLX7108S23 -refer for pocket fit and grading: X-GLX7208S23 FIXED FIT: -follow pattern in clo file: -sleeve length +3cm -back length: 72 cm -POMs marked in turquoise follow clo file -for arm position update as per BP Specs update as per P1 comments.21-06-2023 P2 comments checked.27-08-2023												
Measurement Set: - 001 : L-GLX2099S23_international production					Base Size: 36 UOM: cm									
Product Type	POM Code	POM Description	Additional Details	Tol [+]	Tol [-]	46	GR 46	48	GR 48	50	GR 50	52	GR 52	
Default														
		OPTION 2												
	A	Chest width (meas. 2cm below armhole)		2.000	1.000	152.00 0	4.000	156.00 0	4.000	160.50 0	4.500	165.00 0	4.500	
	D	Hem opening stretch pattern meas		2.000	1.000	150.00 0	4.000	154.00 0	4.000	158.50 0	4.500	163.00 0	4.500	
	D	Waistband width		2.000	1.000	117.90 0	3.600	121.50 0	3.600	125.60 0	4.100	129.70 0	4.100	
	D4	Waistband height (tolerance +/- 10%)		0.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	
	H	Shoulder length		0.800	0.400	22.300	0.700	23.000	0.700	23.700	0.700	24.400	0.700	
	I	Sleeve length (with cuff)		1.000	0.500	59.300	0.000	59.300	0.000	59.300	0.000	59.300	0.000	
	I1	Total sleeve length (from CB to HPS to sleeve opening meas. on fold))(pattern meas.)		0.000	0.000	91.400	0.800	92.200	0.800	93.000	0.800	93.800	0.800	
	J	Sleeve width (meas. 2cm below armhole)		1.000	0.500	58.700	0.700	59.400	0.700	60.100	0.700	60.800	0.700	
	L	Forearm width (24.4cm above cuff hem)		1.000	0.500	45.500	0.600	46.100	0.600	46.700	0.600	47.300	0.600	
	M	Sleeve Opening stretch pattern meas		1.000	0.500	32.800	0.400	33.200	0.400	33.500	0.300	33.900	0.400	
	M	Sleeve cuff width (rib)		1.000	0.500	20.800	0.400	21.200	0.400	21.500	0.300	21.900	0.400	
	M1	Sleeve cuff height (tolerance +/- 10%)		0.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	6.000	0.000	
	N	Back neck width (HPS to HPS)		1.000	0.500	19.500	0.100	19.600	0.100	19.800	0.200	20.100	0.300	
	O1	Front neck drop (HPS to c.f. neck seam)		0.500	0.000	10.200	0.100	10.400	0.200	10.800	0.400	11.200	0.400	
	O2	Back neck drop (HPS to c.b. neck seam)		0.500	0.000	2.700	0.100	2.900	0.200	3.000	0.100	3.200	0.200	

Working # :
Model Name :
Factory :
Factory Code :
Lifecycle State :

S100F2425W0702
OS HOODIE FL
ARIK BEY TEKSTIL ENERJI VE SIN
ABW003
BUY READY

Season :
Date and Time :

FW2024
29-Apr-24 at 15:31:15 CET

adidas

Remarks:	OVERSIZED FIT: -refer to L-GLX2099F24-> option 2 -refer to L-GLX2009S24 for grading -refer for hood fit and grading : X-GLX7108S23 -refer for pocket fit and grading: X-GLX7208S23 FIXED FIT: -follow pattern in clo file: -sleeve length +3cm -back length: 72 cm -POMs marked in turquoise follow clo file -for arm position update as per BP Specs update as per P1 comments.21-06-2023 P2 comments checked.27-08-2023													
Measurement Set: - 001 : L-GLX2099S23_international production					Base Size: 36 UOM: cm									
Product Type	POM Code	POM Description	Additional Details	Tol [+]	Tol [-]	46	GR 46	48	GR 48	50	GR 50	52	GR 52	
	R1	1/2 Hood length front (top edge of hood to CF)		0.500	0.500	41.200	0.000	41.200	0.000	41.200	0.000	41.200	0.000	
	R2	Hood length meas. along seam		0.500	0.500	58.500	0.200	58.900	0.400	59.400	0.500	60.100	0.700	
	R3	1/2 Hood width		0.500	0.500	29.600	0.200	29.900	0.300	30.500	0.600	31.200	0.700	
	R4	1/2 Hood width meas. point from CB neckline (meas. straight)		0.000	0.000	19.700	0.000	19.700	0.000	19.700	0.000	19.700	0.000	
	R5	Overlap width		0.000	0.000	4.000	0.000	4.000	0.000	4.000	0.000	4.000	0.000	
		Hood tie cord length		2.000	1.000	110.000	0.000	110.000	0.000	110.000	0.000	110.000	0.000	
	S	Minimum neck opening stretched		0.000	0.000	59.000	1.000	59.000	0.000	60.000	1.000	60.000	0.000	
	Z	Back length (regular length)		1.500	1.000	75.700	0.700	76.500	0.800	77.200	0.700	78.000	0.800	
	G	Functional pocket opening (BP without coverstitch)		0.500	0.500	20.100	2.000	20.100	0.000	20.100	0.000	20.100	0.000	
	G1	Upper pocket width		1.000	0.500	23.700	2.700	23.700	0.000	23.700	0.000	23.700	0.000	
	G2	Middle pocket width		1.000	0.500	42.800	4.800	42.800	0.000	42.800	0.000	42.800	0.000	
	G3	Lower pocket width		1.000	0.500	38.800	4.800	38.800	0.000	38.800	0.000	38.800	0.000	
	G4	Pocket height		1.000	0.500	24.000	1.500	24.000	0.000	24.000	0.000	24.000	0.000	
	Y1	Front logo meas.;; down from NK seam		0.500	0.500	5.500	0.000	5.500	0.000	5.500	0.000	5.500	0.000	

Working # :	S100F2425W0702	Season :	FW2024
Model Name :	OS HOODIE FL	Date and Time :	29-Apr-24 at 10:15:33 CET
Factory :	ARIK BEY TEKSTIL ENERJI VE SIN		
Factory Code :	ABW003		
Lifecycle State :	BUY READY		

Strike off comment - e9a7de41 - CONFIRMED	Receiver Group: Factory Developer	From: CC Pattern Manager
CREATED 15 Apr 2024 08:44 AM Khan.Awan@adidas.com		
RELEASED 15 Apr 2024 08:45 AM Khan.Awan@adidas.com		
CONFIRMED 15 Apr 2024 12:33 PM eac_BasEsi@adsext.biz		

Strike Off Approved

Strike Off : Onaylandı.