Yamcs Command-Line Interface

Release 1.4.2



Space Applications Services, NV/SA

Leuvensesteenweg 325 1932 Sint-Stevens-Woluwe Belgium spaceapplications.com yamcs.org

Aerospace Applications North America, Inc.

16850 Saturn Ln, Ste 100 Houston, TX 77058 United States of America aerospaceapplications-na.com

Copyright © 2022 Space Applications Services NV/SA. All rights reserved.

Contents

| 1 | yamcs algorithms | 2 |
|----|--|----------------|
| 2 | yamcs commands | 3 |
| 3 | yamcs config 3.1 yamcs config get 3.2 yamcs config list 3.3 yamcs config set 3.4 yamcs config unset | 4 4 5 5 |
| 4 | yamcs containers 4.1 yamcs containers list 4.2 yamcs containers describe | 6 |
| 5 | yamcs dbshell | 7 |
| 6 | yamcs instances 6.1 yamcs instances list 6.2 yamcs instances start 6.3 yamcs instances stop | 8 8 |
| 7 | yamcs links 7.1 yamcs links list 7.2 yamcs links enable 7.3 yamcs links disable 7.4 yamcs links describe | 10 10 11 |
| 8 | yamcs login | 12 |
| 9 | yamcs logout | 13 |
| 10 | yamcs parameters 10.1 yamcs parameters list 10.2 yamcs parameters describe | 14 |
| 11 | yamcs processors | |
| 12 | 12.1 yamcs services list | 16 16 16 |
| 13 | vames enace-systems | 18 |

| | 13.1 | yamcs space-systems list | 18 |
|-----|-------|------------------------------|----|
| | 13.2 | yamcs space-systems describe | 18 |
| 14 | yamo | es storage | 19 |
| | 14.1 | yamcs storage ls | 19 |
| | 14.2 | yamcs storage mb | 20 |
| | 14.3 | yamcs storage rb | 20 |
| | 14.4 | yamcs storage cat | 20 |
| | 14.5 | yamcs storage cp | 20 |
| | 14.6 | yamcs storage mv | 21 |
| | 14.7 | yamcs storage rm | 21 |
| 15 | yamo | es streams | 22 |
| | | yamcs streams list | |
| | | yamcs streams describe | |
| | | yamcs streams subscribe | |
| 16 | yamo | es tables | 24 |
| | 16.1 | yamcs tables list | 24 |
| | 16.2 | yamcs tables describe | 24 |
| | 16.3 | yamcs tables dump | 25 |
| | | yamcs tables load | |
| Ind | lex . | | 26 |

About Yamcs Command-Line Interface

The Yamcs Command-Line Interface is written in Python and distributed separately from Yamcs Server. Install with pip:

pip install --upgrade yamcs-cli

Run yamcs login (page 12) to initialize your environment:

yamcs login

1. yamcs algorithms

```
yamcs algorithms - Read algorithms

SYNOPSIS

yamcs algorithms COMMAND

COMMANDS

list (page 2)

List algorithms

describe (page 2)

Describe an algorithm
```

1.1 yamcs algorithms list

NAME

yamcs algorithms list - List algorithms

SYNOPSIS

yamcs algorithms list

1.2 yamcs algorithms describe

NAME

yamcs algorithms describe - Describe an algorithm

SYNOPSIS

yamcs algorithms describe ALGORITHM

POSITIONAL ARGUMENTS

ALGORITHM

The algorithm to describe.

2. yamcs commands

```
yamcs commands - Read commands
SYNOPSIS
yamcs commands COMMAND
COMMANDS
list (page 3)
List commands
describe (page 3)
Describe a command
```

2.1 yamcs commands list

NAME

yamcs commands list - List commands

SYNOPSIS

yamcs commands list

2.2 yamcs commands describe

NAME

yamcs commands describe - Describe a command

SYNOPSIS

yamcs commands describe COMMAND

POSITIONAL ARGUMENTS

COMMAND

The command to describe.

3. yamcs config

NAME

SYNOPSIS

```
yamcs config COMMAND

COMMANDS

get (page 4)
    Get value of client property

list (page 4)
    List client properties

set (page 5)
    Set client property

unset (page 5)
    Unset client property

3.1 yamcs config get

NAME

yamcs config get - Get value of client property
```

yamcs config - Manage Yamcs client properties

3.2 yamcs config list

POSITIONAL ARGUMENTS

PROPERTY

yamcs config get PROPERTY

The property to retrieve.

```
NAME
```

yamcs config list - List client properties

SYNOPSIS

SYNOPSIS

yamcs config list

3.3 yamcs config set

NAME

yamcs config set - Set client property

SYNOPSIS

yamcs config set PROPERTY VALUE

POSITIONAL ARGUMENTS

PROPERTY

The property to set.

VALUE

The new value of the property.

3.4 yamcs config unset

NAME

yamcs config unset - Unset client property

SYNOPSIS

yamcs config unset PROPERTY

POSITIONAL ARGUMENTS

PROPERTY

The property to unset.

4. yamcs containers

```
yamcs containers - Read containers

SYNOPSIS

yamcs containers COMMAND

COMMANDS

list (page 6)

List containers

describe (page 6)

Describe a container
```

4.1 yamcs containers list

NAME

yamcs containers list - List containers

SYNOPSIS

yamcs containers list

4.2 yamcs containers describe

NAME

yamcs containers describe - Describe a container

SYNOPSIS

yamcs containers describe CONTAINER

POSITIONAL ARGUMENTS

CONTAINER

The container to describe.

5. yamcs dbshell

```
yamcs dbshell - Launch Yamcs DB Shell

SYNOPSIS

yamcs dbshell [-c COMMAND, --command COMMAND]

OPTIONS

-c COMMAND, --command COMMAND

Run a single SQL command string.
```

6. yamcs instances

```
yamcs instances - Read Yamcs instances

SYNOPSIS

yamcs instances COMMAND

COMMANDS

list (page 8)

List instances

start (page 8)

Start an instance

stop (page 8)

Stop an instance
```

6.1 yamcs instances list

```
NAME
```

yamcs instances list - List instances

SYNOPSIS

yamcs instances list

6.2 yamcs instances start

NAME

yamcs instances start - Start an instance

SYNOPSIS

yamcs instances start INSTANCE ...

POSITIONAL ARGUMENTS

INSTANCE ...

The instances to start.

6.3 yamcs instances stop

NAME

yamcs instances stop - Stop an instance

SYNOPSIS

yamcs instances stop INSTANCE \dots

POSITIONAL ARGUMENTS

INSTANCE ...

The instances to stop.

7. yamcs links

```
yamcs links - Read and manipulate data links

SYNOPSIS

yamcs links COMMAND

COMMANDS

list (page 10)

List links

enable (page 10)

Enable a link

disable (page 11)

Disable a link

describe (page 11)

Describe a link
```

7.1 yamcs links list

```
NAME
yamcs links list - List links
SYNOPSIS
yamcs links list
```

7.2 yamcs links enable

```
yamcs links enable - Enable a data link

SYNOPSIS

yamcs links enable LINK ...

POSITIONAL ARGUMENTS

LINK ...

The links to enable.
```

7.3 yamcs links disable

NAME

yamcs links disable - Disable a data link

SYNOPSIS

yamcs links disable LINK ...

POSITIONAL ARGUMENTS

LINK ...

The links to disable.

7.4 yamcs links describe

NAME

yamcs links describe - Describe a data link

SYNOPSIS

yamcs links describe LINK

POSITIONAL ARGUMENTS

LINK

The link to describe.

8. yamcs login

9. yamcs logout

NAME

yamcs logout - Logout of a Yamcs server

SYNOPSIS

yamcs logout

10. yamcs parameters

```
yamcs parameters - Read parameters

SYNOPSIS

yamcs parameters COMMAND

COMMANDS

list (page 14)

List parameters

describe (page 14)

Describe a parameter
```

10.1 yamcs parameters list

NAME

yamcs parameters list - List parameters

SYNOPSIS

yamcs parameters list

10.2 yamcs parameters describe

NAME

yamcs parameters describe - Describe a parameter

SYNOPSIS

yamcs parameters describe PARAMETER

POSITIONAL ARGUMENTS

PARAMETER

The parameter to describe.

11. yamcs processors

```
NAME
```

yamcs processors - Read processors

SYNOPSIS

yamcs processors COMMAND

COMMANDS

list (page 15)
List processors

11.1 yamcs processors list

NAME

yamcs processors list - List processors

SYNOPSIS

yamcs processors list

12. yamcs services

```
yamcs services - Read and manipulate services

SYNOPSIS

yamcs services COMMAND

COMMANDS

list (page 16)

List services

start (page 16)

Start a service

stop (page 16)

Stop a service
```

12.1 yamcs services list

```
NAME
```

yamcs services list - List services

SYNOPSIS

yamcs services list

12.2 yamcs services start

```
NAME
```

yamcs services start - Start a service

SYNOPSIS

yamcs services start SERVICE ...

POSITIONAL ARGUMENTS

SERVICE ...

Services to start.

12.3 yamcs services stop

NAME

yamcs services stop - Stop a service

SYNOPSIS

yamcs services stop SERVICE ...

POSITIONAL ARGUMENTS

SERVICE ...

Services to stop.

13. yamcs space-systems

```
yamcs space-systems - Read space systems

SYNOPSIS

yamcs space-systems COMMAND

COMMANDS

list (page 18)

List space systems

describe (page 18)

Describe a space system
```

13.1 yamcs space-systems list

NAME

yamcs space-systems list - List space systems

SYNOPSIS

yamcs space-systems list

13.2 yamcs space-systems describe

NAME

yamcs space-systems describe - Describe a space system

SYNOPSIS

yamcs space-systems describe SPACESYSTEM

POSITIONAL ARGUMENTS

SPACESYSTEM

The space system to describe.

14. yamcs storage

NAME

```
yamcs storage - Manage object storage
SYNOPSIS
     yamcs storage COMMAND
COMMANDS
     Is (page 19)
         List buckets or objects
         Synonym: list
     mb (page 20)
         Make buckets
     rb (page 20)
         Remove buckets
     cat (page 20)
          Concatenate object content to stdout
     cp (page 20)
         Copy a file or object
     mv (page 21)
         Move a file or object
     rm (page 21)
         Remove objects
14.1 yamcs storage Is
NAME
     yamcs storage Is - List buckets or objects
SYNOPSIS
     yamcs storage ls [-1] [-r, -R] [BUCKET]
POSITIONAL ARGUMENTS
     [BUCKET]
         Bucket or object.
OPTIONS
     -1
         List in long format.
```

```
-r, -R
List recursively.
```

14.2 yamcs storage mb

```
NAME
```

yamcs storage mb - Make buckets

SYNOPSIS

yamcs storage mb BUCKET ...

POSITIONAL ARGUMENTS

BUCKET ...

A bucket to create.

14.3 yamcs storage rb

NAME

yamcs storage rb - Remove buckets

SYNOPSIS

yamcs storage rb BUCKET ...

POSITIONAL ARGUMENTS

BUCKET ...

A bucket to remove.

14.4 yamcs storage cat

NAME

yamcs storage cat - Concatenate object content to stdout

SYNOPSIS

yamcs storage cat OBJECT ...

POSITIONAL ARGUMENTS

OBJECT ...

The objects to fetch.

14.5 yamcs storage cp

NAME

yamcs storage cp - Copy a file or object

SYNOPSIS

yamcs storage cp SRC DST

POSITIONAL ARGUMENTS

SRC

local file or an object in the format ys://BUCKET/OBJECT.

DST

local file or an object in the format ys://BUCKET/OBJECT.

14.6 yamcs storage mv

NAME

yamcs storage mv - Move a file or object

SYNOPSIS

yamcs storage mv SRC DST

POSITIONAL ARGUMENTS

SRC

local file or an object in the format ys://BUCKET/OBJECT.

DST

local file, local directory or an object in the format ys://BUCKET/OBJECT.

14.7 yamcs storage rm

NAME

yamcs storage rm - Remove objects

SYNOPSIS

yamcs storage rm OBJECT ...

POSITIONAL ARGUMENTS

OBJECT ...

An object to remove.

15. yamcs streams

```
yamcs streams - Read and manipulate streams

SYNOPSIS

yamcs streams COMMAND

COMMANDS

list (page 22)

List streams

describe (page 22)

Describe a stream

subscribe (page 22)

Subscribe to a stream
```

15.1 yamcs streams list

NAME

yamcs streams list - List streams

SYNOPSIS

yamcs streams list

15.2 yamcs streams describe

NAME

yamcs streams describe - Describe a stream

SYNOPSIS

yamcs streams describe STREAM

POSITIONAL ARGUMENTS

STREAM

The stream to describe.

15.3 yamcs streams subscribe

NAME

yamcs streams subscribe - Subscribe to a stream

SYNOPSIS

yamcs streams subscribe STREAM

POSITIONAL ARGUMENTS

STREAM

The stream to describe.

16. yamcs tables

```
yamcs tables - Read and manipulate tables

SYNOPSIS

yamcs tables COMMAND

COMMANDS

list (page 24)

List tables

describe (page 24)

Describe a table

dump (page 25)

Dump table data

load (page 25)

Load data into a table
```

16.1 yamcs tables list

NAME

yamcs tables list - List tables

SYNOPSIS

yamcs tables list

16.2 yamcs tables describe

NAME

yamcs tables describe - Describe a table

SYNOPSIS

yamcs tables describe TABLE

POSITIONAL ARGUMENTS

TABLE

The table to describe.

16.3 yamcs tables dump

```
NAME

yamcs tables dump - Dump table data

SYNOPSIS

yamcs tables dump [-d DIR, --dir DIR] TABLE ...

OPTIONS

-d DIR, --dir DIR

Specifies the directory where to output dump files. Defaults to current directory.

--gzip

Compress the output.

POSITIONAL ARGUMENTS

TABLE ...

The tables to dump.

16.4 yamcs tables load
```

NAME

yamcs tables load - Load data into a table.

SYNOPSIS

```
yamcs tables load [-d DIR, --dir DIR] TABLE ...
```

OPTIONS

```
-d DIR, --dir DIR
```

Specifies the directory where to locate dump files. Defaults to current directory.

--gzir

Decompress the input.

POSITIONAL ARGUMENTS

```
TABLE ...
```

The tables to load.

Index

| Symbols | yamcs-commands-describe command line |
|--|--|
| -R | option, 3 |
| yamcs-storage-ls command line option, | command line option |
| 19 | SERVICE, 16, 17 CONTAINER |
| command COMMAND | yamcs-containers-describe command line |
| yamcs-dbshell command line option, 7dir DIR | option, 6 |
| yamcs-tables-dump command line option, 25 | D |
| yamcs-tables-load command line option, 25 | DST yamcs-storage-cp command line option, |
| gzip | 21 |
| yamcs-tables-dump command line option, 25 | yamcs-storage-mv command line option, 21 |
| yamcs-tables-load command line option, 25 | 1 |
| -c COMMAND | INSTANCE |
| yamcs-dbshell command line option, 7 -d DIR | yamcs-instances-start command line option,8 |
| yamcs-tables-dump command line option, | yamcs-instances-stop command line option, 9 |
| yamcs-tables-load command line option, | L |
| -1 | LINK |
| yamcs-storage-ls command line option, | yamcs-links-describe command line option, 11 |
| -r | LINK |
| yamcs-storage-ls command line option, | yamcs-links-disable command line option, 11 |
| [BUCKET] | yamcs-links-enable command line |
| yamcs-storage-ls command line option, | option, 10 |
| 19 | \circ |
| [URL] | OBJECT |
| yamcs-login command line option, 12 | yamcs-storage-cat command line option, |
| A | 20 |
| ALGORITHM | yamcs-storage-rm command line option, |
| yamcs-algorithms-describe command line option, 2 | 21 |
| В | P |
| | PARAMETER |
| BUCKET | yamcs-parameters-describe command line |
| yamcs-storage-mb command line option, | option, 14 |
| yamcs-storage-rb command line option, | PROPERTY yamcs-config-get command line option, 4 |
| 20 | yamcs-config-set command line option, 5 |
| C | yamcs-config-unset command line |
| COMMAND | option, 5 |
| COMMAND | |

| S | LINK, 11 |
|---|---|
| SERVICE | yamcs-links-enable command line option |
| command line option, 16, 17 SPACESYSTEM | LINK, 10 yamcs-login command line option |
| yamcs-space-systems-describe command | [URL], 12 |
| line option, 18 | yamcs-parameters-describe command line option |
| SRC yamcs-storage-cp command line option, | PARAMETER, 14 |
| 21 | yamcs-space-systems-describe command line |
| yamcs-storage-mv command line option, | option SPACESYSTEM, 18 |
| 21 STREAM | yamcs-storage-cat command line option |
| yamcs-streams-describe command line | OBJECT, 20 |
| option, 22 | yamcs-storage-cp command line option |
| yamcs-streams-subscribe command line | DST, 21 SRC, 21 |
| option, 23 | yamcs-storage-ls command line option |
| Τ | -R, 19 |
| TABLE | -1, 19 |
| yamcs-tables-describe command line | -r, 19 |
| option, 24 | [BUCKET], 19 yamcs-storage-mb command line option |
| TABLE | BUCKET, 20 |
| yamcs-tables-dump command line option, 25 | yamcs-storage-mv command line option |
| yamcs-tables-load command line option, | DST, 21 |
| 25 | SRC, 21 |
| V | yamcs-storage-rb command line option BUCKET, 20 |
| VALUE | yamcs-storage-rm command line option |
| yamcs-config-set command line option, 5 | OBJECT, 21 |
| | yamcs-streams-describe command line option |
| Υ | STREAM, 22 yamcs-streams-subscribe command line |
| yamcs-algorithms-describe command line | option |
| option ALGORITHM, 2 | STREAM, 23 |
| yamcs-commands-describe command line | yamcs-tables-describe command line option |
| option | TABLE, 24 yamcs-tables-dump command line option |
| COMMAND, 3 | dir DIR, 25 |
| yamcs-config-get command line option PROPERTY, 4 | gzip, 25 |
| yamcs-config-set command line option | -d DIR, 25 |
| PROPERTY, 5 | TABLE, 25 |
| VALUE, 5 | yamcs-tables-load command line optiondir DIR, 25 |
| yamcs-config-unset command line option PROPERTY, 5 | gzip, 25 |
| yamcs-containers-describe command line | -d DIR, 25 |
| option | TABLE, 25 |
| CONTAINER, 6 | |
| yamcs-dbshell command line option | |
| command COMMAND, 7 -c COMMAND, 7 | |
| yamcs-instances-start command line option | |
| INSTANCE, 8 | |
| yamcs-instances-stop command line option | |
| <pre>INSTANCE, 9 yamcs-links-describe command line option</pre> | |
| LINK, 11 | |
| yamcs-links-disable command line option | |