

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town

Consultant : N/A

Address: : Environmental Science South Lane

Phone: : 021 6502875

Contact: : Abusisiwe Ndaba

Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123

No. of Samples : 68

Department : Soil

Condition : Acceptable

Delivery Date : 24/05/2023

Delivery Time : N/A

Order No/Ref : 339322390

Block No.	Lab No.	Depth cm	Type *	pH	Resist. *	H+	P (Bray II)	P (Olsen)	K	Ex. cations (cmol(+)/kg)				C	S Am.acet *	EC *	NO3 *
				KCl	(ohm)	cmol/Kg	mg/kg	mg/kg	mg/kg	Na	K	Ca	Mg	%	mg/kg	mS/m	mg/kg
Site 1.1	SL23-13654		Sand	8.0	1270		51.7	<2.5	15.2	0.27	0.04	3.1	0.50	0.26	8.0	18.37	0.54
Site 1.2	SL23-13655		Sand	6.6	1790		59.0		12.5	0.14	0.03	2.4	0.46	0.32	5.0	14.40	1.4
Site 1.3	SL23-13656		Sand	8.1	1310		53.9	7.2	18.7	0.21	0.05	3.9	0.59	0.33	7.4	12.27	1.7
Site 1.4	SL23-13657		Sand	8.2	1600		60.7	6.0	15.9	0.16	0.04	4.1	0.74	0.39	6.8	12.07	2.3
Site 2.1	SL23-13658		Sand	4.1	7680	0.57	2.8		19.0	0.03	0.05	0.46	0.21	0.53	<3.4	2.70	0.76
Site 2.2	SL23-13659		Sand	4.4	4160	0.38	5.0		16.3	0.03	0.04	0.62	0.24	0.42	<3.4	4.95	3.9
Site 2.3	SL23-13660		Sand	4.2	4660	0.54	<2.2		21.6	0.04	0.06	0.62	0.23	0.57	<3.4	3.65	2.3
Site 2.4	SL23-13661		Sand	4.0	7160	0.60	<2.2		18.2	0.04	0.05	0.57	0.22	0.42	<3.4	2.63	1.6
Site 3.1	SL23-13662		Sand	5.1	2420	0.47	9.9		36.2	0.06	0.09	1.2	0.57	0.79	<3.4	8.29	10.4
Site 3.2	SL23-13663		Sand	4.3	3790	0.92	5.2		45.4	0.09	0.12	1.2	0.50	1.03	<3.4	6.12	2.1
Site 3.3	SL23-13664		Sand	5.7	4620	0.33	8.0		31.5	0.04	0.08	1.1	0.45	0.52	<3.4	5.38	5.2
Site 3.4	SL23-13665		Sand	4.8	11060	0.39	3.3		19.1	0.04	0.05	0.87	0.25	0.42	<3.4	2.35	0.91
Site 4.1	SL23-13666		Sand	4.3	5020	0.64	4.1		43.6	0.07	0.11	0.90	0.47	0.83	<3.4	4.82	2.3
Site 4.2	SL23-13667		Sand	4.8	5500	0.66	5.2		41.2	0.07	0.10	1.5	0.60	0.84	<3.4	3.83	2.2
Site 4.3	SL23-13668		Sand	4.4	13210	0.62	6.2		21.3	0.03	0.05	0.24	0.14	0.51	<3.4	2.04	0.81
Site 4.4	SL23-13669		Sand	4.3	10790	0.99	4.7		52.4	0.04	0.13	0.33	0.23	0.78	7.3	2.96	0.80
Site 5.1	SL23-13670		Sand	4.1	7590	1.92	24.9		58.1	0.05	0.15	1.3	0.85	1.79	3.6	3.35	1.5
Site 5.2	SL23-13671		Sand	3.7	5460	2.23	9.8		48.8	0.06	0.12	0.82	0.48	1.58	4.2	4.28	2.2
Site 5.3	SL23-13672		Sand	4.4	5670	0.63	3.2		26.8	0.05	0.07	0.60	0.38	0.62	<3.4	3.95	1.5
Site 5.4	SL23-13673		Sand	4.1	6090	0.99	6.0		24.6	0.06	0.06	0.83	0.39	1.12	<3.4	4.87	1.1
Site 6.1	SL23-13674		Sand	4.5	18610	0.59	10.4		15.0	0.03	0.04	0.20	0.10	0.26	5.8	15.92	0.60
Site 6.2	SL23-13675		Sand	3.8	8710	1.48	6.1		26.6	0.06	0.07	0.58	0.29	0.95	<3.4	2.97	<0.36

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town

Consultant : N/A

Address: : Environmental Science South Lane

Phone: : 021 6502875

Contact: : Abusisiwe Ndaba

Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123

No. of Samples : 68

Department : Soil

Condition : Acceptable

Delivery Date : 24/05/2023

Delivery Time : N/A

Order No/Ref : 339322390

Block No.	Lab No.	Depth cm	Type *	pH	Resist. *	H+	P (Bray II)	K	Ex. cations (cmol(+)/kg)				C	S Am.acet *	EC *	NO3 *
				KCl	(ohm)	cmol/Kg	mg/kg	mg/kg	Na	K	Ca	Mg	%	mg/kg	mS/m	mg/kg
Site 6.3	SL23-13676		Sand	3.9	10580	1.46	6.9	29.5	0.05	0.08	0.48	0.22	1.06	4.1	2.84	0.77
Site 6.4	SL23-13677		Sand	3.9	12610	1.20	6.0	29.5	0.04	0.08	0.36	0.16	0.98	<3.4	2.22	0.64
Site 7.1	SL23-13678		Sand	4.7	7020	0.71	4.8	101	0.08	0.26	1.8	0.66	0.99	<3.4	2.75	1.3
Site 7.2	SL23-13679		Sand	5.0	5750	0.75	5.1	97.4	0.09	0.25	2.2	0.70	1.13	<3.4	4.90	1.1
Site 7.3	SL23-13680		Sand	4.8	7580	0.76	4.4	96.9	0.10	0.25	1.5	0.59	1.02	<3.4	3.22	0.76
Site 7.4	SL23-13681		Sand	4.6	7780	0.60	3.3	54.2	0.07	0.14	0.81	0.34	0.67	<3.4	3.79	0.91
Site 8.1	SL23-13682		Sand	5.0	3220	0.60	3.0	116	0.30	0.30	2.0	2.0	1.26	6.8	6.72	<0.36
Site 8.2	SL23-13683		Sand	4.6	5300	0.88	3.6	143	0.12	0.37	0.99	0.79	0.90	4.4	4.61	0.85
Site 8.3	SL23-13684		Sand	4.2	6050	1.56	4.6	118	0.13	0.30	1.1	0.84	1.65	<3.4	4.74	1.4
Site 8.4	SL23-13685		Sand	4.2	8650	1.23	4.0	93.0	0.11	0.24	0.92	0.52	0.92	<3.4	3.16	0.61
Site 9.1	SL23-13686		Sand	3.9	4860	2.56	9.7	143	0.10	0.36	0.75	0.43	2.20	9.0	7.91	2.2
Site 9.2	SL23-13687		Sand	3.9	5220	3.21	12.0	105	0.08	0.27	0.96	0.36	2.26	7.8	7.12	3.2
Site 9.3	SL23-13688		Sand	3.7	6700	2.59	14.2	71.8	0.04	0.18	0.88	0.24	1.94	4.4	4.87	2.1
Site 9.4	SL23-13689		Sand	3.9	7820	3.01	6.6	77.7	0.06	0.20	0.38	0.21	2.11	12.1	4.41	1.9
Site 10.1	SL23-13690		Sand	3.7	7280	2.63	8.5	64.0	0.06	0.16	0.93	0.43	1.85	4.3	4.65	2.3
Site 10.2	SL23-13691		Sand	3.8	6250	2.42	7.5	86.1	0.05	0.22	0.87	0.42	1.70	4.7	5.01	1.4
Site 10.3	SL23-13692		Sand	4.0	4930	2.22	7.9	85.9	0.05	0.22	1.1	0.59	1.73	4.2	5.71	2.2
Site 10.4	SL23-13693		Sand	3.7	7030	2.73	8.3	72.9	0.07	0.19	0.60	0.32	1.62	5.3	5.20	2.0
Site 11.1	SL23-13694		Sand	3.6	3940	1.43	<2.2	12.2	0.06	0.03	0.24	0.17	0.91	6.4	6.06	4.9
Site 11.2	SL23-13695		Sand	3.4	2800	1.35	2.6	<11.7	0.05	0.03	0.19	0.15	0.84	5.3	8.91	9.0
Site 11.3	SL23-13696		Sand	3.2	2780	1.83	3.6	19.8	0.06	0.05	0.67	0.21	1.13	8.0	11.05	6.4
Site 11.4	SL23-13697		Sand	3.4	5360	2.12	2.4	20.2	0.06	0.05	0.33	0.22	1.24	7.1	5.31	3.0

CERTIFICATE OF ANALYSIS

Client:	: University of Cape Town	Report NO	: SL2023-01123	Delivery Date	: 24/05/2023
Consultant	: N/A	No. of Samples	: 68	Delivery Time	: N/A
Address:	: Environmental Science South Lane	Department	: Soil	Order No/Ref	: 339322390
Phone:	: 021 6502875	Condition	: Acceptable		
Contact:	: Abusisiwe Ndaba				
Email :	: ndbabu001@myuct.ac.za				

			Type *	pH	Resist. *	H+	P (Bray II)	K	Ex. cations (cmol(+)/kg)				C	S Am.acet *	EC *	NO3 *
				KCl	(ohm)	cmol/Kg	mg/kg	mg/kg	Na	K	Ca	Mg	%	mg/kg	mS/m	mg/kg
Site 12.1	SL23-13698		Sand	3.8	4640	2.02	6.8	57.0	0.06	0.14	0.46	0.25	1.24	7.0	6.95	6.4

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Block No.	Lab No.	Depth cm	Type *	pH	Resist. *	H+	P (Bray II)	K	Ex. cations (cmol(+)/kg)				C	S Am.acet *	EC *	NO3 *
				KCl	(ohm)	cmol/Kg	mg/kg	mg/kg	Na	K	Ca	Mg	%	mg/kg	mS/m	mg/kg
Site 12.2	SL23-13699		Sand	3.9	4210	1.66	6.9	81.6	0.06	0.21	0.56	0.34	1.46	7.4	7.33	6.0
Site 12.3	SL23-13700		Sand	3.8	3510	2.14	4.6	94.4	0.08	0.24	1.1	0.57	1.87	5.8	9.19	7.5
Site 12.4	SL23-13701		Sand	3.7	4540	2.14	5.5	101	0.08	0.26	1.1	0.60	1.77	6.4	6.55	5.0
Site 13.1	SL23-13702		Sand	3.6	3610	2.43	3.8	48.2	0.08	0.12	0.54	0.35	1.37	6.7	8.82	7.0
Site 13.2	SL23-13703		Sand	3.7	3400	2.43	3.7	67.8	0.13	0.17	0.47	0.31	1.60	8.4	8.68	7.1
Site 13.3	SL23-13704		Sand	3.6	2450	2.63	9.6	84.2	0.06	0.22	0.55	0.28	2.05	9.2	12.12	14.1
Site 13.4	SL23-13705		Sand	3.8	3470	2.25	7.7	104	0.07	0.27	0.70	0.40	1.75	8.4	9.78	8.4
Site 14.1	SL23-13706		Sand	3.4	3580	4.51	16.5	33.7	0.17	0.09	0.44	0.41	2.31	14.3	11.04	4.4
Site 14.2	SL23-13707		Sand	3.5	4660	2.36	4.3	29.1	0.08	0.07	0.41	0.24	1.42	8.0	5.76	3.5
Site 14.3	SL23-13708		Sand	3.7	8530	1.41	<2.2	16.2	0.06	0.04	0.27	0.21	0.84	5.3	3.68	0.36
Site 14.4	SL23-13709		Sand	3.3	6140	1.62	4.0	<11.7	0.05	0.02	0.22	0.13	0.66	5.3	4.16	2.0
Site 15.1	SL23-13710		Sand	3.6	2250	2.12	7.8	21.7	0.10	0.06	0.32	0.21	0.92	9.0	12.76	10.7
Site 15.2	SL23-13711		Sand	3.8	4070	1.65	5.2	30.9	0.08	0.08	0.28	0.19	1.19	11.3	8.85	6.5
Site 15.3	SL23-13712		Sand	3.6	5500	1.55	3.8	15.3	0.04	0.04	0.22	0.14	0.81	6.6	5.27	5.6
Site 15.4	SL23-13713		Sand	3.9	4750	0.79	2.3	<11.7	0.04	0.03	0.17	0.10	0.49	6.4	5.29	3.5
Site 16.1	SL23-13714		Sand	3.8	5250	1.31	5.9	48.7	0.07	0.12	0.62	0.30	1.10	3.6	5.13	1.8
Site 16.2	SL23-13715		Sand	3.8	5300	1.41	6.9	57.2	0.08	0.15	0.74	0.29	1.28	3.8	6.04	0.41
Site 16.3	SL23-13716		Sand	3.7	4360	1.41	6.2	43.9	0.10	0.11	0.71	0.30	1.24	6.0	6.82	2.5
Site 16.4	SL23-13717		Sand	3.6	7350	1.18	5.6	36.1	0.06	0.09	0.41	0.28	1.02	<3.4	3.99	0.59
Site 17.1	SL23-13718		Sand	5.1	1700	0.75	28.9	139	0.12	0.35	2.3	0.78	1.25	6.0	15.77	10.6
Site 17.2	SL23-13719		Sand	3.9	2440	0.93	13.8	91.6	0.09	0.23	0.56	0.44	0.59	6.2	8.49	9.4
Site 17.3	SL23-13720		Sand	4.8	2380	0.57	20.2	175	0.09	0.45	1.2	0.64	0.68	3.8	10.08	9.2

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

			Type *	pH	Resist. *	H+	P (Bray II)	K	Ex. cations (cmol(+)/kg)				C	S Am.acet *	EC *	NO3 *
				KCl	(ohm)	cmol/Kg	mg/kg	mg/kg	Na	K	Ca	Mg	%	mg/kg	mS/m	mg/kg
Site 17.4	SL23-13721		Sand	4.4	1390	0.66	23.6	154	0.11	0.39	0.79	0.57	0.61	7.2	20.7	18.9

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Base Saturation

Orchard	Lab No.	Na %	K %	Ca %	Mg %	T Value cmol/kg	Acid Sat. %
Site 1.1	SL23-13654	6.91	1.00	79.28	12.79	3.91	0.00
Site 1.2	SL23-13655	4.62	1.06	79.21	15.18	3.03	0.00
Site 1.3	SL23-13656	4.42	1.01	82.11	12.42	4.75	0.00
Site 1.4	SL23-13657	3.17	0.81	81.35	14.68	5.04	0.00
Site 2.1	SL23-13658	2.27	3.68	34.75	15.87	1.32	43.34
Site 2.2	SL23-13659	2.29	3.18	47.24	18.29	1.31	29.14
Site 2.3	SL23-13660	2.68	3.70	41.47	15.39	1.49	36.45
Site 2.4	SL23-13661	2.70	3.15	38.45	14.84	1.48	40.63
Site 3.1	SL23-13662	2.51	3.89	50.24	23.86	2.39	19.61
Site 3.2	SL23-13663	3.18	4.12	42.44	17.68	2.83	32.46
Site 3.3	SL23-13664	2.00	4.03	54.87	22.45	2.00	16.69
Site 3.4	SL23-13665	2.50	3.06	54.31	15.61	1.60	24.47
Site 4.1	SL23-13666	3.20	5.10	41.09	21.46	2.19	29.24
Site 4.2	SL23-13667	2.39	3.61	51.20	20.48	2.93	22.52
Site 4.3	SL23-13668	2.77	5.05	22.19	12.95	1.08	57.46
Site 4.4	SL23-13669	2.32	7.79	19.14	13.34	1.72	57.66
Site 5.1	SL23-13670	1.17	3.49	30.43	19.90	4.27	44.98
Site 5.2	SL23-13671	1.62	3.38	22.12	12.95	3.71	60.08

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Base Saturation

Orchard	Lab No.	Na %	K %	Ca %	Mg %	T Value cmol/kg	Acid Sat. %
Site 5.3	SL23-13672	2.89	3.97	34.66	21.95	1.73	36.45
Site 5.4	SL23-13673	2.57	2.70	35.56	16.71	2.33	42.59
Site 6.1	SL23-13674	3.12	4.00	20.77	10.39	0.96	61.57
Site 6.2	SL23-13675	2.42	2.75	23.37	11.69	2.48	59.71
Site 6.3	SL23-13676	2.18	3.30	20.94	9.60	2.29	63.80
Site 6.4	SL23-13677	2.18	4.12	19.62	8.72	1.84	65.12
Site 7.1	SL23-13678	2.28	7.38	51.32	18.82	3.51	20.17
Site 7.2	SL23-13679	2.26	6.27	55.20	17.56	3.99	18.71
Site 7.3	SL23-13680	3.13	7.78	46.94	18.46	3.20	23.64
Site 7.4	SL23-13681	3.57	7.08	41.28	17.33	1.96	30.69
Site 8.1	SL23-13682	5.77	5.72	38.44	38.44	5.20	11.58
Site 8.2	SL23-13683	3.81	11.64	31.43	25.08	3.15	27.93
Site 8.3	SL23-13684	3.31	7.70	28.00	21.38	3.93	39.67
Site 8.4	SL23-13685	3.64	7.89	30.43	17.20	3.02	40.79
Site 9.1	SL23-13686	2.38	8.73	17.85	10.23	4.20	60.97
Site 9.2	SL23-13687	1.64	5.51	19.66	7.37	4.88	65.79
Site 9.3	SL23-13688	1.02	4.68	22.39	6.11	3.93	65.91
Site 9.4	SL23-13689	1.55	5.16	9.84	5.44	3.86	77.99
Site 10.1	SL23-13690	1.43	3.90	22.10	10.22	4.21	62.46

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Base Saturation

Orchard	Lab No.	Na %	K %	Ca %	Mg %	T Value cmol/kg	Acid Sat. %
Site 10.2	SL23-13691	1.26	5.55	21.87	10.56	3.98	60.79
Site 10.3	SL23-13692	1.20	5.27	26.33	14.12	4.18	53.09
Site 10.4	SL23-13693	1.79	4.78	15.33	8.18	3.91	69.85
Site 11.1	SL23-13694	3.10	1.62	12.41	8.79	1.93	74.15
Site 11.2	SL23-13695	2.83	1.70	10.75	8.48	1.77	76.24
Site 11.3	SL23-13696	2.13	1.80	23.79	7.46	2.82	64.84
Site 11.4	SL23-13697	2.16	1.86	11.86	7.91	2.78	76.28
Site 12.1	SL23-13698	2.05	4.99	15.71	8.54	2.93	68.91
Site 12.2	SL23-13699	2.12	7.38	19.76	12.00	2.83	58.71
Site 12.3	SL23-13700	1.94	5.86	26.63	13.80	4.13	51.83
Site 12.4	SL23-13701	1.91	6.19	26.31	14.35	4.18	51.21
Site 13.1	SL23-13702	2.27	3.51	15.35	9.95	3.52	69.02
Site 13.2	SL23-13703	3.71	4.96	13.40	8.84	3.51	69.22
Site 13.3	SL23-13704	1.60	5.77	14.71	7.49	3.74	70.31
Site 13.4	SL23-13705	1.90	7.23	18.99	10.85	3.69	60.94
Site 14.1	SL23-13706	3.02	1.54	7.83	7.29	5.62	80.26
Site 14.2	SL23-13707	2.53	2.36	12.97	7.59	3.16	74.69
Site 14.3	SL23-13708	3.01	2.08	13.53	10.53	1.99	70.93
Site 14.4	SL23-13709	2.46	0.98	10.81	6.39	2.04	79.37

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Base Saturation

Orchard	Lab No.	Na %	K %	Ca %	Mg %	T Value cmol/kg	Acid Sat. %
Site 15.1	SL23-13710	3.56	1.98	11.38	7.47	2.81	75.47
Site 15.2	SL23-13711	3.50	3.47	12.26	8.32	2.28	72.42
Site 15.3	SL23-13712	2.01	1.97	11.06	7.04	1.99	77.88
Site 15.4	SL23-13713	3.53	2.65	15.00	8.82	1.13	70.00
Site 16.1	SL23-13714	2.89	5.16	25.62	12.40	2.42	54.13
Site 16.2	SL23-13715	2.99	5.48	27.66	10.84	2.67	52.90
Site 16.3	SL23-13716	3.81	4.29	27.04	11.43	2.63	53.53
Site 16.4	SL23-13717	2.98	4.59	20.34	13.89	2.02	58.33
Site 17.1	SL23-13718	2.79	8.30	53.54	18.16	4.30	17.36
Site 17.2	SL23-13719	4.00	10.45	24.92	19.58	2.25	41.26
Site 17.3	SL23-13720	3.05	15.19	40.63	21.67	2.95	19.42
Site 17.4	SL23-13721	4.37	15.67	31.35	22.62	2.52	26.18

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Particle Size Analysis

Orchard	Lab No.	Depth cm	Stone *	Clay *	Silt *	Sand *	Fine Sand *	Medium Sand *	Coarse Sand *	Klip *	Classification *	Waterholding *		
			Vol %	%	%	%	%	%	%	% (v/v)		100kPa %	10kPa %	mm/m
Site 1.1	SL23-13654		0.99	4.8	4.0	91.2	0.2	79.5	11.5	0.6	SAND	2.85	2.95	1.01
Site 1.2	SL23-13655		1.02	2.8	2.0	95.2	11.3	77.1	6.8	0.6	SAND	1.75	3.36	16.11
Site 1.3	SL23-13656		1.03	4.8	0.0	95.2	14.5	75.2	5.5	0.6	SAND	1.81	3.83	20.27
Site 1.4	SL23-13657		1.06	4.8	0.0	95.2	13.3	77.1	4.8	0.6	SAND	1.54	3.26	17.13
Site 2.1	SL23-13658		1.31	4.8	8.0	87.2	52.6	28.2	6.5	0.7	LOAMY FINE SAND	10.17	21.87	116.96
Site 2.2	SL23-13659		1.03	4.8	0.0	95.2	63.7	22.9	8.6	0.6	FINE SAND	8.33	21.29	129.59
Site 2.3	SL23-13660		1.07	4.8	0.0	95.2	63.8	23.4	8.0	0.6	FINE SAND	8.23	21.16	129.30
Site 2.4	SL23-13661		1.05	4.8	0.0	95.2	57.3	28.4	9.5	0.6	FINE SAND	7.69	19.34	116.44
Site 3.1	SL23-13662		10.31	4.8	10.0	85.2	19.3	41.0	24.9	6.0	LOAMY SAND	9.55	15.60	60.45
Site 3.2	SL23-13663		4.39	8.8	6.0	85.2	33.8	38.6	12.8	2.5	LOAMY SAND	9.43	17.44	80.11
Site 3.3	SL23-13664		3.20	6.8	8.0	85.2	26.4	36.9	21.9	1.8	LOAMY SAND	10.23	17.65	74.21
Site 3.4	SL23-13665		2.56	6.8	2.0	91.2	27.9	39.3	24.1	1.4	SAND	8.15	15.09	69.40
Site 4.1	SL23-13666		6.10	8.8	10.0	81.2	36.2	31.7	13.3	3.5	LOAMY SAND	11.44	20.58	91.38
Site 4.2	SL23-13667		2.73	8.8	2.0	89.2	40.4	37.0	11.8	1.5	LOAMY SAND	8.38	17.13	87.53
Site 4.3	SL23-13668		1.28	8.8	0.0	91.2	40.1	41.4	9.7	0.7	SAND	7.17	15.42	82.49

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Particle Size Analysis

Orchard	Lab No.	Depth cm	Stone *	Clay *	Silt *	Sand *	Fine Sand *	Medium Sand *	Coarse Sand *	Klip *	Classification *	Waterholding *		
			Vol %	%	%	%	%	%	%	% (v/v)		100kPa %	10kPa %	mm/m
Site 4.4	SL23-13669		13.49	8.8	8.0	83.2	42.7	33.3	7.3	8.0	LOAMY SAND	9.87	19.08	92.14
Site 5.1	SL23-13670		8.12	6.8	8.0	85.2	37.6	36.9	10.7	4.7	LOAMY SAND	9.44	18.06	86.18
Site 5.2	SL23-13671		5.44	6.8	8.0	85.2	38.6	36.2	10.4	3.1	LOAMY SAND	9.66	18.60	89.38
Site 5.3	SL23-13672		6.38	6.8	2.0	91.2	25.6	43.2	22.4	3.6	SAND	7.42	13.59	61.71
Site 5.4	SL23-13673		4.92	4.8	0.0	95.2	37.6	39.1	18.5	2.8	SAND	6.65	14.60	79.54
Site 6.1	SL23-13674		1.26	4.8	4.0	91.2	33.9	37.8	19.4	0.7	SAND	8.29	16.38	80.90
Site 6.2	SL23-13675		4.08	4.8	2.0	93.2	37.5	38.5	17.2	2.3	SAND	7.33	15.52	81.95
Site 6.3	SL23-13676		6.08	6.8	4.0	89.2	47.8	31.9	9.5	3.5	SAND	8.83	18.96	101.22
Site 6.4	SL23-13677		6.42	4.8	6.0	89.2	37.1	38.8	13.3	3.7	SAND	8.29	16.63	83.43
Site 7.1	SL23-13678		11.20	8.8	10.0	81.2	44.9	28.9	7.4	6.5	LOAMY SAND	11.14	21.30	101.52
Site 7.2	SL23-13679		11.91	8.8	10.0	81.2	46.6	26.0	8.7	7.0	LOAMY SAND	11.48	22.01	105.34
Site 7.3	SL23-13680		10.27	6.8	10.0	83.2	43.2	30.4	9.6	6.0	LOAMY SAND	10.63	20.51	98.79
Site 7.4	SL23-13681		4.76	6.8	14.0	79.2	34.9	30.4	13.9	2.7	LOAMY SAND	12.47	21.95	94.83
Site 8.1	SL23-13682		1.89	12.8	16.0	71.2	47.3	19.6	4.3	1.1	FINE SANDY LOAM	15.77	28.09	123.17
Site 8.2	SL23-13683		6.36	12.8	10.0	77.2	51.2	20.4	5.6	3.6	FINE SANDY LOAM	13.44	25.39	119.47
Site 8.3	SL23-13684		10.13	8.8	16.0	75.2	51.6	18.6	5.0	5.9	FINE SANDY LOAM	14.15	26.50	123.51

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Particle Size Analysis

Orchard	Lab No.	Depth cm	Stone *	Clay *	Silt *	Sand *	Fine Sand *	Medium Sand *	Coarse Sand *	Klip *	Classification *	Waterholding *		
			Vol %	%	%	%	%	%	%	% (v/v)		100kPa %	10kPa %	mm/m
Site 8.4	SL23-13685		7.35	6.8	12.0	81.2	56.2	20.8	4.2	4.2	LOAMY FINE SAND	12.34	25.00	126.58
Site 9.1	SL23-13686		12.39	8.8	14.0	77.2	41.1	23.0	13.1	7.3	FINE SANDY LOAM	13.18	23.56	103.80
Site 9.2	SL23-13687		11.00	8.8	14.0	77.2	34.2	27.7	15.3	6.4	FINE SANDY LOAM	12.86	22.10	92.39
Site 9.3	SL23-13688		8.32	6.8	8.0	85.2	42.5	31.7	11.0	4.8	LOAMY SAND	10.05	19.70	96.51
Site 9.4	SL23-13689		11.54	4.8	12.0	83.2	50.3	24.0	8.9	6.8	LOAMY FINE SAND	11.35	22.70	113.46
Site 10.1	SL23-13690		7.88	4.8	10.0	85.2	37.9	34.7	12.6	4.5	LOAMY SAND	9.91	18.93	90.16
Site 10.2	SL23-13691		14.23	6.8	8.0	85.2	36.1	36.4	12.7	8.4	LOAMY SAND	9.21	17.34	81.36
Site 10.3	SL23-13692		20.48	6.8	10.0	83.2	37.7	35.8	9.8	12.5	LOAMY SAND	9.32	17.47	81.50
Site 10.4	SL23-13693		8.90	6.8	8.0	85.2	43.3	32.0	9.9	5.1	LOAMY SAND	9.93	19.61	96.83
Site 11.1	SL23-13694		2.88	4.8	8.0	87.2	42.7	33.0	11.5	1.6	LOAMY SAND	9.73	19.62	98.99
Site 11.2	SL23-13695		2.62	4.8	2.0	93.2	50.1	36.6	6.5	1.5	FINE SAND	7.15	17.24	100.87
Site 11.3	SL23-13696		1.01	6.8	2.0	91.2	48.0	35.6	7.5	0.6	SAND	7.91	17.88	99.75
Site 11.4	SL23-13697		1.23	6.8	8.0	85.2	40.9	33.5	10.7	0.7	LOAMY SAND	10.25	19.95	97.05
Site 12.1	SL23-13698		12.00	8.8	4.0	87.2	36.1	42.4	8.7	7.0	LOAMY SAND	7.77	15.23	74.59
Site 12.2	SL23-13699		14.53	6.8	10.0	83.2	35.7	39.8	7.8	8.6	LOAMY SAND	9.20	17.16	79.58
Site 12.3	SL23-13700		10.99	6.8	2.0	91.2	44.3	34.2	12.7	6.4	SAND	7.82	16.85	90.30

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Particle Size Analysis

Orchard	Lab No.	Depth cm	Stone *	Clay *	Silt *	Sand *	Fine Sand *	Medium Sand *	Coarse Sand *	Klip *	Classification *	Waterholding *		
			Vol %	%	%	%	%	%	%	% (v/v)		100kPa %	10kPa %	mm/m
Site 12.4	SL23-13701		11.48	8.8	8.0	83.2	44.7	31.1	7.4	6.7	LOAMY SAND	10.26	20.04	97.76
Site 13.1	SL23-13702		2.20	6.8	8.0	85.2	43.7	34.8	6.7	1.2	LOAMY SAND	9.85	19.76	99.06
Site 13.2	SL23-13703		7.39	10.8	8.0	81.2	47.2	27.3	6.8	4.2	LOAMY SAND	11.46	22.11	106.44
Site 13.3	SL23-13704		9.38	8.8	6.0	85.2	26.6	37.1	21.6	5.4	LOAMY SAND	9.70	16.68	69.81
Site 13.4	SL23-13705		13.58	8.8	10.0	81.2	30.7	37.0	13.5	8.0	LOAMY SAND	10.31	17.93	76.13
Site 14.1	SL23-13706		0.98	6.8	8.0	85.2	38.4	33.3	13.6	0.5	LOAMY SAND	10.42	19.82	93.99
Site 14.2	SL23-13707		6.15	6.8	8.0	85.2	30.8	25.8	28.6	3.5	LOAMY COARSE SAND	11.66	20.42	87.64
Site 14.3	SL23-13708		8.08	6.8	8.0	85.2	40.2	27.3	17.7	4.7	LOAMY SAND	10.87	20.61	97.33
Site 14.4	SL23-13709		1.72	6.8	10.0	83.2	16.4	42.4	24.3	1.0	LOAMY SAND	10.40	16.27	58.67
Site 15.1	SL23-13710		1.44	6.8	8.0	85.2	31.0	40.1	14.1	0.8	LOAMY SAND	9.59	17.42	78.32
Site 15.2	SL23-13711		1.14	6.8	8.0	85.2	34.0	37.9	13.3	0.6	LOAMY SAND	9.84	18.25	84.18
Site 15.3	SL23-13712		1.59	4.8	6.0	89.2	33.8	41.5	14.0	0.9	SAND	8.23	16.14	79.12
Site 15.4	SL23-13713		1.28	4.8	4.0	91.2	34.5	40.9	15.7	0.7	SAND	7.74	15.65	79.05
Site 16.1	SL23-13714		6.78	8.8	8.0	83.2	31.7	36.2	15.4	3.9	LOAMY SAND	10.32	18.30	79.82
Site 16.2	SL23-13715		3.48	8.8	4.0	87.2	27.5	40.4	19.3	2.0	LOAMY SAND	8.91	15.83	69.18
Site 16.3	SL23-13716		7.48	4.8	0.0	95.2	35.1	44.8	15.4	4.3	SAND	5.75	12.80	70.58

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Particle Size Analysis

Orchard	Lab No.	Depth cm	Stone *	Clay *	Silt *	Sand *	Fine Sand *	Medium Sand *	Coarse Sand *	Klip *	Classification *	Waterholding *		
			Vol %	%	%	%	%	%	%	% (v/v)		100kPa %	10kPa %	mm/m
Site 16.4	SL23-13717		7.65	6.8	8.0	85.2	26.5	41.6	17.1	4.4	LOAMY SAND	9.19	16.04	68.44
Site 17.1	SL23-13718		12.55	8.8	8.0	83.2	57.7	19.0	6.5	7.4	LOAMY FINE SAND	11.53	23.79	122.58
Site 17.2	SL23-13719		20.98	8.8	6.0	85.2	67.0	13.6	4.6	12.9	LOAMY FINE SAND	10.77	23.63	128.62
Site 17.3	SL23-13720		18.44	8.8	8.0	83.2	64.6	12.2	6.3	11.2	LOAMY FINE SAND	11.78	24.87	130.86
Site 17.4	SL23-13721		14.25	8.8	6.0	85.2	69.0	11.5	4.7	8.5	LOAMY FINE SAND	11.56	25.48	139.24

CERTIFICATE OF ANALYSIS

Client: : University of Cape Town
Consultant : N/A
Address: : Environmental Science South Lane
Phone: : 021 6502875
Contact: : Abusisiwe Ndaba
Email : : ndbabu001@myuct.ac.za

Report NO : SL2023-01123
No. of Samples : 68
Department : Soil
Condition : Acceptable

Delivery Date : 24/05/2023
Delivery Time : N/A
Order No/Ref : 339322390

Terms and Conditions

Recommendations included with this report are based on the assumption that the samples were representative of the source from which they were taken. To ensure sample integrity - Soil samples are only stored for three months after release of the report, thereafter they are disposed of and a fresh sample will be required if additional analyses are requested. The information supplied by the client (or lack thereof) may affect the validity of the results. This information includes but is not limited to client details, sample reference, the date and time of sampling, the sampler, and transportation of the sample to the testing laboratory.

Results marked with "Not SANAS Accredited" or "Subcontracted" in this report are not included in the SANAS Schedule of Accreditation for this laboratory. Opinions and interpretations expressed herein are outside the scope of SANAS accreditation. These results relate to the items tested. This test report shall not be reproduced except in full, without written approval of the laboratory. Uncertainty of Measurement and method references available on request.

We hereby consent to the processing of the information supplied herein in terms of the Protection of Personal Information Act (2013) for the purposes of this request. All processing of personal information takes place according to the terms and conditions of the Privacy Policy of Bemlab (Pty) Limited which can be found on our website at www.bemlab.co.za.

*** - Not SANAS Accredited**

**** - Outstanding**

***** - Insufficient Sample**

- Subcontracted

ND - Not Detected

(R) - Test parameter has been Repeated to confirm value

Samples Registered by: Natheerah Sylvester



Sherilene Petronella Thomas

Technical Signatory
Soil, Plant and Fruit

CERTIFICATE OF ANALYSIS

Client:	: University of Cape Town	Report NO	: SL2023-01123	Delivery Date	: 24/05/2023
Consultant	: N/A	No. of Samples	: 68	Delivery Time	: N/A
Address:	: Environmental Science South Lane	Department	: Soil	Order No/Ref	: 339322390
Phone:	: 021 6502875	Condition	: Acceptable		
Contact:	: Abusisiwe Ndaba				
Email :	: ndbabu001@myuct.ac.za				

SOIL METHOD REFERENCES			
Determinand	Bemlab Method	Unit	Accredited
Acidity as H ⁺	3109	cmol/kg	Yes
Boron as B	3114	mg/kg	Yes
Calcium as Ca	3113	cmol/kg	Yes
Copper as Cu	3115	mg/kg	Yes
Iron as Fe	3115	mg/kg	Yes
Electrical resistance	3106	Ohm	No
Magnesium as Mg	3113	cmol/kg	Yes
Manganese as Mn	3115	mg/kg	Yes
Organic Carbon	3107	%	Yes
P Bray I as P	3116	mg/kg	Yes
P Bray II as P	3117	mg/kg	Yes
P Olsen as P	3118	mg/kg	Yes
pH @ 25 °C	3108	-	Yes
Potassium as K	3113	cmol/kg	Yes
Sodium as Na	3113	cmol/kg	Yes
Sulphur as S	3113	mg/kg	Yes
Extractable Sulphur as S	3119	mg/kg	No
Zinc as Zn	3115	mg/kg	Yes