

It affects the aspects of quality above, including portability, usability and most importantly maintainability. They are the building blocks for all software, from the simplest applications to the most sophisticated ones. Also, specific user environment and usage history can make it difficult to reproduce the problem. Many programmers use forms of Agile software development where the various stages of formal software development are more integrated together into short cycles that take a few weeks rather than years. Readability is important because programmers spend the majority of their time reading, trying to understand, reusing and modifying existing source code, rather than writing new source code. It affects the aspects of quality above, including portability, usability and most importantly maintainability. As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. Sometimes software development is known as software engineering, especially when it employs formal methods or follows an engineering design process. Unreadable code often leads to bugs, inefficiencies, and duplicated code. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Languages form an approximate spectrum from "low-level" to "high-level"; "low-level" languages are typically more machine-oriented and faster to execute, whereas "high-level" languages are more abstract and easier to use but execute less quickly. Some languages are more prone to some kinds of faults because their specification does not require compilers to perform as much checking as other languages. Implementation techniques include imperative languages (object-oriented or procedural), functional languages, and logic languages. Different programming languages support different styles of programming (called programming paradigms). Techniques like Code refactoring can enhance readability. However, Charles Babbage had already written his first program for the Analytical Engine in 1837. The choice of language used is subject to many considerations, such as company policy, suitability to task, availability of third-party packages, or individual preference. Compilers harnessed the power of computers to make programming easier by allowing programmers to specify calculations by entering a formula using infix notation. This can be a non-trivial task, for example as with parallel processes or some unusual software bugs. Many factors, having little or nothing to do with the ability of the computer to efficiently compile and execute the code, contribute to readability. High-level languages made the process of developing a program simpler and more understandable, and less bound to the underlying hardware. One approach popular for requirements analysis is Use Case analysis. It is very difficult to determine what are the most popular modern programming languages. Programmers typically use high-level programming languages that are more easily intelligible to humans than machine code, which is directly executed by the central processing unit.