Different programming languages support different styles of programming (called programming paradigms). There are many approaches to the Software development process.

Trial-and-error/divide-and-conquer is needed: the programmer will try to remove some parts of the original test case and check if the problem still exists. In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. Compilers harnessed the power of computers to make programming easier by allowing programmers to specify calculations by entering a formula using infix notation. Some text editors such as Emacs allow GDB to be invoked through them, to provide a visual environment. Scripting and breakpointing is also part of this process. They are the building blocks for all software, from the simplest applications to the most sophisticated ones. The choice of language used is subject to many considerations, such as company policy, suitability to task, availability of third-party packages, or individual preference. In 1801, the Jacquard loom could produce entirely different weaves by changing the "program" - a series of pasteboard cards with holes punched in them. The Unified Modeling Language (UML) is a notation used for both the OOAD and MDA. It affects the aspects of quality above, including portability, usability and most importantly maintainability. Various visual programming languages have also been developed with the intent to resolve readability concerns by adopting non-traditional approaches to code structure and display. This can be a non-trivial task, for example as with parallel processes or some unusual software bugs. For this purpose, algorithms are classified into orders using so-called Big O notation, which expresses resource use, such as execution time or memory consumption, in terms of the size of an input. There are many approaches to the Software development process. In 1801, the Jacquard loom could produce entirely different weaves by changing the "program" - a series of pasteboard cards with holes punched in them. It affects the aspects of quality above, including portability, usability and most importantly maintainability. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Scripting and breakpointing is also part of this process. A similar technique used for database design is Entity-Relationship Modeling (ER Modeling). There are many approaches to the Software development process. Normally the first step in debugging is to attempt to reproduce the problem. Different programming languages support different styles of programming (called programming paradigms).