As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. Trade-offs from this ideal involve finding enough programmers who know the language to build a team, the availability of compilers for that language, and the efficiency with which programs written in a given language execute. Their jobs usually involve: Although programming has been presented in the media as a somewhat mathematical subject, some research shows that good programmers have strong skills in natural human languages, and that learning to code is similar to learning a foreign language. Text editors were also developed that allowed changes and corrections to be made much more easily than with punched cards. Readability is important because programmers spend the majority of their time reading, trying to understand, reusing and modifying existing source code, rather than writing new source code. He gave the first description of cryptanalysis by frequency analysis, the earliest code-breaking algorithm. Provided the functions in a library follow the appropriate run-time conventions (e.g., method of passing arguments), then these functions may be written in any other language. There exist a lot of different approaches for each of those tasks. Readability is important because programmers spend the majority of their time reading, trying to understand, reusing and modifying existing source code, rather than writing new source code. Expert programmers are familiar with a variety of well-established algorithms and their respective complexities and use this knowledge to choose algorithms that are best suited to the circumstances. New languages are generally designed around the syntax of a prior language with new functionality added, (for example C++ adds object-orientation to C, and Java adds memory management and bytecode to C++, but as a result, loses efficiency and the ability for low-level manipulation). While these are sometimes considered programming, often the term software development is used for this larger overall process – with the terms programming, implementation, and coding reserved for the writing and editing of code per se. It affects the aspects of quality above, including portability, usability and most importantly maintainability. He gave the first description of cryptanalysis by frequency analysis, the earliest code-breaking algorithm. Text editors were also developed that allowed changes and corrections to be made much more easily than with punched cards. Text editors were also developed that allowed changes and corrections to be made much more easily than with punched cards. There exist a lot of different approaches for each of those tasks. Many factors, having little or nothing to do with the ability of the computer to efficiently compile and execute the code, contribute to readability. Text editors were also developed that allowed changes and corrections to be made much more easily than with punched cards. There exist a lot of different approaches for each of those tasks. In the 1880s, Herman Hollerith invented the concept of storing data in machine-readable form. Programs were mostly entered using punched cards or paper tape. Programmers typically use high-level programming languages that are more easily intelligible to humans than machine code, which is directly executed by the central processing unit. Programmers typically use high-level programming languages that are more easily intelligible to humans than machine code, which is directly executed by the central processing unit.