

A similar technique used for database design is Entity-Relationship Modeling (ER Modeling). Methods of measuring programming language popularity include: counting the number of job advertisements that mention the language, the number of books sold and courses teaching the language (this overestimates the importance of newer languages), and estimates of the number of existing lines of code written in the language (this underestimates the number of users of business languages such as COBOL). In the 9th century, the Arab mathematician Al-Kindi described a cryptographic algorithm for deciphering encrypted code, in A Manuscript on Deciphering Cryptographic Messages. Code-breaking algorithms have also existed for centuries. The first compiler related tool, the A-0 System, was developed in 1952 by Grace Hopper, who also coined the term 'compiler'. Some languages are more prone to some kinds of faults because their specification does not require compilers to perform as much checking as other languages. Some languages are very popular for particular kinds of applications, while some languages are regularly used to write many different kinds of applications. Some languages are more prone to some kinds of faults because their specification does not require compilers to perform as much checking as other languages. Text editors were also developed that allowed changes and corrections to be made much more easily than with punched cards. It is very difficult to determine what are the most popular modern programming languages. Some of these factors include: The presentation aspects of this (such as indents, line breaks, color highlighting, and so on) are often handled by the source code editor, but the content aspects reflect the programmer's talent and skills. For example, COBOL is still strong in corporate data centers often on large mainframe computers, Fortran in engineering applications, scripting languages in Web development, and C in embedded software. The choice of language used is subject to many considerations, such as company policy, suitability to task, availability of third-party packages, or individual preference. Techniques like Code refactoring can enhance readability. Techniques like Code refactoring can enhance readability. Their jobs usually involve: Although programming has been presented in the media as a somewhat mathematical subject, some research shows that good programmers have strong skills in natural human languages, and that learning to code is similar to learning a foreign language. Compilers harnessed the power of computers to make programming easier by allowing programmers to specify calculations by entering a formula using infix notation. It affects the aspects of quality above, including portability, usability and most importantly maintainability. High-level languages made the process of developing a program simpler and more understandable, and less bound to the underlying hardware. It is usually easier to code in "high-level" languages than in "low-level" ones. Popular modeling techniques include Object-Oriented Analysis and Design (OOAD) and Model-Driven Architecture (MDA). Many factors, having little or nothing to do with the ability of the computer to efficiently compile and execute the code, contribute to readability. Expert programmers are familiar with a variety of well-established algorithms and their respective complexities and use this knowledge to choose algorithms that are best suited to the circumstances.