

FORTRAN, the first widely used high-level language to have a functional implementation, came out in 1957, and many other languages were soon developed—in particular, COBOL aimed at commercial data processing, and Lisp for computer research. Following a consistent programming style often helps readability. Following a consistent programming style often helps readability. There exist a lot of different approaches for each of those tasks. By the late 1960s, data storage devices and computer terminals became inexpensive enough that programs could be created by typing directly into the computers. In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. A similar technique used for database design is Entity-Relationship Modeling (ER Modeling). Whatever the approach to development may be, the final program must satisfy some fundamental properties. Computer programmers are those who write computer software. Programs were mostly entered using punched cards or paper tape. FORTRAN, the first widely used high-level language to have a functional implementation, came out in 1957, and many other languages were soon developed—in particular, COBOL aimed at commercial data processing, and Lisp for computer research. Many applications use a mix of several languages in their construction and use. Readability is important because programmers spend the majority of their time reading, trying to understand, reusing and modifying existing source code, rather than writing new source code. Many programmers use forms of Agile software development where the various stages of formal software development are more integrated together into short cycles that take a few weeks rather than years. Assembly languages were soon developed that let the programmer specify instruction in a text format (e.g., ADD X, TOTAL), with abbreviations for each operation code and meaningful names for specifying addresses. There exist a lot of different approaches for each of those tasks. Proficient programming usually requires expertise in several different subjects, including knowledge of the application domain, details of programming languages and generic code libraries, specialized algorithms, and formal logic. A similar technique used for database design is Entity-Relationship Modeling (ER Modeling). However, with the concept of the stored-program computer introduced in 1949, both programs and data were stored and manipulated in the same way in computer memory. These compiled languages allow the programmer to write programs in terms that are syntactically richer, and more capable of abstracting the code, making it easy to target varying machine instruction sets via compilation declarations and heuristics. Techniques like Code refactoring can enhance readability. The choice of language used is subject to many considerations, such as company policy, suitability to task, availability of third-party packages, or individual preference. Integrated development environments (IDEs) aim to integrate all such help. Some languages are very popular for particular kinds of applications, while some languages are regularly used to write many different kinds of applications. Some text editors such as Emacs allow GDB to be invoked through them, to provide a visual environment.