

There are many approaches to the Software development process. Code-breaking algorithms have also existed for centuries. However, readability is more than just programming style. As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. Some text editors such as Emacs allow GDB to be invoked through them, to provide a visual environment. The Unified Modeling Language (UML) is a notation used for both the OOAD and MDA. Proficient programming usually requires expertise in several different subjects, including knowledge of the application domain, details of programming languages and generic code libraries, specialized algorithms, and formal logic. Many programmers use forms of Agile software development where the various stages of formal software development are more integrated together into short cycles that take a few weeks rather than years. It involves designing and implementing algorithms, step-by-step specifications of procedures, by writing code in one or more programming languages. It is usually easier to code in "high-level" languages than in "low-level" ones. Programmers typically use high-level programming languages that are more easily intelligible to humans than machine code, which is directly executed by the central processing unit. It involves designing and implementing algorithms, step-by-step specifications of procedures, by writing code in one or more programming languages. Later a control panel (plug board) added to his 1906 Type I Tabulator allowed it to be programmed for different jobs, and by the late 1940s, unit record equipment such as the IBM 602 and IBM 604, were programmed by control panels in a similar way, as were the first electronic computers. Computer programmers are those who write computer software. A study found that a few simple readability transformations made code shorter and drastically reduced the time to understand it. In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. Techniques like Code refactoring can enhance readability. Proficient programming usually requires expertise in several different subjects, including knowledge of the application domain, details of programming languages and generic code libraries, specialized algorithms, and formal logic. Some languages are more prone to some kinds of faults because their specification does not require compilers to perform as much checking as other languages. This can be a non-trivial task, for example as with parallel processes or some unusual software bugs. Programs were mostly entered using punched cards or paper tape. For example, when a bug in a compiler can make it crash when parsing some large source file, a simplification of the test case that results in only few lines from the original source file can be sufficient to reproduce the same crash. In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. In 1801, the Jacquard loom could produce entirely different weaves by changing the "program" – a series of pasteboard cards with holes punched in them. Machine code was the language of early programs, written in the instruction set of the particular machine, often in binary notation.