

Some text editors such as Emacs allow GDB to be invoked through them, to provide a visual environment. The following properties are among the most important: In computer programming, readability refers to the ease with which a human reader can comprehend the purpose, control flow, and operation of source code. Also, specific user environment and usage history can make it difficult to reproduce the problem. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Programs were mostly entered using punched cards or paper tape. Many factors, having little or nothing to do with the ability of the computer to efficiently compile and execute the code, contribute to readability. The following properties are among the most important: In computer programming, readability refers to the ease with which a human reader can comprehend the purpose, control flow, and operation of source code. Machine code was the language of early programs, written in the instruction set of the particular machine, often in binary notation. There are many approaches to the Software development process. By the late 1960s, data storage devices and computer terminals became inexpensive enough that programs could be created by typing directly into the computers. The Unified Modeling Language (UML) is a notation used for both the OOAD and MDA. Debugging is a very important task in the software development process since having defects in a program can have significant consequences for its users. As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. Programs were mostly entered using punched cards or paper tape. He gave the first description of cryptanalysis by frequency analysis, the earliest code-breaking algorithm. In the 9th century, the Arab mathematician Al-Kindi described a cryptographic algorithm for deciphering encrypted code, in A Manuscript on Deciphering Cryptographic Messages. Computer programmers are those who write computer software. Trial-and-error/divide-and-conquer is needed: the programmer will try to remove some parts of the original test case and check if the problem still exists. In 1801, the Jacquard loom could produce entirely different weaves by changing the "program" – a series of pasteboard cards with holes punched in them. Sometimes software development is known as software engineering, especially when it employs formal methods or follows an engineering design process. There exist a lot of different approaches for each of those tasks. Computer programmers are those who write computer software. Use of a static code analysis tool can help detect some possible problems. Assembly languages were soon developed that let the programmer specify instruction in a text format (e.g., ADD X, TOTAL), with abbreviations for each operation code and meaningful names for specifying addresses.