It is very difficult to determine what are the most popular modern programming languages. Many factors, having little or nothing to do with the ability of the computer to efficiently compile and execute the code, contribute to readability. Later a control panel (plug board) added to his 1906 Type I Tabulator allowed it to be programmed for different jobs, and by the late 1940s, unit record equipment such as the IBM 602 and IBM 604, were programmed by control panels in a similar way, as were the first electronic computers. Sometimes software development is known as software engineering, especially when it employs formal methods or follows an engineering design process. Auxiliary tasks accompanying and related to programming include analyzing requirements, testing, debugging (investigating and fixing problems), implementation of build systems, and management of derived artifacts, such as programs' machine code. Unreadable code often leads to bugs, inefficiencies, and duplicated code. Various visual programming languages have also been developed with the intent to resolve readability concerns by adopting non-traditional approaches to code structure and display. A similar technique used for database design is Entity-Relationship Modeling (ER Modeling). It is very difficult to determine what are the most popular modern programming languages. Assembly languages were soon developed that let the programmer specify instruction in a text format (e.g., ADD X, TOTAL), with abbreviations for each operation code and meaningful names for specifying addresses. Many programmers use forms of Agile software development where the various stages of formal software development are more integrated together into short cycles that take a few weeks rather than years. Trade-offs from this ideal involve finding enough programmers who know the language to build a team, the availability of compilers for that language, and the efficiency with which programs written in a given language execute. Different programming languages support different styles of programming (called programming paradigms). In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. Allen Downey, in his book How To Think Like A Computer Scientist, writes: Many computer languages provide a mechanism to call functions provided by shared libraries. Use of a static code analysis tool can help detect some possible problems. Many applications use a mix of several languages in their construction and use. Scripting and breakpointing is also part of this process. They are the building blocks for all software, from the simplest applications to the most sophisticated ones. There exist a lot of different approaches for each of those tasks. The academic field and the engineering practice of computer programming are both largely concerned with discovering and implementing the most efficient algorithms for a given class of problems. Allen Downey, in his book How To Think Like A Computer Scientist, writes: Many computer languages provide a mechanism to call functions provided by shared libraries. It affects the aspects of quality above, including portability, usability and most importantly maintainability. It involves designing and implementing algorithms, step-by-step specifications of procedures, by writing code in one or more programming languages. Various visual programming languages have also been developed with the intent to resolve readability concerns by adopting non-traditional approaches to code structure and display.