

This can be a non-trivial task, for example as with parallel processes or some unusual software bugs. For example, when a bug in a compiler can make it crash when parsing some large source file, a simplification of the test case that results in only few lines from the original source file can be sufficient to reproduce the same crash. He gave the first description of cryptanalysis by frequency analysis, the earliest code-breaking algorithm. It involves designing and implementing algorithms, step-by-step specifications of procedures, by writing code in one or more programming languages. The first computer program is generally dated to 1843, when mathematician Ada Lovelace published an algorithm to calculate a sequence of Bernoulli numbers, intended to be carried out by Charles Babbage's Analytical Engine. Ideally, the programming language best suited for the task at hand will be selected. Use of a static code analysis tool can help detect some possible problems. As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. After the bug is reproduced, the input of the program may need to be simplified to make it easier to debug. Integrated development environments (IDEs) aim to integrate all such help. The first step in most formal software development processes is requirements analysis, followed by testing to determine value modeling, implementation, and failure elimination (debugging). In 1801, the Jacquard loom could produce entirely different weaves by changing the "program" – a series of pasteboard cards with holes punched in them. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. Expert programmers are familiar with a variety of well-established algorithms and their respective complexities and use this knowledge to choose algorithms that are best suited to the circumstances. Programming languages are essential for software development. Normally the first step in debugging is to attempt to reproduce the problem. One approach popular for requirements analysis is Use Case analysis. Sometimes software development is known as software engineering, especially when it employs formal methods or follows an engineering design process. High-level languages made the process of developing a program simpler and more understandable, and less bound to the underlying hardware. In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. However, Charles Babbage had already written his first program for the Analytical Engine in 1837. After the bug is reproduced, the input of the program may need to be simplified to make it easier to debug. One approach popular for requirements analysis is Use Case analysis.