

Some of these factors include: The presentation aspects of this (such as indents, line breaks, color highlighting, and so on) are often handled by the source code editor, but the content aspects reflect the programmer's talent and skills. For example, COBOL is still strong in corporate data centers often on large mainframe computers, Fortran in engineering applications, scripting languages in Web development, and C in embedded software. Implementation techniques include imperative languages (object-oriented or procedural), functional languages, and logic languages. Some text editors such as Emacs allow GDB to be invoked through them, to provide a visual environment. Programmers typically use high-level programming languages that are more easily intelligible to humans than machine code, which is directly executed by the central processing unit. As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. Some languages are more prone to some kinds of faults because their specification does not require compilers to perform as much checking as other languages. Also, specific user environment and usage history can make it difficult to reproduce the problem. Integrated development environments (IDEs) aim to integrate all such help. Computer programmers are those who write computer software. There are many approaches to the Software development process. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Languages form an approximate spectrum from "low-level" to "high-level"; "low-level" languages are typically more machine-oriented and faster to execute, whereas "high-level" languages are more abstract and easier to use but execute less quickly. Scripting and breakpointing is also part of this process. Popular modeling techniques include Object-Oriented Analysis and Design (OOAD) and Model-Driven Architecture (MDA). It involves designing and implementing algorithms, step-by-step specifications of procedures, by writing code in one or more programming languages. Code-breaking algorithms have also existed for centuries. FORTRAN, the first widely used high-level language to have a functional implementation, came out in 1957, and many other languages were soon developed—in particular, COBOL aimed at commercial data processing, and Lisp for computer research. There are many approaches to the Software development process. The choice of language used is subject to many considerations, such as company policy, suitability to task, availability of third-party packages, or individual preference. A similar technique used for database design is Entity-Relationship Modeling (ER Modeling). Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. Many factors, having little or nothing to do with the ability of the computer to efficiently compile and execute the code, contribute to readability. Different programming languages support different styles of programming (called programming paradigms). Languages form an approximate spectrum from "low-level" to "high-level"; "low-level" languages are typically more machine-oriented and faster to execute, whereas "high-level" languages are more abstract and easier to use but execute less quickly.