

It is usually easier to code in "high-level" languages than in "low-level" ones. Proficient programming usually requires expertise in several different subjects, including knowledge of the application domain, details of programming languages and generic code libraries, specialized algorithms, and formal logic. Their jobs usually involve: Although programming has been presented in the media as a somewhat mathematical subject, some research shows that good programmers have strong skills in natural human languages, and that learning to code is similar to learning a foreign language. Their jobs usually involve: Although programming has been presented in the media as a somewhat mathematical subject, some research shows that good programmers have strong skills in natural human languages, and that learning to code is similar to learning a foreign language. New languages are generally designed around the syntax of a prior language with new functionality added, (for example C++ adds object-orientation to C, and Java adds memory management and bytecode to C++, but as a result, loses efficiency and the ability for low-level manipulation). Many factors, having little or nothing to do with the ability of the computer to efficiently compile and execute the code, contribute to readability. Machine code was the language of early programs, written in the instruction set of the particular machine, often in binary notation. Scripting and breakpointing is also part of this process. Popular modeling techniques include Object-Oriented Analysis and Design (OOAD) and Model-Driven Architecture (MDA). As early as the 9th century, a programmable music sequencer was invented by the Persian Banu Musa brothers, who described an automated mechanical flute player in the Book of Ingenious Devices. Languages form an approximate spectrum from "low-level" to "high-level"; "low-level" languages are typically more machine-oriented and faster to execute, whereas "high-level" languages are more abstract and easier to use but execute less quickly. The first step in most formal software development processes is requirements analysis, followed by testing to determine value modeling, implementation, and failure elimination (debugging). Following a consistent programming style often helps readability. Machine code was the language of early programs, written in the instruction set of the particular machine, often in binary notation. Scripting and breakpointing is also part of this process. Computer programming or coding is the composition of sequences of instructions, called programs, that computers can follow to perform tasks. A similar technique used for database design is Entity-Relationship Modeling (ER Modeling). In 1206, the Arab engineer Al-Jazari invented a programmable drum machine where a musical mechanical automaton could be made to play different rhythms and drum patterns, via pegs and cams. Readability is important because programmers spend the majority of their time reading, trying to understand, reusing and modifying existing source code, rather than writing new source code. The choice of language used is subject to many considerations, such as company policy, suitability to task, availability of third-party packages, or individual preference. It is very difficult to determine what are the most popular modern programming languages. Also, specific user environment and usage history can make it difficult to reproduce the problem. A study found that a few simple readability transformations made code shorter and drastically reduced the time to understand it. Programmers typically use high-level programming languages that are more easily intelligible to humans than machine code, which is directly executed by the central processing unit.