SEC549 GIAC EXAM REFERENCE BOOK

Cloud Security Architecture and Operations

Prepared by Cyrus -- GIAC Exam Reference Architect

HOW TO USE THIS REFERENCE

This book is a LOOKUP TOOL, not a study guide. Find answers in under 20 seconds.

NAVIGATION:

1. TOPIC SECTIONS -- for concept questions (IAM, Network, Encryption, etc.)
2. COMPARISON MATRICES -- for cross-cloud questions (AWS vs Azure vs GCP)
3. CLI CHEAT SHEET -- for command syntax questions
4. ACRONYM GLOSSARY -- for terminology questions
5. MASTER INDEX -- look up any term, find Book/Page in your SANS materials

EXAM FORMAT: 100-115 MCQ | 2-3 hours | ~1-1.5 min/question | Open book

PAGE REFS: (B1) 42 = Book 1, page 42 | (B3) 95 = Book 3, page 95

EXAM DOMAIN TO BOOK MAPPING

Book	Pages	Primary Topics
Book 1	144	IAM Foundations, RBAC/ABAC/PBAC, AWS IdC, Azure Entra ID, GCP IAM, SCPs, Federation
Book 2	137	Auth Deep Dive: SAML/OIDC/OAuth, Cognito, STS, Managed Identity, Workload Identity, Zero Trust
Book 3	151	Network Security: VPC/VNet, SGs/NSGs, Segmentation, Private Link, Transit GW, DNS, DDoS
Book 4	158	Governance & Data: Encryption, KMS, Secrets, Compliance, CSPM, Container Security, Audit
Book 5	103	Detection & Response: SIEM, CloudTrail/Monitor/Audit Logs, GuardDuty/Defender/SCC, IR

SECTION 1: IDENTITY & ACCESS MANAGEMENT

1.1 IAM Service Comparison

Feature	AWS	Azure	GCP
IAM Service	AWS IAM	Entra ID (Azure AD)	Cloud IAM
Identity Center	IAM Identity Center	Entra ID	Cloud Identity
SSO	IAM IdC SSO	Entra ID SSO	Cloud Identity SSO
Root/Global Admin	Root Account	Global Administrator	Super Admin
Service Account	IAM Role (for svc)	Managed Identity	Service Account
Temporary Creds	STS AssumeRole	Managed Identity Token	SA Key (avoid) / WI
MFA	IAM MFA / IdC MFA	Entra MFA	2-Step Verification
Conditional Access	IAM Conditions	Conditional Access	Access Context Mgr
Privileged Access	N/A (use SCPs)	PIM	PAM (preview)
External Identity	Cognito / SAML/OIDC	B2B / B2C	Workload Identity Fed
Access Review	Access Analyzer	Access Reviews	IAM Recommender

1.2 Access Control Models

Model	Description	Where Used
RBAC	Role-Based Access Control	Azure (primary), AWS (IAM roles), GCP
ABAC	Attribute-Based Access Control	AWS (tags), Azure (conditions), GCP
PBAC	Policy-Based Access Control	AWS IAM policies, GCP IAM bindings
ACL	Access Control Lists	AWS S3, Network ACLs
ReBAC	Relationship-Based Access	Google Zanzibar (internal)

1.3 Key IAM Distinctions

AWS: SCP = DENY guardrail (restricts, not grants). Effective permissions = Identity Policy INTERSECT Permission Boundary INTERSECT SCP

Azure: RBAC inherited down hierarchy. Deny assignments override allow. Conditional Access = context-aware gating.

GCP: IAM is additive (allow-only). Deny policies now exist but separate. Org Policy = constraints like SCPs.

SECTION 2: AUTHENTICATION & FEDERATION

2.1 Federation Protocols

Protocol	Purpose	Token Type	Key Flow
SAML 2.0	Enterprise SSO	XML Assertion	Browser redirect, POST binding
OIDC	Modern auth (OpenID)	JWT ID Token	Authorization Code + PKCE
OAuth 2.0	Authorization	Access Token	Auth Code, Client Credentials
Kerberos	On-prem AD auth	TGT/TGS	KDC ticket exchange
LDAP	Directory queries	N/A	Bind + search

KEY: SAML = authentication | OAuth = authorization | OIDC = authentication ON TOP of OAuth

2.2 Federation Across Clouds

Scenario	AWS	Azure	GCP
On-prem AD	SAML to IAM/IdC	Entra Connect Sync	Cloud Identity + SAML
Cross-cloud	OIDC/STS AssumeRole	Workload Identity Fed	Workload Identity Fed
CI/CD workload	OIDC Provider + AssumeRole	Federated Credentials	Workload Identity Prov.
External users	Cognito User Pools	Azure AD B2C	Identity Platform
M2M	IAM Role + STS	Managed Identity	Service Account

2.3 AWS STS API Calls

API Call	Use Case
AssumeRole	Cross-account access, temporary elevated privileges
AssumeRoleWithSAML	SAML-based federation from IdP
AssumeRoleWithWebIdentity	OIDC federation (Cognito, GitHub, etc.)
GetFederationToken	Temporary creds for federated users
GetSessionToken	MFA-authenticated temporary creds
GetCallerIdentity	Who am I? -- verify current identity

2.4 Azure Managed Identity

System-Assigned: Tied to resource lifecycle. Use for single-resource auth.
User-Assigned: Independent lifecycle. Share across resources.
KEY: No secrets to rotate. Token via IMDS (169.254.169.254).

2.5 GCP Service Accounts

Default: Auto-created, overly permissive -- AVOID in production.
User-Managed: Created by admin, custom permissions.
KEY: SA keys are long-lived creds -- prefer Workload Identity (keyless).

SECTION 3: NETWORK SECURITY & SEGMENTATION

3.1 Network Security Controls

Control	AWS	Azure	GCP
Virtual Network	VPC	VNet	VPC
Stateful Firewall	Security Group	NSG	Firewall Rules
Stateless Firewall	NACL	N/A	N/A
Web App Firewall	AWS WAF	Azure WAF	Cloud Armor
DDoS Protection	Shield (Std/Adv)	DDoS Protection	Cloud Armor
Network Firewall	Network Firewall	Azure Firewall	Cloud NGFW
Flow Logs	VPC Flow Logs	NSG Flow Logs	VPC Flow Logs

3.2 Private Connectivity

Feature	AWS	Azure	GCP
Private Endpoint	PrivateLink	Private Endpoint	Private Service Connect
Service Endpoint	Gateway EP (S3,DDB)	Service Endpoint	Private Google Access
Private DNS	Route 53 Private	Private DNS Zone	Cloud DNS Private
Hybrid Connect	Direct Connect	ExpressRoute	Cloud Interconnect
VPN	Site-to-Site VPN	VPN Gateway	Cloud VPN
Peering	VPC Peering	VNet Peering	VPC Peering
Transit	Transit Gateway	Virtual WAN	N/A (use peering)

3.3 Security Group / NSG Key Facts

AWS SG: STATEFUL, deny-all-inbound default, ALLOW-only rules, applied at ENI level

AWS NACL: STATELESS, allow-all default, ALLOW+DENY, processed in order, subnet level

Azure NSG: STATEFUL, priority-based (lower=higher), subnet or NIC level

GCP Firewall: STATEFUL, deny-all-ingress default, priority-based, network tags or SA

SECTION 4: DATA PROTECTION & ENCRYPTION

4.1 Encryption Comparison

Feature	AWS	Azure	GCP
KMS	AWS KMS	Azure Key Vault	Cloud KMS
HSM	CloudHSM	Managed HSM	Cloud HSM
Default Encrypt	SSE-S3 / SSE-KMS	Storage SSE	Google-managed key
Customer Key	CMK in KMS	CMK in Key Vault	CMEK in Cloud KMS
Customer-Supplied	SSE-C	N/A	CSEK
Key Rotation	Auto 1yr / manual	Auto / manual	Auto 1yr / manual
Secrets	Secrets Manager	Key Vault Secrets	Secret Manager
Certs	ACM	Key Vault Certs	Certificate Authority

4.2 Key Concepts

Envelope Encryption: Encrypt data with DEK, encrypt DEK with KEK (master key)

At Rest: Data on disk -- use KMS/Key Vault/Cloud KMS

In Transit: Data over network -- TLS 1.2+, mTLS for service mesh, VPN for hybrid

Key Hierarchy: Root Key > Key Encryption Key (KEK) > Data Encryption Key (DEK)

SECTION 5: LOGGING, MONITORING & DETECTION

5.1 Logging Services

Feature	AWS	Azure	GCP
API/Control Plane	CloudTrail	Activity Log	Cloud Audit Logs
Data Plane	CT Data Events	Diagnostic Settings	Data Access Logs
Network	VPC Flow Logs	NSG Flow Logs	VPC Flow Logs
Compute Logs	CloudWatch Logs	Log Analytics	Cloud Logging
SIEM	SecurityHub	Sentinel	Security Command Center
Threat Detection	GuardDuty	Defender for Cloud	SCC
Config Compliance	AWS Config	Azure Policy	Security Health Analytics

5.2 Critical Logs to Enable

AWS: CloudTrail ALL regions + data events, S3 logging, VPC Flow Logs, GuardDuty all regions, Config rules

Azure: Activity Log to Log Analytics, Diagnostics on all resources, NSG Flow Logs v2, Defender + Sentinel

GCP: Admin Activity (always on), Data Access (enable!), VPC Flow Logs, export to BigQuery, SCC Premium

5.3 Incident Response Phases

Phase	Key Actions
Preparation	Enable logging, set up alerts, define playbooks
Detection	GuardDuty/Defender/SCC findings, SIEM alerts
Containment	Isolate (SG/NSG), revoke creds, snapshot evidence
Eradication	Remove malware, patch vulns, rotate keys
Recovery	Restore from clean backup, validate, re-enable
Lessons Learned	Update playbooks, improve detection, share findings

SECTION 6: ZERO TRUST & GOVERNANCE

6.1 Zero Trust Principles

1. Never trust, always verify
2. Assume breach
3. Verify explicitly (identity, device, location, behavior)
4. Least privilege access
5. Microsegmentation
6. Continuous validation

CISA ZT Maturity Model Pillars: Identity | Devices | Networks | Apps/Workloads | Data

6.2 Shared Responsibility Model

Layer	IaaS	PaaS	SaaS
Data	Customer	Customer	Customer
Applications	Customer	Customer	Provider
Runtime/OS	Customer	Provider	Provider
Virtualization	Provider	Provider	Provider
Network/Physical	Provider	Provider	Provider

KEY: Customer ALWAYS responsible for data classification and access control.

6.3 Governance Comparison

Feature	AWS	Azure	GCP
Policy Guardrails	SCPs (Org)	Azure Policy	Organization Policy
Compliance	AWS Config Rules	Policy (built-in)	Security Health Analytics
Landing Zone	Control Tower	Azure Landing Zones	Cloud Foundation Toolkit
Tagging	Tag Policies	Policy (tags)	Labels
Blueprints	Service Catalog	Blueprints	Deployment Manager

SECTION 7: CONTAINER & KUBERNETES SECURITY

7.1 Managed Kubernetes Comparison

Feature	AWS EKS	Azure AKS	GCP GKE
Node Auth	IAM Roles for SA	Managed Identity	Workload Identity
Network Policy	Calico	Azure NPM / Calico	Calico / Dataplane V2
Image Scanning	ECR Scanning	Defender for Containers	Artifact Analysis
Registry	ECR	ACR	Artifact Registry
Secrets	Secrets Manager CSI	Key Vault CSI	Secret Manager CSI
Binary Auth	N/A (Kyverno)	N/A (Gatekeeper)	Binary Authorization

7.2 Container Security Checklist

[ ] Minimal base images (distroless, Alpine)
[ ] Scan images in CI/CD
[ ] Sign/verify images (cosign)
[ ] Run as non-root
[ ] Read-only root filesystem
[ ] Pod Security Standards (Restricted)
[ ] Network Policies for pod-to-pod
[ ] Workload Identity (not node creds)
[ ] Encrypt secrets in etcd
[ ] K8s API audit logging

CLI CHEAT SHEET -- COMMON SECURITY COMMANDS

AWS CLI

Command	Purpose
aws sts get-caller-identity	Who am I?
aws sts assume-role --role-arn <ARN> --role-session-name <n>	Assume role
aws iam list-users	List IAM users
aws iam list-roles	List IAM roles
aws iam list-attached-user-policies --user-name <u>	User policies
aws iam list-access-keys --user-name <u>	Check for keys
aws organizations list-accounts	Org accounts
aws cloudtrail describe-trails	List trails
aws guardduty list-detectors	GuardDuty status
aws ec2 describe-vpcs	List VPCs
aws ec2 describe-security-groups	List SGs
aws kms list-keys	KMS keys
aws s3api get-bucket-encryption --bucket <n>	S3 encryption

Azure CLI

Command	Purpose
az account show	Current context
az ad user list	List AD users
az ad sp list --all	Service principals
az role assignment list --all	RBAC assignments
az role definition list --custom-role-only true	Custom roles
az identity list	Managed identities
az network vnet list	List VNets
az network nsg list	List NSGs
az keyvault list	Key Vaults

gcloud CLI

Command	Purpose
gcloud auth list	Active accounts
gcloud projects get-iam-policy <PROJECT>	IAM bindings
gcloud iam service-accounts list	Service accounts
gcloud organizations list	Organizations
gcloud logging logs list	Available logs
gcloud compute networks list	VPCs
gcloud compute firewall-rules list	Firewall rules
gcloud kms keys list --location <L> --keyring <K>	KMS keys

kubectl

Command	Purpose
kubectl auth can-i --list	My permissions
kubectl get pods --all-namespaces	All pods
kubectl get networkpolicies -A	Network policies
kubectl get clusterroles	RBAC cluster roles

ACRONYM GLOSSARY

Acronym	Full Name
ABAC	Attribute-Based Access Control
ACL	Access Control List
ACM	AWS Certificate Manager
AKS	Azure Kubernetes Service
ARN	Amazon Resource Name
CASB	Cloud Access Security Broker
CIEM	Cloud Infrastructure Entitlement Management
CIDR	Classless Inter-Domain Routing
CMEK	Customer-Managed Encryption Key
CMK	Customer Master Key (AWS KMS)
CNAPP	Cloud-Native Application Protection Platform
CSEK	Customer-Supplied Encryption Key
CSPM	Cloud Security Posture Management
CWPP	Cloud Workload Protection Platform
DEK	Data Encryption Key
DDoS	Distributed Denial of Service
DLP	Data Loss Prevention
DNS	Domain Name System
EBS	Elastic Block Store
EC2	Elastic Compute Cloud
ECR	Elastic Container Registry
EKS	Elastic Kubernetes Service
ENI	Elastic Network Interface
FIDO2	Fast Identity Online v2
GCS	Google Cloud Storage
GKE	Google Kubernetes Engine
HSM	Hardware Security Module
IaC	Infrastructure as Code
IAM	Identity and Access Management
IdC	Identity Center (AWS)
IDP	Identity Provider
IMDS	Instance Metadata Service (169.254.169.254)
JIT	Just-In-Time (access)
JWT	JSON Web Token
KEK	Key Encryption Key
KMS	Key Management Service
LDAP	Lightweight Directory Access Protocol
MFA	Multi-Factor Authentication
mTLS	Mutual TLS
NACL	Network ACL (AWS)
NAT	Network Address Translation
NSG	Network Security Group (Azure)
OIDC	OpenID Connect
OPA	Open Policy Agent
OU	Organizational Unit
PAM	Privileged Access Management
PBAC	Policy-Based Access Control
PIM	Privileged Identity Management (Azure)
PSS	Pod Security Standards
RBAC	Role-Based Access Control

Acronym	Full Name
SAML	Security Assertion Markup Language
SCC	Security Command Center (GCP)
SCP	Service Control Policy (AWS)
SG	Security Group (AWS)
SIEM	Security Info & Event Management
SOAR	Security Orchestration, Automation & Response
SSE	Server-Side Encryption
SSO	Single Sign-On
STS	Security Token Service (AWS)
TLS	Transport Layer Security
VNet	Virtual Network (Azure)
VPC	Virtual Private Cloud
WAF	Web Application Firewall
ZTA	Zero Trust Architecture
ZTNA	Zero Trust Network Access

MASTER INDEX

Unified index (Clean + Missing Terms + Slide Keywords). Look up any term below to find the exact Book/Page in your SANS materials.

--- A ---

a.activity_type (B4) 73
a.guest_id (B4) 73
a.host_id (B4) 73
a.interaction (B4) 73
a.k.a (B2) 122 128, (B3) 55
a.park_id (B4) 73
a.timestamp (B4) 73
aad):used (B4) 150
aalto (B2) 120, (B3) 40 56 104 119, (B4) 8
aapplsicartion.r (B1) 29
abac (B1) 59, (B2) 78 79 104 105
abandoned (B2) 6
abbreviated (B4) 103
abbreviation (B4) 21
abbreviations (B4) 21
abe (B1) 135, (B5) 54
abide (B1) 92, (B2) 24
abides (B5) 15
abilities (B5) 7
ability (B1) 16 32 46 49 76 89 92 94 101 106 117 126 129 130 138, (B2) 10 16 19 58 79 103 112, (B3) 76 130 134, (B4) 47 70 95 107 129 142 143, (B5) 7 15 25 33 52 54 83
abnormal (B2) 41
abs (B5) 9
absence (B1) 106
absolute (B1) 7
absolutely (B1) 18
abstract (B1) 24
abstracted (B1) 25 87, (B3) 95
abstraction (B1) 15, (B3) 115, (B4) 53 55
abstractions (B5) 33 51
abuse (B2) 10 87, (B3) 130, (B4) 45, (B5) 6 9 10 12 13 15
abuse reports (B5) 10 14 15
abused (B1) 16, (B2) 87
abut (B4) 144
aby (B4) 76
acc (B1) 135, (B3) 130
accelerate (B3) 79
accelerator (B3) 40
accept (B2) 14 19 49, (B3) 44 125, (B4) 56 63 152, (B5) 75
acceptable (B4) 20
acceptance (B1) 57
accepted (B2) 49
accepting (B3) 44
accepts (B2) 107, (B5) 66 82
access (B1) 113 116 121 127 135 139, (B2) 8 10 18 29 31 32 33 34 35 36 37 39 40 45 47 48 49 51 52 53 56 58 64 81, (B3) 29 128 135 136 138, (B4) 34 36 41 45 47 48 53 54 55 67 70 72 74 76 126
access analyzer (B4) 16
access context manager (B2) 33 34 36 37 38 39
access context manager – advanced policy (B2) 37
access context manager – basic policy (B2) 34
access context manager – device policy (B2) 36
access context manager – nested policy (B2) 35
access control (B4) 36
access control engine (ace) (B2) 18
access controls (B2) 49
access driven policies (B2) 58
access management (B1) 113
access points (s3) (B4) 60
access policies (B2) 40
access protection (B2) 33
access-control (B1) 24 25, (B2) 18, (B4) 32 52
access-identity-ccabd (B4) 50
accessed (B1) 25 35 62 71 127, (B2) 4 14 24 40 109, (B3) 41 134, (B4) 12 38 48 87 145, (B5) 12 26 27 33
accesses (B2) 19
accessible (B1) 2 5 39 74 112 135, (B2) 39 72 122 128, (B3) 60 128, (B4) 32, (B5) 22 40 51

accessing (B1) 63 120 127 131, (B2) 4 24 29 36 39 40 45 47 49 51 54 58 68 79 86 100 113, (B3) 63 125 135 139 143, (B4) 8 34 46 48 53 74 144, (B5) 26 32 54 92
accessories (B1) 23
accidental (B1) 140, (B4) 33 34 38 76 138 143 144 152
accidentally (B3) 38 103, (B4) 37 87
accommodate (B4) 52
accompanied (B1) 29 32 58
accomplish (B1) 14 104, (B2) 73, (B3) 120, (B4) 52
accomplished (B1) 27 44 61 103 118, (B2) 104, (B3) 36 83, (B4) 153
accomplishing (B2) 3, (B4) 52
accordance (B1) 83
according (B1) 10 91, (B2) 23, (B4) 83, (B5) 75
accordingly (B5) 43
account (B1) 78 90, (B2) 90 93 130, (B3) 56, (B4) 109 117
account team requests (B4) 117
account-level (B2) 104, (B4) 34
account.any (B3) 36
account:despite (B1) 89
accountability (B1) 22, (B4) 142
accounted (B1) 114, (B2) 16, (B4) 47 154
accounts (B1) 3 13 27 34 52 58 61 62 67 76 77 78 79 80 82 83 84 85 86 87 88 89 90 91 93 98 100 103 104 109 116 117 120 123 124 125 126 127 128 129 131 133 134 136 138 139 140, (B2) 39 47 53 56 86 87 89 93 94 96 98 99 100 103 104 128 130, (B3) 27 35 36 37 38 39 40 43 44 46 47 48 54 57 95 96 102 124 130 134 145, (B4) 22 23 34 37 38 41 44 48 87 105 106 107 109 110 114 116 117 122 123 125 134 148 149, (B5) 7 13 20 25 51 52 53 54 59 68
accounts/service (B2) 53
accouznt.y (B3) 39
accretion (B2) 6, (B3) 40
accumulate (B2) 60
accuracy (B2) 16, (B4) 85
accurate (B5) 59 64
accurately (B5) 21 59
accustomed (B5) 23
ace (B2) 18 20 81
acecoudnt/project (B3) 36
achieve (B1) 12 105 109, (B2) 93, (B3) 11 130, (B4) 129, (B5) 8 86
achieved (B2) 17, (B3) 10, (B4) 152, (B5) 4
achievement (B1) 12
achieving (B1) 10 21 26, (B2) 2 3 16 28 63 76 84, (B3) 96, (B4) 41, (B5) 12
acknowledge (B5) 76 82
acknowledgment (B5) 82 83
acl (B1) 63, (B2) 18, (B3) 24 54 55 56, (B4) 33 34 36 37 45 46 47
acls (B4) 36
acquire (B1) 87, (B2) 88 113
acquired (B1) 87, (B2) 81
acquisition (B1) 87, (B2) 101
acronym (B1) 19 20
across (B1) 3 7 22 41 52 58 74 75 82 84 86 98 109 126 128 129 133 134 139, (B2) 39 74 85 86 98 104, (B3) 5 6 7 8 11 18 36 38 39 42 43 44 46 49 57 60 62 63 70 80 83 84 95 96 100 101 102 115 124 127 139 145, (B4) 7 8 9 12 13 18 21 23 24 27 28 32 33 34 36 63 65 66 68 69 70 76 86 95 102 105 107 109 114 117 130 135 140 141 145 148 154, (B5) 4 9 20 40 45 51 52 53 59 60 62 64 74
across service delivery models (B5) 9
act (B1) 117, (B2) 73 85, (B3) 25 129, (B4) 127, (B5) 42
action (B1) 25 45 57 88 98 101 103 104 116 118 121 133 139, (B2) 6 42 44 46 48 86 90 107 110 111 118 119 124 127, (B3) 27 30 46 91 136 139 147, (B4) 44 48 103 104 120 122 123 125, (B5) 10 16 31 37 40 43 48 53 79
actionable (B5) 21
actions (B1) 19 78 98 101 103 107 116 117 118 121 124 127 128 131, (B2) 22 30 41 86 87 88 97 107 110 118, (B3) 39 40 44 47 136 137 139, (B4) 28 44 54 55 57 120 122 144, (B5) 7 23 24 27 31 42 43
activating (B1) 114
active (B1) 46 67, (B3) 111 120
active directory (B1) 46 67
active-active (B3) 111, (B4) 136
active-service-account (B2) 103
active/passive (B3) 120 122
activities (B1) 83 84 86, (B4) 72 73 78 79 81 82 84, (B5) 39 60
activity (B1) 20 76 88 138, (B2) 19, (B3) 5 7 147, (B4) 6 11 18 34 41 69 73 95 129, (B5) 6 10 21 25 26 27 28 31 37 39 42 46 49 50 68 70 73
activity log (azure) (B5) 29 30 31
activity log events (B5) 28
activity logs (B5) 27
actor (B1) 7, (B3) 137
actors (B1) 21, (B2) 17 87, (B3) 147, (B4) 139
acts (B2) 86
actual (B4) 63 74 84 97 153, (B5) 76
actually (B1) 121, (B2) 96, (B5) 78
adam (B5) 98
adapt (B1) 16 20, (B4) 7, (B5) 3 75
adaptation (B2) 8, (B4) 14
adapted (B1) 20, (B4) 138
adaptive (B2) 32

add (B1) 34 35 79 118, (B2) 3 28 38 43 63 84 91 106, (B3) 16 18 19 21 25 43 68 72 74 79 102 103 118 119 144, (B4) 25 26 75 83 95 122 126 144, (B5) 14 25 68 84
add a default next-hop (B3) 72
add-on (B3) 84, (B5) 75
added (B1) 28 69 89 92 109 123, (B2) 30 44 65 66 74 112, (B3) 8 14 16 22 25 26 42 60 61 72 74 76 96 98 132, (B4) 8 24 25 28 34 52 109 123, (B5) 15 22 34 49
adding (B1) 3 25 70, (B2) 39 85 122 128, (B3) 12 13 18 24 25 74, (B4) 61 80 140 147, (B5) 13 14 34 43 91
addition (B1) 43 78 107 126 136, (B2) 12 18 38 65 77 109, (B3) 18 131, (B4) 52 142 144 153, (B5) 9 42 43
additional (B1) 3 43 104 106 118 133, (B2) 12 29 30 35 36 37 39 40 98 115 125, (B3) 12 25 28 30 61 62 76 79 94 95 96 125 130, (B4) 15 16 22 72 79 85 87 123 130 138 139 140 141 142 143 146, (B5) 2 3 13 14 19 24 25 31 42 47 48 54 58 64 89 96
additional/optional (B1) 90
additionally (B1) 33 61 118 142, (B2) 73 113 135, (B3) 149, (B4) 15 56 142 156, (B5) 52 59 75 78 101
additive (B2) 46
address (B1) 7 9 11 16 69 118 135 140, (B2) 16 44 52 56 81 87, (B3) 10 12 13 14 18 20 21 22 29 30 35 41 49 58 60 69 74 76 85 87 90 92 93 99 100 101 102 103 106 109 110 111 112 118 120 122 125 128 131 134 135 140 146, (B4) 24 87 114 142 146, (B5) 10 12 13 15 18 23
addressed (B1) 9 22, (B3) 44, (B5) 10 34 42
addresses (B1) 98, (B2) 44 47 52, (B3) 5 6 8 12 14 18 20 26 38 46 49 59 60 61 83 92 94 102 103 109 110 118 119 120 125 127 128 130 138 140 144, (B4) 20, (B5) 14 42
addresses.the (B3) 129
addressing (B1) 11, (B2) 56, (B3) 5 10, (B4) 143
adds (B1) 93 106, (B2) 5 35 112 122, (B3) 14 19 30 127, (B4) 67 126 149
adequate (B1) 21, (B5) 5 6 7
adequately (B1) 23, (B4) 93
adhere (B2) 16 87, (B3) 60
adherence (B4) 4
adhering (B1) 128
adjust (B1) 16, (B2) 48, (B4) 11 83
adjusting (B5) 34 45
adjusts (B4) 86
adm (B2) 120
admin (B1) 41 46 66 109 124 125 126 127 128 135 136 138 142, (B2) 16 33 36 47 86 110 128 135, (B3) 36 52 149, (B4) 40 70 78 106 110 114 119 125 126 130 156, (B5) 14 39 50 101
admin/developer (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
administer (B3) 122
administered (B1) 103
administration (B1) 41 133, (B2) 33, (B3) 45 60 74 138, (B4) 65 66 68 107 117 119 126, (B5) 52
administrative (B1) 84 127 128 129 131, (B2) 45, (B3) 42, (B4) 107
administrator (B1) 69 98 99 106 114 116 127 128 129 131, (B2) 54 86 110, (B3) 48, (B4) 106 107 110 114 117 123 125 139, (B5) 52 90
administrators (B1) 67 69 70 82 101 102 121 129 133, (B2) 85 101 103 104 105 106 110 114 124, (B3) 6 48 74 98 101 114, (B4) 15 25 26 63 64 66 74 95 102 105 107 110 114 117 119 121 122 123 125 127 128 130 138 153 154, (B5) 52 62
admins (B1) 136 138, (B4) 144
admitted (B2) 9
admonishment (B2) 13
adopt (B2) 12
adopted (B3) 135
adopters (B1) 76, (B4) 23
adoption (B2) 14, (B3) 76, (B4) 14 15 16 19 21 22
ads (B1) 125, (B5) 52
advance (B2) 13
advanced (B1) 67, (B2) 14 33 37, (B3) 22 30 44 60 62 68 70 92 94 119, (B4) 21 41 63 80 98 105 106 139 147, (B5) 25 40 44 47 61 62 64 68 70
advanced message (B5) 70
advanced policy (B2) 37
advancements (B4) 136
advances (B2) 53
advantage (B1) 32 49 54 74 75 79 80, (B2) 47 64 71 72, (B3) 96 130, (B4) 56 100 106, (B5) 21 61
advantageous (B1) 103, (B2) 78, (B5) 8
advantages (B1) 29 117 137, (B2) 3 64, (B3) 79 134, (B4) 134 135, (B5) 25 47
adversaries (B2) 13
adversary (B1) 21, (B4) 144, (B5) 31
advertise (B3) 11
advice (B2) 15
advisable (B1) 48 76, (B3) 65
advises (B1) 7
advisor (B5) 40 41
advisory (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 10 101
aes (B1) 6 52, (B3) 36 81, (B4) 98, (B5) 34 52
affect (B1) 105 109, (B2) 21 45 49, (B3) 24 46, (B4) 36 144
affected (B1) 19 93 103 118, (B2) 52 88, (B4) 105, (B5) 53
affecting (B1) 19 98, (B2) 48 51 56, (B5) 8 10 42
affordable (B4) 148
afirewall (B3) 43
afza (B2) 117, (B4) 122
against (B1) 7 10 23 30 40 53 54 66 76 90 103 111 121, (B2) 16 20 23 27 54 72 73 77 87 105 112 124, (B3) 33 44 46, (B4) 6 8 12 33 53 54 63 73 76 85 87 136 139 141 142 143 144 145 146 147 148 149 152, (B5) 23 45
age (B5) 22
agencies (B2) 12 13
agency (B2) 12

agenda (B1) 2 3, (B3) 102, (B4) 136
agent (B1) 54, (B2) 20 30 36, (B4) 54 114, (B5) 38 39 54 74
agent-based (B5) 23
agents (B5) 37
ages (B4) 38
aggregate (B5) 30 38 40 46 50 52 60
aggregated (B3) 25, (B5) 34 52
aggregating (B1) 4, (B4) 65, (B5) 25 44 47 68 94
aggregation (B5) 2 3 19 20 23 25 26 34 47 58 64 68 74 89 94 96
agility (B1) 13 100, (B2) 101
agnostic (B2) 9
ago (B2) 12
agree (B1) 10, (B2) 22, (B3) 138
agreed-on (B1) 22
agreements (B1) 104, (B4) 142
aha-soft/shutterstock.com (B4) 6
ahavie (B2) 73
ahead (B1) 6, (B5) 45
ai (B2) 4
ai-powered (B3) 119
ai/ml (B2) 4
aid (B1) 12 123 142, (B2) 135, (B3) 149, (B4) 11 156, (B5) 101
aide (B1) 20, (B2) 11 13, (B4) 67 144
aided (B1) 23
aids (B1) 10, (B4) 44
aimed (B4) 47, (B5) 44
aiming (B2) 58
aims (B4) 148, (B5) 61
ain (B4) 46
aincident (B5) 16
air-gapped (B4) 141
airtag (B1) 23
airtags (B1) 23
ais (B3) 39, (B4) 63, (B5) 15 30 66
aisolanted (B1) 86
ait (B1) 12, (B2) 109, (B3) 54, (B4) 12, (B5) 42 48
aka (B4) 97
aks (B4) 140, (B5) 28 37
alarms (B5) 47
alb (B3) 111
albeit (B1) 30, (B2) 18
alert (B1) 23 84 111 138, (B2) 113, (B4) 26, (B5) 21 39 42 43 62 66
alerted (B5) 21
alerting (B1) 138, (B2) 4 5, (B5) 21 27 42 47 50
alerts (B1) 128 138, (B2) 86, (B3) 6 147, (B4) 11 153, (B5) 14 21 38 42 43 44 47 61 62
alg (B1) 63, (B2) 115 117
algorithm (B2) 114 115, (B4) 84 98
algorithms (B2) 5 117, (B4) 27 60 95
alias (B3) 140 144, (B4) 66 101 103, (B5) 15 25
alibaba (B5) 62
align (B1) 123, (B3) 89, (B4) 136 142
aligned (B3) 35, (B5) 49
aligns (B1) 9, (B3) 56, (B4) 4
alike (B2) 18
alive (B4) 147
all-inclusive (B4) 18
all-powerful (B1) 61
all-too-often (B1) 54
alleviate (B3) 57
allocation (B1) 76
allow (B1) 13 20 30 33 49 57 59 76 83 89 94 98 101 103 104 105 108 116 117 118 124 136 137, (B2) 14 19 21 24 29 32 33 41 42 44 45 48 60 73 74 77 78 79 86 88 89 93 98 102 103 104 112 122 124 128 129, (B3) 11 13 14 16 18 22 23 24 25 26 27 29 30 41 42 43 46 48 49 55 56 59 68 72 74 76 89 92 93 94 95 115 117 127 128 130 132 134 138, (B4) 25 33 36 51 55 56 57 76 80 84 95 97 102 103 104 105 120 122 123 125 152, (B5) 25 31 33 37 46 49 52 64 71 78 79
allow-all (B3) 27
allowance (B4) 47
allowed (B1) 52 59 61 78 98 100 103 109 116 117 118 123 133, (B2) 8 18 19 41 44 45 49 54 74 77 89 98 105 107 125 129, (B3) 22 23 24 25 27 30 41 42 69 72 91 92 93 96 98 99 100 128 130 132 133 136 139, (B4) 15 22 24 44 54 57 103 105 123 125 154, (B5) 44 93
allowed inbound and outbound (B3) 92
allowed outbound fully qualified (B3) 92
allowed traffic between micro- (B3) 93
allowed/disallowed (B2) 44
allowed/disallowed ip ranges (B2) 44
allowing access vs. denying access in policy (B4) 55

allows (B1) 33 34 42 43 44 54 66 67 90 93 94 99 103 106 109 118 120 121 131 139, (B2) 19 34 39 43 71 72 88 92 105 107 110 112 122 124 125 128 129 130, (B3) 5 16 19 24 27 41 43 44 49 61 64 71 74 76 83 84 91 92 95 96 102 111 119 120 128 130 134 137 139, (B4) 4 11 33 36 44 50 51 55 63 68 106 122 123 125 130 148 152 154, (B5) 4 15 25 26 34 36 37 38 39 50 51 52 59 62 64 66 69 82 83 84
allowwing (B1) 13 16 58 61 62 67 83 89 93 117 118 133 137 138, (B2) 29 46 48 73 85 86 98 101 112 130, (B3) 10 23 24 27 46 47 52 55 57 60 92 114 117 122 124 137, (B4) 34 37 44 53 54 55 123 127 138 149 153, (B5) 40 44 48 53 75 76
allusers (B4) 34 67
almost (B1) 25
alogging (B1) 13 19 21 30 40 43 92 93 112 120 130 136, (B2) 4 6 13 92, (B5) 9 23 38 40 52 91
alone (B1) 14, (B2) 31 124, (B4) 20
alongside (B1) 55 113 137, (B4) 78
alricre (B4) 54
alt-cloud (B4) 138
alt-cloud recovery (B4) 138
alta (B1) 109 116 136
altered (B2) 94, (B4) 152
alternate (B3) 14 15, (B4) 66 136, (B5) 13 86
alternate security contacts (B5) 13
alternative (B2) 32 104, (B3) 14 64 130 135, (B4) 45 46 52 76 139 148, (B5) 61
alternatively (B1) 139, (B3) 144, (B4) 65, (B5) 21
alters (B4) 144
alto (B2) 87, (B3) 87 96 102 111 115 116 117 118 119 120 130
altogether (B2) 96
always (B1) 13 43 44 98 101 118, (B2) 6 12 13 43 51, (B3) 35 85, (B4) 12 22 23 38 56 57 93 140 141, (B5) 10 21
amazon (B1) 84 104 117 118 125 128, (B2) 71 72 74 76, (B3) 44 46 56 75 95 147, (B4) 9 15 16 27 34 35 37 46 47 50 57 101 109 140, (B5) 21 22 25 30 34 36 38 46 47 51 64 67 68 69 74 75 76 77 79
amazon ec2 (B3) 46
amazonaws.com (B3) 124, (B4) 123
amazoncognito.com (B2) 72
american (B1) 7
amessagees (B5) 83
amnaginag (B4) 66
among (B1) 23 33 85 121 136, (B2) 16 94, (B3) 36 79
amorphous (B1) 7
amount (B1) 41, (B2) 85, (B4) 102, (B5) 22 48 75
amounts (B3) 61, (B4) 60 66, (B5) 21
amplify (B2) 71
ana (B1) 24 71, (B2) 89, (B3) 18 102, (B4) 109, (B5) 16 20 21 47 54 99
analogous (B1) 22 93 94, (B3) 11 127 128
analogues (B2) 92
analogy (B2) 89
analysis (B1) 21 142, (B2) 135, (B3) 5 6 28 100 119 147 149, (B4) 8 60 61 63 65 68 85 136 148 156, (B5) 9 16 20 22 34 37 38 45 46 47 48 52 59 61 62 64 68 74 77 101
analyst (B1) 28 129 142, (B2) 14 135, (B3) 6 7 149, (B4) 41 42 60 148 150 156, (B5) 5 21 25 26 28 29 34 37 38 44 45 46 47 49 50 57 59 61 62 71 77 82 101
analysts (B4) 65 86, (B5) 5 6 22 29 33 44 45 59
analyzed (B2) 27 127 133, (B3) 147, (B4) 32 89, (B5) 40
analyzing (B1) 19, (B4) 33 41 60 66 72, (B5) 20 39 40 41 47 61 62 64 68 70 74
anatomy (B2) 48 49, (B3) 12 14
anatomy of a private subnet (B3) 14
anatomy of a public subnet (B3) 12
anchor (B2) 105 106 107 109
anchor/accda-e-d-bed-cdddfb (B2) 109
anchors (B1) 133, (B2) 98 104
and-spoke (B3) 61
and/or (B1) 28 90, (B2) 3 14, (B3) 13 29 74, (B4) 120, (B5) 34 36
andrew (B5) 99
android (B1) 23
andromeda (B3) 10
ane (B3) 72
angle (B1) 23
angular (B2) 67
ann (B2) 106, (B5) 16
announced (B1) 36, (B2) 13
announces (B2) 12
annually (B1) 56
anomalies (B4) 69, (B5) 9 68
anomaly (B4) 127, (B5) 62 71
anonymous (B2) 89, (B4) 35 36 50
ans (B1) 136, (B3) 24
answer (B1) 9 12 80, (B2) 24, (B3) 140 146, (B4) 44
answering (B1) 10 117 125
answers (B1) 30
anti (B1) 23
anti-pattern (B1) 76 117 139, (B2) 87 96 100, (B4) 45 107
anti-patterns (B1) 76
anti-theft (B1) 23
antiquated (B2) 6

antivirus (B2) 29
any/all (B2) 55 56 57 58
anyone (B1) 7 21 23 88, (B3) 35
anything (B1) 23 49 86, (B2) 14 51 113, (B4) 53
anyway (B5) 22
anywhere (B1) 13 124 133, (B2) 21 89 96 98 100 105 106 107 108 109, (B4) 24 26 50, (B5) 61
aoting (B2) 3 5 14 77 102, (B3) 40 46 59 103, (B4) 15, (B5) 5
apache (B4) 60 61 62 86, (B5) 66 69
apart (B2) 10
api (B1) 29 69 76 88 98 101 103 106 108 118 139, (B2) 24 68 77 88 89 93 94 107 109 116 124, (B3) 29 30 33 60 125 128 139 143 144 146, (B4) 11 26 28 32 33 34 41 57 85 86 92 93 98 103 114 140, (B5) 7 9 24 30 31 39 73
api-version=--&resource=api://nymeria-workload (B2) 130
api://azureadtokenexchange (B2) 118
api://d-f--ac-cbf (B5) 79
api://nymeria-workload-identity (B2) 120 123 124 125 129
apils:a (B4) 28
apis (B1) 25 63 101 129, (B2) 24 31 32 39 85 86 89 91 92 93 94 103 110, (B3) 6 29 30 124 125 126 128 135 138, (B4) 9 37 41 53 123 135 146, (B5) 28 40 74
app (B1) 14 15 21 23 94 120 123 136 137, (B2) 4 8 13 16 32 48 68 71 80 86 92 93 94, (B3) 11 76, (B5) 38 39 40 42 53
app-layecr (B2) 23, (B5) 37 38
app-layer (B5) 37
appear (B1) 11, (B2) 94
appears (B1) 45
append (B1) 106, (B5) 54
appending (B3) 128, (B4) 122
apple (B1) 23 109, (B2) 71 72 76
apple airtags (B1) 23
appliance (B3) 16 19 20 21 22 63 64 68 69 70 71 82 83 91 96 100 101 102 111 115 132, (B4) 95, (B5) 6
appliances (B1) 3 84, (B3) 19 20 30 35 60 62 64 68 76 79 96 101 102 103 109 119 130, (B4) 128, (B5) 33
applicable (B1) 15 103, (B2) 73, (B3) 27 103, (B4) 12 147
application (B1) 3 15 16 18 25 35 42 44 45 57 69 70 113 142, (B2) 2 3 5 14 15 18 21 23 27 28 32 39 40 45 49 52 55 58 63 64 65 67 68 69 70 71 72 73 74 75 76 77 78 80 81 82 83 84 85 86 87 91 93 94 112 115 119 135, (B3) 25 26 35 43 44 46 49 57 63 65 76 79 89 92 93 119 130 135 149, (B4) 22 32 36 49 92 97 100 105 138 154 156, (B5) 9 21 23 29 30 37 38 39 68 82 91 101
application gateway (azure) (B3) 105
application service principals (B2) 91 93
application-layer (B5) 23
application-layer logs (B5) 23
applications (B1) 3 15 16 25 42 43 44 45 48 51 67 83 120 121 126 129 142, (B2) 14 17 18 21 24 30 31 32 39 40 45 47 48 52 53 54 55 56 64 65 66 71 72 73 75 77 91 92 120 127 135, (B3) 6 10 29 44 61 63 79 119 149, (B4) 12 37 53 105 136 142 143 156, (B5) 23 31 37 38 39 62 70 74 76 82 101
applied (B1) 10 58 61 67 78 79 82 83 87 89 92 93 94 101 105 109 113 116 118 121, (B2) 10 20 45 48 49 51 87 88, (B3) 11 23 24 25 26 27 28 41 42 46 127 131 132 133 134, (B4) 8 22 26 46 47 48 66 83 106 147 154, (B5) 71
applies (B1) 5 88 92 103 118 121, (B2) 41 45 52, (B3) 23 25 36 39 40 44, (B4) 48 74 79, (B5) 49
apply (B1) 5 16 25 74 75 76 82 89 92 93 98 101 103 104 111 134, (B2) 8 46 49 51 52, (B3) 10 11 24 26 27 44 46 47, (B4) 8 11 26 45 47 48 76 85 147, (B5) 26 36
applying (B1) 12 80 82 89 92 109 123, (B2) 10 52, (B3) 11 72, (B4) 23 25 47 66 68 76 83
applying policy guardrails (B1) 82
appreciates (B4) 38
approach (B1) 5 10 11 12 15 16 19 21 22 28 29 41 69, (B2) 6 10 13 14 19 22 33 54 93, (B3) 57 60 65 89 96 103 135 136 138, (B4) 6 7 47 66 137 148 150, (B5) 4 37 54 59 61 99
approached (B2) 3, (B3) 56
approaches (B1) 19 105, (B4) 134
approaching (B2) 12, (B4) 139
appropriate (B1) 76 87, (B2) 18 74 124, (B3) 23 35 42 58 59 111 146 147, (B4) 12 117 119 152, (B5) 14 26
appropriately (B1) 60
approval (B1) 42 127 131, (B2) 36
approvals (B2) 60
approved (B1) 98 104 131, (B2) 39 48, (B3) 41 135 139, (B4) 20 87 95
approximately (B1) 34
apps (B1) 13 15 16 30 44 46 66 108 126 136 142, (B2) 14 17 18 21 22 47 54 55 71 112 135, (B3) 79 149, (B4) 156, (B5) 101
appscripts (B1) 66
arafat (B4) 134
arc (B5) 47 75
architect (B1) 7 8 9 10 12 15 16 17 19 25 32 33 100 142, (B2) 13 14 17 98 135, (B3) 6 9 55 95 102 149, (B4) 105 156, (B5) 33 101
architecting trust in an untrusted network (B2) 16
architects (B1) 5 33 82 129 135, (B2) 4 13 67 85 98 110, (B3) 6 8 39 43 48 49 68 71 100 138, (B4) 14 34 37 38 41 65 76 95 134 146, (B5) 12 60 62 66 84
architectural (B1) 6 10 11 15 30 32 48 76 80, (B2) 13, (B5) 66 70 83
architecture (B1) 7 12 17 30 133, (B2) 66 98, (B3) 5 8 9 68 69 79 89 111 120 146, (B4) 14 65 66 68 101 102 105 106 107 110 114 117 130, (B5) 86 99
architectures (B1) 3 12 82 127, (B2) 4 16 73, (B3) 5 49 60 63 68 95, (B4) 32 61, (B5) 12 45 66 68 75 77 82 99
archival (B5) 46
archive (B1) 84, (B4) 38 148, (B5) 22 47 49
archived (B5) 22
archiving (B5) 22
area (B1) 1 2 9 24 37 38 39 40 48 50 51 64 65 72 73 75 96 97 110 111 141, (B2) 1 2 26 27 28 61 62 63 69 70 82 83 84 126 127 132 133 134, (B3) 1 2 3 4 32 33 34 51 52 53 66 67 71 77 78 86 87 88 107 108 113 114 121 122 123 148, (B4) 1 2 3 17 29 30 31 43 58 59 74 88 89 90 112 113 115 116 131 132 133 155, (B5) 2 17 18 19 56 57 58 72 73 80 81 87 88 89 95 96 100

areas (B1) 13 23 27 30, (B2) 11, (B4) 53
ares (B3) 23
argue (B1) 10 30 76
arguments (B1) 59, (B2) 107 125
arise (B1) 14 41, (B2) 12, (B3) 29, (B4) 52, (B5) 12
arises (B1) 11 131 139, (B3) 24 35
arm (B1) 106 107, (B4) 68
armious (B1) 30
arn (B1) 5 39 74 112 118 139, (B2) 105 106 107 128, (B4) 38 50 56 57 109 122 125, (B5) 55
arn: identifies the ca resource (B2) 106
arn:aws:ec:us-east-::instance/i (B1) 118
arn:aws:iam::*:mfa/* (B2) 42
arn:aws:iam::*:user/${aws:username} (B2) 42
arn:aws:iam:::oidc-provider (B2) 124
arn:aws:iam:::role/delos-ca-outliers-api (B2) 108
arn:aws:iam:::role/my-role (B1) 118, (B2) 90, (B4) 104 122
arn:aws:iam:::role/nymeria-workload-identity-role (B2) 125
arn:aws:iam:::root"} (B4) 120
arn:aws:iam::your_aws_account_id:oidc-provider/sts.windows.net/ (B5) 79
arn:aws:rolesanywhere:us-east-: (B2) 107
arn:aws:s:::mybucket (B2) 79
arn:aws:s:::nymeria-cross-cloud-azure/* (B2) 124
around (B1) 25 27 29 30 35 100 115, (B2) 6 7 11, (B3) 31, (B4) 4 51 87 128, (B5) 5 33 91 99
arrange (B5) 61
arrive (B1) 7
arrow (B1) 35
articulate (B1) 112
artifact (B1) 86
artificial (B2) 5
asa (B4) 103
asff (B5) 41
ashariest (B3) 39
aside (B3) 128, (B4) 37
ask (B1) 9 10 21 35 80, (B2) 112, (B4) 93, (B5) 61
asked (B1) 35 63, (B2) 54
asking (B1) 19
asocitan (B5) 4
aspect (B1) 30 32 76 90, (B2) 8, (B3) 134, (B5) 59
aspects (B1) 10 15 16 92, (B2) 8 11 21, (B3) 35 69 76, (B5) 90
aspirational (B1) 32
assemble (B1) 21
assert (B2) 112
asserted (B2) 6
assertion (B1) 43 59 113, (B2) 6 71
assertion.sub (B2) 129
assertions (B1) 43, (B2) 122 128
assess (B1) 98, (B4) 11 138
assessing (B4) 7 136
assessment (B1) 23 30 98, (B2) 8 31 36, (B4) 136
assessments (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
asset (B1) 7, (B2) 8 9 17, (B3) 5, (B4) 8 105, (B5) 41
assets (B1) 13 32 94, (B2) 7 8 9 11 13 14 17 45 93, (B4) 32 80 138, (B5) 24 51 91
assets.those (B2) 12
assign (B1) 22 48 52 58 107 120 122 128 129, (B2) 24 76, (B3) 10 16 22, (B4) 18 63 152, (B5) 49
assign permissions across accounts (B1) 58
assigned (B1) 48 54 58 70 93 94 115 116 120 121 123 125 126 129 131 133 136, (B2) 4 8 24 33 48 65 76 85 87 88 91 94 96 98 110 120, (B3) 5 13 16 22 24 25 58 128 131 132 134, (B4) 26 44 63 81 101 110 152 154, (B5) 49
assigning (B1) 58 61 82 113 116 121, (B2) 87 112, (B3) 127, (B4) 26 36 72 106, (B5) 49
assignment (B1) 48 57 101 105 113 121 126 140, (B2) 85 87, (B4) 72 154, (B5) 49 62
assignments (B1) 54 78 79 93 101 121 127 129 131, (B2) 8 98 118, (B3) 29 58, (B4) 154, (B5) 49
assigns (B2) 76
assigns permissions (B2) 76
assist (B2) 13, (B5) 10
assistance (B2) 13, (B3) 133
associate (B2) 93 105, (B3) 74 81 142
associated (B3) 26
associating (B3) 39 81, (B4) 80
association (B3) 74 95 145, (B4) 81 109
associations (B3) 72 145
assume (B1) 21 27 52 58 125 133 138 139, (B2) 16 78 79 88 89 90 98 105 107 109 110 122 124 125, (B3) 106 110, (B4) 7 139, (B5) 31 54 78
assume local execution roles (B2) 88

assume-role (B1) 134, (B2) 89 124
assume-role-with-saml (B2) 89 124
assume-role-with-web-identity (B2) 77 89 124 125
assumed (B1) 114 115, (B2) 6 87, (B5) 31
assumerole (B1) 138
assumes (B2) 73 77 80, (B5) 78
assuming (B2) 13 98 105 107, (B3) 13 111 120, (B4) 41, (B5) 55
assumption (B1) 139, (B2) 77 79 89 90 98 105 106 107 109 125
assumption/impersonation (B2) 98
assumptions (B1) 19
assurance (B3) 100, (B4) 48 153
asterisk (B3) 24, (B4) 120
asymmetric (B4) 92 98
asymmetrically (B3) 101
asynchronous (B4) 63 64 138
asynchronously.this (B1) 22
at-rest (B4) 33
atgw (B3) 99
atheiy (B1) 116
athena (B2) 22 49, (B3) 16, (B4) 12, (B5) 22 25 44 45 46 47
atmure (B5) 6
atrafnfic (B3) 20
ats (B5) 30
attach (B1) 23 78 89 92 94 123, (B2) 104, (B3) 13 16 30 36 44 49 72 76 134, (B4) 24 50 85 122 125
attach/connect (B3) 72
attach/connect the spoke (B3) 72
attached (B1) 7 80 83 94 98 103 114 115 116 117 118 123 124 125 137, (B2) 16 79 88 89 90 92 104, (B3) 12 16 18 20 23 27 39 40 41 69 76 81 94 95 98 103 125 131 136 138, (B4) 24 36 44 52 53 54 57 103 105 120, (B5) 34
attaching (B1) 61, (B3) 36 69 96 102, (B4) 25 26 34 53, (B5) 31
attachment (B1) 78 92 93 94 117, (B3) 18 70 72 74 101 146, (B4) 53
attachment-subnet-a (B3) 72
attachments (B1) 78, (B2) 92, (B3) 69 72 74 79
attack (B1) 7 11 16 17 19 24 29 38 104, (B2) 32, (B3) 38 41 57 60 100 124 125, (B4) 13 38 66 117 144 148 154, (B5) 4 7 10
attack surface (B1) 106
attacker (B1) 19 20 109, (B2) 12, (B3) 57 112 137, (B4) 37 118, (B5) 6 54
attacker-controlled (B3) 137 138
attackers (B1) 24, (B2) 41 44 96 102, (B3) 7 55, (B4) 6 67 98, (B5) 42
attacks (B1) 17 18, (B2) 4 10, (B3) 44 89, (B4) 6 8 13 33 84 139 144 145, (B5) 4 11
attainment (B2) 8
attempt (B1) 19, (B2) 43 49, (B5) 11
attempted (B1) 138
attempting (B1) 121, (B2) 30 48 54 109, (B4) 27
attempts (B1) 121, (B2) 47 54 58 79 103 113 123, (B3) 147, (B4) 16 47 67 126, (B5) 11
attention (B1) 29 30 80, (B2) 15, (B5) 36
attestations (B1) 86
atthew (B1) 135, (B3) 8, (B4) 79
attractions (B2) 70
attractive (B3) 60
attribute (B1) 4 59 70 80, (B2) 43 44 68 74 78 104 116 117 118, (B3) 102 134
attribute.claim (B2) 129
attribute.custom_value (B2) 129
attribute.sub (B2) 129
attributes (B1) 40 43 48 52 53 54 56 57 59 60 69 113, (B2) 8 30 31 32 33 36 41 46 72 73 74 79 81 104 105 107 129, (B3) 95 134, (B4) 87
attributes/compliance (B2) 30
aud (B2) 68 115 118 120 123 129
audience (B2) 90 92 114 115 118 120 122 123 125 128 129 130, (B4) 152
audiences (B2) 129
audit (B1) 76 91 103 106 107 108 128 130 131 138, (B3) 5 38 44 46 47 49 147, (B4) 11 33 34 38 41 42 46 49 69 95 105 107 123 127 129 147 153 154, (B5) 21 25 26 31 39 46 47 49 50 52 53 59 68 70 78 81 82 83 84 86 88 94
audit log (B4) 49
audit log sink (B4) 49
audit logging (B4) 33
audit logging per key (B4) 105
audit resources for non- (B1) 106
audit-ready (B3) 35
auditing (B2) 91, (B3) 28 35 42 46, (B4) 41 66 69 91 117
auditor (B1) 30 129 130
auditors (B1) 48, (B4) 117
audits (B3) 35, (B5) 57
augment (B2) 17, (B4) 100, (B5) 16 42
augmented (B5) 45
augmenting (B2) 10 73
august (B2) 39
auth (B1) 137 138, (B2) 4 32 64 81 103 131, (B3) 95, (B5) 62
auth0 (B2) 32 81
authenticate (B1) 3 44 53 54 56 57 59 114 127, (B2) 17 19 45 54 66 72 73 75 83 85 86 87 89 91 92 103 105 110 112 123 131, (B4) 150 152 153, (B5) 81

authenticated (B1) 42 43 44, (B2) 17 22 24 47 64 65 73 75 76 77 112 113 124 125, (B4) 34 45 67 153
authenticates (B1) 44 63 114, (B2) 72, (B4) 150 151
authenticating (B1) 42 62 63 69 71, (B2) 6 19 64 65 71 73 85 86 87 100 105 110 124
authenticating application end users (B2) 65 71
authenticating cross-cloud machine identities (B2) 85
authentication (B1) 19 22 25 41 42 43 44 46 54 59 66 67 126 127 128 135 136 138 139, (B2) 2 3 4 6 8 9 10 17 19 22 23 24 27 28 29 30 32 33 41 45 46 47 49 56 58 63 64 65 67 68 70 71 72 73 75 76 77 78 83 84 85 86 89 90 91 93 96 98 100 101 102 103 104 106 107 110 112 113 114 115 128 130, (B3) 94 124, (B4) 7 8 12 37 109 118 119 122 153, (B5) 24 37 88
authentications (B1) 44, (B2) 53
authenticator (B1) 136 137
authenticity (B1) 42
authn/authz (B2) 46
author (B1) 142, (B2) 118 135, (B3) 149, (B4) 156, (B5) 101
authored (B1) 142, (B2) 135, (B3) 149, (B4) 74 156, (B5) 101
authoritative (B1) 126, (B2) 19
authorities (B2) 49 104
authority (B1) 89, (B2) 23 67 102 104 105 106
authorization (B1) 19 25 41 48 63 66 94 98 101, (B2) 4 8 18 19 20 23 24 30 33 64 65 71 73 75 76 101 112 113 114 118, (B3) 46 47 94 125, (B4) 8 20 36 74 76, (B5) 37 91
authorize (B1) 63, (B2) 19 20 66 67 77, (B3) 25 59 145, (B4) 65 75 76
authorized (B1) 25 63 113 121 136, (B2) 14 19 22 24 29 49 112, (B4) 12 47 72 73 74 75 76 78 80 87 103 150, (B5) 49
authorizes (B4) 72 150, (B5) 53
authorizing (B1) 63, (B2) 64 71 112, (B3) 22 23 103 145, (B4) 74 76
authorizing application end users (B2) 65 71
authorizing traffic flow (B3) 23
authorizing traffic flow: stateful vs. stateless (B3) 23
authorizing traffic in the cloud (B3) 22
auto-data-tokenize (B4) 86
auto-generated (B1) 34, (B3) 12
auto-populates (B4) 28
auto-remediate (B1) 98 111, (B3) 44 46 47
auto-s- (B4) 103
auto-scaling (B3) 96 100 101 102 115
automate (B1) 90, (B2) 58 86, (B4) 135 153, (B5) 62
automated (B1) 22 30 49 88 127, (B3) 6 100, (B4) 21 85 86 135 136 141 150 151 153 154, (B5) 7 21
automated response (B5) 7
automatic (B1) 54 56 57, (B2) 94, (B3) 11 46 140, (B4) 140
automatic user and group provisioning (B1) 56
automatically (B1) 18 27 35 54 55 58 76 80 104 120 127 131, (B2) 8 24 25 78 87 91 92 94 120 123 128, (B3) 12 22 23 24 27 61 72 102 115 128 130 132 140, (B4) 12 15 25 26 37 38 40 46 60 80 85 101 103 123 135 138 140 145, (B5) 26 27 30 31 38 39 47 49 51 52 82 83
automatically provisioned users (B1) 54
automation (B1) 32 49 69 77 101 102 107 120 142, (B2) 4 5 8 101 135, (B3) 6 7 149, (B4) 134 135 156, (B5) 5 21 61 62 101
autonomous (B3) 72
ava (B2) 39 40
ava)is (B2) 39
availability (B1) 19 127, (B2) 53 66, (B3) 12 24 58 72 81 82 84 100 101 102 106 110 115 138 140, (B4) 12 13 33 134 135 138 139 140 141 142 145 148 152, (B5) 8 67
available (B1) 33 35 57 62 66 74 75 78 98 100 103 108 127 136, (B2) 10 24 29 33 36 39 66 72 74 75 92 100 117, (B3) 16 21 29 41 69 119 127 130 133, (B4) 28 32 36 45 53 56 130 139 140 142 148, (B5) 4 9 20 23 25 26 27 29 33 37 40 43 47 60 66 68 70 74 75 76 82 83
available device policy (B2) 36
average (B2) 46
avoid (B1) 41 43 45 82, (B2) 24 73 85 96, (B3) 14 56 100, (B4) 34 38 59 84 142, (B5) 45
avoided (B2) 53
avoiding (B3) 63
avoids (B2) 11 96
avro (B4) 61 62, (B5) 66 78 84
avs (B4) 74
await (B1) 57 88
aware (B1) 25 33, (B2) 31 33 38 101, (B3) 67, (B4) 34 44 97, (B5) 12 49
aware proxy (B2) 31
awareness (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
away (B1) 112 114 136, (B2) 21, (B5) 12 37
awes (B1) 57, (B3) 11
aws account (more complicated (B4) 109
aws alternate security contacts (B5) 13
aws bucket-level acls: permissions (B4) 45
aws centralized customer-managed encryption key architecture (B4) 117
aws cloudtrail (B5) 30
aws cloudtrail events (B5) 31
aws cognito (B2) 78 80
aws cognito authentication (B2) 72 75 76 77
aws cognito authentication: identity pool sequence diagram (B2) 77

aws cognito authentication: identity pools (B2) 76
aws cognito authentication: user pool sequence diagram (B2) 75
aws cognito authentication: user pools (B2) 72
aws cognito: putting it all together (B2) 80
aws cognito: zero trust iam policy example (B2) 78
aws config (B1) 84, (B2) 88, (B3) 6, (B4) 16 41, (B5) 21
aws control policies (B4) 48
aws control policies: controlling s3 access (B4) 48
aws customer-managed encryption key sharing (B4) 119
aws federated iam role trust policy (B2) 124
aws federated identity configuration (B2) 122
aws firewall manager (B3) 43 44 46
aws firewall manager: security group policy types (B3) 46
aws gateway vs. interface endpoints (B3) 133
aws iam identity center (B1) 53 54 56 57 61 62 63
aws iam identity center: cli user experience (B1) 63
aws iam identity center: console user experience (B1) 62
aws iam identity center: delegating functionality (B1) 61
aws iam identity center: identity storage options (B1) 53
aws iam roles anywhere (B2) 105
aws iam roles anywhere certificate revocation (B2) 109
aws iam roles anywhere trust anchor (B2) 106
aws iam roles anywhere trust policy (B2) 107
aws identity center (B1) 58 59
aws identity center: assign permissions across accounts (B1) 58
aws identity center: leveraging abac (B1) 59
aws identity constructs (B1) 114
aws identity provider (B2) 123
aws identity-based vs. resource-based policies (B1) 116
aws kms key cross-account service-linked role permissions (B4) 123
aws kms key cross-account sharing (B4) 122
aws kms key default policy (B4) 120
aws logging iam role policy (B4) 125
aws macie (B4) 27
aws member account (B1) 90
aws network infrastructure (B3) 89
aws object-level acls: permissions (B4) 45
aws offerings for consuming services privately (B3) 130
aws organizations (B5) 13
aws organizations hierarchy (B1) 90
aws policy documents and statements (B1) 118
aws role assumption and trust policies (B2) 89
aws root node (B1) 90
aws s3 sse data access permission model (B4) 126
aws s3 use cases (B4) 49 50 51
aws s3 use cases: data lake (B4) 51
aws scp goals (B1) 104
aws service control policy (B2) 41 43 44
aws service control policy: allowed/disallowed ip ranges (B2) 44
aws service integration (B4) 123
aws service principals and workload permissions (B2) 88
aws shield (B3) 44 105
aws trust policy examples (B2) 90
aws verified access (ava) (B2) 39 40

aws verified access (ava) – access policies (B2) 40
aws vpc endpoint access control (B3) 136
aws vpc endpoint default policy (B3) 137
aws vpc gateway endpoints (B3) 132
aws vpc interface endpoints (B3) 131
aws vpc lattice (B3) 95
aws vpc lattice: east-west traffic inspection policies (B3) 95
aws vpc network vpc limits (B3) 56
aws well-architected framework (B1) 30
aws-based (B1) 27
aws-customer-security-incidents (B4) 32
aws-managed (B3) 81, (B4) 103
aws-mfa (B2) 43
aws-perspective (B1) 33
aws-specific (B1) 54 55
aws/google (B1) 48
aws/service (B4) 101
aws: authorizing traffic flow: stateful vs. stateless (B3) 23
aws: centralized logging pattern (B5) 51
aws: centralizing audit logs in s3 (B5) 53
aws: kinesis log export pattern (B5) 74
aws: organizing s3 objects with prefixes (B4) 52
aws: route table targets (B3) 18
aws: s3 access control lists (B4) 45
aws: s3 access point policies (B4) 54
aws: s3 access points (B4) 53
aws: s3 and sqs log export pattern (B5) 76
aws: s3 block public access settings (B4) 47
aws: s3 object ownership controls (B4) 46
aws: s3 policy evaluation logic (B4) 44
aws: securing cross-account service principals (B5) 54
aws: security groups (B3) 25
aws: security lake / (B5) 61
aws: service control policies (scps) (B1) 103
aws: well-architected framework pillars (B1) 32
aws:multifactorauthpresent (B2) 43
aws:principalorgid (B3) 139
aws:principaltag/xsubject/cn (B2) 107
aws:resourceorgidconditions (B3) 139
aws:securetransport (B4) 48
aws:sourceaccount (B2) 107, (B4) 50 123, (B5) 54 55
aws:sourceip (B2) 44, (B5) 54
aws:sourceorgpaths (B5) 54
aws:useragent (B2) 44
awslabs/git-secrets (B2) 86
azcopy (B4) 150 151 152 153
azcopytool:the (B4) 150
azure activity log events (B5) 28
azure activity logs (B5) 27
azure ad (B1) 46, (B2) 64
azure and google cloud (B3) 12
azure and google cloud certificate authentication (B2) 103
azure and google cloud certificate limitations (B2) 104
azure application service principals (B2) 91
azure audit logs (B1) 138
azure built-in policy definitions (B1) 108
azure customer-managed encryption key architecture (B4) 110
azure dns (B3) 142
azure dns private zones (B3) 142
azure firewall manager (B3) 43
azure firewall manager and defender for cloud (B3) 49
azure front door (B3) 105
azure managed identities (B2) 92
azure managed identity github federation (B2) 118
azure network and application security groups (B3) 26

azure network limits (B3) 56
azure network management (B3) 42
azure network management – leveraging resource groups (B3) 42
azure offerings for consuming services privately (B3) 127
azure policy (B1) 106 108, (B4) 28
azure policy built-in tag definitions (B4) 26
azure policy/deny assignments (B1) 101
azure private endpoints (B3) 127
azure resource hierarchy (B1) 92
azure resource hierarchy example (B1) 93
azure resource log events (B5) 29
azure resource logs (B5) 29
azure role assignments (B4) 154
azure role based access control (rbac) assignment (B1) 121
azure root management group (B1) 93
azure storage lifecycle management (B4) 40
azure subscription (B4) 109
azure virtual machine identity token (B2) 120
azure virtual network service endpoints (B3) 127
azure virtual wan (B3) 85
azure well-architected framework (B1) 30
azure-hosted (B4) 153
azure.com (B3) 124
azure.net (B3) 124
azure/gcp (B1) 133
azure/google (B1) 105
azure/google guardrail policy inheritance model (B1) 105
azure: centralized logging pattern (B5) 49
azure: event hub log export pattern (B5) 70
azure: route table targets (B3) 20
azure: sentinel (B5) 61

--- B ---

b2b (B1) 46 139, (B2) 65
b2c (B1) 46, (B2) 64 65
back (B1) 131, (B2) 10 17 19 43 67 68 80, (B3) 6 14 33 59 81 83 85 89 91 96 98 99 102 104 106 110 111, (B4) 56 148, (B5) 82
backbone (B1) 25, (B3) 19 29 30 31 80 83 102 106 125 127 128 130 135 138 146, (B4) 56
backed (B1) 129, (B2) 17 18 19 23 24 27 71 76 77 81 85 86 94, (B3) 31 41 102 118 135, (B4) 49 96 97 126, (B5) 34 61
backend (B4) 49
background (B1) 20 89
backgrounds (B1) 21
backpack (B1) 23
backup (B1) 4 32 129 137, (B3) 79, (B4) 13 14 18 22 33 68 91 134 135 136 138 139 140 141 142 143 144 145 148 150 152 153 154
backups (B1) 91, (B3) 79, (B4) 12 134 135 136 138 139 141 142 147 148 149 150 152 153 154
backups/orangehrm/app/ (B4) 154
backups:keeping (B4) 141
bad (B1) 7 98, (B2) 10 17 18, (B5) 4 42
baked (B1) 52 94 113, (B2) 55 113, (B4) 56 140
balance (B1) 100, (B2) 10, (B3) 16 102 111 115, (B5) 36 44
balanced (B4) 138
balancer (B3) 13 14 15 18 19 21 30 41 60 101 102 103 104 105 106 108 109 110 111 112 115 118 120 130 135, (B5) 36
balancers (B3) 25 46 95 100 101 103 144, (B4) 141 145, (B5) 33 34
balances (B3) 64 111
balancing (B3) 19 101 102 140
ban (B1) 62, (B3) 69, (B5) 30
bandwidth (B1) 13, (B3) 84 103 138
barely (B2) 13
barest (B1) 114
bargain (B1) 100
base (B1) 29 54 57 86 87, (B2) 18 31 55 71 113, (B3) 49 115, (B4) 32, (B5) 5
based (B1) 4 28 33 34 44 57 59 67 82 104 114 116 117 118 121 127 129 142, (B2) 6 19 29 31 32 33 36 44 48 49 51 58 65 78 79 89 96 104 105 107 125 135, (B3) 6 27 44 49 57 92 93 94 98 111 119 128 149, (B4) 7 12 21 28 33 36 52 60 76 78 83 85 86 87 103 135 136 140 147 148 153 156, (B5) 22 34 42 61 67 90 99 101
baseline (B2) 16 55, (B5) 42
baseurl-decoding (B2) 120
basic (B1) 5 42 112 123, (B2) 31 32 33 34 38, (B3) 10 12 22 31 76 119, (B4) 71, (B5) 22 40
basic policy (B2) 34
basics (B2) 112, (B3) 12 119
basis (B1) 20 57, (B2) 8 16 18 22, (B3) 128, (B4) 97 147, (B5) 13 25 27 30 50
bastion (B1) 84 133 134 139, (B2) 98 99, (B5) 84
bastions (B1) 134

batch (B2) 85, (B4) 60 61 85 86, (B5) 64 68
batches (B4) 61, (B5) 83
bcustomezr (B4) 20
bdfa-dfb-b-a-cbef (B2) 68
beam (B4) 60 61 62 86, (B5) 33 69
bearer (B1) 56, (B2) 112 113 118
bearers (B2) 113
became (B1) 125, (B2) 10 13 21 24
because (B2) 41
because of the boolifexists (B2) 41
become (B1) 22 29 78 80 86 87, (B2) 13 21 22 64 101, (B3) 25 65 68 100 102 116 138, (B4) 53 66 98 120 140, (B5) 28 40 68 82
becomes (B1) 13 17 22 29 61 92 109 133, (B2) 6 14 24, (B3) 6 35 100 120, (B4) 66 103 106 107 144 147, (B5) 37 45 66 90
becoming (B1) 19 21 32, (B3) 119, (B4) 120
bee (B1) 10 57 71 86, (B2) 113, (B4) 54, (B5) 23 54
began (B1) 92 125, (B2) 13
begin (B1) 5 12 14 21 35 40 92, (B2) 13 60, (B4) 154
beginners (B1) 33, (B3) 42
beginnoing (B1) 18, (B2) 3 10 13 14, (B3) 119, (B4) 51 83, (B5) 8
begins (B1) 12 89, (B2) 3 6, (B4) 153
behalf (B2) 88 93 94 112, (B4) 123
behavior (B2) 5 8 10 32 54 94, (B3) 119, (B4) 46 51 144, (B5) 37 62
behind (B3) 81 133 137, (B4) 50, (B5) 91
belief (B2) 12
believe (B1) 14
believed (B1) 20, (B2) 12
bells (B1) 33
belong (B3) 130, (B4) 15
belonging (B1) 23
belongs (B1) 21 140
belt (B2) 14, (B5) 54
benchmark (B1) 30, (B3) 44, (B5) 40
benchmarks (B1) 30
beneath (B1) 90 92
beneficial (B1) 100, (B3) 63, (B4) 141
benefit (B1) 82 88, (B2) 92 120, (B4) 54, (B5) 16 32 54 61
benefits (B1) 43 45, (B2) 17 23 75, (B3) 11 38 63 76 80, (B4) 135, (B5) 44
benefits of centralizing identity (B1) 45
benevolently (B5) 53
besides (B5) 25
bespoke (B1) 54 80, (B2) 14, (B5) 24
best (B1) 10 12 18 21 22 30 32 61 74 75 82 90 91 100 104 112 114 116 128 137 142, (B2) 13 43 47 75 85 86 96 135, (B3) 25 54 64 100 102 149, (B4) 12 14 15 16 21 51 66 107 117 136 156, (B5) 8 12 14 40 51 52 71 94 101
best practice guides from the cloud vendors (B1) 30
better (B1) 5 10 13 80, (B2) 78, (B3) 64, (B4) 4 9 100 119 127, (B5) 20 21 39 61
beyond (B1) 18 33, (B2) 12 13 14 17 18 19 20 21 23 29 31 32 33 34 35 36 37 38 39 73 76, (B3) 35 119 134, (B4) 6 7 44, (B5) 23
beyond the basics (B3) 119
beyondcorp (B2) 12 17 18 31 34 35 36 37 38, (B3) 134
beyondcorp enterprise (B2) 33
beyondcorp enterprise: access protection (B2) 33
beyondcorp: access context manager (B2) 34 35 36 37
beyondcorp: access context manager – advanced policy (B2) 37
beyondcorp: access context manager – basic policy (B2) 34
beyondcorp: access context manager – device policy (B2) 36
beyondcorp: access context manager – nested policy (B2) 35
beyondcorp: access control engine (ace) (B2) 18
beyondcorp: identity aware proxy (B2) 38
beyondcorp: zero trust for the user (B2) 17
beyondprod (B2) 12 21 23
beyondprod.where (B2) 21
beyondprod: core characteristics (B2) 23
beyondprod: zero trust for workloads/services (B2) 21
bgp (B3) 21 81
bi (B4) 61
bi-directional (B3) 101
bia (B4) 136
big (B1) 19 27 33 78 80 89 98 101 125 126, (B3) 100, (B4) 84 107, (B5) 21 22 99
bigger (B3) 125
biggest (B2) 44
biglake (B5) 22

bigquery (B1) 71 94, (B3) 29 31, (B4) 2 3 9 17 28 31 43 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 108 133, (B5) 26 46 50 61 69 88 93
bigquery admin (roles/bigquery.admin (B4) 70
bigquery architecture considerations (B4) 66
bigquery authorized view permissions (B4) 75
bigquery authorized view query (B4) 73
bigquery centralized access control workflow (B4) 72
bigquery centralized data warehouse architecture (B4) 68
bigquery column-level dynamic data masking (B4) 83
bigquery column-level dynamic data results (B4) 84
bigquery column-level query results (B4) 82
bigquery column-level security (B4) 80
bigquery decentralized access control risks (B4) 67
bigquery decentralized warehouse architecture (B4) 65
bigquery iam permissions roles (B4) 70
bigquery job user (roles/bigquery.jobuser (B4) 70
bigquery key components (B4) 63
bigquery row-level query results (B4) 79
bigquery row-level security (B4) 78
bigquery table access control options (B4) 76
bigquery transitive data set access (B4) 74
bigquery.tables.viewer (B1) 94
bill (B3) 68, (B4) 61
billed (B4) 140
billing (B1) 27 76 90 91 114 129, (B4) 15 21 22 25, (B5) 13 15
billions (B2) 21
binaries (B1) 86
binary (B2) 23 107, (B5) 66
binary authorization (B2) 105
bind (B1) 134
bindable (B1) 139
binding (B1) 124, (B2) 86 93
bindings (B1) 67 71 78 79 124 140, (B2) 130
binds (B1) 123
biometric (B4) 20
bit (B1) 33 139, (B2) 13, (B5) 22 52
black-box (B1) 18
blackhole (B3) 74
blame (B4) 33
blank (B1) 1 2 37 38 39 40 50 51 64 65 72 73 75 96 97 110 111 141, (B2) 1 2 26 27 28 61 62 63 69 70 82 83 84 126 127 132 133 134, (B3) 1 2 3 4 32 33 34 41 51 52 53 66 67 77 78 86 87 88 107 108 113 114 121 122 123 148, (B4) 1 2 3 17 29 30 31 43 58 59 88 89 90 112 113 115 116 131 132 133 155, (B5) 2 17 18 19 56 57 58 72 73 80 81 87 88 89 95 96 100
blast (B1) 18 76 104, (B2) 22 96 113
blast radius mitigation (B1) 104
blessing (B4) 135
bloated (B1) 82 117, (B4) 52 53
blob (B4) 9 35 36 110 140 141 144 147 148 150 152 153 154, (B5) 22 29 68
blobs (B4) 147 154, (B5) 68
block (B1) 101 104, (B2) 29 32 40 47 49 51 53 56 57 60, (B3) 10 12 18 24 54 58 72 74 92 100 101 128, (B4) 23 24 34 47 48
block public access (B4) 34
block public access settings (B4) 47
block:access (B2) 47
blocked (B2) 45 49 51, (B3) 27, (B4) 47
blocking (B1) 98 105, (B2) 51 56, (B3) 24 27 93 100 114, (B4) 34 35 36, (B5) 10
blocks (B1) 25 106 112, (B2) 29 47 51, (B3) 9 10 12 18 81 92 130, (B4) 34 87
blog (B1) 60, (B2) 109, (B4) 92 94, (B5) 29 97
blogs (B1) 23, (B5) 64
blue (B5) 99
blueprint (B1) 30 101
blueprints (B1) 30 33
blunt (B3) 23, (B5) 52
blya (B2) 129
bmluetooath (B1) 23
board (B1) 22 49 142, (B2) 135, (B3) 149, (B4) 102 156, (B5) 101
boast (B4) 60
bob (B1) 46 120 125 126 139 140, (B2) 65 66
boil (B2) 10 41

boject (B4) 46
bold (B3) 6
bolts (B1) 6 9 10
book (B5) 99
boolean (B1) 123, (B2) 68, (B5) 15
boolean-based (B1) 109
boolifexists (B2) 41
bootstrap (B1) 129
bootstrapping (B1) 53
borg (B2) 21
botainedd (B5) 16
botnet (B5) 10
botnets (B5) 33
bots (B1) 117
bottlenecks (B1) 22
bottom (B1) 94
bound (B1) 78 94 123, (B2) 92 93, (B3) 10 30 124, (B4) 70, (B5) 43
boundaries (B1) 21 24 25 27 38 76 93, (B2) 10, (B3) 65, (B4) 6 52 154, (B5) 9
boundary (B1) 21 24 25 27 76, (B2) 10 101, (B3) 125, (B4) 52 87
bounded (B1) 24
box (B1) 35 57
boxes (B1) 35
boy (B2) 88, (B3) 23 68, (B4) 8
bpubelic (B3) 13
brainstorming (B1) 21 22
branch (B2) 118
brand (B1) 23
breach (B1) 25, (B2) 12 101, (B4) 38 66 95 128 129
breached (B2) 6 10 12
breaches (B1) 25, (B2) 13 21, (B4) 4 7 32 33 141
breadth (B3) 29, (B5) 4
break (B1) 22 52 127, (B2) 10 45, (B5) 92
break-glass (B1) 53 84 88 127 128 129 133 134 135 136 138, (B2) 53, (B4) 148 154, (B5) 90
break-glass identity bastion architecture (B1) 133
break-glass, root, super admin credential storage (B1) 135
break-glass, root, super admin mfa options (B1) 136
breakdown (B1) 136
breaking (B1) 52 89, (B3) 56
breaks (B4) 8
bremainizng (B3) 48
bresoeurced (B3) 24
bribed (B2) 12
bridge (B2) 88
brief (B1) 9, (B2) 14
bring (B1) 7, (B2) 65, (B3) 81 127, (B5) 8
bringing (B1) 7, (B2) 23
brings (B3) 31
bro (B1) 23
broad (B1) 92 105 142, (B2) 12 35 56 135, (B3) 31 117 149, (B4) 70 156, (B5) 32 101
broad policy enforcing mfa (B2) 56
broad vs. narrow policies (B2) 56
broaden (B2) 15
broader (B1) 19 20 61 106 113, (B2) 13 35, (B3) 26 58
broadly (B2) 23 56 57 73, (B3) 24 138
broken (B1) 32, (B4) 117
browse (B1) 71
browser (B1) 44 63, (B2) 31 36 48 54 55 56 67 68 70, (B4) 87
browsers (B2) 93
browses (B2) 67
browsing (B4) 117
brute (B2) 101, (B4) 84
bucket (B1) 94 114 128, (B2) 79 86 88 90 124 125 131, (B3) 30 132 134 137, (B4) 8 15 28 32 33 34 36 38 41 44 46 47 48 50 51 52 53 54 55 56 57 59 103 106 114 119 120 125 126 147 153, (B5) 25 26 30 31 32 48 50 51 52 53 57 69 76 78 81 88
bucket-level (B4) 45 47 52 54 55 57
buckets (B1) 71 94 117, (B2) 79 86, (B3) 79 130 133 137, (B4) 24 25 27 32 36 41 42 44 45 46 47 48 50 52 53 55 57 60 87 103 144 145, (B5) 23 31 32 42 46 48 68 84
buckets/storage (B1) 98
budget (B1) 86, (B2) 12 13, (B4) 142
budgets (B1) 129, (B3) 61
buffer (B5) 74
build (B1) 3 4 5 9 21 30 78 86 136, (B2) 4 25 64 75, (B3) 18 30 36 71 96 100 115, (B4) 4 8 72 85 87 109 139 153, (B5) 47
builder (B1) 86
builders (B1) 86

building (B1) 3 5 27 46 53 84 108 112 129 138 142, (B2) 19 20 21 72 76 101 106 110 135, (B3) 4 6 7 9 10 27 35 55 56 68 71 72 76 89 90 94 96 101 115 139 149, (B4) 21 23 25 26 28 61 66 70 72 73 80 86 110 134 135 138 139 140 141 142 143 156, (B5) 10 20 21 40 45 47 49 60 91 92 93 101
building a network infrastructure (B3) 9
building findings and insights (B5) 40
buildings (B1) 7
builds (B1) 14 83 86 129, (B2) 24, (B3) 6
built (B1) 54 79 86 89 92, (B2) 17 21 24 25 101 112, (B3) 30 89 131, (B4) 9 26 36 82 86 93 135 140 153, (B5) 5 22 33 60 69 92 93 98
built-in (B1) 108, (B4) 26
built-in policy definitions (B1) 108
bulk (B4) 61, (B5) 13
bulletins (B5) 10 12
bulob.ceore.bwindowzs.nyet (B3) 29
bundle (B2) 106
bundled (B1) 58 63 106
bunker (B1) 53
burden (B1) 41
burnout (B5) 59
business (B1) 7 9 10 12 13 22 32 46 80 82 100 113 125 136, (B2) 65 72 81, (B3) 4 19 63 79 93, (B4) 9 15 22 23 38 51 60 61 63 65 66 85 105 127 134 136 137 139 142 145 148 153, (B5) 4 7 8 62 86 93 99
business-driven (B1) 10, (B4) 51
business-specific (B1) 7
business-to-business (B1) 120, (B2) 65
business-to-consumer (B2) 65
businesses (B1) 10 16 28 77 125, (B4) 5 6 7 8 11 13 142, (B5) 61 62
busy (B4) 50
button (B1) 88, (B2) 67 85
bypass (B1) 44 127, (B2) 44 49, (B3) 112, (B4) 6 139 148
bypassing (B3) 84
bytes (B1) 103

--- C ---

ca (B2) 45 105 106
ca policy design (B2) 56 58
ca policy design: access driven policies (B2) 58
ca policy design: broad vs. narrow policies (B2) 56
ca policy session control (B2) 54
ca policy session control: sign-in frequency (B2) 54
cabaa---ad-eefbfe/ (B5) 79
caches (B1) 4, (B3) 58
caisat (B3) 7
calculated (B2) 16 123
calculates (B2) 20
calculations (B4) 63
calendar (B1) 66 126
calico (B1) 35, (B3) 94
call (B1) 103 136 137, (B2) 47 67, (B3) 132 136 137 143, (B4) 26 57, (B5) 30 61
called (B1) 15 18 23 30 42 44 46 49 52 54 63 89 90 98 114 125, (B2) 21 32 45 51 58 79 92 100 107 109 113, (B3) 10 47 85 130 136, (B4) 26 72 73 78 80 86 110 114 117 119 147, (B5) 25 32 34 44 51 61 74
caller (B1) 101 102 118, (B2) 89, (B4) 54 57 63 87
callers (B1) 25, (B2) 22, (B4) 55 57
calls (B1) 29 106, (B3) 146, (B4) 11 41 140 147, (B5) 39
came (B1) 30, (B2) 2 64 65 66 81, (B4) 76 95 97 105 107 109 117, (B5) 13 15 91
campaign (B5) 7 10
campaigns (B5) 10
campus (B2) 45
cana (B3) 134
canceling (B1) 117, (B2) 90 92 120, (B3) 124 131 136, (B4) 50 123 129
cane (B2) 18, (B5) 69
cannot (B1) 14 53 54 55 66 78 87 88 93 103 109 115 118, (B2) 4 11 54 56 88 92 93 94 104, (B3) 10 14 22 29 30 44 61 102 125 128 132 133, (B4) 6 38 46 47 52 95 98 101 102 120 128 139 147 152, (B5) 9 24 31 50 75
capabilities (B1) 13 33 34 42 46 52 53 61 67 84 85 89 106 126 137, (B2) 16 31 36 41 64 65 71 72 76 81, (B3) 10 30 43 68 79 96 115 119 134, (B4) 32 33 34 38 50 51 61 95 105 135 136 138 140 141 142 145, (B5) 3 4 6 7 21 22 23 25 36 38 40 42 45 53 61 62 71 74 75
capability (B1) 61 106 113 136, (B2) 29 100 105, (B3) 10 49 127, (B4) 34 80 138 145, (B5) 42 50 84
capable (B2) 6 14, (B5) 45 60 70 78 84
capacity (B5) 9
capec (B4) 84
capital (B1) 25
capped (B1) 86
capstone (B5) 94
captcha (B3) 44
capture (B1) 86, (B2) 43, (B3) 8 76, (B4) 41, (B5) 23 25 30 31 32 33 34 36 37 47 51 74
captured (B3) 8 69, (B4) 41, (B5) 6 23 31 47 51 82 83
captures (B5) 36 50
capturing (B3) 7, (B4) 41, (B5) 25 37 38 51

car (B1) 23
card (B3) 5, (B4) 20 105, (B5) 98
care (B3) 40, (B4) 149
career (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
careful (B2) 41 85, (B4) 122 135 141
carefully (B2) 74 85, (B4) 40 65 138 154, (B5) 31 60
carried (B2) 73
carry (B2) 77, (B3) 31, (B5) 5
carrying (B2) 4
carve (B1) 105, (B2) 45 53
carve-out (B2) 53
carved (B2) 88
cascade (B1) 105
case (B1) 11 14 48 59 70 84 89 109, (B2) 4 16, (B3) 42 81 85, (B4) 45 49 54 81 142, (B5) 10 75 77
cases (B1) 21 42 88 109 138, (B2) 53 88 100, (B3) 19 23 24 63 79 101 115 124 125, (B4) 32 33 49 50 51 93 102 145, (B5) 22 33 53 60
cataloged (B1) 20 22 113, (B3) 119, (B4) 80 81 85 86
catastrophic (B3) 100
categories (B1) 19 30, (B2) 47, (B4) 15, (B5) 4 15 27 30 42
categorize (B1) 32, (B4) 22 28 85
categorized (B1) 98, (B2) 49, (B5) 42
categorizing (B1) 19, (B4) 15
category (B1) 19, (B4) 20 95
catevgories.a (B4) 18
cause (B2) 32, (B3) 100, (B4) 107, (B5) 9 10 59
causes (B1) 56, (B4) 32
caution (B2) 44, (B3) 68, (B4) 134
cautious (B1) 18
ca{ (B2) 124
cbef/v. (B2) 68
ccpa (B4) 4
cd (B1) 86
cd/ci/ct (B1) 83
cdeeb-ab---dee (B2) 115
cdesignemd (B3) 80
cedar (B2) 40
cel (B2) 33
cell (B1) 136, (B2) 33 37
center (B1) 2 5 39 40 52 53 54 56 57 58 59 60 61 62 63 64 65 69 74 78 112 125 138, (B2) 12 13 21 31 40 43 73 81 85 90 100, (B3) 17 21 35 59 64 70 71 79 91 102 130, (B4) 4 9 15 16 21 22 23 25 85 93 141, (B5) 3 4 6 9 10 40 41 43 52 94
center native directory (idc) users (B1) 53
central (B1) 4 22 42 45 48 84 92 133 135, (B2) 16 23 78 98, (B3) 5 6 11 28 35 36 38 43 49 50 52 59 61 64 68 69 70 71 72 76 89 117, (B4) 51 65 66 68 80 127, (B5) 20 23 37 40 43 46 49 52 53 70 76 91 92 94
central dns logging (B3) 5
central ingestion: ingestion (B4) 66
centralization (B1) 48 100, (B3) 94, (B5) 2 52
centralization of security (B1) 100
centralization vs. decentralization (B1) 100
centralize (B1) 3 52 86 100 133, (B2) 98, (B3) 68 94 102
centralized (B1) 41 42 43 44 45 48 52 84 86 93 94 100 125 126 127 133 134 137, (B2) 4 17 81 104 105 106 112, (B3) 2 3 5 7 30 34 38 41 44 53 55 57 62 64 68 69 72 74 76 88 89 91 96 98 100 103 105 109 117 118 121 123 124 136 138 139 142 143 146 147, (B4) 11 41 59 65 66 68 69 70 72 89 107 109 110 113 114 116 117 118 119 122 123 127 128 130 132, (B5) 21 38 41 44 45 47 49 50 51 52 57 59 62 64 66 68 73 78 86 90 93 94
centralized customer-managed encryption key architecture (B4) 117
centralized data processing platform (B5) 64
centralized data warehouse (B4) 66
centralized keys (B4) 107
centralized logging pattern (B5) 49 50 51
centralized shared services architecture (B3) 146
centralized vpc endpoint policy example (B3) 139
centralizes (B3) 40 58
centralizing (B1) 2 3 5 39 40 45 46 48 50 74 89 91 112, (B2) 64 98, (B3) 2 3 32 33 34 38 53 88 123 138, (B4) 11 107 117 118 123, (B5) 2 3 19 25 41 44 49 51 53 56 58 59 89 92 96
centralizing audit logs in s3 (B5) 53
centralizing high-value cloud log sources (B5) 59
centralizing identity with microsoft entra id (B1) 46
centralizing private network access (B3) 138
centralizing workforce attributes with entra id (B1) 48
centrally (B1) 3 45 48 52 67 78 85 90 98 112 125 128 134, (B2) 73 75, (B3) 4 6 36 43 44 46 49 138, (B4) 14 66 68 69 109 119, (B5) 26 59 92
century (B2) 10
centzer.y (B1) 57
certain (B1) 16 33 46 59 103 114 127, (B2) 23 29 33 34 35 44 47 48, (B3) 25 41 42 44 47, (B4) 24 44 124 128 140, (B5) 21 34
certainly (B1) 23, (B2) 21

certificate (B1) 43 70, (B2) 17 24 91 96 98 100 101 102 103 104 105 106 107 108 109 117 123, (B4) 130
certificate and idp authentication challenges (B2) 101
certificate authority (B2) 108
certificates (B1) 139, (B2) 9 17 85 91 96 100 101 104 105 106 107 109 110, (B4) 130
certification (B2) 109
certifications (B3) 115 116
certified (B3) 116 125, (B4) 97 128
ceurtifiecate.b (B2) 104
cfssl (B2) 109, (B4) 32
cgatewamy (B3) 102
chain (B1) 86, (B2) 101 104 117, (B4) 6
challenge (B1) 17 48 66, (B2) 49 67, (B5) 7
challenged (B1) 33, (B5) 3
challenges (B1) 13 48 117, (B2) 98 101, (B3) 8 35 54 79 83 138, (B4) 36 135 138 146, (B5) 7 8
challenges for a cloud-focused soc (B5) 7
challenging (B1) 13 77 129, (B2) 4 64 101, (B3) 62, (B4) 23 36 41 66 76 107 128, (B5) 7 60
chance (B4) 148
chances (B2) 13, (B3) 80, (B4) 38
change (B1) 3 4 24 41 54 57 60 113, (B2) 4 18 27 32 41 44 49 54 60 62 78 118, (B3) 6 26 46 92 94, (B4) 46 53 144, (B5) 4 6 31 60
changed (B1) 60, (B4) 144
changes (B1) 3 13 15 35 49 85 106 121 130, (B2) 46 123, (B3) 46 92 120 131, (B4) 7 8 11 18 23 117 147 153, (B5) 27 28 29 31 61
changing (B1) 14 67 104 114, (B4) 130 144
channel (B5) 12
channels (B5) 12
character (B4) 21
characteristics (B1) 80 112 126, (B2) 22 23 78, (B5) 68
characterized (B1) 116
characters (B1) 23 116 117, (B3) 136, (B4) 15 22 83
charge (B5) 25
charged (B3) 70, (B4) 97
charges (B1) 76, (B3) 14 60 61 103 138, (B4) 60, (B5) 44
charlie (B5) 60
chat (B4) 37
cheaper (B4) 148
cheapest (B5) 47
check (B1) 41 86, (B2) 33 36, (B3) 119
checkbox (B1) 20
checklist (B3) 89 90
checks (B1) 98 121, (B2) 4 18, (B3) 96 100 102, (B4) 153, (B5) 40 41 78
chewy (B2) 12 13, (B3) 91
chief (B2) 13
child (B1) 61 78 79 80 84 89 92 93 101 105, (B3) 48, (B5) 90
child management groups (B1) 93
child/subordinate (B1) 89
china (B3) 83
choice (B1) 66 80 126, (B5) 8
choices (B4) 128
choke (B2) 16 23
choose (B1) 62 135, (B2) 54 65 76 100 101 106 110 123 129 130, (B3) 44 72 115 143, (B4) 18 56 145 146, (B5) 20 26 32 51 83
chooses (B2) 76
choosing (B2) 72 75, (B3) 14 115, (B5) 47 83
chose (B1) 35, (B3) 120 144
chosen (B1) 118, (B2) 13, (B4) 92
chris (B2) 13
chrome (B2) 36, (B3) 134, (B4) 87, (B5) 61
chronicle (B4) 28, (B5) 21 61 64
ci/cd (B1) 86, (B2) 86
ciam (B2) 81
ciamlogin.com (B2) 67
cidr (B3) 10 12 18 58 72 74 101 130, (B5) 16
cilium (B3) 94
ciphertext (B4) 93 98 100
circuit (B3) 84
circumstances (B1) 16 20 128, (B2) 47 94, (B4) 128
cirt (B5) 16
cis (B2) 12 13, (B3) 6, (B5) 39 40
cisa (B2) 12
cisa zero trust maturity model (B3) 6
cited (B1) 4
cites (B1) 4
city (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
civilian (B2) 12 13
claim (B2) 74 115 118 123 129, (B4) 152
claims (B1) 43 70, (B2) 40 65 70 73 74 75 78 79 92 112 113 114 116 120 125 128 129, (B4) 47
claims-based (B2) 114, (B3) 134
clarify (B1) 80

clark (B5) 99
class (B2) 47, (B4) 38, (B5) 48 54 94
classes (B3) 35, (B4) 32 51, (B5) 6 48
classic (B1) 25 66, (B2) 10, (B3) 5 21 46, (B5) 29
classification (B1) 104, (B4) 2 3 8 9 11 12 14 15 17 18 19 20 22 24 25 26 27 29 31 34 40 43 66 80 85 86 90 95 105 133, (B5) 30 93
classifications (B4) 80
classified (B4) 30 82 84, (B5) 30
classifies (B4) 15 18 28 86
classify (B2) 47, (B4) 8 9 16 18 27 28 61 85
classifying (B4) 15
clean (B1) 80, (B3) 46
cleanly (B3) 115
clear (B1) 9 13 14 44 48 80 128 138, (B2) 10 13 21 64 92 93, (B4) 142 154, (B5) 53 90
clear-cut (B1) 33
clearer (B1) 80, (B4) 12 18 20 37 84 100
clearly (B1) 9 100, (B2) 8, (B4) 4 52 82
cli (B1) 63 106 114, (B2) 41 43 85 109 130, (B4) 121 140 141, (B5) 30 31
cli user experience (B1) 63
cli/sdk (B4) 141
clicking (B1) 35 88
clicks (B2) 67
client (B1) 139, (B2) 19 30 32 48 55 58 67 71 72 75 85 86 91 100 101 102 103 104 107 112 113 120, (B3) 40, (B4) 33 36 37 92 93 100, (B5) 38 39 68 74
client-cert.pem (B2) 108
client-side (B4) 93
client-side encryption (B4) 93 95
clients (B2) 18 75 103 112 130, (B3) 60 127, (B4) 33 93, (B5) 82
clog (B3) 115, (B5) 33 46
clone (B4) 142
cloning (B1) 34 84, (B3) 45 47, (B4) 123 142, (B5) 41
close (B1) 80, (B2) 57, (B4) 146
closed (B1) 18 28 88, (B2) 94 98, (B3) 28 100, (B5) 90
closely (B3) 65, (B4) 34 127, (B5) 51
closer (B1) 23, (B2) 64 90, (B3) 143, (B4) 73 103
closest (B4) 141
closing (B1) 88 114
closure (B5) 62
cloud (B4) 61
cloud adoption framework governance guide (B4) 14
cloud architecture framework data security (B4) 14
cloud armor (B3) 105
cloud audit logging captures admin (B5) 50
cloud audit logs (B4) 29 41 47, (B5) 29 47
cloud audit logs (gcp) (B4) 29 47, (B5) 29 47
cloud data aggregation design patterns (B5) 47
cloud data fusion (B4) 61
cloud data loss prevention (dlp) services (B4) 27
cloud differences: the shared (B4) 134
cloud dlp (B4) 27
cloud dns (B3) 142 144
cloud dns private zones (B3) 142
cloud encryption at scale (B4) 97
cloud encryption key management (B4) 91
cloud envelope decryption workflow (B4) 100
cloud envelope encryption workflow (B4) 98
cloud events (B5) 24 33 37
cloud events: control-plane logging 101 (B5) 24
cloud events: network layer logging 101 (B5) 33
cloud events: os and app-layer logs (B5) 37
cloud functions (B4) 155, (B5) 84
cloud hsm (B4) 97
cloud hsm keys (B4) 95
cloud hsm managed key architecture (B4) 130
cloud iam external machine identity authentication (B2) 96
cloud iam policy binding (B1) 124
cloud identity (B1) 68 69 71 127 129
cloud identity directories (B1) 125

cloud identity privileged access design (B1) 127
cloud interconnect (B3) 82
cloud key management options (B4) 95
cloud kms shared tenant considerations (B4) 128
cloud logging (B5) 40
cloud logging: building findings and insights (B5) 40
cloud managed detection services (B5) 42
cloud monitoring event routing and storage (B5) 21
cloud network architecture building blocks (B3) 9
cloud network architecture challenges (B3) 8
cloud network connectivity center (B3) 73 74
cloud network host account quotas and limits (B3) 56
cloud network micro-segmentation (B3) 57
cloud network segmentation challenges (B3) 54
cloud network segmentation complexity (B3) 55
cloud policies as guardrails (B1) 98
cloud private dns services (B3) 142
cloud provider guardrail resources (B1) 101
cloud provider machine identity options (B2) 87
cloud provider organizational resources (B1) 89
cloud provider siem services (B5) 61
cloud resource hierarchy anti-patterns (B1) 76
cloud resource hierarchy design principles (B1) 82
cloud run (B2) 105, (B5) 31
cloud security (B5) 97
cloud security training environments (B5) 100
cloud storage (B4) 6 49 61 114 116 136 145 147
cloud storage security controls (B4) 33
cloud vpn (B3) 82
cloud-centric (B2) 5, (B5) 4 6 42
cloud-focused (B1) 3 4 15 25, (B2) 64, (B3) 8 10 96 124 135, (B4) 51, (B5) 1 3 4 7 10 11 94
cloud-focused soc (B5) 4
cloud-managed (B4) 95 101 102 103
cloud-managed encryption key (B4) 103 104 105
cloud-managed encryption key architecture (B4) 101
cloud-managed encryption keys (B4) 95
cloud-managed key architecture considerations (B4) 102
cloud-managed key policy example (B4) 103
cloud-native (B1) 4 28 29 30 84 86 112 113 129 136, (B2) 4 14 21 23 64, (B3) 29 62 68 70 79 96 115 119, (B4) 9 12 14 15 16 27 33 138, (B5) 2 3 8 17 19 20 40 45 56 58 61 89 93 94 96
cloud-native data security framework best practices (B4) 15
cloud-native data security framework references (B4) 14
cloud-native firewall (B3) 115
cloud-native hub-and-spoke network solutions (B3) 70
cloud-native tooling in the soc (B5) 8
cloud-only (B1) 120
cloud-related (B1) 4 13 14 15 16 17 46 126, (B2) 3 4 5 92, (B4) 7 32 134 136 140, (B5) 1 8 44 61 94
cloud-specific (B5) 59
cloud-to-on-prem (B3) 79
cloud:the (B5) 40
cloudfront (B3) 144, (B4) 50
cloudfunctions.invoker (B4) 152
cloudgoat (B5) 100
cloudhsm-backed (B4) 130
cloudockit (B1) 33
clouds (B1) 2 25 33 79 92 98 112 125 141, (B2) 2 3 21 25 28 63 84 87 134, (B3) 2 3 34 53 88 115 123 130 140 148, (B4) 2 3 8 17 27 31 43 90 133 146 155, (B5) 2 3 19 58 89 94 95 96
cloudseclist.com (B5) 97
cloudsecuritypodcast.tv (B5) 97
cloudshell (B2) 44

cloudtrail (B2) 88, (B4) 11 33 41 42, (B5) 21 25 26 30 31 40 45 51 52 53 55 76 78
cloudtrail events (B5) 31
cloudtrail.amazonaws.com (B2) 88, (B4) 123
cloudwatch (B4) 124 140, (B5) 21 25 34 38 39 47 48 52 61 74 75
cluster (B1) 76 108 120, (B3) 26 94 120, (B4) 21 97 130, (B5) 28 36 39
clustering (B4) 60
clusters (B1) 26 71 108, (B3) 14, (B4) 130 135 145, (B5) 38 42
cmek (B4) 97 105 107 109 117
cmk (B4) 97
cn (B2) 104 105 107
cname (B3) 140 144
co-author (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
co-founder (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
co-located (B1) 135, (B2) 6, (B4) 18 36 76 107 109, (B5) 51
coarse-grained (B1) 18 116
code (B1) 15 21 30 33 49 63 86 142, (B2) 22 23 67 68 71 73 75 81 106 114 135, (B3) 6 35 100 124 149, (B4) 20 21 23 32 37 92 135 145 156, (B5) 4 9 101
codebuild (B2) 88
codepipeline (B1) 86
codes (B1) 137, (B4) 122
codified (B1) 30, (B5) 4
coding (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
coentrotl.ola (B1) 24
coerce (B5) 53
cognate (B2) 93
cognates (B1) 25
cognito (B2) 2 3 4 28 63 64 71 72 73 74 75 76 77 78 79 80 81 82 83 84 115 116 117 133, (B5) 91
cognito authentication (B2) 72 75 76 77
cognito authentication: identity pool sequence diagram (B2) 77
cognito authentication: identity pools (B2) 76
cognito authentication: user pool sequence diagram (B2) 75
cognito authentication: user pools (B2) 72
cognito: putting it all together (B2) 80
cognito: zero trust iam policy example (B2) 78
cognito:groups (B2) 78
cohesity (B4) 141
cold (B4) 12 38 40 145 148, (B5) 44 47
cole (B5) 3
collaborate (B1) 19 129
collaborating (B1) 36, (B2) 66
collaborative (B1) 20 21 100
collapse (B1) 103
collapsed (B2) 10
collar (B1) 23
collect (B2) 9, (B3) 147, (B5) 38 61 74
collected (B2) 20, (B4) 4, (B5) 20
collecting (B5) 20 64 68 69
collective (B2) 7 12
collectively (B1) 54, (B5) 90
collector (B5) 50 69
collectors (B5) 47 68
collects (B5) 38 39 61
colocation (B1) 20 22 30 48 49 52 58 66 90 94 100 114 116 117 121 123 124 140, (B2) 22 76, (B3) 10 24 49 76 83, (B4) 47 66 74 126 128 129, (B5) 4 9 20 21 22 26 37 38 42 45 59 62 74
color (B1) 35
column (B4) 63 82 83 86
column-level (B4) 68 76 77 78 80 81 82 83 84
column-level security (B4) 76
column-oriented (B4) 61
columnar (B4) 61
columns (B4) 63 65 73 74 76 80 81 82 83 84 85 86
com (B2) 10 96 113, (B3) 127, (B5) 42
combination (B1) 92 116, (B2) 93, (B3) 54 55 61 81 92 93, (B5) 40 47 68
combine (B1) 33, (B5) 74
combined (B1) 76, (B2) 34, (B3) 79, (B4) 7 8 16 53 70 72
combines (B3) 58 79 109, (B4) 80
combining (B5) 20
come (B1) 17 104 109 112 116, (B2) 6 39 72, (B3) 35, (B4) 22 141 142, (B5) 21
comes (B1) 54, (B2) 4 6 8 19 24, (B3) 46 70 134, (B4) 61 135, (B5) 42 47
coming (B1) 7, (B2) 30 44, (B3) 85, (B5) 70
command (B1) 63, (B2) 41 43 103 107 109 118 120 125 131, (B3) 140 146, (B4) 16 121, (B5) 10 33 41 43
command-line (B1) 63, (B2) 85 94 109, (B4) 60 140 153, (B5) 31
commands (B5) 45

commercial (B1) 137, (B3) 124, (B5) 60
commitment (B3) 80, (B4) 4
commitments (B4) 142
committed (B4) 4
common (B1) 4 10 13 15 22 43 67 82 91 101 108 116 126 129 139, (B2) 30 31 33 37 40 47 52 53 74 79 81 85 89 92 104 107, (B3) 16 25 46 60 74 92 103 124 133, (B4) 8 9 12 20 22 26 27 64 120 135, (B5) 48 62
common exclusions (B2) 53
common expression language (B2) 37
common policies (B2) 47
common route table types (B3) 16
commonly (B1) 10 15 86 87 88, (B2) 12 16, (B3) 16 20 41 92 131, (B4) 50, (B5) 10
commonplace (B1) 125
communicate (B1) 100, (B2) 19, (B3) 13 18 29 30 60 61 70 78 87 91 93 124 130 135, (B4) 22 23 110 114 123, (B5) 10
communicates (B3) 29
communicating (B1) 42, (B2) 16, (B3) 24 29, (B4) 4 23
communicating an end (B1) 42
communicating tag rules across (B4) 23
communication (B2) 8, (B3) 6 60 61 63 74 89 92 94 127 130, (B5) 10 12
communications (B2) 9 12, (B3) 30 94, (B4) 20, (B5) 10 13
communiques (B5) 10
community (B1) 30, (B2) 13 66, (B4) 32
companies (B1) 142, (B2) 12 64 135, (B3) 119 149, (B4) 18 156, (B5) 22 101
companion (B1) 106
company (B1) 10 23 36 88 125, (B2) 12 18 36 66, (B4) 93
company-approved (B1) 135
comparatively (B1) 106, (B3) 46
compare (B1) 125, (B3) 15 23 89 133
compared (B1) 10, (B2) 20, (B3) 61, (B4) 110 126 134, (B5) 47 67
comparing (B1) 9, (B2) 18, (B5) 45
comparison (B2) 31 32, (B3) 10 14
compatible (B1) 34 63 117, (B2) 46
competing (B2) 8, (B3) 80, (B4) 45 134
competitions (B1) 86
competitor (B5) 61
complement (B3) 23
complementary (B1) 59
complete (B1) 116 117 129 131, (B2) 49 72 130, (B3) 72 76 115 119, (B4) 60 85 125, (B5) 47 52
completed (B2) 13 18 46 47
completely (B1) 12 23 104, (B2) 3 44, (B3) 14 30, (B4) 93 102
completes (B4) 28
completing (B1) 131
completion (B2) 8, (B3) 96
complex (B1) 9 10 11 17 18 20 21 100 128, (B2) 102, (B3) 55 58 60 62 64 65 68 79 138, (B4) 36 59 61 63 76, (B5) 45 83
complexity (B1) 11 18 25 29 113, (B2) 98, (B3) 26 55, (B4) 33 36 126 145 146, (B5) 66
compliance (B1) 14 20 29 32 76 83 87 91 104 106 111, (B2) 5 8 31 32 33 36 47 48 51 53 128, (B3) 35 41 44 57 79 115 116 125 126 147, (B4) 22 38 60 86 102 117 128 136 139 141 142 148, (B5) 31 49 51 52
compliance-focused (B1) 100
compliant (B1) 87 106 136 137, (B2) 37 39 49 51 71 122, (B4) 4 23
complicated (B4) 109
comply (B4) 26 105 136
component (B1) 22 59, (B2) 19 20, (B4) 36 134, (B5) 43
components (B1) 6 10 16 18 24 94 107 113 118 121 124 129 133 136 137, (B2) 4 17 24 27 45 73, (B3) 9 27 36 42 47 55 58 65 105, (B4) 21 22 63 136 150, (B5) 64 70 76 82
components of secure system design (B1) 18
compound (B1) 7 116
comprehension (B2) 47
comprehensive (B1) 10 46 98, (B4) 6 8 70 136, (B5) 7 20 42 99
comprehensive logging (B5) 7
compress (B5) 74
compressed (B5) 25 78
compresses (B5) 64
compressing (B5) 64
comprises (B5) 45
compromise (B1) 54, (B2) 22 58, (B3) 7, (B4) 11 100 107 118 136 149 154, (B5) 7 32
compromised (B1) 113 130, (B2) 6 12 13 72 96 104 109, (B3) 137, (B4) 4 6 7 12 105 118 127 139 147, (B5) 37
compromises (B2) 13
compromising (B2) 102, (B3) 5, (B4) 117
computational (B2) 13
compute (B1) 25 71 94 108 130, (B2) 88 93 94, (B3) 11 31 46 56 67 128, (B4) 22 60 95 139 140, (B5) 5 6 9 23 34 36 38 39 43
computer (B1) 24 113, (B5) 16
computers (B1) 10
computing (B1) 13 32, (B3) 79 125, (B4) 129 136, (B5) 33
con (B3) 103 140
concatenating (B2) 118
concentration (B5) 61
concept (B1) 7 30 78 79 89 92 101 126 134 139, (B2) 6 10 13 19 30, (B3) 6 27 36

concepts (B1) 3 7 30, (B2) 18, (B3) 6 70, (B4) 25 86 97, (B5) 5 38 91
conceptual (B1) 6 12
concern (B1) 16, (B3) 31 60, (B4) 36 135, (B5) 10 18 99
concerned (B1) 16 113, (B2) 112
concerns (B2) 12 56, (B3) 60 100, (B4) 24 141 142
concisely (B2) 21
conclusion (B1) 32
concurrently (B5) 75
condition (B1) 61 66 101 102 118, (B2) 33 41 42 44 45 47 48 49 52 54 90 107 124 125, (B3) 71 95, (B4) 48 50 57 103 104 123 154, (B5) 49 54 55
condition:conditions (B1) 118
conditional (B1) 3 46 59 127 129, (B2) 2 3 28 29 30 31 32 33 34 35 38 39 41 44 45 46 47 48 49 51 52 53 54 55 58 60 61 62 63 66 84 88 125, (B4) 7 12 25 55 123 154, (B5) 91
conditional access (B2) 29 31 32 33 34 47 49 50 51 53 55 63
conditional access comparison (B2) 31 32
conditional access policies (B2) 45 47
conditional access policies: common policies (B2) 47
conditional access policy (B2) 51
conditional access policy anatomy (B2) 48 49
conditional access policy anatomy: access controls (B2) 49
conditional access policy anatomy: conditions (B2) 48
conditional access policy scope (B2) 52 53
conditional access policy scope: common exclusions (B2) 53
conditional access policy scope: inclusions and exclusions (B2) 52
conditional access policy: evaluation logic (B2) 51
conditional iam policies grant access (B2) 31
conditional iam policy (B2) 38
conditionally (B1) 59, (B2) 38 79, (B4) 44 50
conditionals (B2) 48
conditions (B1) 103 118 128, (B2) 29 33 38 45 48 49 51 52 53 55 56 58 89, (B3) 44 139, (B4) 57 120 154, (B5) 54
conduct (B4) 142
conducted (B1) 30
conducting (B1) 86
conference (B2) 17, (B5) 97
confidence (B1) 6, (B2) 6
confidential (B1) 59 127, (B4) 15 18 20 22 24 25 80
confidentiality (B1) 19 43, (B4) 91, (B5) 8
configurable (B2) 54, (B3) 49, (B4) 11 110 119 128, (B5) 22 36 47 52
configuration (B2) 67 116 122 128, (B3) 140, (B4) 41
configuration. (B1) 3 16 18 30 43 44 45 53 61 63 69 70 85 98 106 107 108 114 129 130 136 139, (B2) 22 55 66 67 70 74 88 96 98 101 102 103 105 106 107 109 110 116 118 122 123 124 128 129 130, (B3) 6 8 12 13 14 18 22 35 38 41 43 44 46 58 60 61 62 72 74 76 82 85 94 96 100 103 105 109 111 115 120 128 130 133 138 140 141, (B4) 22 24 28 33 34 37 38 41 45 48 49 54 57 66 68 75 81 95 97 101 102 105 106 107 129 135 140 141 145 146 149 152 153, (B5) 12 18 26 27 28 31 36 37 40 49 51 52 67 68
configure (B1) 14 35 56 66 67 69 70 108 126 139, (B2) 19 45 47 55 107 114 118 119 122 123 128 129, (B3) 10 11 17 35 44 48 59 60 65 76 81 100 102 105 114 115 135 142 147, (B4) 9 14 38 40 47 50 54 56 67 95 102 110 114 145 149 152, (B5) 13 45 51 52 75 78
configured (B1) 42 44 54 55 56 57 59 127 131 133 136 137 139, (B2) 12 38 47 48 53 66 76 77 78 80 124, (B3) 10 12 14 28 59 76 80 101 102 120 128 130 132 137 138 146, (B4) 24 41 53 56 91 101 103 106 125 140 147 148 152 153 154, (B5) 9 15 26 32 36 37 38 49 51 74 82
configures (B1) 58, (B2) 19, (B3) 115, (B4) 47 56 110 114 130
confined (B4) 140
confirm (B4) 152, (B5) 37
confirming (B4) 73
conflict (B2) 51
confluence (B1) 33
conform (B5) 45
confronted (B1) 28
confused (B5) 53 54 78
confused deputy problem (B5) 53
confusing (B5) 30
conjunction (B1) 19 30 101, (B2) 13 47 54 112, (B3) 59 61, (B4) 50 56 92
conn (B3) 20
connect (B1) 35 46 53, (B2) 10 31 65 67 70 71 72 73 83 91 94 96 98 99 100 101 103 110 111 112 113 115 116 117 119 120 122 123 125 128 129, (B3) 11 13 16 18 29 30 31 40 59 62 64 67 68 70 71 72 74 79 80 83 84 95 111 127 128 130 133 135 141, (B4) 28 56 128 152, (B5) 79
connect identity server available (B2) 100
connect provider (B2) 122
connect) and device-based (via (B2) 31
connected (B1) 123, (B2) 40, (B3) 14 29 30 59 67 68 70 78 83 95 130, (B4) 36, (B5) 34
connecting (B2) 36 55 56 58 65, (B3) 18 40 60 61 70 81 87 89 130 138, (B4) 130
connection (B1) 35, (B2) 10 130, (B3) 16 18 19 40 61 65 67 72 80 81 82 83 84 92 96 128 129 130 135, (B4) 56, (B5) 83
connections (B1) 85, (B2) 39, (B3) 10 16 17 18 22 27 30 55 59 61 62 63 64 65 68 69 70 71 72 79 80 81 83 84 96 124 130, (B4) 33, (B5) 66 81
connectivity (B2) 14 39, (B3) 5 12 14 17 21 30 39 40 55 57 59 61 62 63 64 70 71 74 78 79 80 82 84 91 93 95 103 109 124 125 128 131 132 137, (B4) 12

connectivity between micro-networks (B3) 59
connector (B1) 35, (B5) 78 81 84 88
connectors (B5) 62 63 73
connects (B1) 30, (B3) 59 70 130, (B5) 70
cons (B2) 3, (B4) 95
consequence (B1) 29
consequences (B4) 134 135
consequently (B2) 12
conserve (B5) 54
consider (B1) 9 14 16 21 57 77 80 82 131, (B2) 79 90, (B3) 14 29 55 56 89 92 93 100 105 125, (B4) 36 48 67 76 83 102 103 107 127 136 139 147, (B5) 8 12 31 48 74
consider if a cloud hierarchy (B1) 80
consideration (B1) 14 57 59, (B3) 35 132, (B4) 140 142
considerations (B1) 15 57 80, (B2) 104, (B3) 62 64 68 79 100 115 125, (B4) 47 66 102 107 128 136 138, (B5) 47
considered (B1) 19 38 66 85 109 113, (B2) 8 16 18 22 51 73 74 92, (B3) 68 91 128, (B4) 45 53, (B5) 18 48 70
considering (B1) 11, (B3) 136, (B5) 8
considers (B1) 17 32, (B5) 99
consist (B1) 42, (B2) 114, (B3) 49 80 132, (B4) 46
consistency (B1) 22 57 74 75 90, (B2) 4, (B3) 65, (B4) 107 145 146
consistent (B1) 13 22 42 44 52 127, (B2) 22 44, (B3) 38 80 96 100, (B4) 15 21 26 51 66 68 107 117 153, (B5) 21 64
consistently (B1) 32 58 106, (B4) 21 23 25 66 106
consisting (B1) 30 43, (B3) 135, (B5) 42
consists (B1) 56, (B2) 71, (B3) 16 70 128, (B5) 42
console (B1) 62 63 66 71 106 114, (B2) 31 32 33 36 39 43 94, (B3) 10, (B4) 9 21 60 79, (B5) 26 27 30 31 40
console user experience (B1) 62 71
consolelogin (B1) 138
consoles (B1) 6
consolidate (B1) 90, (B3) 65
consolidated (B1) 90, (B5) 59
consolidates (B4) 68
consolidation (B2) 13, (B3) 65
constantly (B5) 66
constrain (B1) 52
constrained (B3) 29
constraint (B1) 109, (B2) 48 94
constraints (B1) 16 79 91 98 99 106 109 111 118 123, (B3) 36 41 57 62 100, (B4) 142, (B5) 15
constraints/iam.allowedpolicymemberdomains", (B1) 109
construct (B1) 15 48 89, (B2) 12 93
constructed (B1) 113
construction (B1) 7 92
constructs (B1) 114 120 123, (B3) 10
consul (B3) 94
consult (B4) 44
consultancy (B4) 36
consultant (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
consulting (B1) 142, (B2) 135, (B3) 127 149, (B4) 156, (B5) 101
consume (B1) 113, (B3) 131, (B4) 51, (B5) 74
consumed (B1) 7, (B3) 129, (B4) 57
consumer (B2) 64, (B3) 128 130, (B4) 53 56, (B5) 9 10 66 67 70 71 75 76 83
consumers (B1) 23, (B2) 64 65 66, (B3) 130 140, (B4) 51, (B5) 64 68 70 71 74 75 76 77 82 83
consumes (B1) 7, (B5) 84
consuming (B1) 85 125, (B2) 73 114, (B3) 126 127 128 130 138, (B5) 86
consumption (B5) 75 76
cont (B3) 39, (B5) 14
contact (B2) 46, (B5) 12 13 15
contacts (B1) 2 142, (B2) 2 135, (B3) 2 149, (B4) 2 156, (B5) 2 13 14 15 101
contain (B1) 4 88 89 90 116 117 134, (B2) 90 113, (B3) 8 112 144, (B4) 26 32 37 53 63 80 84 120, (B5) 27 33 37 70 76 78
contained (B1) 118, (B2) 73 75, (B4) 52
container (B1) 76 82 84 86 87 88 89 93 94 129, (B2) 21, (B3) 6 78, (B4) 63 117 148 153 154, (B5) 10 28 29 34 37 38 39
containerized (B2) 21, (B3) 94, (B4) 153, (B5) 38
containers (B1) 27 74 75 76 82 83 84 86 87 88 89 129, (B2) 21 22 88, (B3) 6 8 29 57 58 69 103 125 135, (B4) 34 63 109 114 145 148 153 154, (B5) 10 37 42
containing (B2) 53 81 109, (B3) 57 58 136 140, (B4) 154, (B5) 32
containment (B4) 127, (B5) 6 16
containment: incident response (B4) 127
contains (B1) 66 85 87 124 125, (B2) 67 93 100 115 116 117 120, (B3) 69 92, (B4) 15 21 28 37 68 110 119 122 130
content (B1) 4 94 142, (B2) 135, (B3) 119 149, (B4) 49 50 73 153 156, (B5) 11 21 78 84 101
contents (B1) 2, (B2) 2, (B3) 2, (B4) 2 28, (B5) 2 36
context (B1) 20 98 101 127, (B2) 19 20 23 29 30 31 33 34 35 36 37 39 40 73 77, (B3) 119, (B4) 6 85 110 114 126 138, (B5) 51 64 91
context-aware (B2) 17, (B3) 6, (B4) 87, (B5) 61
context-bound (B1) 27
context.<policy-reference (B2) 40
context.jamf.risk (B2) 40
contextual (B2) 29 30 32 39 46
continual (B2) 8

continually (B2) 112
continue (B1) 35, (B2) 12 41, (B4) 7 53 80, (B5) 5
continued (B2) 12, (B4) 24 103
continues (B1) 20 45 56, (B5) 3
continuing (B2) 96
continuity (B3) 63, (B4) 134 137 139 142 145 148 153, (B5) 93
continuous (B1) 83 86, (B2) 14 32 46 85 86, (B3) 35, (B4) 8 26 136
continuous integration (ci) jobs/workflows (B2) 85
continuously (B2) 6 8 31, (B4) 11 18 27 86 137 147, (B5) 66 70
continuously evaluated via identity (B2) 31
contract (B1) 44, (B4) 142
contracted (B5) 16
contractors (B1) 120 139, (B4) 6
contracts (B4) 142
contractual (B4) 142
contrary (B1) 99 101, (B2) 73
contrast (B1) 25 79, (B2) 19, (B3) 68, (B5) 31
contrasting (B1) 7
contribute (B1) 121, (B2) 13, (B5) 49
contributing (B1) 25 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
contributor (B1) 121 131 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
control (B1) 4 7 10 13 16 17 22 25 27 58 59 60 78 83 84 86 91 98 101 103 104 106 111 116 120 121 123 129 130 140, (B2) 4 6 18 19 20 31 32 33 37 39 40 41 43 44 48 49 51 54 55 57 58 68 73 79 81 87 98 104 120, (B3) 6 10 22 23 25 36 39 40 41 43 48 54 55 56 57 60 65 68 89 90 92 93 94 95 100 102 117 127 133 134 136, (B4) 7 8 9 12 14 15 18 24 33 34 36 37 38 41 45 46 47 48 51 52 53 54 55 57 60 63 65 66 67 68 72 76 77 80 81 82 87 91 95 101 102 105 106 109 110 119 122 123 127 128 129 140 142 147 148 152, (B5) 9 10 21 23 33 38 40 50 51 66 83 92
control policies (B4) 48
control policies: controlling s3 access (B4) 48
control-plane (B5) 24 25 27 28 29 30 31
control-plane logging 101 (B5) 24
control-plane logs (B5) 26 27 28 29 30 31 33
control-plane logs by cloud provider (B5) 25
control-plane logs: aws cloudtrail (B5) 30
control-plane logs: aws cloudtrail events (B5) 31
control-plane logs: azure activity log events (B5) 28
control-plane logs: azure activity logs (B5) 27
control-plane logs: azure resource logs (B5) 29
control.an (B1) 94
controlled (B1) 18 29 101 128 140, (B2) 19 58, (B3) 41 57 135 137, (B4) 148 152, (B5) 23 24 25 26 27 28 29 30 31 38
controllers (B1) 46
controlling (B1) 91 113, (B3) 23 31 92 133, (B4) 48 68 117
controlling s3 access (B4) 48
controls (B1) 4 7 12 16 17 21 23 25 28 29 82 86 87 100 104 109 113 142, (B2) 4 5 10 21 23 24 29 45 48 49 52 53 58 74 135, (B3) 4 5 10 11 22 23 29 31 35 36 42 43 44 64 76 89 94 127 130 131 132 133 134 136 138 149, (B4) 4 6 7 8 11 12 13 14 15 16 27 32 33 46 47 48 51 53 66 76 78 87 106 117 118 156, (B5) 8 54 91 92 93 101
controls.when (B2) 10
convenience (B2) 73
convenient (B1) 12 92 123
convention (B2) 60, (B4) 21, (B5) 54
conventional (B3) 80, (B4) 138
conventions (B4) 15 21 24
converse (B1) 117, (B3) 58
conversely (B1) 94 105, (B3) 61, (B4) 38
convert (B2) 74
converts (B2) 78
convey (B1) 44 89, (B2) 17 73
conveying (B2) 74
cookies (B1) 44, (B2) 55 67 68
coordinate (B2) 19, (B3) 80, (B5) 10
coordination (B5) 9 10 12 13 14 15 16
copies (B4) 13 50 141
copy (B1) 35, (B3) 137, (B4) 52 64 144 150 151
copying (B4) 70
copyrighted (B5) 11
core (B1) 15 19 20 26 78 113 129, (B2) 8 20 23, (B3) 5 9 70, (B4) 36, (B5) 4 64
core characteristics (B2) 23
core tenets of zero trust (B2) 8
corners (B4) 57
cornerstone (B1) 113
cornerstones (B1) 7
corporate (B1) 67, (B2) 10 17 29 36 45 53, (B3) 5 90, (B4) 4 20 87 129

corporations (B2) 17
corralled (B1) 109, (B4) 47
correct (B4) 123, (B5) 12
correctly (B1) 32, (B3) 146, (B4) 25 67
correlate (B1) 15, (B3) 22, (B4) 41, (B5) 21 26 47 64
correlating (B2) 54, (B4) 8 11
correlations (B5) 21
correspondence (B5) 13
corresponding (B1) 59 83, (B2) 34 117, (B3) 23 24, (B4) 56, (B5) 76
corrupting (B5) 45
corruption (B4) 138 143
corrupts (B4) 13
cosmos (B3) 29, (B4) 141, (B5) 43
cost (B1) 7 11 13 14 30 32 33 76 114 129, (B2) 81, (B3) 14 16 60 61 63 68 70 103 132 138, (B4) 9 15 22 50 56 61 91 134 135 140 141 145 146, (B5) 8 21 22 31 32 40 44 47 48 62 64
cost implications (B5) 8
cost-effective (B1) 9, (B3) 59 61 76, (B4) 56 148
cost-saving (B1) 11
costly (B3) 14
costs (B1) 13 15 21 34 41 80 86 91, (B3) 60 65 80, (B4) 22 38 40 60 86 91 140 142 145 148, (B5) 21 22 31 36 42 48 50 65 91
cots (B1) 15
count (B4) 36
counted (B1) 103
counterparts (B5) 5 6
country (B2) 34
couple (B1) 53, (B2) 43, (B3) 81, (B5) 15
coupled (B1) 44, (B2) 23, (B3) 65, (B5) 33
course (B1) 2 3 4 5 6 9 16 26 32 39 42 48 74 90 100 112 142, (B2) 3 28 63 84 92 135, (B3) 3 34 46 53 88 123 149, (B4) 3 17 18 31 43 90 107 133 156, (B5) 2 3 19 20 40 58 62 84 89 90 94 96 101
cover (B1) 54 82 91 98 108 112, (B2) 91, (B3) 4 7 8 16 30 131 132, (B4) 11 27 32 45 107 109, (B5) 44
coverage (B3) 6, (B4) 142, (B5) 5 6 20 42
covered (B1) 4 32 84 112 139, (B3) 6 99, (B4) 16 98, (B5) 23 90 94
covering (B5) 40 42 91
covers (B1) 3 4, (B2) 3, (B3) 6 89, (B4) 14, (B5) 1
cracking (B4) 84
craft (B1) 33 101, (B2) 16 48 58
crafting (B1) 61
crash (B5) 11
creating (B1) 2 5 15 39 41 61 67 69 70 74 82 91 93 112 124 127 133 136, (B2) 53 73 85 86 94 96 105 109 115 122 128, (B3) 12 13 15 18 19 36 39 40 44 49 58 59 64 72 94 96 102 117 128 139 140 143, (B4) 11 34 37 46 48 53 73 87 107 130 135 144, (B5) 31 47 50 51 52 54 78 84
creation (B1) 33 56 89 90 98 101 104 105 106 109 118 120 128, (B2) 9 78 92 102, (B3) 39 40 63 80 131 136, (B4) 8 24 102 105 147, (B5) 23 28 31
cred-file=/home/ubuntu/nymeria-workload (B2) 131
credential (B1) 46 113 133 135, (B2) 85 89 92 96 98 107 108 110 130, (B4) 149 152, (B5) 31
credentialing (B2) 6
credentials (B1) 42 46 63 67 113 114 120 123 128 133 135 140, (B2) 6 9 17 23 43 65 67 70 71 72 73 77 80 83 85 86 87 89 91 92 96 97 100 105 107 108 112 113 118 130, (B4) 6 12 20 87 139 148 149 152, (B5) 28 31
credit (B4) 20
cribl (B5) 64 66
cribl: centralized data processing platform (B5) 64
crime (B1) 7 23, (B2) 12
criminal (B1) 23
criteria (B1) 46, (B2) 29
critical (B1) 100 127 135, (B2) 6 7 32 101, (B3) 69 89, (B4) 8 11 32 86 91 134 136 137 138 139 142 148 149 151 152, (B5) 5 6 12 24 45
crl (B2) 102 104 109, (B5) 6 62 64 65
crl-data (B2) 109
crl-id (B2) 109
crl.pem (B2) 109
cron-like (B4) 153
cross (B1) 21 90 117 139, (B4) 34 67 138 141
cross-account (B1) 116 139, (B2) 2 3 28 63 84 85 86 96 119, (B3) 18 126 131 145, (B4) 9 122 123 136 145 148 149 150 152 153 154, (B5) 26 51 53 54 62 73 91
cross-cloud (B2) 85 87, (B4) 151 152
cross-cloud backups (B4) 151
cross-cloud synchronization (B4) 152
cross-disciplinary (B1) 21
cross-domain (B1) 56
cross-functional (B1) 36
cross-project (B4) 67 68 72
cross-region (B3) 18 63, (B4) 138 139 140 141 145, (B5) 26
cross-tenant (B1) 139, (B2) 65, (B4) 102 136
cross-vnet (B3) 65
crossed (B1) 38
crosses (B1) 27
crossing (B1) 27, (B2) 10

crowdstrike (B2) 36
crucial (B1) 107, (B3) 63, (B4) 38 142 148, (B5) 59
crud (B1) 25
crypto (B4) 110 114
cryptographic (B2) 75, (B4) 92 95 128 129 130
cryptographically (B2) 23 101, (B4) 98
cryptosystem (B4) 12
crystalize (B1) 12
csp (B2) 29, (B3) 30, (B4) 128, (B5) 37
csp communication of incidents (B5) 10
csp coordination (B5) 9 10 12 13 14 15 16
csp coordination: across service delivery models (B5) 9
csp coordination: aws alternate security contacts (B5) 13
csp coordination: csp communication of incidents (B5) 10
csp coordination: defender for cloud security contacts (B5) 14
csp coordination: gcp essential contacts (B5) 15
csp coordination: managed services from the csps (B5) 16
csp coordination: securing communication channels (B5) 12
cspm (B1) 4 13 25 29 33 80 89 98 101 139, (B2) 29, (B4) 9 128 129, (B5) 9 10 12 13 14 15 16 23 24 37 40 94
csps (B5) 16
csrf (B4) 28
csv (B4) 61, (B5) 66
ctoivity (B4) 11
culture (B1) 20 23
cummings (B2) 12 13
cumrity (B3) 43
cumulative (B2) 49 51
curl (B2) 118 120
current (B1) 22 30 32, (B2) 8 9 36 68, (B3) 20 120, (B4) 120 148, (B5) 18 22 32 61
currently (B1) 97, (B3) 103 120 124 127, (B4) 56
curse (B4) 135
custom (B1) 10 48 69 98 99 101 108 121 123, (B2) 31 33 64 72 73 74 76 78 81 115 120 129, (B3) 16 22 27 115 124 128 145, (B4) 15 23 24 28 92 93 96 105 106 130 135 140, (B5) 20 21 22 25 38 39 62 82
custom key policy (B4) 105
custom-developed (B3) 131, (B5) 37
custom:groups (B2) 78
customer (B1) 13 28 89 92 98 99 104 109 116 117 120, (B2) 2 3 24 28 63 64 65 72 81 84 103 106, (B3) 10 81 83 115 127, (B4) 2 3 4 6 12 17 20 31 32 43 90 95 101 102 103 105 106 110 112 114 115 119 126 128 131 133 135 139 140, (B5) 9 10 16 27 42 50 53 64 91
customer iam (B2) 81
customer identity and access management (ciam) services (B2) 64
customer-created (B1) 52 116 129, (B3) 14 81 82 131 142, (B4) 41 92 93 95 97 101 102 105 106 107 109 110 111 114 117 119 127 128
customer-managed (B4) 41 95 105 106 107 109 110 114 117 119
customer-managed encryption key (B4) 107 108 109 111 112 116
customer-managed encryption key architecture (B4) 105 110 114
customer-managed encryption key sharing (B4) 109 119
customer-managed encryption keys (B4) 95
customer-managed key architecture considerations (B4) 107
customer-managed key usage (B4) 41
customer-supplied (B4) 92
customers (B1) 13 98 100 104 108 128 134 137 139, (B2) 12 33 41 64 65 66 72 78 81 85 86 93 106 107, (B3) 10 11 14 15 16 29 30 31 70 83 95 101 124 125 128 132 135 140 142, (B4) 4 9 25 27 32 36 37 41 45 55 60 95 97 101 102 130 134 135 140, (B5) 9 10 15 22 33 34 40 42 44 54 61 62 69 78 84
customize (B2) 72, (B5) 51 61
customized (B2) 72, (B5) 74
cve-- (B5) 10
cvpoc (B3) 128
cyan (B3) 127
cyberark (B2) 55, (B4) 139 141 148
cybersecurity (B5) 16
cycle (B1) 83, (B2) 8

--- D ---

daily (B1) 128 131, (B4) 22 150 152 153
damage (B1) 19 23, (B2) 21, (B4) 20
damaging (B1) 23
dangerous (B1) 109 140, (B2) 60
dart (B3) 49 109 118, (B5) 16 66 74

dart/crsp (B5) 16
dash (B4) 21
dashboard (B1) 71 98, (B4) 28, (B5) 40 41 43 47 51
dashboards (B1) 129, (B3) 7, (B4) 27, (B5) 40 47 61 68
dashes (B5) 84
dat (B1) 12, (B2) 3 14 28 63 84, (B3) 3 34 53 88 123, (B4) 3 11 17 18 26 31 32 43 51 54 63 66 68 72 74 76 80 83 90 107 133, (B5) 3 19 20 22 26 38 47 52 58 66 74 75 84 89 96
data (B1) 104, (B2) 14, (B4) 4 7 8 9 11 12 14 15 18 20 21 22 27 28 32 33 34 36 38 41 49 51 60 61 66 68 70 74 83 84 85 86 126 127 134 145, (B5) 20 21 44 45 47 64 66 68 70 74 82
data classification (B4) 22
data classification matrix (B4) 18
data classification matrix example (B4) 20
data consumers (B5) 70 82
data exfiltration (B3) 56 127, (B4) 8 59
data governance & ingestion pipelines (etl) (B4) 85
data lake (B4) 49 51 90, (B5) 21 46 47
data processing (B4) 60
data protection (B1) 104
data replication and backup (B4) 33
data retention policy (B4) 33
data security & control framework (B4) 8
data security framework (B4) 10 16 17
data set size (B4) 60
data source to siem (B5) 20
data-centric (B2) 14
data-classification (B4) 82
data-driven (B4) 7 51
data-level (B4) 41
data-out (B3) 80
data-plane (B5) 25 30 31 32 51 52
data-plane logs (B5) 25 30 31 32 35 51 52
data/systems (B4) 91
database (B1) 29 129 142, (B2) 73 135, (B3) 25 63 76 124 126 149, (B4) 63 67 101 135 140 145 148 154 156, (B5) 33 46 50 69 101
databases (B1) 15, (B3) 25 58 79, (B4) 9 22 60 61 85 95 141, (B5) 42 68
datadog (B2) 8, (B4) 83, (B5) 64
dataflow (B4) 61
dataflow data ingestion and tagging pipeline (B4) 86
datawaorehoulsae.robiottiacs.anctivi (B4) 79
date (B1) 23 56 123, (B2) 29 86 104, (B3) 13, (B4) 4 83 100 103 147
dates (B2) 113, (B5) 66
daunting (B2) 73
dauthentication (B2) 4
david (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 99 101
day (B1) 86, (B2) 29 38 49 54, (B3) 48, (B4) 87
day-to-day (B1) 7 127
days (B1) 86 88, (B2) 54 113, (B4) 9 40 128, (B5) 21 22 26 31 34 47
db (B4) 154
dcisable (B2) 21 46 58, (B3) 13 39 40 147, (B4) 36 37 45 46 127, (B5) 15 24 27 30 31 50
dconditiconal (B2) 31
dconetrol (B4) 20
ddos protection (B3) 105, (B5) 92
deactivate (B4) 127
deactivated (B1) 55, (B4) 128
deactivating (B1) 45, (B4) 127
deadline (B5) 82
dealing (B5) 65
deals (B1) 63 66, (B2) 33 112
debacle (B1) 23
debt (B4) 23
debuted (B1) 23
decade (B5) 44
decentralization (B1) 100, (B5) 3 19 58 89 96
decentralized (B1) 45, (B2) 104, (B3) 62 103 136 138, (B4) 65 66 67 106 107
decentralized customer-managed encryption key architecture (B4) 106
decentralized data warehouse (B4) 66
decentralized keys (B4) 107
decide (B1) 35 104 107 140, (B4) 93
decided (B1) 88, (B3) 111 117, (B5) 62
decides (B4) 72 146
deciding (B4) 106, (B5) 31
decision (B1) 14 30, (B2) 18, (B3) 14 92, (B4) 145, (B5) 8
decision-making (B3) 119
decisions (B1) 9 59 100, (B2) 18 20 30 39 40 68 73 78 79 112, (B3) 119, (B4) 51, (B5) 33 60 86

declarative (B1) 107
declared (B2) 58 78
declares (B2) 115
declaring (B2) 78
decode (B2) 70
decoded (B2) 68 73 115
decommissioned (B1) 80
decouple (B5) 76
decouples (B5) 76
decreases (B5) 83
decrypt (B4) 94 97 98 100 103 105 106 113 116 119 125 126 132
decrypted (B4) 93 95 97
decrypter (B4) 114
decrypting (B4) 97 98 100 123 125
decryption (B4) 12 41 95 98 100 106 122 123 125
dedicated (B1) 133, (B2) 53 85, (B3) 25 54 76 83 96 103 139, (B4) 34 65 72 74 106 117 128 130 135 140 152 154, (B5) 12 76 78 92
deep (B1) 4 40 82 94 142, (B2) 135, (B3) 100 149, (B4) 156, (B5) 20 23 94 101
deep-dive (B5) 91 94
deeper (B3) 4
default (B1) 3 18 25 53 54 98 101 108 109 118 120 127 128 138 139, (B2) 4 6 22 43 45 53 54 74 86 93 94 118, (B3) 10 12 13 14 15 16 18 19 20 22 23 24 25 26 27 29 41 54 56 57 58 69 72 74 76 78 84 91 92 93 98 99 100 102 105 110 124 125 131 136 137 142 147, (B4) 24 28 32 34 38 46 47 48 53 68 74 83 84 96 101 102 106 120 122 130 140 141 144, (B5) 14 21 24 25 26 27 30 31 34 42 50 75 92
default deny all (B3) 92 93
default-long-term (B2) 43
defaults (B1) 18, (B2) 45 46, (B5) 90
defend (B2) 13, (B4) 8 12 15 33 34 36 38 127 145, (B5) 9 93
defend the data (B4) 12 33 34 36 38 127
defend the data: block public access (B4) 34
defend the data: cloud storage security controls (B4) 33
defend the data: monitoring and incident response (B4) 127
defend the data: retention & lifecycle policy (B4) 38
defend the data: storage access control (B4) 36
defender (B1) 21 98, (B3) 49 50 52, (B4) 6 7 16, (B5) 14 40 42 61 62
defender for cloud security contacts (B5) 14
defenders (B1) 4, (B2) 5, (B4) 8, (B5) 48
defending (B1) 58, (B4) 2 3 8 12 17 31 43 90 133, (B5) 5 6 93
defense (B1) 10, (B2) 13, (B3) 125, (B4) 126 128 129 144
defense in depth (B4) 7 8
defense-in-depth (B3) 89
defensive (B1) 26
defer (B1) 48
define (B1) 9 12 46 53 98 108 109 123, (B2) 8 16 29 40 47 48 49 52 54 88 89 113, (B3) 10 16 25 31 41 43 46 47 48 69 131 136, (B4) 8 9 12 15 18 21 22 24 27 57 76 80 81 87 95 136, (B5) 93
define the data (B4) 9 18 21 22
define the data: data classification matrix (B4) 18
define the data: resource naming conventions (B4) 21
define the data: resource tagging (B4) 22
defined (B1) 7 9 17 29 49 63 98 101 106 127 135, (B2) 10 29 33 45 51 54 72 79 89, (B3) 16 23 27 36 62 136, (B4) 46 53 54 57 63 81 120 135 152, (B5) 13
defines (B1) 9 10 53 98 113 121 123, (B2) 47 49 52 54 114, (B3) 27 41 44 61 105 119 136, (B4) 44 53 87 120
defining (B1) 3 59 103 116 123 129, (B2) 10 21 29 51 54 91, (B3) 36 49 62, (B4) 2 3 8 17 18 31 43 87 90 95 133 152, (B5) 93
definition (B1) 7 8 9 19 107, (B2) 16 20, (B3) 22, (B4) 76 134, (B5) 69
definitions (B1) 7 79 93 107 108 120, (B4) 23 25 26 68, (B5) 49
degradation (B3) 100
degree (B1) 104, (B5) 6
deilivteary.longs.a (B4) 119
dek (B4) 97 98 100
delay (B1) 57, (B5) 48 67
delayed (B5) 48
delays (B2) 6, (B4) 67
delegate (B1) 42 43 49 61, (B2) 71 104, (B3) 48, (B4) 55 57 117 120, (B5) 52
delegate iam kms (B4) 117
delegated (B1) 44 61 128, (B2) 73 113, (B3) 35, (B4) 54 59, (B5) 51 52
delegates (B1) 42
delegating (B1) 61 135, (B2) 112, (B4) 54 67
delegating functionality (B1) 61
delegation (B1) 44 61 79, (B2) 101
delete (B1) 25 80 114, (B3) 6, (B4) 11 25 37 41 52 70 95 98 107 130 144, (B5) 27 28 52 76 78
deleted (B1) 41 80 120, (B2) 24 92, (B4) 48 98 120 144 147 152, (B5) 76
deletes (B1) 79

deleting (B1) 114, (B4) 37 130 139, (B5) 31
deletion (B1) 79 88 102, (B2) 92, (B4) 38 91 102 105 128 129 138 144 147 152, (B5) 23 28 31
deletions (B4) 33 143
deliberately (B5) 24
delimited (B4) 21
deliver (B1) 20 32 137, (B2) 88, (B4) 123 125, (B5) 61 66
delivered (B4) 50, (B5) 66 68
delivers (B5) 21
delivery (B1) 10 136, (B2) 86, (B4) 50 119 123, (B5) 8 9 34 48 66 67 82
delivery.logs.amazonaws (B4) 123
delivery.logs.amazonaws.com (B4) 123 125
delos (B1) 2 3 5 6 36 39 51 65 73 74 96 97 112 133, (B2) 43 62 68 86 115 120 127, (B3) 54 67 69 78 85 87 89 90 108 111 114 115 117 120 122 124 139, (B4) 30 148 149 152, (B5) 18 49 57 73 81 86 92 93
delos aws active/active palo alto firewall architecture (B3) 111
delos azure active/passive palo alto firewall architecture (B3) 120
delos-ca-crl (B2) 109
delos-robotics (B4) 37 106
delos-web-prod (B3) 54 114
delos/forge-portal (B4) 106
delos/logging (B4) 119
delos/rehoboam (B4) 106
delosbackupstorage:the (B4) 150
delosbackupsync:a (B4) 150
demand (B1) 13, (B4) 11 139
demands (B5) 45
democratize (B1) 21
democratizing (B5) 5
demonstrates (B4) 4
denial (B1) 19 22
denial-of-service (B5) 11
denied (B1) 98 101 103 117 118 121, (B2) 43, (B3) 27 100 136, (B4) 25 44 57 82 83 84 127
denies (B1) 88 103, (B3) 22 27 39 40 139, (B4) 26 55
deny (B1) 59 88 98 99 101 103 104 105 106 107 111 118, (B2) 41 42 44 60 98, (B3) 13 23 24 26 27 39 40 48 49 89 91 92 93 117, (B4) 25 44 48 55 57
deny-all (B3) 27
deny/deny (B3) 22
denying (B1) 88 105 118, (B3) 74, (B4) 34 55 83
department (B1) 7 10, (B2) 13, (B3) 125, (B4) 6 22 65 66 128 129, (B5) 99
depend (B1) 87, (B2) 8, (B5) 20
dependencies (B2) 101, (B5) 39
dependency (B4) 149, (B5) 12
dependent (B1) 20, (B2) 22, (B4) 100 138
depending (B1) 13 61 66 90, (B2) 52 74 78, (B3) 29 56 72 96 100, (B4) 24 95 97 98 110 148, (B5) 9
depends (B1) 16, (B2) 22 24 94, (B4) 48 93 142, (B5) 8
depicted (B1) 34 48
depicts (B1) 48, (B3) 135
deploy (B1) 13 86 106 107 108, (B2) 11 64, (B3) 11 82 100 120, (B5) 28 49
deployable (B1) 107
deployed (B1) 16 30 101 106, (B2) 14 18 21 22, (B3) 14 49 60 80 96 103 115 118 140, (B4) 22 32 130, (B5) 8 9 23 33 37
deploying (B1) 13 86 127 129, (B2) 6 21 127, (B3) 49 54 94 100 101 102 103 138 139, (B4) 140, (B5) 9
deployment (B1) 11 16 23 30 83 85 86 106, (B2) 4 5 14 65 66 86 127, (B3) 104 115 118, (B4) 56 140, (B5) 24 42 49
deployment/continuous (B1) 83
deployments (B1) 13 30 86 97 108, (B2) 4, (B3) 64, (B4) 136, (B5) 23
deploys (B1) 106
deprovisioning (B1) 42 45
dept (B1) 59
depth (B1) 59 82 84, (B3) 7 131 132, (B4) 126
deputy (B5) 53 54 78
derived (B5) 40
derusha (B2) 13
descendants (B1) 92 109
describe (B1) 113 126, (B2) 16, (B5) 64
described (B1) 104 107, (B2) 16 17 19 20
describes (B1) 32, (B3) 72, (B4) 24 65 85
describing (B1) 117, (B2) 16 89, (B4) 125
description (B1) 32, (B4) 21, (B5) 38 68 99
descriptions (B4) 15
design (B1) 3 6 10 11 12 16 18 20 21 22 23 30 32 33 36 38 51 57 65 73 80 82 84 91 92 97 111 127 131 142, (B2) 10 12 16 20 21 56 58 64 73 85 87 127 133 135, (B3) 6 9 22 52 62 64 70 78 84 87 89 125 134 149, (B4) 2 3 17 31 43 59 70 88 90 117 120 133 150 156, (B5) 25 44 45 46 47 49 54 60 62 66 78 84 90 93 98 101
designate (B3) 36, (B5) 52
designated (B1) 10 43 89 99 109, (B3) 45, (B4) 28 148 153
designation (B3) 110, (B5) 66
designed (B1) 3 10 18 21 25 33 43 46 82 109, (B2) 8 16 18 21 71 94, (B3) 18 56, (B4) 12 60, (B5) 75
designer (B1) 33
designing (B1) 3 7 9 10 12 16 30 32 135, (B2) 10 11, (B3) 35, (B4) 63 65, (B5) 12 46 60 98

designs (B1) 6 7 17, (B2) 4 11 73 87, (B3) 56 79, (B4) 134, (B5) 93
desire (B4) 129
desired (B1) 12 35 53 61, (B2) 10 130, (B3) 10, (B4) 25, (B5) 26 84
desiring (B2) 14
desktop (B1) 46, (B2) 54, (B3) 63
despite (B1) 128, (B2) 53 87, (B4) 32 47 135, (B5) 61
destination (B2) 7 14, (B3) 14 18 26 49 69 74 91 92 93 98 99 104 106 109 114 118 132, (B4) 150, (B5) 33 36 66 74
destinations (B2) 115, (B3) 128, (B5) 21 32 64 68 74 75
destined (B1) 25, (B2) 31, (B3) 6 16 20 21 30 85 104 120 128 132
destroy (B1) 76, (B4) 12 38 40
destroyed (B1) 120, (B4) 12 38 40
destroying (B4) 38 129
destroys (B4) 40
destruction (B4) 8 12 22 38 40 102
destruction lifecycle policies (B4) 38
detail (B1) 139, (B2) 105 106, (B3) 99, (B4) 11 13 16 98
detailed (B1) 22, (B2) 36, (B3) 147, (B5) 23 30 37 38 40 64
details (B1) 103, (B2) 17 20 33 36 48 130, (B3) 36 119, (B4) 15 41, (B5) 10 34 41 46
detect (B1) 23, (B2) 4 5, (B3) 5 7 100 147, (B4) 6 69 153, (B5) 4 9 21 33 37 62
detectability (B1) 20
detected (B5) 42
detecting (B4) 16, (B5) 9
detection (B4) 6 16 127, (B5) 3 4 5 9 16 31 32 42 44 61 62 64 71
detections (B5) 5 6 7 42 44
detectors (B4) 28
detects (B4) 127
determined (B2) 8 60 113 118, (B3) 13 44 74
determines (B2) 8 19 45 48 113, (B3) 106, (B5) 30
determinoing (B1) 7 12 14 16 30 78 98, (B2) 19 30 38 45 74 78 118, (B3) 13 44 62 69 74 85 99 124 134 147, (B4) 9 18 36 136, (B5) 8 32 43 66
detola (B3) 39 143
detract (B3) 119
dev (B1) 83
dev ou (B1) 83
dev/prod (B4) 21
develop (B1) 142, (B2) 135, (B3) 149, (B4) 40 156, (B5) 6 101
developed (B1) 17, (B2) 14 40, (B3) 31, (B4) 153
developer (B1) 129 133 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
developers (B1) 13 21 22 30, (B2) 21
developing (B1) 10 12, (B2) 22, (B4) 93 137, (B5) 99
development (B1) 11 32 36 82 83 85 86 100 116 142, (B2) 10 22 23 65 67 72 135, (B3) 41 42 57 63 100 103 149, (B4) 22 60 86 140 142 156, (B5) 39 101
deviation (B3) 47
deviations (B5) 33
device (B1) 46 67 113 127, (B2) 6 14 17 19 20 29 30 31 32 33 36 37 39 40 41 45 47 48 49 51 53 58 106, (B3) 16 81 119 130 134, (B4) 7 12 56 87
device policy (B2) 36
device-based (B2) 31
device-idefntaity (B2) 40
device.vendors["intune"].data["compliancestate (B2) 37
device.vendors["intune"].is_managed_device (B2) 37
device/client (B2) 32
device/client app (B2) 32
devices (B1) 46 67 126 136 137, (B2) 6 14 16 17 29 36 39 53, (B3) 5 6 18 111 132 134, (B4) 7 8, (B5) 62 70 82
devising (B1) 21
devsecops (B1) 86 133 142, (B2) 127 135, (B3) 149, (B4) 156, (B5) 101
dhcp (B3) 12
diagnostic (B1) 131, (B4) 33 41, (B5) 26 27 28 29 46 49
diagnostics (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 38 49 68 70 101
diagram (B1) 35 38 133, (B2) 67 75 77 86 98 110, (B3) 9 14 30 54 58 61 69 72 74 76 81 83 92 93 98 101 105 109 135 138 140, (B4) 54 150, (B5) 50 70 76 82 86
diagramming (B1) 33
diagrams (B1) 33 34 35, (B2) 66
dictate (B1) 10, (B3) 44, (B4) 142
dictated (B1) 62 71 92, (B4) 52
dictating (B4) 44 57
dictionary (B1) 7 53
died (B1) 23
differ (B1) 46 127, (B2) 92
difference (B1) 44, (B2) 19 78, (B3) 102 109, (B4) 55, (B5) 52
differences (B1) 7 10 78 136, (B2) 4 32 87, (B4) 120 134, (B5) 6 36 60 92
different (B1) 9 10 17 24 27 41 60 69 74 75 76 78 82 83 89 92 93 105, (B2) 6 8 10 13 18 22 35 39 40 43 52 55 64 67 78 81 85 86 90 93 94 98 101 114, (B3) 6 11 16 18 31 46 49 54 60 61 63 69 72 79 83 92 95 101 103 120 124 135 138, (B4) 7 13 15 24 25 32 41 48 49 53 63 65 66 80 85 103 105 117 136 144 145 146 148, (B5) 6 34 50 54 62 64 66 70 76 90
differentiate (B2) 6 52, (B5) 33
differentiating (B3) 24
differentiators (B1) 108

differently (B1) 10 54 101, (B2) 87, (B3) 125 132, (B4) 12 18
difficult (B1) 11 14 18 113 140, (B2) 22 101, (B3) 35 38 55 62 65 138, (B4) 6 18 46 91 107, (B5) 20 21
digital (B1) 13 113, (B2) 6 10 11 12 101
digital-first (B4) 134
digitally (B2) 113
dimension (B1) 9
dipping (B1) 28
dir (B3) 115
dire (B4) 135, (B5) 47
direct (B1) 78 133, (B2) 19, (B3) 13 16 19 40 59 60 61 63 64 68 70 72 74 81 83 84 127 132 135, (B4) 50 60 74 104 109, (B5) 10 61 84
direct connect (B3) 82
directed (B2) 17, (B5) 68
direction (B1) 9 92, (B3) 27
directions (B3) 92
directive (B1) 7
directly (B1) 43 78 116 120 136 139, (B2) 14 19 74 75 102 113, (B3) 18 30 68 71 91 102 103 105 136, (B4) 32 52 53 56 61 63 70 76 78 97 109 123 128, (B5) 25 60 68
directories (B1) 42 56 57 67 125 126, (B2) 71 72, (B4) 36
directory (B1) 17 42 45 46 48 53 54 56 57 66 67 114 120 126, (B2) 71 72 76 81 85 96 122 128, (B3) 5, (B4) 52 150
dirty (B1) 6
disable (B3) 39 40
disable network connectivity (B3) 40
disable subnet sharing (B3) 39
disablement (B4) 91
disabling (B1) 104, (B4) 45 127
disadvantage (B5) 61
disadvantages (B4) 135, (B5) 47
disallow (B1) 101, (B4) 38
disallowed (B2) 44, (B3) 39
disarray (B1) 11
disaster (B1) 127, (B3) 63 79, (B4) 2 3 17 31 43 90 133 134 135 136 138 139 140 141 142 143 144 145 147 148 154 155, (B5) 93
disaster recovery (B4) 147 151
disaster recovery (dr) in the cloud (B4) 134
disaster recovery data replication options (B4) 145
disasters (B4) 134 136 145
discarding (B1) 15
disciplined (B4) 47
disclosure (B1) 19 20 22
disconnected (B4) 141
discontinuity (B1) 7
discounts (B4) 60
discouraged (B2) 18
discover (B1) 14 19 75 97, (B2) 58, (B3) 52, (B4) 8 9 16 27 28 67 98, (B5) 62
discoverable (B1) 19, (B4) 148
discovered (B3) 52, (B4) 27, (B5) 57
discovering (B4) 7 15 37 80
discovers (B4) 28, (B5) 62
discovery (B4) 2 3 8 9 11 17 27 28 29 31 43 85 90 133, (B5) 41 93
discuss (B1) 100, (B2) 21, (B3) 69
discussed (B1) 139, (B2) 71, (B3) 19, (B4) 92, (B5) 84 90
discussing (B1) 10
discussion (B2) 3 64, (B4) 61
discussions (B1) 6, (B4) 6
disk (B4) 98 101 138
disks (B4) 105 138 139
dismayed (B1) 9
disorder (B1) 11
disparate (B3) 35 79 130, (B5) 52 74
dispersed (B3) 35
display (B1) 57, (B2) 75, (B3) 7, (B4) 27, (B5) 26 41
displayed (B1) 62 71, (B5) 40
displays (B1) 52
disposal (B4) 38
disrupting (B2) 14
disruption (B4) 134
disruptions (B4) 134 136 143
dissect (B4) 8 11 15 41, (B5) 93
dissect the data (B4) 11 41
dissect the data: monitoring (B4) 41
dissecting (B4) 2 3 8 11 17 31 43 90 133, (B5) 93
dissolved (B1) 87
distinct (B1) 138, (B2) 81, (B3) 8 138, (B4) 65 67 76 105 107 109 120, (B5) 66
distinction (B2) 22
distinctive (B2) 93
distinguish (B4) 93 101, (B5) 40
distribute (B1) 135, (B3) 100, (B4) 18 50 141, (B5) 11 12 52

distributed (B1) 25, (B2) 4 21, (B3) 6 8 63 102, (B4) 66 107, (B5) 10 76
distributes (B3) 111
distributing (B1) 136, (B5) 11
distribution (B2) 101 102, (B4) 50, (B5) 12 14
distributions (B3) 144
distrust (B2) 22
dive (B1) 4 40, (B5) 20 23 94
diverge (B1) 7
divergence (B2) 27
diverse (B1) 7 76 104, (B4) 51 138, (B5) 90
diversion (B2) 6
divide (B3) 57
divide networks into (B3) 57
divided (B3) 57 89
divides (B1) 79
diving (B2) 112, (B3) 4 80
divvy (B4) 53
dlp (B4) 9 16 27 28 85 86
dlp data discovery example (B4) 28
dmicroscoft (B2) 32
dns (B1) 3 85, (B2) 18, (B3) 5 12 30 44 76 92 103 106 128 131 132 140 141 142 143 144 145 146 147, (B4) 145, (B5) 43 76
docs (B1) 66 67, (B3) 44 89, (B4) 101, (B5) 43
doctoral (B2) 12
document (B1) 12 21 22 35 43 92 103 116 117 123, (B2) 14 75 96 122 124 128, (B4) 24 52 53 55, (B5) 90
documented (B1) 19, (B2) 10 53, (B3) 125, (B4) 142
documenting (B1) 19 33
documents (B1) 22 103 106 118, (B2) 79 101
dog (B1) 23 63
domain (B1) 46 109 123 126 139 140 142, (B2) 72 93 116 123 135, (B3) 12 49 92 124 128 143 144 147 149, (B4) 97 128 156, (B5) 6 15 16 101
domains (B1) 123, (B3) 92 147
dominant (B1) 125
domination" (B1) 22 90 125 128, (B2) 40 49, (B3) 41 68 72 94 101 102 116, (B4) 20 21 27 61 65 66 83 91 123 130 138 139, (B5) 52 60 67 98
done (B1) 42 70 100 107 123, (B2) 85 86 100, (B3) 16 18 45 92 100 109 115 128, (B4) 16 18 33 41 46 61 80 97 110 114
door (B3) 89, (B4) 56
doors (B4) 146
dos (B1) 19, (B3) 46, (B5) 11
double (B3) 103, (B4) 93
down-scope (B1) 118
downgrade (B2) 58
download (B1) 23, (B2) 86 130, (B4) 126, (B5) 68
downloading (B1) 70
downside (B1) 33 34, (B3) 96 103, (B4) 41, (B5) 22 67
downsides (B2) 54
downstream (B1) 48 56 57 80, (B5) 75
downtime (B4) 134 135 136 137 139 145 148
downward (B1) 92 105
dozens (B1) 52 118, (B2) 60, (B3) 139, (B4) 26 53
dr (B4) 138
draft (B2) 13
drag (B1) 35 100
dragging (B1) 35
dragon (B1) 19 20, (B5) 98
draw.io (B1) 33 35
drawback (B3) 139
drawbacks (B1) 100, (B4) 102, (B5) 66
drawing (B1) 35
drawn (B1) 27, (B2) 87
dread (B1) 19 20
drift (B3) 35 44
drive (B1) 13 66 67 126, (B2) 112, (B4) 4 60 61, (B5) 99
driven (B2) 58, (B5) 66 90
drivers (B5) 91
drives (B2) 3, (B4) 6 22
driving (B1) 13 80, (B2) 4
drolees (B5) 14
drop (B1) 35 62, (B4) 138
drops (B3) 20
dteames (B3) 96
dual (B3) 10 84
due (B1) 13 43 53 78 87 103 140, (B2) 31 87, (B3) 63 64 95 100 111 120, (B4) 32 93 109 120 128 139 140 145 146, (B5) 32 45 91
duo (B1) 137
duplicated (B1) 52
duplicates (B5) 36
duplicating (B4) 63 140
durable (B1) 133, (B2) 91 92 96 112, (B4) 147
duration (B5) 7

duties (B1) 32, (B3) 96
duty (B2) 20, (B5) 54
dynamic (B2) 8 18, (B3) 8 16 21 81, (B4) 83 84
dynamic policy assignments determines access (B2) 8
dynamically (B2) 6 18 19 21 73, (B3) 11 21 74
dynamics (B1) 89, (B3) 84
dynamodb (B3) 19 29 31 130 132 133, (B4) 56 93 101 141, (B5) 52

--- E ---

e.b.. (B3) 58
e.g (B1) 27 46 48 71 76 78 123 127 131 135, (B2) 32 33 46 90 114, (B3) 6 9 16 29 30 41 57 58 59 60 63 65 69 72 74 79 91 92 95 96 116 125, (B4) 22 24 32 36 70 86 97 101 123 135 136 140 141 145 150, (B5) 29 30 47 53
e.lg.a (B3) 43
eallodw (B3) 24
earlier (B2) 38, (B3) 85, (B5) 84
early (B1) 9 11 21 22 76 104, (B2) 12 13 72, (B4) 9 23, (B5) 53 62
ease (B2) 72 113, (B4) 11 144, (B5) 33
ease-of-use (B1) 42
easet/wewst (B3) 111
easier (B1) 22 46 76 117 126 134, (B2) 21 64 66, (B3) 26 38 42 64 68 76 116, (B4) 11 15 47 53 69 117, (B5) 7 20 44 51 52 59 60 67
easiest (B1) 3, (B2) 16 76, (B3) 4 49 57 60 62 63 89 90 91 93 94 95 103 114 120 122, (B4) 63 129, (B5) 92
easily (B1) 10 23 48 82, (B2) 6 10 13 58, (B3) 36 42 57, (B4) 38 68 95 117, (B5) 7 15 25 75
east (B3) 117
east-west (B3) 93 94 95
east-west traffic (B3) 95 96
east-west traffic inspection policies (B3) 93 94 95
easy (B1) 10 15 18 19 27 88 138, (B3) 127, (B4) 9 21 80 135, (B5) 45
eavesdropped (B5) 15
ebs (B4) 101
ec.amazonaws.com (B2) 88
ec2 (B3) 46
ec:createvpcendpoint (B1) 118
ec:subnet (B3) 39
eciphertext (B4) 97
eclouwd (B1) 128, (B3) 80
econtbext (B1) 52
ecosystem (B1) 17 100, (B2) 101, (B3) 56, (B4) 60 123, (B5) 61
ecosystems (B1) 136, (B2) 4
ecourity (B3) 96
ecs (B1) 25 118 133, (B2) 24 88 92, (B3) 12 14 19 23 25 30 31 46 82 132 133 135 136 137 144, (B4) 21, (B5) 5 6 9 23 31 34 37 38 42
edb-dade-ff-d-bfdcffb (B2) 68
edekt (B4) 100
edenwy (B3) 93
edge (B2) 10, (B3) 2 3 5 16 19 34 53 70 88 103 105 106 107 108 123 125, (B4) 50, (B5) 40
edges (B1) 35
edit (B1) 107, (B2) 118, (B3) 133, (B4) 45, (B5) 52
editing (B1) 114
editions (B1) 68
editor (B1) 123, (B2) 94, (B4) 66, (B5) 14
effect (B1) 44 79 93 101 106 118, (B2) 41 42 44 51 124, (B3) 39 40 136, (B4) 48 54 103 104 120 122 123 125, (B5) 49 79
effective (B1) 4 10 14 16 103, (B2) 16, (B3) 115, (B4) 4 36 83 98, (B5) 45 52 59 64
effectively (B1) 32 93 98 109 127, (B2) 6 101, (B3) 54 55 79 137 147, (B4) 38 152, (B5) 6 9 20
effectiveness (B4) 7 8 134 138
effects (B1) 106, (B3) 46, (B4) 120
efficiency (B1) 22 30 32
efficient (B1) 30 82, (B2) 10, (B3) 68, (B5) 37 59
efficiently (B1) 32 82, (B4) 86 150, (B5) 44
effort (B1) 19 21 91, (B2) 73, (B3) 80, (B4) 66, (B5) 4 5 59 62 90
efforts (B2) 73 96, (B3) 147, (B4) 32 105 135
efirewwall (B3) 28
eformderly (B5) 39
egregious (B3) 49
egress (B3) 76
egress spoke network (B3) 76
egress-only (B3) 18
egressing (B1) 3, (B3) 4 5 6 13 14 15 22 23 24 25 27 30 46 48 55 60 62 69 76 78 98 99 111 118 120 124 125 131 132 134, (B5) 33 44 83 92
ehttps://sec.com/id (B2) 117
eidenmtity (B2) 128
either (B1) 11 19 46 59 66 109 114 117 120 128 135, (B2) 4 48 49 52 55 56 72 79 94, (B3) 15 20 22 23 27 46 70 81 85 132 144, (B4) 83 98 109 110, (B5) 4 6 20 30 34 70 74 82 94
eks (B4) 140, (B5) 38 39
elapsed (B4) 38
elastic (B3) 14 22 23 25 46 131, (B4) 138 139, (B5) 21 34 38 45 64
elegant (B3) 70
element (B1) 13, (B4) 80, (B5) 51

elements (B1) 23 32 35 98, (B4) 9 18 20 33 95 120, (B5) 21
elevated (B1) 127 131
elevating (B1) 127
elevation (B1) 19 22, (B3) 33, (B5) 98
elevation of privilege game (B5) 98
elevewl (B1) 109
eligible (B1) 131
eliminate (B1) 18 88 131, (B2) 100, (B3) 115
eliminated (B1) 12
eliminates (B1) 53, (B2) 14 41 96 112, (B3) 58 64 96 109
eliminating (B1) 15 54, (B3) 33 38 58 65 125, (B4) 140
elimination (B2) 6
else (B1) 15 23 90, (B2) 14 123
elsewhere (B1) 88
elusive (B4) 91, (B5) 7
email (B1) 54 69 138, (B2) 74 81 93 94, (B4) 6 20 37 83 114, (B5) 12 13 14
email/chat (B4) 20
embedded (B1) 12 18, (B2) 17 79
embedding (B1) 79, (B2) 94
embeds (B1) 12
embodies (B1) 18
emerge (B1) 129, (B5) 6
emerged (B1) 15 19 25, (B2) 30
emergency (B1) 127 133 138, (B2) 53
emerges (B1) 11
emerging (B4) 4, (B5) 7
emily (B2) 68
emnt-planae (B5) 25
emphasis (B1) 112
emphasized (B1) 32, (B2) 17
emphasizing (B4) 139, (B5) 90
employed (B1) 15 118, (B4) 20
employee (B1) 13 51 60 65 73, (B2) 12 81 83, (B4) 20 67
employees (B1) 44 67 127, (B2) 66 81, (B4) 4 6
employer-specific (B2) 81
empowered (B1) 22
empowering (B1) 22
empowers (B1) 4, (B5) 4
empty (B4) 83
emwork (B3) 69 89
emxt-hopa (B3) 98
enable (B1) 3 4 13 43 44 56 57 82 86 90 104 111 114 121 135 136, (B2) 10 76 79 85 93 94 96 109 118, (B3) 5 30 35 36 48 58 76 79 93 101 124 128 130 133 139 147, (B4) 11 27 28 32 41 48 101 123 140 145, (B5) 1 14 31 32 34 39 44 49 50 51 52 61 75
enabled (B1) 53 66 84 90 93 98 104 108 120 136 137, (B2) 8 36 45 68 90 109 120, (B3) 5 39 44 45 91 92 102 128 131 145, (B4) 47 84 101 141 144 147, (B5) 24 27 29 30 31 32 34 42 50
enables (B1) 52 131, (B3) 6 61 63 74 83 128, (B4) 120, (B5) 45 47 71
enabvling (B1) 3 4 5 39 74 112 120 136 137, (B2) 3 28 63 84 93 94 112, (B3) 36 40 59 72 79 83 127 128, (B4) 3 16 17 31 42 43 90 101 114 123 124 127 133 144 152, (B5) 1 3 19 42 50 58 75 89 94 96
enact (B5) 8
enacted (B1) 106, (B3) 20 39
enclaves (B2) 4
encoded (B2) 109 113
encompassed (B3) 29
encompasses (B1) 21 89
encompassing (B1) 29 32
encounter (B1) 52
encountered (B1) 139, (B5) 99
encourage (B1) 21
encouraged (B1) 48
encouraging (B1) 42
encrypt (B4) 12 93 97 98 100 101 105 106 113 116 119 123, (B5) 74
encrypt/decrypt (B1) 129, (B4) 114 122
encrypted (B1) 43 104, (B2) 14 19 36, (B3) 63 80 81 84, (B4) 41 92 93 95 97 98 100 101 103 105 126, (B5) 74
encrypter (B4) 114
encrypter/decrypter role (B4) 114
encrypting (B2) 13, (B4) 93 95 97 98 100 101 110 114 123 129 139
encryption (B1) 43 129, (B2) 8 14 22 29 36, (B3) 81, (B4) 2 7 8 9 12 14 18 20 22 33 41 60 66 68 84 91 92 93 94 95 96 97 98 99 100 101 102 103 105 106 107 109 110 111 114 115 117 118 119 122 123 125 126 127 129 131 152, (B5) 52 93
encryption policies (B4) 33
encrypts (B4) 13 92 98 101
end (B1) 3 7 25 30 40 41 42 43 44 52 53 59 61 62 63 71 88 106 113 114 117 123 127 129, (B2) 4 16 17 19 23 24 41 47 49 65 67 71 72 73 74 75 76 77 78 79 80 85 87 92 106 112 124, (B3) 33 69, (B4) 33 83 84, (B5) 54 86 94
end-to-end (B1) 14
end-user (B1) 52 66 67 129, (B2) 23 45 71 112 124, (B4) 53, (B5) 91
end-user/machine (B2) 4
endorse (B5) 60
endpoint (B1) 56 69 117 118, (B2) 33 36 40 67 68 77 101 116 117 120 130, (B3) 18 19 20 26 29 30 81 83 102 105 106 111 127 128 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 146, (B4) 53 56 57 59, (B5) 23 36 66 82 83

endpoint id (B3) 132
endpoint.the (B1) 56
endpoints (B1) 85, (B2) 6 67, (B3) 9 13 19 23 25 26 29 30 33 36 44 89 102 108 111 127 128 129 130 131 132 133 134 135 136 137 138 140 144, (B4) 53 56 57, (B5) 82
endpoints.vpc (B3) 134
enemy (B1) 18
enetwmork (B3) 8
enforce (B1) 74 75 90 98 100 104 106 107 108 109 123, (B2) 16 18 24 32 33 41 45 55 73, (B3) 36 38 41 44 47 56 71 93, (B4) 7 15 24 26 27 34 41 47 48 57 76 107 117 142 148, (B5) 15
enforce mfa (B2) 32
enforce tags on resource creation (B4) 24
enforce/control (B1) 106
enforceable (B2) 6
enforced (B1) 29 89 107 135, (B2) 6 8 16 17 46, (B3) 46 57 134, (B4) 25 46 76 86 153, (B5) 24
enforcement (B1) 13 74 75 98 100 126 127, (B2) 6 9 10 16 18 20 23 29 30 58, (B3) 45, (B4) 47, (B5) 34
enforcements (B4) 48
enforces (B1) 111 131, (B4) 154
enforvcing (B1) 48 100, (B2) 4 47 56, (B3) 55 91 115 133, (B4) 7 23 24 48 147
engage (B1) 17
engagement (B5) 10
engine (B1) 94 98, (B2) 4 16 18 19 20 81 93 94, (B3) 56, (B4) 60 139, (B5) 36 39
engineer (B1) 142, (B2) 135, (B3) 42 149, (B4) 156, (B5) 101
engineering (B1) 131, (B2) 18, (B4) 66 67 68 76 78 85
engineers (B1) 21 23 100, (B3) 42 58 62 68, (B4) 65 145 146
engines (B1) 125, (B2) 71
enhance (B1) 13, (B3) 5 12 90, (B4) 37 105 138 139, (B5) 61 91
enhanced (B1) 13 28, (B3) 38 63 68 84, (B4) 7 76 118 149, (B5) 45 91
enhancement (B1) 13 46
enhances (B1) 22, (B4) 149, (B5) 64
enhancing (B1) 128, (B2) 10, (B4) 12 148, (B5) 12
enhancing visibility (B5) 12
eni (B3) 23 56
enis (B3) 25
enmts (B3) 8
ennab (B3) 38
enormwal (B4) 11
enough (B1) 12 15 18 20, (B4) 52, (B5) 21 37
enrich (B5) 64 68
enriched (B5) 64
enriches (B5) 64
enriching (B5) 64
enrichment (B5) 64 69 86
ensue (B1) 14, (B5) 66 78
ensure (B1) 10 18 35 56 61 86 98 104 108 135 138 142, (B2) 4 13 23 29 35 36 53 114 135, (B3) 38 42 79 100 103 111 115 149, (B4) 4 12 21 38 46 52 85 87 91 98 120 122 129 136 138 141 142 143 145 148 153 154 156, (B5) 6 12 14 25 51 54 101
ensured (B1) 48, (B5) 81 88
ensures (B1) 88 121 127 134 135, (B2) 105 125, (B3) 41 69 101 102 127 128, (B4) 12 13 33 86 93 98 137 141 147 148 151 152 154, (B5) 32 64
ensuring (B1) 32 98 127, (B2) 4 23, (B3) 41, (B4) 66 136 138 142 145 148 154, (B5) 3 12
enter (B1) 6 52, (B2) 123 129, (B3) 143, (B5) 75
entering (B3) 11 24 57 91 103 105 106 110 111 143, (B4) 85
enterprise (B1) 3 9 10 21 28 44 51 52 57 69 70 113 125 137, (B2) 6 8 9 13 18 31 32 33 73 96 98, (B3) 5 54 55 62 89 124 134, (B4) 21 27 47 48 66 76 105 107, (B5) 21 59 62 65 99
enterprise machine identity authentication architecture (B2) 98
enterprises (B1) 5, (B2) 72, (B3) 62, (B5) 61
enters (B2) 67
entertainment (B1) 23
entire (B1) 59 82 98 107 126, (B2) 10 56, (B3) 18 44 47 68 100 128 133, (B4) 27 28 34 44 45 68 79 82 84 128 154, (B5) 25 34 40 62 99
entirely (B1) 7, (B2) 11 58, (B4) 93
entities (B1) 46 93 114 117, (B2) 10 14 16 24 87 88 94, (B3) 140
entitlement (B1) 46 48 113, (B2) 4
entitlements (B1) 48 53 92, (B2) 87
entra (B1) 2 3 5 17 39 46 47 48 50 51 57 59 65 67 69 70 73 74 89 112 120 125 127 128 131 132 133 136 138 139 140, (B2) 2 3 4 24 28 32 43 45 46 47 53 54 60 61 62 63 64 65 66 68 69 70 71 72 81 83 84 85 86 87 91 97 103 110 118 120 122 128, (B4) 37 109 110, (B5) 28 49 62 68 70 73 84
entra id (B1) 67 69 70 125 127 131 133 136 138 139, (B2) 32 54 65 72 81 91 110 120 122 128, (B4) 109 110, (B5) 28 49 62
entra id + okta (B2) 32
entra id identity constructs (B1) 120
entra-blog/evolve-your-ciam-strategy-with-external-id/ba-p/ (B2) 65
entra: conditional access policies (B2) 45
entries (B3) 5 16 98 132 142, (B4) 56, (B5) 53
entry (B1) 3 125, (B3) 16 18 19 61 103 140 144, (B5) 70
enumerate (B1) 109, (B4) 154
enumerated (B1) 19
enumerates (B1) 117
enumerating (B1) 117

envelop (B4) 97 100
envelope (B4) 97 98 99 100
envelope encryption (B4) 97 100 102
envelopes (B1) 135
environment (B1) 3 6 12 14 15 16 28 29 33 36 41 45 46 53 59 82 86 91 97 98 101 104 106 109 127 128 129, (B2) 5 6 11 14 15 60 68 85 102 118, (B3) 6 7 10 35 55 63 79 83 94 100 120 125 135 147, (B4) 7 9 11 12 15 21 22 24 30 128 142 148 150 153, (B5) 3 4 10 12 13 18 20 21 23 30 31 33 40 41 62
environment.the (B1) 98
environmental (B1) 32, (B2) 8
environments (B1) 3 18 33 41 45 83 84 86 91, (B2) 3 6, (B3) 5 11 41 54 55 65 68 71 94 96 100 125, (B4) 7 12 138 142, (B5) 3 8 13 20 21 33 40 59 60 62 64 65 78 100
ephemeral (B2) 20, (B3) 8, (B5) 7
ephzt (B3) 145
eportbal (B3) 42
epriowritize (B5) 52
eprivwate (B3) 145
equal (B2) 130
equally (B1) 23
equals (B2) 125
equipped (B3) 12
equivalent (B3) 31, (B5) 31 68
equivalents (B2) 93
era (B1) 23 90
erase (B4) 95
erasure (B4) 38 98 128 129 130
erespbonsible (B2) 4
eretawil (B1) 125
eric (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 3 101
erm.us-eaast-t.amtahzoneawsw.com (B3) 143
error (B1) 11 23 41, (B2) 109, (B3) 55, (B4) 82 83 84 138 139 153
errors (B1) 18, (B3) 100, (B4) 134
escalate (B5) 44
escalation (B1) 104, (B4) 44
escape (B1) 7
esettibng (B5) 13
esidews (B3) 61
esourwce (B5) 34
especially (B1) 11 100, (B2) 74 102, (B3) 61 63 68 138, (B4) 21 110 147, (B5) 4 10 21 65
espionage (B1) 7
esplusnk (B5) 21
essential (B1) 78, (B3) 63, (B4) 134 136 148, (B5) 15 21
essential contacts (B5) 15 20
essential contacts (gcp) (B5) 20
essentially (B2) 17 72, (B5) 75
est (B5) 61
establish (B1) 4, (B2) 6 115 120, (B3) 6 91 92 100, (B4) 9 11 15 18 21 148 152
established (B1) 56 70, (B2) 7 10 16 21 89, (B3) 56 61 83 89 91, (B4) 6 152, (B5) 21 68 92
establishes (B1) 44, (B2) 98 99 105 122, (B3) 58 63 84 130
establishing (B1) 43, (B2) 55, (B3) 55 57 93, (B4) 12 18 21 23, (B5) 12 42
establishment (B1) 43, (B2) 19
estate (B1) 80 87 90 98 100 127 133, (B2) 96, (B4) 23 27 66, (B5) 43
estimates (B1) 33
estimation (B1) 33
etc (B1) 12 67 73 113 120 133 137, (B2) 81, (B3) 27 55 58 60 71 92 94 96 103 116 125, (B4) 28 87 101 120 145, (B5) 47 62 76 78
ethically (B4) 4
ethics (B2) 12
ethoswe (B3) 130
etl (B4) 85
euc (B2) 23
eusewd (B3) 137
eusinwg (B1) 23
evade (B4) 52
evaluate (B1) 106 111 130, (B2) 40 51, (B3) 24 65, (B4) 138 139 141 142
evaluated (B1) 22 38 101, (B2) 8 29 31 38 45 46 48 51 81, (B3) 24 27 48, (B4) 76
evaluates (B2) 49 51, (B3) 91 92, (B4) 79 82
evaluating (B1) 12 98, (B2) 8, (B4) 18 95 138 139, (B5) 32
evaluation (B1) 101 103, (B2) 29 31 32 46 51, (B3) 24 92 101, (B4) 44
evaluation logic (B2) 51
evenly (B3) 100
event (B1) 18 138, (B2) 22 48 49 51 88 109, (B3) 8 100 101, (B4) 11 42 107 146 148 154, (B5) 4 9 18 20 21 22 25 26 27 28 30 31 32 37 47 48 51 57 59 60 62 64 66 67 68 69 70 71 74 76 77 78 82
event hub log export pattern (B5) 70
event router (B5) 21 23 45
event-driven (B4) 61, (B5) 32 66 68 82
eventbridge (B5) 23 45 68
events (B1) 4 128 131 138, (B2) 91, (B4) 11 33 41, (B5) 1 2 3 9 17 19 21 23 24 25 26 27 28 29 30 31 32 33 37 38 39 40 41 44 47 48 49 50 51 52 56 58 59 60 62 64 68 70 82 84 89 94 96

events and metrics generated (B5) 37
events from a container (B5) 37
events.amazonaws.com (B2) 88
eventually (B1) 125, (B3) 8, (B4) 8
ever (B1) 12 82, (B2) 112, (B5) 26
everyone (B1) 23 82, (B4) 18
everything (B1) 90, (B2) 8 22 24
everywhere (B1) 23, (B2) 6 8
evidence (B1) 23, (B3) 125
evident (B5) 45
evnebt (B3) 49
evolution (B1) 11 32
evolve (B1) 129, (B2) 4 13 65, (B5) 4
evolved (B1) 125
evolving (B4) 136
exact (B3) 99 136, (B4) 123
exactly (B1) 48 89 94, (B3) 69 133, (B4) 53 54 105 130, (B5) 54
examination (B1) 7
examined (B1) 59 97, (B2) 27, (B3) 33, (B4) 30
examining (B3) 24, (B4) 32
example (B1) 7 10 15 22 27 35 44 45 48 59 63 76 82 87 88 93 94 100 107 116 118 121 124 131 133, (B2) 16 24 29 34 37 38 41 43 51 56 57 58 68 78 79 85 88 90 93 94 96 98 107 110 117 118 120 123, (B3) 9 12 24 29 38 41 46 49 55 58 61 69 76 92 94 95 99 102 106 110 115 117 124 125 134 139 143 144, (B4) 15 18 20 21 24 25 26 28 34 36 37 38 40 54 56 57 67 73 78 80 81 83 86 93 97 101 103 105 106 122 123 129 135, (B5) 9 10 21 28 29 31 32 33 37 48 53 55 60 61 62 75 79 82 83 84
example google organization policy constraints for sharing (B3) 41
examples (B1) 9 84 94 101 104 105 128, (B2) 16 44 48 49 85 88 90 115, (B3) 22 29 46 47 134 139, (B4) 20 21 22 123 140 141, (B5) 21 31 60
exceeds (B4) 38, (B5) 55
excellence (B1) 28 30 32, (B4) 21 23, (B5) 40
excellent (B2) 15, (B3) 134, (B4) 147
except (B1) 89 101 102 109, (B2) 47 55 56 58, (B3) 83 85 96 111 120, (B4) 55 74, (B5) 22 54
exception (B1) 87 100, (B2) 44 53 58 109, (B3) 39 40, (B4) 147, (B5) 84
exceptions (B1) 87 97 98 99 105, (B2) 41 45 53 56 57 88, (B3) 139, (B4) 34 48, (B5) 39
excessive (B2) 12 94, (B3) 14 46, (B4) 11
exchange (B1) 43, (B2) 46 75 76 105, (B5) 67 97
exchanged (B2) 113
exchanges (B2) 80
exchanging (B1) 43, (B2) 114
exciting (B1) 10, (B3) 119
exclude (B1) 109, (B2) 44 48 53 55
excluded (B1) 61 127, (B2) 44 53 55 56 58
excludes (B2) 53
excluding (B2) 53
exclusion (B2) 44 52 53 56 58
exclusions (B1) 93, (B2) 45 52 53
exclusively (B1) 59, (B3) 102
execute (B1) 130, (B2) 16, (B4) 63 64 65 152 153, (B5) 4
executed (B4) 153, (B5) 61
executes (B5) 25
executing (B4) 70 78 145 146
execution (B2) 88, (B4) 76 153, (B5) 31 38
executive (B1) 10
exempted (B1) 101
exercise (B1) 22 115, (B2) 115, (B5) 18 94
exercises (B1) 86
exerting (B1) 100
exfiltrated (B3) 137, (B4) 12 38 67
exist (B1) 12 20 42, (B3) 95 120 130, (B4) 23 26 36 41 45 52 55 76 109 138 145, (B5) 49 50 62
existed (B1) 15, (B2) 10 64
existing (B1) 13 15 16 22 67 87 98 113, (B2) 6 10 64 65 73 76 78 96 100 101 103, (B3) 22 48 70 72 119 130, (B4) 8 34 46 53, (B5) 5 6 31 49
existing methodologies used for on- (B5) 5
exists (B2) 79, (B3) 27 62
exit (B2) 47
exiting (B3) 24
exp (B2) 68
expand (B1) 16 112 129, (B2) 5, (B5) 14
expanded (B1) 23 137
expanding (B1) 11, (B4) 145
expands (B1) 32 52
expansion (B1) 32 125, (B3) 41, (B5) 4
expansive (B1) 126
expect (B1) 66 78 87, (B3) 31, (B5) 10
expectations (B4) 4
expected (B1) 32 56, (B2) 13 123, (B3) 6, (B4) 73 141 152
expenditure (B1) 22
expenses (B3) 60 65

expensive (B1) 14, (B2) 6, (B3) 68 70 138, (B4) 135, (B5) 21 22
experience (B1) 6 13 15 28 42 62 63 71 92 142, (B2) 6 29 135, (B3) 56 115 149, (B4) 83 135 156, (B5) 101
experienced (B1) 76
experiences (B4) 138
experiment (B1) 86
experimental (B1) 86
experimentation (B1) 13 86
expertise (B1) 19
experts (B1) 21 22 30, (B2) 13
expiration (B2) 12 32 55 86 96 104 109 112 113 114 122 128, (B3) 5 31 89 138 139, (B4) 12 16 22 37 69 87 91 127
expiration/properties (B2) 32
expire (B2) 49, (B4) 37
expired (B4) 40
expires (B1) 131, (B2) 43 46, (B4) 37
expiring (B1) 56
expiry (B1) 56
explained (B5) 67 69
explicit (B1) 118, (B2) 112, (B3) 16 27, (B4) 74 75 93 147
explicitly (B1) 101 103, (B2) 94, (B3) 16 22 23 24, (B4) 38 120 140, (B5) 66 83
exploding (B4) 51
exploit (B1) 19 24, (B2) 44
exploitable (B1) 19, (B2) 10
exploitation (B1) 22
exploited (B1) 19
exploiting (B2) 13
exploits (B3) 60
explore (B1) 3 4, (B2) 32 39, (B3) 124, (B4) 13 67 91, (B5) 61
explored (B5) 18
explorer (B5) 21 25 26 29
exploring (B2) 100
export (B1) 4 33 35, (B2) 94, (B4) 64 142, (B5) 2 3 19 23 25 26 27 40 52 58 62 64 68 70 74 76 78 81 82 84 86 88 89 94 96
exported (B3) 61, (B4) 150, (B5) 26 52
exporting (B2) 94, (B4) 70 141, (B5) 2 3 19 58 64 72 80 87 89 96
expose (B3) 38 103
exposed (B1) 25, (B2) 18 57, (B3) 14 130, (B4) 67 149, (B5) 7
exposes (B3) 130
exposing (B1) 69, (B2) 39, (B3) 60, (B4) 138, (B5) 83
exposure (B2) 11, (B3) 41, (B4) 34 76
express (B3) 72 74 83
expressed (B2) 113, (B3) 64 71 83 84
expression (B2) 31 33 37, (B4) 28
expression language (B2) 31
expressions (B4) 28
expressroute (B3) 82
extend (B2) 4, (B3) 80 94, (B4) 140, (B5) 22
extended (B3) 10
extending (B2) 4, (B3) 14 81
extends (B5) 9 62
extension (B2) 31 36
extensive (B1) 117, (B3) 100, (B4) 14 70
extent (B5) 8
exterior (B2) 12 17
external (B1) 3 13 29 38 46 53 54 55 57 62 67 71 86 103 109 116 117 120 125 139 140, (B2) 2 3 4 16 18 22 28 53 63 64 65 66 67 68 69 70 72 73 74 75 76 78 81 83 84 85 89 90 94 96 98 101 106 110 112 115 119 124 125 128 129 130, (B3) 24 41 60 91 111 128, (B4) 6 7 44 93 102 122 128 139 141, (B5) 31 32 53 54 71 74 78 83
external aws account trust policy (B2) 90
external id (B2) 67
external id reference architecture (B2) 66
external id: sequence diagram (B2) 67
externally (B1) 19 57, (B2) 18, (B3) 103, (B4) 12
extra (B3) 109, (B4) 110 114 138
extract (B2) 70, (B4) 51 85 154, (B5) 31 47
extracting (B4) 6 80 127
extraction (B4) 85 86
extreme (B2) 58
extremely (B1) 11 107, (B3) 55 94, (B4) 91, (B5) 21
ey.g (B3) 91
eyjhbgcioijiuziniisinrcciikpxvcj.eyjawqioiindixmduodqilcj (B2) 114

--- F ---

f"arrna:awss:kems:rus_-eacst-o (B4) 125
face (B3) 4, (B4) 137
facebook (B2) 71 72 73 76
facets (B2) 16
facilitate (B1) 51, (B2) 112, (B3) 63 64 83, (B4) 152 154

facilitates (B1) 90
facilities (B3) 83, (B4) 41
facility (B3) 83
facing (B2) 16, (B3) 116, (B5) 8
fact (B1) 78, (B2) 58 110, (B4) 101
factor (B1) 18 19 25 66 89 135 136, (B2) 12 17 45 49 53, (B3) 98 136, (B4) 100 143
factors (B1) 21 136, (B2) 17 22 29 30, (B5) 8
facts (B4) 51
fail (B1) 18 35 128 136, (B2) 123, (B3) 24 100, (B4) 6 7 145 146, (B5) 90
fail-safe (B1) 137
failed (B1) 76 103, (B2) 10 118, (B3) 147, (B4) 67 153
failing (B3) 96 100 102, (B4) 6 83 135
failover (B3) 15 96 100 101 115, (B4) 134 135 136 138 140 145
fails (B1) 14, (B3) 100, (B4) 82
failure (B1) 23, (B2) 13 75 101, (B3) 6 100, (B4) 135 136 142 148, (B5) 10 39
failure to recognize a threat (B1) 23
failure to recognize a threat: apple airtags (B1) 23
failures (B1) 127, (B2) 21, (B3) 100, (B4) 134 137 138 139 141 145, (B5) 67
fairly (B1) 57, (B2) 79, (B3) 81
falcon (B2) 36
falls (B1) 29, (B3) 96
falow.fza (B3) 5
false (B2) 41 42 51, (B4) 48
familiar (B1) 28 32 117, (B3) 119, (B4) 14 60 120, (B5) 23
familiarize (B4) 97
famous (B1) 25
fanrda (B3) 42
far (B1) 22 29 139, (B2) 12 41 101, (B4) 21 102 109, (B5) 37 38 48 84 91
fargate (B2) 88, (B5) 37 38
fashion (B1) 7 46, (B2) 10 73
fast (B2) 5, (B4) 98, (B5) 4 6 23 37
faster (B5) 7 8 22
fastest (B5) 48
fate (B1) 88
fatigue (B5) 21 59
fault (B4) 138, (B5) 40
fdazta (B4) 80
feaderated (B1) 2 5 39 40 44 51 53 54 66 74 112 125 126 127 129 131 133, (B2) 6 41 45 54 68 71 72 73 74 76 78 83 85 86 89 90 91 92 96 97 98 102 110 118 120 122 124 125 128, (B4) 149 150 152 153, (B5) 79 90
feasible (B2) 94
feature (B1) 101 103, (B2) 29 32 36 71, (B3) 31 119 127 128, (B4) 33 37 41 50 87 147, (B5) 33 38 39 64
featured (B1) 33, (B3) 44
features (B1) 10 13 22 42 48 78 90 126, (B2) 33 72 73, (B3) 21 28 59 84 119, (B4) 33 60 130 138 139 140 141 142 147 153, (B5) 64
fed (B2) 19, (B5) 46
federal (B2) 12 13
federated (B1) 129 131, (B2) 122 124
federated iam role trust policy (B2) 124
federated identity configuration (B2) 122
federated-token (B2) 118
federating (B1) 43 113, (B2) 43 72 73 74 122 128
federation (B1) 3 40 42 43 44 57 60 67 70 125 126 127 129 139, (B2) 2 3 4 28 53 63 72 84 92 96 97 98 101 102 110 112 114 115 118 122 126 127 128 132 133, (B4) 152 153, (B5) 91
fedramp (B3) 116 125
fee (B5) 42
feed (B2) 47, (B5) 42
feedback (B2) 13
feeding (B5) 44
feeds (B5) 12 42 62
feel (B1) 25 100, (B2) 13, (B4) 46
feels (B2) 14
fees (B3) 15 61, (B4) 125
fell (B2) 10
fewer (B1) 42, (B3) 63 64 65 74 76, (B4) 83, (B5) 47 83
ffoic (B3) 111
fhzub (B5) 68
fiane-grainyed (B1) 48 121 123, (B2) 18, (B3) 23 26 48 134 139, (B4) 36 68 74 80 82 87 95 105 106 152
fico (B3) 54
fictional (B1) 6, (B2) 120
fido (B1) 136 137
field (B1) 101 116 117 118, (B2) 51 62 74 79 115 118, (B3) 136 137, (B4) 34 57, (B5) 14
fields (B1) 106 118, (B2) 106 115, (B3) 133 136
fight (B2) 60
file (B1) 63, (B2) 43 77 109 130, (B4) 52 61 97 98 100 103 128 129, (B5) 36 37 52 68 76
filed (B4) 20
files (B1) 33, (B2) 102, (B4) 32 37 50 61 85 98 148 150, (B5) 25 47 51
filings (B4) 20

fill (B1) 7
filled (B1) 35
filter (B1) 103, (B2) 40, (B3) 11 26 49 54 94 117, (B4) 78 79 84, (B5) 26
filtered (B4) 76, (B5) 25
filtering (B2) 35 36 44, (B3) 6 43 49 92 94 95 111 112 117 119, (B5) 34 64 68
filters (B4) 73 85 136, (B5) 25 26 64
final (B1) 3, (B2) 38, (B3) 103, (B4) 75 126 150, (B5) 2 3 19 58 89 94 95 96
finally (B1) 3 4 40 57 61 63 70, (B2) 124, (B4) 72 86, (B5) 92 93 94
finance (B1) 129, (B2) 18, (B3) 5, (B4) 22 38, (B5) 86
financial (B4) 20 38 134
find (B1) 4 9 23 32 133, (B2) 47 67 70, (B3) 8 23 87 145, (B4) 4 9 18 32 47 76 80 127, (B5) 12 25 26 61
finding (B1) 11 20, (B2) 96, (B5) 41
findings (B4) 28 136, (B5) 40 41 42 43 44 51 52
findings:provides (B5) 41
fine-tune (B1) 46 126, (B3) 134
finish (B1) 88, (B4) 67
finishing (B5) 94
finrew (B3) 100
fips (B4) 128
firebase (B2) 64, (B5) 34 48 64 67 68 69 74 75
fireproof (B1) 135
firewall (B1) 129, (B2) 12 17 21 60, (B3) 2 3 5 6 7 8 9 10 11 13 19 22 25 27 28 29 31 34 38 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 64 70 71 76 83 85 87 88 89 91 92 93 96 98 99 100 101 102 103 104 106 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124, (B4) 22 145, (B5) 52 92
firewall manager (B3) 46 49
firewall manager and defender for cloud (B3) 49
firewall manager: security group policy types (B3) 46
firewalls (B1) 25, (B2) 4 10, (B3) 2 3 5 19 25 34 43 49 53 79 88 96 98 100 101 103 105 109 111 115 117 119 120 122 123 130, (B5) 5 6 9 92
first-factor (B2) 46
first.this (B1) 107
fit (B1) 20 22 116 117, (B2) 72 80, (B4) 15 32
five (B1) 30, (B2) 14 21, (B3) 25 55 56 92
five-tier (B4) 18
fixed (B4) 147, (B5) 34 49
fixes (B1) 22
fixing (B1) 11 20
flagged (B1) 59, (B2) 51
flags (B1) 86 106
flat (B1) 78, (B2) 10, (B3) 6 54 56 57, (B4) 32
flaw (B1) 21, (B3) 125
flaws (B1) 11 24 142, (B2) 135, (B3) 149, (B4) 156, (B5) 100 101
fleet (B2) 73
flexibility (B1) 13, (B3) 60 68, (B4) 32, (B5) 4 75 91
flexible (B1) 13 20, (B2) 29, (B3) 60, (B4) 49 51 60 91, (B5) 25 44 45 75 82
flexible/resilient (B1) 9
floating (B3) 120
flogrs (B5) 38
flood (B5) 11
flora (B3) 38
flow (B1) 3 21 24 38 63 108, (B2) 14 32 67 70 75 83, (B3) 5 8 23 54 55 57 58 68 69 76 91 92 101 102 115 125 138, (B4) 6 7 8 36 56, (B5) 29 33 34 40 50 51 52 68 74 76 78 90 92
flow logs (B1) 70 108, (B3) 24 37 76, (B5) 33 36 37 38 51
flowing (B1) 108, (B3) 30 90 91 92 93 102 109 117, (B5) 23 33
flows (B1) 78 92, (B2) 14 16 65 66 72 112, (B3) 68 69 91 100 120, (B4) 103
fnram (B3) 89
fobs (B1) 136 137
focus (B1) 3 9 10 13 16 30 52 106, (B2) 4 98, (B3) 5 6 33 39 69, (B4) 7 51, (B5) 3 4 9 21 28 34 51 60
focused (B1) 5 7 19 28 39 74 112 142, (B2) 3 28 55 56 57 63 64 84 135, (B3) 3 34 53 88 123 149, (B4) 3 17 31 43 90 133 134 156, (B5) 3 19 58 89 94 96 101
focuses (B1) 4, (B2) 4, (B3) 55, (B4) 66 150
focusing (B4) 6 134, (B5) 9 21 93
folder (B1) 71 73 91 94 109 111 124, (B2) 86, (B3) 38 43 48, (B4) 28 47 70, (B5) 15 46
folder-applied (B1) 109
folders (B1) 79 80 82 89 92 94 109, (B3) 27 48, (B4) 109
follow (B1) 20 131, (B2) 21, (B5) 20 42
followed (B1) 13, (B3) 100 108, (B5) 7
following (B1) 13 19 20 54 76 82 103 116 118 121 124 127 129, (B2) 16 23 24 41 45 52 64 67 68 72 78 85 89 105 107 109 118 120 124 125 128 131, (B3) 6 12 16 21 39 41 44 46 58 72 74 79 92 93 101 105 109 134 140 146, (B4) 18 24 28 61 76 78 79 82 85 114 119 125 127 129, (B5) 4 8 47 78 84
follows (B1) 84, (B2) 30 130, (B3) 43 99 101 106 110 117, (B4) 75 97
footprint (B1) 61 66 125, (B2) 11, (B3) 89 111 125, (B4) 11, (B5) 61
fora (B2) 96, (B5) 13
forbid (B2) 40 60, (B3) 125
forbidding (B2) 60
force (B1) 57, (B2) 32 54, (B4) 84
forced (B1) 54, (B2) 45 54

forces (B3) 100
forcing (B2) 101, (B4) 83, (B5) 84
ford (B2) 41
fore (B1) 108, (B4) 21
foreign (B1) 7
forever (B4) 11, (B5) 34
forge (B3) 78, (B4) 106 117
forgerock (B2) 64
forget (B4) 38 67
forgot (B3) 49
form (B1) 48 107 120, (B2) 4 13 16 20 49 67, (B3) 29 133 138, (B4) 144, (B5) 68
formalising (B2) 13
formalized (B1) 30
formally (B1) 42 44
format (B1) 99, (B2) 67 94 110 113 114 118 120 131, (B4) 61 85, (B5) 25 41 64 74
formation (B1) 33
formats (B1) 33 35, (B5) 66
formatting (B4) 63
formerly (B1) 18 46 52 66, (B2) 71 92, (B3) 134, (B5) 16
forms (B1) 11 67 116 136, (B2) 20 49
formulate (B1) 12
forrester (B4) 4
forrester's data security & privacy playbook goals (B4) 4
fort (B2) 23, (B3) 98
fortifying (B2) 6
fortinet (B3) 119
fortunately (B1) 57, (B2) 6
forum (B1) 30
forward (B2) 23 24 109, (B3) 9 13 98 103 108, (B4) 130, (B5) 5 47
forwarded (B3) 14 91 135, (B5) 64
forwarder (B3) 140
forwarding (B3) 21 96 128, (B5) 12 20
forwards (B3) 99 106 120 135, (B5) 64 84
found (B1) 23, (B2) 29 85 102 116, (B3) 52 67 78 87 108 114 122, (B4) 23 86 113 116 132, (B5) 11 23 81 88
foundation (B1) 2 3 5 18 32 39 74 112, (B4) 4 51, (B5) 33 92
foundational (B1) 3 4 20 82 83 84 86 87 88 112 129, (B4) 91, (B5) 5
foundational ous (B1) 83 84 86 87 88
foundational ous: security and infrastructure (B1) 84
foundational ous: segregating by sdlc (B1) 83
foundational ous: supporting development teams (B1) 86
foundational ous: suspended ou (B1) 88
foundational ous: transitional and exceptions ous (B1) 87
foundations (B1) 1 3 5 30 39 74 112, (B5) 6 90
four (B2) 113, (B3) 133, (B4) 47 48 83, (B5) 4
fourth (B1) 93
fqdn (B3) 12 49 92
fragmented (B1) 29 40 41
framework (B1) 9 10 19 30 32 43 113, (B2) 11 17 112, (B3) 89 90 102, (B4) 4 8 9 14 15 16 18 19 21 22 33 91, (B5) 99
frameworks (B1) 29 30 76, (B2) 67, (B4) 14
fraught (B2) 75
free (B1) 33 52 90, (B3) 46, (B5) 40 98
freeform (B1) 33
freeing (B4) 38
frees (B4) 38
frequency (B2) 47 54, (B4) 153, (B5) 68
frequent (B2) 29, (B3) 56
frequently (B1) 16, (B2) 22 78 112, (B3) 92 94, (B4) 38, (B5) 12 42 51
friction (B1) 100, (B2) 17
friendly (B4) 83
front (B3) 89, (B4) 101
front-end (B2) 27, (B3) 33
frozen (B1) 88
frustrated (B1) 100
frustrating (B4) 83
fs (B2) 32
fthze (B1) 54, (B3) 49, (B4) 11, (B5) 27
ftp (B1) 43, (B3) 92
fuel (B4) 51
fuels (B1) 98
fulel-texmt (B5) 25 26
fulfill (B2) 71, (B3) 80
full (B1) 41 118 127 128 129, (B2) 41 120, (B3) 29 64 65 92 96 111, (B4) 26 27 37 46 61 70 95 102 120 128 129 142, (B5) 33 92

full access to bigquery resources (B4) 70
full-blown (B1) 20
full-feature (B1) 98
fully (B1) 23 33 34 87 88, (B2) 13 16 113, (B3) 6 49 70 91 92, (B4) 27 101 129 139, (B5) 39 76
fully-omanaglead (B2) 75
fully-qualified (B4) 65
fun (B5) 98
function (B1) 27 32 48 82 120 137, (B2) 67 78, (B3) 6 7 41 57 124, (B4) 22 38 61 63 83 92 141 148 150 151 152 153 154, (B5) 23 32 37 38 39 52 68
functionality (B1) 61
functionality. (B1) 61 87 99 109 131, (B2) 29 31 55 72 73 94 103, (B3) 12 93 94 102, (B4) 134, (B5) 61
functioning (B3) 76
functions (B1) 76 113 116 117 129 130 131 142, (B2) 5 18 98 135, (B3) 6 8 69 103 125 135 149, (B4) 32 60 61 63 134 145 156, (B5) 9 31 38 39 74 101
fundamental (B1) 3 94
fundamentally (B4) 51
fundamentals (B2) 4, (B5) 4
furthermore (B1) 88, (B4) 107, (B5) 44 51
fusion (B4) 61 62
future (B1) 6 36 94, (B2) 101 109, (B3) 119, (B4) 4 5 6 7 8 11 13, (B5) 32
fwahich (B3) 24
fwd:cloudsec (B5) 97
fwdcloudsec.org (B5) 97

--- G ---

g.id (B4) 73
g.name (B4) 73
gain (B1) 13 76 131, (B2) 6 12 13 72 91 96 102 112, (B3) 38 74, (B4) 51 119, (B5) 39
gained (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
gaining (B1) 67, (B2) 17, (B4) 6, (B5) 54
gains (B1) 131, (B3) 61, (B4) 152, (B5) 8
game (B1) 20 86, (B4) 28, (B5) 98
gamification (B5) 98
gap (B1) 19, (B3) 31
gaps (B1) 11 22, (B2) 57, (B3) 84, (B4) 134 142
gated (B2) 10
gates (B1) 127
gateway (B1) 112, (B3) 9 10 12 13 14 15 16 17 18 19 20 21 22 29 30 40 55 59 60 61 62 68 69 70 72 76 78 81 82 83 84 85 87 89 91 96 97 98 99 101 102 103 104 105 106 108 110 111 112 115 117 120 125 127 128 130 132 133 136 138 146, (B4) 56 57, (B5) 52
gateway endpoint (B4) 59
gateway vs. interface endpoints (B3) 133
gateways (B3) 6 11 14 15 16 18 36 38 60 70 73 75 76 80 103 119 125 130 132 144, (B5) 9
gather (B1) 52, (B2) 36 39, (B4) 18, (B5) 60
gathered (B1) 84
gathering (B2) 30
gcat (B5) 16
gcloud (B1) 114 137, (B2) 103 130 131
gclp.a (B3) 11
gcp (B1) 25 27 30 33 66 67 74 75 78 79 80 82 88 89 92 93 94 98 99 101 102 105 106 109 120 123 136, (B2) 2 3 24 28 55 63 84 87 93 94 103 112, (B3) 6 10 11 13 15 16 21 22 31 36 42 43 48 57 61 79 128, (B4) 2 3 17 31 43 90 115 133, (B5) 9 15 21 23 39 42 43 44 45 46 47 50 61 84 87
gcp essential contacts (B5) 15
gcp hierarchical firewall (B3) 48
gcp identity constructs (B1) 123
gcp offerings for consuming services privately (B3) 128
gcp org policy constraints (B1) 109
gcp organization (B1) 94
gcp organization policies/deny policies (B1) 101
gcp resource hierarchy (B1) 94
gcp service account types (B2) 93
gcp-based (B1) 27
gcp: chronicle (B5) 61
gcp: route table targets (B3) 21
gcs (B2) 86 131, (B3) 124, (B4) 16 25 28 32 33 37, (B5) 45 47 50 64 69 84
gdpr (B4) 4 105 136
geared (B5) 42
gen (B4) 36, (B5) 22
gencerated (B1) 12 54 56 63 84 136 137 138, (B2) 19 67 85 89 93 94 96, (B3) 16, (B4) 41 95 98 105 123 150, (B5) 20 23 27 31 37 40 43 59 70 76
general (B1) 36 140 142, (B2) 10 13 66 135, (B3) 23 27 149, (B4) 15 18 97 140 156, (B5) 101
generally (B1) 18 88, (B2) 24 39 102, (B3) 22 62 68 79 80, (B4) 15 45 92, (B5) 51
generate (B5) 40
generated (B5) 37
generating (B2) 96 110, (B4) 36 107 122 128, (B5) 70
generation (B1) 136, (B2) 113

generator (B4) 98
generic (B1) 94 114
genuine (B2) 23
geo-replication (B4) 140 141, (B5) 64
geographic (B2) 38
geographical (B4) 141
geographically (B4) 150
get (B4) 52
get/head (B4) 52
getfederationtoken (B1) 138
getobject (B4) 126
gets (B1) 18, (B3) 25 120, (B4) 32, (B5) 38
getsessiontoken (B1) 138
getting (B1) 6, (B2) 14, (B3) 58 94, (B5) 21 46 69 75 77
giant (B1) 23
github (B1) 86 104 133, (B2) 86 97 108 110 111 118 119 127, (B4) 86
github-managed (B2) 86
gitlab (B1) 86, (B5) 62
give (B1) 4 6 80 101 117 123 136, (B2) 58, (B4) 54, (B5) 20 21
given (B1) 14 22 38 101 103 114 117 139, (B2) 19 20 29 60 74 76 89 105 129 130, (B3) 19 21 91 101 134, (B4) 24 32 49 57 63 74 118 147, (B5) 8 68
gives (B1) 116, (B2) 66, (B3) 48
giving (B1) 6 22 80, (B2) 6 71, (B3) 59
gke (B1) 71, (B2) 94, (B4) 140, (B5) 37 38 39
glass (B1) 127
glimpse (B1) 62 71
global (B1) 61 127 128, (B2) 79, (B3) 10 11 16 27 28 40 68 70 71 83 84 101 102, (B4) 41 53 57 123 141, (B5) 53 54 62
globally (B1) 43 139, (B3) 27 71
glue (B5) 61
glue/ lambda / s3 (B5) 61
goal (B1) 10 11 12 32 33 53 103 135, (B2) 10 14, (B3) 130, (B4) 6 8 38 41 55 91 120 134, (B5) 4
goal: minimize downtime and data (B4) 134
goals (B1) 9 12 104 105, (B2) 93, (B4) 4 8 15 33 91, (B5) 4
god-mode (B1) 128
goes (B1) 18, (B5) 90
going (B1) 12 30 104, (B2) 10 24 60 109, (B3) 85, (B4) 130, (B5) 4 62
golden (B1) 86 129
gone (B2) 80
good (B1) 11 15 18 21 30 32 76 87 94, (B2) 4 14 16 91, (B3) 102, (B4) 91, (B5) 4 7
good architectural design helps manage complexity (B1) 11
google beyondcorp enterprise (B2) 33
google beyondcorp enterprise: access protection (B2) 33
google cloud architecture framework (B1) 30, (B3) 89
google cloud console user experience (B1) 71
google cloud customer-managed encryption key architecture (B4) 114
google cloud dlp data discovery example (B4) 28
google cloud enterprise (B1) 70
google cloud hierarchical firewall policies (B3) 43 48
google cloud identity (B1) 69 70
google cloud identity service options (B1) 66
google cloud identity: scim provisioning (B1) 69
google cloud identity: single sign on (sso) (B1) 70
google cloud project (B4) 109
google cloud role bindings (B1) 124
google cloud storage object (B4) 147
google cloud vpc network limits (B3) 56
google cloud workload identity configuration (B2) 128
google cloud's bigquery data warehouse (B4) 60
google cloud: centralized logging pattern (B5) 50
google cloud: pub/sub log export pattern (B5) 82
google cybersecurity action team: gcat (B5) 16
google drive (B4) 61
google workload identity federation (B2) 96

google workload identity pool provider (B2) 129
google workload identity pool service account (B2) 130
google workspace (B1) 136 138
google-supported (B2) 129
google.groups (B2) 129
google.subject (B2) 129
googleapis.com (B3) 124
googlecloudplatform/auto-data-tokenize (B4) 86
gotchas (B1) 57
gotten (B1) 62 71
govern (B3) 95
governance (B1) 49 86, (B3) 6 28 41, (B4) 4 14 15 16 21 22 27 28 34 41 71 74 80 81 83 84 85 86 87 95, (B5) 40
governed (B1) 93
governing (B1) 48
government (B2) 12 13, (B4) 38 102 105 128 129
governs (B4) 34
grace (B1) 88, (B2) 68, (B3) 21
gradually (B2) 14
gran (B2) 49, (B4) 28 36 123 126
grant (B1) 49 65 73 78 79 101 103 116 117 121 135 140, (B2) 24 30 31 34 38 47 48 49 56 58 60 64 67 76 78 90 96 98 104 112 124 128, (B4) 36 37 44 45 51 52 63 64 70 74 75 76 78 80 82 103 109 110 114 117 119 120 122 123 125 126, (B5) 52
granted (B1) 41 59 62 78 92 101 103 112 114 116 118 121 124 127 128 129 130 133, (B2) 6 8 19 47 51 54 65 79 90 91 92 93 94 96 113, (B3) 39 40 58 120, (B4) 36 44 45 46 54 70 74 107 109 113 116 120 122 123 154, (B5) 22
grantee (B1) 116 118
granting (B1) 59 61 78 79 113 116 121 125 131 139 140, (B2) 24 49 71 85 86 94 98 112 127, (B4) 21 34 36 44 45 46 54 55 68 72 74 76 80 89 109 110 114 117 120 122 123 125 126 130 154, (B5) 53 54 93
grants (B1) 65 73 101 106 124 129 130, (B2) 47 78 88 90 96 110 124, (B4) 65 70 72 74 109 110 114 120 122 125
granular (B1) 29 121, (B2) 6 10 15 33 56, (B3) 42 48 94 95 133 134, (B4) 36 47 52 53 54 63 76 105 123 148, (B5) 54 91
granularity (B1) 29, (B3) 76, (B5) 34 51
graphical (B1) 33
great (B2) 64, (B4) 149
greater (B1) 28 30 87, (B4) 48
greatest (B1) 22, (B4) 54
greatly (B1) 16 20 133, (B2) 85, (B4) 92, (B5) 8
greenfield (B1) 30
greg (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
gregory (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
greylog (B5) 60 75
grid (B1) 35, (B5) 21 47 67 70
ground (B5) 6
group (B1) 9 10 35 40 42 44 48 51 52 53 54 56 57 58 59 65 66 67 73 82 89 91 93 101 102 108 113 114 120 121 123 124 125 134 135 139, (B2) 16 32 33 40 48 52 53 56 57 58 65 74 78 85 92 119, (B3) 11 12 23 25 26 35 42 44 46 47 52 54 56 60 76 102 103 105 109 117 120 122 127 131 138, (B4) 25 26 34 41 45 49 63 65 67 72 75 78 80 82 83 107 109 110 114 154, (B5) 25 26 34 38 49 52 70 90
group-prod-ais (B1) 48
grouped (B1) 44, (B4) 20
grouping (B1) 35 44 91, (B3) 42, (B4) 63
groupings (B1) 58
groups (B1) 3 36 43 45 46 48 53 54 56 57 58 59 61 65 67 69 73 76 79 80 82 89 92 93 97 108 114 116 121 123 124 125 139, (B2) 16 35 45 48 52 53 54 56 58 78 81, (B3) 9 10 11 12 13 22 23 25 26 29 38 42 43 44 46 49 54 55 56 58 96 102 119 131 132 133 138, (B4) 26 34 44 66 80 87 105 107 109 148, (B5) 21 27 34 38 48
groups/users (B1) 129
grow (B1) 16, (B4) 51 52 66, (B5) 7
growing (B1) 52 82, (B5) 8
grown (B2) 87
grows (B1) 52 61, (B2) 4 87, (B3) 68, (B4) 11 51 52 66 106 107
growth (B1) 104, (B4) 4 51 107 117, (B5) 4
growth : key management (B4) 107
guarantee (B3) 125
guaranteed (B4) 139
guarantees (B1) 43 100 109, (B3) 31
guard (B1) 7, (B2) 23
guardduty (B1) 84, (B4) 16, (B5) 41 42 78
guardduty.amazonaws.com (B4) 123
guardrail (B1) 82 89 92 98 101 104 105 109 111, (B3) 40
guardrail resources (B1) 103 106 107
guardrails (B1) 2 3 5 39 74 78 82 93 98 103 104 106 108 110 111 112 129, (B2) 17, (B3) 39 46 47, (B4) 14 23, (B5) 15 90
guess (B5) 54
guessing (B2) 101
guest (B1) 120 139, (B2) 53 65 70, (B4) 72 73 81 82 83 84 89
guest_intelligence.activites (B4) 82
guest_intelligence.activities (B4) 73
guest_intelligence.activities.guest_id (B4) 82
guest_intelligence.activities.host_id (B4) 82
guest_intelligence.guests (B4) 73

guest_intelligence.hosts (B4) 73
guests (B2) 53 66, (B3) 111, (B4) 73
guidance (B1) 23 32, (B3) 89 104, (B4) 14 15
guide (B1) 32 43, (B2) 14 33, (B3) 42 84 89 116 125, (B4) 14 15 16 128 129, (B5) 16 24
guidelines (B1) 30, (B4) 40
guides (B1) 7 30
guiding (B2) 4, (B3) 134
gw (B3) 38
gwlb (B3) 102 105 106 111 120

--- H ---

h.id (B4) 73
h.name (B4) 73
ha (B3) 115
hand (B3) 115, (B4) 67 101, (B5) 52
handbook (B4) 3 17 31 43 90 133
handful (B1) 57 109, (B2) 78, (B3) 23 137
handing (B4) 102
handle (B1) 87, (B2) 73 76 115 116 125, (B3) 56 61, (B4) 117 135 153, (B5) 61 75
handled (B1) 13, (B2) 33 43 81, (B3) 74 125 132, (B4) 144
handles (B2) 72, (B4) 51 144
handling (B1) 29, (B2) 73, (B3) 76 98 139, (B4) 4 153, (B5) 16 70 82 83
hands (B1) 6 136, (B4) 27 101, (B5) 99
handshake (B4) 109
hangouts (B1) 66
happen (B1) 18 21, (B5) 47
happened (B4) 145
happening (B5) 21
happens (B1) 103, (B2) 51
hard (B1) 57, (B2) 12 73 89, (B3) 56, (B4) 32, (B5) 54
hard-coded (B4) 37
hardening (B2) 111 119, (B3) 138
harder (B2) 101, (B3) 57, (B4) 21, (B5) 21 22 47
hardware (B1) 18 23 67 135 136 137, (B2) 14, (B4) 95 97 128 134
harmed (B1) 23
harvest (B4) 51
hash (B1) 9 10, (B2) 113, (B4) 63 82 83 84 134, (B5) 61 78
hashing (B4) 20 84
hat (B2) 89
hats (B2) 89
hattaech (B2) 103
having (B1) 22 44 53 59 62 71 76, (B2) 12 17 46 53 79 94 96, (B3) 35 42 44 62 76 95, (B4) 51 154, (B5) 59 99
hazuere (B4) 139
hconatrol (B4) 54
head (B1) 33, (B4) 52
headed (B3) 98
header (B2) 114 115, (B3) 111
headers (B2) 130, (B3) 95
heads (B1) 10, (B3) 85
health (B3) 96 100 102, (B4) 20 41 153, (B5) 40 41
healthcare (B4) 105
hear (B1) 9, (B2) 23
heart (B2) 18
heaved (B2) 125
heavily (B1) 127, (B2) 101, (B4) 8 12 41 138 142
heavy (B2) 4
heidi (B4) 4
held (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
hello (B1) 136
helm (B1) 90, (B2) 112
help (B1) 3 12 13 19 30 46 75 80 89 90 91 93 127 133, (B2) 13 16 18 23 29 41 43 45 64 73 74 107, (B3) 5 26 30 54 71 100 147, (B4) 4 7 8 9 11 13 15 21 22 27 33 41 60 87 95 134 149, (B5) 4 8 15 20 21 31 33 34 40 44 50 52 54 59 60 62
helped (B5) 93
helper (B2) 107 108
helping (B2) 85, (B4) 8 33 52, (B5) 64
helps (B1) 11 21 48 59 80 82 90 109 121 123, (B2) 23 71, (B3) 14 15 30 41 44 57 103, (B4) 4 7 8 21 22 28 33 61 68 87 117 120 145, (B5) 51 52 61 62 64 76
hem (B2) 75, (B4) 36, (B5) 23
hesitation (B5) 32
heterogeneous (B2) 21
heuristics (B1) 113
hide (B3) 14
hiding (B1) 23
hierarchical (B1) 2 5 39 71 74 78 80 112 123, (B2) 10 51, (B3) 27 28 43 48 76, (B4) 80
hierarchical cloud account structures (B1) 78

hierarchical firewall policies (B3) 27 48 50
hierarchically (B1) 78 94 104
hierarchies (B1) 78 80 82 124
hierarchy (B1) 2 3 5 39 74 76 78 79 80 82 89 90 91 92 93 94 96 97 101 105 109 112 121 124 125, (B2) 85 86 87, (B3) 6 43 48 57, (B4) 23 24 25 26 30 34 36 63 64 70 78 80, (B5) 15 90
higdh-throughput (B5) 75
high (B1) 11 21 67 82, (B2) 5 6 47 54, (B3) 56 61 63 65 80 81 82 84 100 101 102 115 140, (B4) 11 13 33 45 61 120 134 135 138 139 140 141 145, (B5) 6 45
high risk apps (B2) 54
high-assurance (B4) 128 129
high-availability (B4) 138
high-fidelity (B5) 5 6 7
high-fidelity detections (B5) 7
high-fidelity detections with supporting (B5) 5
high-level (B1) 27 32 78 79 89 98 105 114 125, (B2) 88 110, (B3) 55, (B4) 20, (B5) 90
high-performance (B1) 30, (B4) 153, (B5) 21
high-powered (B5) 43
high-privilege (B1) 128
high-risk (B2) 55
high-value (B2) 14, (B5) 32 59
higher (B1) 79 121, (B2) 101, (B3) 60 61 76 93, (B4) 61 145, (B5) 47 66
highest (B1) 42 98, (B3) 24 27 48, (B4) 47, (B5) 81
highlight (B2) 64, (B3) 139, (B4) 55, (B5) 49
highlighted (B2) 12
highlights (B3) 18 127, (B4) 8 37
highly (B1) 21 30 100 127, (B2) 12 94 101, (B3) 65 125 139, (B4) 15 18 32 84 147, (B5) 43
highly available (B4) 32
hijacked (B5) 10 13
hinder (B1) 12, (B4) 134
hinges (B2) 58
hints (B1) 4
hipaa (B1) 76, (B3) 41, (B4) 4 105 136
historical (B4) 148
historically (B2) 30, (B4) 91, (B5) 21
history (B1) 3, (B2) 12 13 75, (B4) 13 33 41, (B5) 25 26 30 51
history of the zero trust movement (B2) 12
hit (B3) 139
hmac (B2) 114
hobby (B2) 72
hold (B4) 38 147 153
holders (B5) 13
holding (B1) 131, (B5) 14
holds (B4) 147
holistic (B5) 60
holistically (B3) 80
home (B1) 12 62, (B3) 36, (B4) 8, (B5) 30
hon (B1) 59
honsting (B1) 125 133, (B2) 6 64 100 119 123, (B3) 6 33 36 58 96 135 147, (B4) 38 106 107 109 147, (B5) 11 78 84 92
hood (B3) 47
hop (B3) 12 13 14 16 18 19 21 61 62 68 69 74 78 85 91 98 99 103 104 105 106 110 125
hope (B5) 16
hopefully (B1) 42
hops (B3) 21 63 64
hor (B2) 10, (B3) 18
horst-barserd (B5) 6
host (B1) 3 133, (B2) 4 64 94 98 116, (B3) 6 12 36 38 39 40 41 56 57 58 96 101 135, (B4) 73, (B5) 9 37 92
hosted (B1) 13 33, (B2) 5 31 39 40 65 66 67 75 116, (B3) 12 13 14 20 24 30 83 98 124 125 142 143 144 145, (B4) 21 73 81 82 83 84 130 135, (B5) 10 11 37 42 61 92 98
hostile (B2) 16
hostname (B2) 22, (B3) 140 144 145
hosts (B1) 30, (B2) 21 98 99, (B3) 72 76 103, (B4) 73 150, (B5) 9 78 84
hot (B4) 12 38 135 138, (B5) 44
hot-standby (B4) 145
hot-to-warm (B4) 138
hour (B1) 131, (B2) 5 55 113, (B3) 14 70, (B5) 36
hourly (B2) 54, (B3) 14 61 103 138
hours (B2) 55, (B5) 67
house (B1) 27 45 48 83 84 87 90 133, (B2) 13, (B4) 154
housed (B1) 48 52 53 54 59 84 89 112 114 125 133 136, (B2) 73 78
houses (B1) 94
hr.internal.delos-destinations.com (B3) 118
hsm (B1) 137, (B2) 114 115, (B4) 95 97 128 129 130
hsm admin configures (B4) 130
hsms (B4) 130
htartd.h (B4) 15
html (B1) 35, (B2) 67

http (B1) 43, (B2) 77, (B3) 49 92 94 95, (B4) 48, (B5) 69 70 82
https (B3) 44 108, (B4) 50 92, (B5) 82
https/tls (B4) 33 92
hub (B1) 84 133, (B2) 66, (B3) 2 3 16 17 21 34 53 55 57 59 61 64 68 69 70 71 72 74 75 76 77 79 85 86 87 88 96 98 104 106 110 120 123, (B4) 68, (B5) 37 40 41 45 51 52 62 64 68 69 70 71 76 78 82 84 92
hub attachments (B3) 74
hub attachments/connections (B3) 72
hub-and (B3) 61
hub-and-spoke (B1) 3 84, (B3) 16 49 59 64 68 69 70 71 72 74 76 78 81 87 89 91 94 95 96 98 111 118 124 125 147, (B5) 92
hub-and-spoke network architecture considerations (B3) 68
hub-and-spoke network architecture example (B3) 69
hub-and-spoke route tables (B3) 74
hub-and-spoke traffic inspection network (B3) 96
hub-and-spoke traffic inspection routes (B3) 98
hub-and-spoke zero trust policy (B3) 91
hubs (B1) 84, (B5) 69 70
human (B1) 18 125, (B2) 10 12 22 85 87 96, (B3) 5 6, (B4) 134 138 139
humans (B3) 6
hundreds (B1) 44 52 77 108 118, (B2) 73, (B3) 8 44 55 62 70 138, (B4) 28 32 34 36 52 53 106 107 117, (B5) 62
hunt (B1) 4, (B2) 5, (B5) 1 4 94
hybrid (B1) 3 28 85, (B2) 3 12 32 49, (B3) 4 13 55 62 68 79 80 81 91 96, (B4) 141 148, (B5) 61 62
hybrid cloud network (B3) 81 82
hybrid cloud network architecture (B3) 79
hybrid/multi-cloud (B3) 80 81 83
hybrid/multi-cloud connection types (B3) 80
hybrid/multi-cloud site-to-site vpn (B3) 81
hygiene (B1) 45 86, (B2) 60
hyper-growth (B1) 13
hyperdisk (B4) 138

--- I ---

i.e (B2) 49 73, (B3) 41, (B4) 93 138, (B5) 5 6 70
ia.e (B3) 130
iaas (B1) 16
iaas):these (B1) 16
iac (B2) 105, (B3) 6, (B4) 23 145
iam (B1) 17 27 40 41 45 46 48 52 53 54 56 57 58 59 60 61 62 63 67 73 79 80 82 89 90 92 93 94 101 103 104 105 109 112 113 114 117 118 123 124 125 127 129 133 137 139 140, (B2) 8 31 33 34 38 40 41 72 76 77 78 79 81 85 86 87 88 89 90 93 94 96 97 98 100 105 106 107 109 110 122 124 125 128, (B3) 6 29 95 130 134 136, (B4) 12 14 21 25 33 44 45 46 51 52 54 57 63 64 65 66 68 70 71 78 89 106 109 110 114 117 119 120 122 123 124 125 126 148 152, (B5) 31 42 54 78 79 81 90
iam administration: data viewer (B4) 66
iam condition keys (B5) 54
iam identity center (B1) 53 54 56 57 61 62 63
iam identity center: cli user experience (B1) 63
iam identity center: console user experience (B1) 62
iam identity center: delegating functionality (B1) 61
iam identity center: identity storage options (B1) 53
iam identity center: provisioning from entra id (B1) 57
iam identity center: provisioning the user base (B1) 54
iam in the cloud? (B1) 113
iam roles anywhere (B2) 105
iam roles anywhere certificate revocation (B2) 109
iam roles anywhere trust anchor (B2) 106
iam roles anywhere trust policy (B2) 107
iam-based (B3) 26, (B4) 120
iam.serviceaccounttokencreator (B4) 152
iam:createvirtualmfadevice (B2) 41 42
iam:deactivatemfadevice (B2) 41 42
iam:getuser (B2) 41 42
iam:listmfadevices (B2) 41 42
iamrole (B1) 115
ian (B1) 131, (B3) 111, (B4) 105
iantda (B3) 140
icmp (B3) 27 92 117
icon (B1) 33 35
icons (B1) 21 35, (B2) 58, (B3) 16, (B4) 8

ics (B4) 107
id token (B2) 112
idaas (B1) 67
idc (B1) 53 54 59
idc users (B1) 53
idcusers (B1) 54
iddentity-based (B1) 17 29 34 58 78 116 117 118 125, (B2) 31 33 36 38 79 87 88, (B3) 29 128 131 132 133 136, (B4) 36 44 45 52 120
idea (B1) 23 30 59 76
ideal (B2) 8 112, (B3) 61 64 79, (B4) 61, (B5) 3 21 61 83
idealist (B2) 18
ideally (B1) 5 11 49 116 133, (B2) 8 98 100, (B4) 21
ideals (B2) 9
ideas (B1) 13 22, (B2) 22, (B3) 125, (B4) 80 100
identical (B1) 10
identifiable (B1) 20 43, (B2) 93 94, (B4) 20 27 28 105
identification (B2) 17, (B4) 27 28 86
identified (B1) 19 21 22 38 51, (B2) 14 87 88, (B4) 8, (B5) 10 21 42 73
identifier (B2) 67 120 128, (B5) 84
identifiers (B1) 43 48 113, (B2) 88
identifies (B1) 22 133, (B2) 106 115, (B3) 92, (B4) 7 22 127 152, (B5) 10
identify (B1) 6 22 24, (B2) 58 74 77 118, (B3) 5 38 49 89 147, (B4) 6 8 9 11 15 21 23 24 26 33 68 85 136, (B5) 10 20 33 59 62 68 90 93
identifying (B1) 22 42, (B2) 6 11 14, (B4) 4 18 23 41 136
identifying all non-compliant (B4) 23
identities (B1) 3 46 48 52 53 55 76 109 113 118 120 121 123 125 126 130 134 136 140, (B2) 4 12 24 71 72 76 85 86 87 91 92 93 94 96 98 100 110 121 125 130, (B3) 127, (B4) 86 109 149 154, (B5) 28 42 53
identity (B1) 69 70 113
identity as a service (idaas) (B1) 67
identity center (B1) 58 59 125, (B2) 31 43 90
identity center: assign permissions across accounts (B1) 58
identity center: leveraging abac (B1) 59
identity constructs (B1) 114 123
identity federation (B1) 44, (B2) 101 104 128 134
identity management v2.0 (B1) 56
identity perimeter (B5) 93
identity policy (B4) 36
identity pool sequence diagram (B2) 77
identity pools (B2) 76
identity provider (B2) 123
identity provider json web key set (jwks) (B2) 117
identity provider json web tokens (jwt) (B2) 114
identity provider json web tokens (jwt) verification (B2) 115
identity provider openid connect configuration (B2) 116
identity service options (B1) 66
identity storage options (B1) 53
identity-as-a-service (B1) 17 66 126
identity-based (B1) 116
identity-based vs. resource-based policies (B1) 116
identity-centric (B1) 29, (B2) 24, (B3) 134
identity.amazonaws.com:sub} (B2) 79
identity.json (B2) 131
identity/google (B1) 125
identity: scim provisioning (B1) 69
identity: single sign on (sso) (B1) 70
idment (B5) 16
idp (B1) 45 53, (B2) 29 72 110 113 115 116 117
idp-provided (B2) 17
ids (B1) 17 43 66 67 126, (B2) 29 73 110 120 130, (B3) 25 79
ifs (B2) 16
ignore (B3) 48, (B4) 47
igtcap (B1) 94
igw (B3) 14 38
iintclaude:n (B1) 43
iis (B5) 37
iis logs (B5) 37
illegal (B5) 11
illustrate (B5) 47
illustrated (B1) 133 136
illustrates (B4) 106
illustration (B2) 58
ilooed (B1) 48
image (B1) 10 11 12 16 17 27 28 29 36 60 81 93 95 100 125 132, (B2) 7 17 21 66, (B3) 5 64 65 84 95 119, (B4) 5 6 11 32 44 50 92 94 147, (B5) 7 9 41

images (B1) 35 86 129, (B4) 51
imagination (B1) 23
imagine (B1) 109, (B3) 137
imagines (B1) 23
imds (B2) 120
immediate (B4) 128 142 145 148, (B5) 40 66
immediately (B3) 98, (B4) 127 128 129 130 142, (B5) 48 82 83
immune (B4) 135
immutability (B4) 138 139 152 153, (B5) 25
immutable (B2) 22 74, (B4) 38 138 147 152
impact (B1) 18 19 20 22 32 98 100 107 113, (B2) 12 23, (B3) 56 125, (B4) 13 33 105 135 136, (B5) 10
impacted (B1) 100, (B5) 10
impacting (B1) 83, (B4) 136
imperative (B2) 16
impersonate (B2) 93 99 128 129 130, (B5) 84
impersonated (B2) 94
impersonates (B5) 84
impersonating (B2) 99
impersonation (B1) 139 140, (B2) 94 98 129 133, (B5) 84
imperva (B3) 96
impervious (B5) 10
implement (B1) 12 134, (B2) 8 10 56 60, (B3) 14 60 65 103 115, (B4) 14 76 91 136 143 154, (B5) 67
implementation (B1) 12 44 142, (B2) 17 18 135, (B3) 64 130 149, (B4) 153 156, (B5) 33 66 84 101
implementations (B2) 104, (B5) 6
implemented (B1) 79 101 135 142, (B2) 12 30 31 32 40 60 73 135, (B3) 54 64 94 149, (B4) 12 93 156, (B5) 37 40 101
implementing (B1) 2 3 5 17 32 39 41 74 112, (B2) 1 2 3 13 28 41 63 73 84 134, (B3) 3 13 34 53 57 62 88 123, (B4) 3 4 7 17 31 43 76 90 92 109 133 136 148, (B5) 3 12 15 19 58 89 91 96
implements (B2) 79, (B4) 8
implications (B1) 32, (B3) 100, (B4) 145, (B5) 8
implicit (B3) 5
implicitly (B1) 24, (B2) 6, (B3) 16
implied (B3) 27
implies (B3) 6
import (B2) 109, (B5) 47
importance (B1) 40 45, (B2) 87, (B3) 136, (B4) 37 44 55
important (B1) 5 24 57 61 78 83 86 89 94 126, (B2) 5 29 32 58 64 67 74 90 104 113, (B3) 14 35 54 55 56 61 69 74 115, (B4) 15 56 63 73 84 87 107 110 114 123 138 142 145, (B5) 4 6 21 24 28 32 37 40 49 59 60 66 86 90 99
important: no key permissions (B4) 114
importantly (B3) 124, (B4) 145
imported (B3) 61, (B5) 52
importing (B2) 109, (B4) 128
impose (B2) 6
imposed (B3) 36
impossible (B5) 4
impractical (B4) 147, (B5) 51
improbably (B2) 47
improve (B1) 32, (B2) 9 49, (B3) 57 65, (B4) 7 97 107 140, (B5) 40
improved (B1) 13 28 29 98, (B3) 61 84
improvement (B4) 68 136
improvements (B1) 13, (B4) 37, (B5) 41
improves (B3) 84, (B4) 85
improving (B3) 76
in-depth (B1) 3, (B2) 75 77, (B4) 21 97 146, (B5) 20
in-house (B1) 15 84, (B3) 137, (B4) 9
in-scope (B2) 14 45 51, (B4) 26
ina (B1) 18, (B3) 145
inactivzity.y (B4) 38
inaforsmartion.r (B4) 86
inbound (B1) 88, (B2) 39, (B3) 13 14 22 23 24 25 41 49 54 55 91 92 102 103 105 108 109 111 122 125, (B4) 86, (B5) 23 75
inbound public services inspection patterns (B3) 103
inbound spoke edge routing with centralized firewalls (B3) 105
inbox (B3) 133, (B5) 12
inc (B3) 117, (B5) 16
incentivized (B1) 18, (B2) 10
inception (B1) 17
incident (B1) 25 84 129 130 133 138, (B2) 5, (B3) 147, (B4) 107 109 119 127 130 134 148 154, (B5) 2 3 4 9 10 16 19 21 23 48 50 52 55 58 59 62 71 89 94 95 96
incident response team (B4) 154
incident response: audit logs (B4) 107
incidents (B1) 4, (B2) 10, (B3) 100 147, (B4) 32 138 148, (B5) 1 4 5 10 12 13 16 37 42 59 62 94
include (B1) 15 42 66 73 76 82 84 93 94 105 113 117 121 124 126 127 128 131 139, (B2) 4 5 13 14 16 29 48 49 66 72 76 81 85 88 96 118, (B3) 14 16 22 27 29 35 46 47 60 63 76 79 80 92 93 94 102 124 128 136, (B4) 8 9 15 20 21 22 24 28 32 33 60 64 66 83 85 86 102 123 128 129 134 135 136 138 139 140 141 148, (B5) 10 13 20 21 23 25 27 28 30 31 33 39 40 42 44 64 66 68 69 82 83 86
included (B1) 13 30 109 142, (B2) 17 35 38 47 53 55 56 57 58 88 135, (B3) 12 26 149, (B4) 22 156, (B5) 14 22 27 28 34 40 101
includes (B1) 42 61 116 121 125 129 142, (B2) 8 9 41 67 68 90 114 130 135, (B3) 7 22 39 61 84 85 102 125 149, (B4) 21 28 34 70 110 114 154 156, (B5) 33 41 64 82 101

including (B1) 23 24 25 30 35 42 53 66 67 89 108 114 116 125 128 129 136 137 142, (B2) 3 4 17 33 56 65 92 94 98 122 128 135, (B3) 12 13 14 19 23 38 44 46 83 149, (B4) 26 28 32 45 51 61 65 87 95 120 123 134 135 142 147 156, (B5) 9 10 20 27 31 34 36 38 39 40 42 62 64 74 76 90 91 101
inclusion (B2) 52
inclusions (B2) 45 52
inclusions and exclusions (B2) 52
inclusive (B1) 15
incoming (B2) 20, (B3) 5 27 103 105, (B4) 85, (B5) 45 74 76
incompatible (B1) 54
inconsistencies (B1) 41
inconsistency (B1) 41
inconsistent (B1) 41, (B4) 107
inconvenience (B2) 15
incorporated (B1) 127, (B2) 13, (B4) 153
incorporating (B2) 10, (B4) 86, (B5) 44
incorrect (B4) 66 117
increase (B1) 28 100, (B2) 101, (B3) 56 68 125, (B5) 7
increased (B1) 11 13, (B2) 30, (B3) 68 80 100, (B4) 66, (B5) 8 91
increased "speed to market" (B5) 8
increases (B1) 14, (B3) 60 65 138, (B4) 33 37 38 140, (B5) 66 83
increasing (B1) 29 41 83, (B2) 101, (B5) 22 44 45 90
increasingly (B1) 17 29 61, (B2) 10 12 13, (B5) 37
incremental (B2) 73
incur (B1) 138, (B2) 56 91, (B3) 14 65 103, (B4) 142, (B5) 42
incurred (B1) 23 76, (B5) 44
incurs (B3) 60 138
ind (B1) 86 87, (B3) 11, (B4) 15, (B5) 83
indefinitely (B1) 88
independent (B1) 101 117, (B2) 92, (B4) 139 143
independently (B1) 101 135, (B2) 22 92, (B4) 21 143 152, (B5) 71
index (B5) 61
indexed (B5) 75
indexing (B4) 80
indicate (B1) 24, (B2) 12 88 113, (B4) 47, (B5) 31
indicated (B2) 8 13 21
indicates (B1) 118, (B2) 118
indicating (B1) 63 138, (B2) 22 68, (B4) 144
indications (B5) 32 53
indicator (B4) 107 142
indicators (B3) 7, (B4) 11 142, (B5) 13
indirect (B4) 41
individual (B1) 6 19 45 54 82 87 120 135, (B2) 8 12 18 74 75 85 86, (B3) 16 22 27 35 44 46 57 69 102 128, (B4) 22 41 47 53 57 61 63 65 67, (B5) 26 36 52
individually (B3) 68
individuals (B1) 22 129 135, (B2) 22, (B4) 4, (B5) 74
industries (B2) 101, (B3) 147, (B4) 18
industry (B1) 9, (B3) 5, (B4) 4 128 136
industry-specific (B4) 102 105
inefficient (B1) 28
inevitable (B2) 14, (B5) 3
inevitably (B2) 10
inf (B1) 133, (B4) 20
infiltrated (B1) 7
infinite (B4) 52
infinitely (B4) 51 52
inflexible (B1) 28
influence (B1) 16, (B4) 45, (B5) 86
inform (B1) 30
information (B1) 11 19 20 21 22 23 42 43 108 135, (B2) 7 9 12 13 24 30 32 33 36 39 40 48 65 67 72 73 74 77 81 113 116 122 128, (B3) 7 8 94 125 147, (B4) 8 9 11 18 20 27 28 38 51 85 103 105, (B5) 4 9 20 27 30 33 34 37 45 50 59 60 62 64 74
informed (B5) 42
informs (B1) 108, (B4) 79 82
infrastructure (B1) 13 14 16 25 32 33 34 62 71 84 85 86 90 97 98 107 113 129 142, (B2) 9 12 13 21 22 100 101 102 110 135, (B3) 6 8 9 68 71 76 79 83 89 90 96 100 102 115 117 143 147 149, (B4) 23 60 91 135 138 140 142 145 156, (B5) 4 9 10 11 23 36 37 38 45 62 75 92 101
infrastructures (B1) 30 107, (B2) 6, (B4) 92, (B5) 61
infrequently (B5) 51
inge (B4) 66
ingest (B3) 147, (B4) 61 68 72, (B5) 41 45 47 62 69 73 85
ingested (B1) 7, (B4) 65 68 85, (B5) 48
ingesting (B1) 86, (B4) 68, (B5) 60 78 84
ingesting google cloud logs (B5) 84
ingestion (B1) 38, (B4) 60 61 65 66 68 85 86, (B5) 44 45 61 68 70
ingests (B5) 45
ingress (B1) 3 33, (B3) 4 5 6 13 14 22 23 24 25 27 46 48 55 62 69 94 108 110 111 118 120 131, (B5) 92
ingress/egress (B3) 22
inherent (B1) 12 25, (B2) 14 24, (B4) 27, (B5) 33 54
inherently (B1) 5 11 114 140, (B2) 6 8 10 24 91, (B3) 64, (B4) 147
inherit (B1) 66 78 103 105 123, (B4) 25 26 36

inheritance (B1) 105
inheritwance (B1) 74 75 78 79 80 89 92 93 94 98 101 105 109 121 124, (B3) 27 48, (B4) 6 36, (B5) 13 15 90
initial (B1) 36 54 89 104 128, (B2) 13 14 101, (B4) 44, (B5) 7
initialized (B1) 127 128
initializing (B4) 130
initially (B1) 90 114 133, (B2) 41, (B5) 74
initiate (B3) 18 133
initiated (B1) 128, (B3) 130
initiating (B4) 152, (B5) 66
initiative (B1) 87, (B4) 148
initiatives (B1) 80 142, (B2) 135, (B3) 149, (B4) 4 8 156, (B5) 101
inject (B1) 101
injected (B2) 79
injection (B3) 16 102, (B4) 66
inline (B1) 101 116 117, (B2) 19 32, (B3) 20 109
inn (B1) 63 128
innate (B1) 16 22, (B5) 34
innocuous (B2) 13 79
input (B2) 13 35, (B4) 63, (B5) 34 75
inputs (B2) 19, (B5) 75
inquiries (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
insecure (B1) 7
insecurely (B4) 48
inserts (B1) 33, (B4) 61
inside (B1) 21 69 76 78 121 124 125 133 134 139, (B2) 4 8 10 11 14 65 86 98 105 113, (B3) 16 18 24 30 42 49 57 72 85 99 101 103 117 124 125 128 138 139 140 146, (B4) 60 63 64 68 87 95 97 98 101 106 109 118 128 130 145, (B5) 38 40 47 54 70 78 84
insider (B4) 6 102 139 141, (B5) 12
insight (B1) 13 30, (B5) 20 31 40 41 52
insights (B1) 7, (B3) 28, (B4) 51, (B5) 25 38 39 40 52 68
inspect (B3) 5 76, (B4) 7
inspecting (B1) 3, (B3) 4 104
inspection (B2) 72, (B3) 2 3 30 34 35 52 53 55 57 61 62 64 68 69 70 76 85 88 89 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 108 109 110 111 112 117 118 119 123 124, (B4) 28, (B5) 6 33 92
inspection network (B3) 91 94 95 96 102 103 105 109
inspection network high availability considerations (B3) 100
install (B5) 62
installed (B5) 38
instance (B1) 89 94 118 120 133, (B2) 24 38 40 44 88 92 110 111 120 121, (B3) 12 14 18 21 22 23 25 26 29 30 67 82 94 100 112 128 132 135 136 140, (B4) 56, (B5) 23 28 29 31 34 36 38
instances (B1) 71 94 120, (B2) 12 88 93, (B3) 10 11 12 14 15 23 25 27 31 41 43 44 46 49 95 100 124 128 132 133 137 144, (B4) 95 139 145, (B5) 9 10 31 34 36 38 39 43
instead (B1) 9 10 13 23 43 44 52 59 61 76 92 94 98 101 109 115 117 131 139, (B2) 6 13 22 45 53 96 98 112 113 120, (B3) 30 70 81 92 115 128 144, (B4) 20 25 48 50 52 57 65 83 84 96 110 114 128 154, (B5) 15 29 33 52 61
institutions (B4) 38
instructions (B1) 37 50 64 72 96 110 141, (B2) 26 61 69 82 122 126 128 132 134, (B3) 32 51 66 72 77 86 107 113 121 148, (B4) 29 58 88 112 115 131 155, (B5) 17 56 72 80 87 95
instructor (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
instrument (B3) 23, (B5) 7
instrumented (B5) 23
insufficient (B1) 23, (B2) 21, (B4) 143
int (B1) 53 79, (B2) 114, (B3) 9, (B4) 63, (B5) 74
intact (B1) 15, (B4) 153
integral (B1) 10, (B3) 110, (B5) 53
integrate (B1) 61 66 67, (B2) 4 36 65 71, (B3) 12 79 115, (B4) 7, (B5) 52
integrated (B1) 10 16 20 48 87 91, (B2) 14 64 73 74 75 77, (B3) 44 65, (B4) 92 95 101 123 130, (B5) 29 38 44 52
integrates (B3) 13 30 46 71 81, (B4) 80 150
integrating (B2) 37 101, (B4) 148, (B5) 42
integration (B1) 33 53, (B2) 31 32 72 85, (B3) 64 79 84 112, (B4) 123 152
integration/continuous (B1) 83, (B2) 86
integrations (B1) 137, (B2) 33 76 96 101, (B3) 115, (B4) 37 51 61 140, (B5) 47 52 60 66
integrative (B1) 10
integrity (B1) 19 24 43, (B2) 8 23 75, (B4) 8 66 91 154
intel (B2) 47
intellectual (B1) 15, (B4) 4 20
intelligence (B2) 5, (B4) 41 60 61 65 66 73 89, (B5) 33 41 42 51 62 64
intelligent (B1) 46, (B2) 30 39, (B3) 119
intelligently (B2) 66, (B3) 10
intend (B1) 18 30, (B3) 18
intended (B1) 32 52 83 138, (B2) 13 92 115, (B4) 74
intensive (B1) 15
intent (B3) 16 18 59
intention (B1) 36, (B2) 12 13, (B3) 137
intentionally (B1) 1 2 37 38 39 40 50 51 64 65 72 73 75 96 97 110 111 141, (B2) 1 2 26 27 28 61 62 63 69 70 82 83 84 126 127 132 133 134, (B3) 1 2 3 4 32 33 34 51 52 53 66 67 77 78 86 87 88 107 108 113 114 121 122 123 148, (B4) 1 2 3 17 29 30 31 43 47 58 59 88 89 90 112 113 115 116 131 132 133 155, (B5) 2 17 18 19 56 57 58 72 73 80 81 87 88 89 95 96 100
inter-region (B4) 145
inter-spoke (B3) 63 64 74

interact (B1) 114 120 130, (B2) 85 94, (B3) 30 99 129 130 131 136 139, (B4) 37 106 148
interacting (B2) 18 24 76, (B5) 26 28
interaction (B2) 14
interactions (B2) 14 24, (B5) 24 27 37
interactive (B1) 30, (B2) 43
intercepts (B2) 19
interconnect (B1) 11, (B3) 60 117
interconnected (B1) 11
interconnecting (B2) 6
interest (B1) 32
interesting (B5) 27
interestingly (B2) 94
interface (B1) 33 63, (B2) 6 85, (B3) 12 13 14 18 19 23 24 25 26 30 36 43 44 48 56 61 69 72 99 102 105 106 109 110 111 120 122 125 127 128 130 131 132 133 135 136 138 140 144 146, (B4) 56 59 60 140, (B5) 24 31 33 34 36 81
interfaced (B2) 18
interfaces (B1) 18 130, (B3) 9 25 26 46 57 78 83 84 87 120 140, (B5) 23 33 34
interfacing (B3) 128
interfering (B5) 33
interim (B1) 12
interior (B2) 4 12
intermediary (B3) 132, (B5) 44
intermediate (B2) 104 105 106 107, (B3) 112, (B4) 56
internal (B1) 22 44 48 80 100 125, (B2) 10 13 16 17 18 21 22 24 51 87 88 94 103, (B3) 2 3 5 21 27 34 53 63 88 91 93 98 103 106 109 110 113 114 122 123 128 135 140 142 143 144 146, (B4) 7 15 18 20 22 24 25 117 123, (B5) 16
internal dns hostname resolves (B3) 140
internal.sec.com (B3) 109
internally (B2) 10 39
international (B1) 22 36, (B2) 43, (B4) 67, (B5) 92 93
internet (B1) 25 43, (B2) 8, (B3) 6 9 10 12 13 14 15 16 18 20 21 22 29 30 31 36 38 40 41 52 58 59 60 61 69 76 80 84 85 89 90 91 92 99 103 104 105 106 110 120 124 125 128 130 132 135, (B4) 56 67, (B5) 83
internet routing between micro-networks (B3) 60
internet-based (B2) 22
interoperability (B1) 43
interrelated (B2) 22
intersect (B4) 36
interval (B4) 135, (B5) 34 66 68 69 70 76
intimate (B1) 23
intra-cloud (B5) 2 3 19 58 89 94 96
intricate (B5) 74
introduce (B4) 37, (B5) 34 66
introduced (B1) 5 46 92, (B2) 19, (B4) 136
introduces (B2) 12, (B3) 100 125, (B4) 118 138 145
introducing (B1) 41, (B2) 12 13, (B5) 62
introduction (B1) 35 36, (B2) 112, (B3) 130, (B4) 32 46 62 77 78 79 81 82 83 84 96, (B5) 67
introduction to cloud storage (B4) 32
intrusion (B5) 11
intune (B2) 33 36 37 47 49
inv (B1) 33, (B4) 98 107
invalid (B1) 114
invaluable (B4) 138
invasive (B1) 15
invent (B3) 54
inventory (B1) 33, (B3) 5 8 103, (B4) 8 9 11 14 27 61, (B5) 41 93
investigate (B1) 4, (B5) 1 21 33 37 59 62 94
investigating (B5) 5 6 9 32
investigation (B1) 88, (B5) 10 62
investigations (B1) 84, (B4) 102 119, (B5) 16 20 22
investigator (B1) 129 130
investing (B4) 142
investment (B1) 9, (B2) 101
investments (B1) 36
invisible (B1) 103
invited (B1) 125 139, (B2) 10
inviting (B1) 139
invocation (B5) 31 32
invoke (B1) 117 118, (B2) 90, (B4) 152 153, (B5) 68
invoked (B1) 118, (B4) 103
invokes (B4) 150
involve (B1) 14, (B2) 71, (B3) 46
involved (B1) 25 28 34 87, (B2) 10 12 73, (B3) 130, (B4) 98, (B5) 67 99
involvement (B4) 126 128 129
involves (B1) 15 16 23 42 80 88 106, (B2) 6 113, (B3) 36 59 79, (B4) 85 98 152
involving (B2) 8 77, (B4) 16, (B5) 90
iomnable (B5) 42
ion (B2) 3 28 47 63 84, (B3) 3 34 53 88 123, (B4) 3 17 31 43 90 133, (B5) 3 19 58 89 96

ip(context.http_request.client_ip).isinrange(ip(".. (B2) 40
iphone (B1) 23 137, (B2) 58
ipoal (B4) 103
ips (B3) 41 46 70 79 81 128, (B5) 33
ir (B4) 119 125
irrelevant (B5) 64
irrespective (B1) 20 21, (B2) 51 73
iso (B4) 70
isolate (B1) 130, (B4) 30
isolated (B1) 86, (B2) 4, (B3) 30 54 57 58 59 96, (B4) 66 68 107, (B5) 71
isolates (B3) 14
isolating (B1) 76, (B2) 21, (B3) 6 11 58, (B4) 105
isolation (B1) 76 93
iss (B2) 118
issuance (B2) 23
issue (B1) 10 139, (B2) 54 71 80 81 92 110 123, (B4) 103, (B5) 10 42 53 54
issued (B1) 56 139, (B2) 17 47 78 107 112 113 115 116 120 123 125 129, (B4) 150 152, (B5) 10 31
issuer (B2) 67 68 92 104 105 114 115 116 118 120 122 125 128 129, (B4) 152
issues (B1) 9 14 20 87 127, (B2) 19 24 43 75 114, (B3) 35 100 126, (B4) 22 41 145 146 153, (B5) 37 54 66 99
issuing (B2) 110 112 113
istio (B2) 120, (B3) 94
itan-d (B2) 68
items (B1) 13 35, (B3) 90
iterate (B4) 9
iterated (B1) 20
iteration (B2) 30
itmhin (B3) 20
itself (B1) 9 18 23 79 82, (B2) 10 74, (B3) 85 129, (B4) 6 7 97 138, (B5) 25 27 28 33
ivs (B1) 33
iwvith (B2) 118

--- J ---

january (B4) 101
jargon (B1) 17, (B4) 97
java (B4) 60 86, (B5) 69
javascript (B2) 67, (B4) 60
jbgfpbsiikdldefjybnqifq.khoorzphkikfwbxa (B2) 114
jenkins (B1) 86, (B2) 94
job (B1) 41 67 115 116 129 130 131 133, (B2) 18 86, (B4) 20 28 63 64 65 68 70 72, (B5) 90
jobs (B2) 29 85, (B4) 12 28 60 61 64 68 70 72 145, (B5) 5 6
jobs/workflows (B2) 85
jobuser (B4) 70
john (B1) 10, (B2) 12 15 115 116 117 125, (B5) 99
johnson (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
join (B2) 32, (B4) 73 84, (B5) 26
joined (B2) 49, (B3) 98
joining (B4) 73, (B5) 50
jonathan (B2) 112
journey (B1) 20, (B2) 7 14, (B3) 134, (B5) 8 20 59
json (B1) 63 107, (B2) 67 68 110 113 114 115 116 117 125, (B4) 61 120, (B5) 25 66
judicious (B4) 51
judiciously (B1) 113, (B4) 46 144
juggle (B5) 8
jump (B1) 133
june (B2) 14
jupyter (B5) 62
just-in-time (B1) 57 127 131
justice (B2) 12
justifies (B4) 141
jwks (B2) 67 114 116 117 122 123 128
jwt (B2) 67 68 73 74 78 110 113 114 115 116 117 118 123 125 129
jwt's aud claim (B2) 118 123
jwt's iss claim (B2) 118
jwt's sub claim (B2) 118

--- K ---

keep (B1) 22 46 67 80 85 86 90 94 103 104, (B2) 13 47 68, (B3) 25 42 89, (B4) 4, (B5) 4 6 7 47
keeping (B1) 83, (B3) 65, (B4) 21 135 141
keeps (B3) 109
kek (B4) 97 98 100
ken (B2) 10
kept (B1) 88, (B5) 45

key (B1) 3 4 10 15 22 30 32 48 61 67 80 98 108 114 118 121 124 133 135 136 137, (B2) 4 17 19 20 67 73 75 85 86 93 94 96 100 101 102 103 107 110 115 116 117 122 125 128 129 131, (B3) 9 18 84, (B4) 2 3 4 8 14 17 20 21 22 28 31 36 37 41 43 52 57 63 84 85 90 91 92 93 95 96 97 98 100 101 102 103 104 105 106 107 109 110 112 113 114 115 116 117 118 119 120 121 122 123 125 126 127 128 129 130 131 132 133 134 135 136 138 142 150, (B5) 21 31 43 54 55 64 76 93
key administration: kms (B4) 107
key components of a google (B1) 124
key components of dr planning (B4) 136
key considerations of a cloud migration (B1) 15
key management : key (B4) 107
key management options (B4) 97
key rotation (B4) 105 109
key unwrapping (B4) 100
key wrapping (B4) 97 98
key-value (B2) 114, (B4) 22
keyless (B2) 97
keynote (B1) 81, (B5) 7
keyrs._com (B5) 52
keys (B1) 54 117 129 135 136 137 139 140, (B2) 41 85 86 90 93 94 96 107 112 116 117 122 125 128, (B3) 95, (B4) 12 20 36 37 41 57 91 92 93 95 97 98 101 102 105 106 107 109 110 111 114 117 118 120 122 123 125 126 127 128 129, (B5) 54
keys.there (B2) 94
keywords (B4) 28
kicked (B5) 91
kid (B2) 115 117
kind (B1) 114, (B2) 17 89, (B3) 59
kinds (B3) 83, (B5) 75
kinesis (B5) 34 47 48 64 68 74 75
kinesis data streams (B5) 74
kinesis log export pattern (B5) 74
kinesis/cloudwatch (B5) 75
kits (B1) 14, (B2) 65, (B4) 60 86 140
kms (B1) 117 118 124 129, (B2) 68, (B4) 20 48 91 92 94 95 96 97 98 99 100 101 102 103 105 106 107 109 110 114 116 117 118 119 120 121 122 123 125 126 127 128 129 130 132, (B5) 52
kms key (B4) 127
kms key cross-account service-linked role permissions (B4) 123
kms key cross-account sharing (B4) 122
kms key default policy (B4) 120
kms key: kms:decrypt (B4) 126
kms team share keys (B4) 117
kms-backed (B4) 130
kms:calleraccount (B4) 104
kms:create* (B4) 103 121 122
kms:decrypt (B4) 103 104 121 122 123 125 126
kms:delete* (B4) 121
kms:describe* (B4) 104 121 122 123 125
kms:enable* (B4) 121
kms:generatedatakey* (B4) 103 104 121 122 123
kms:get* (B4) 104 121
kms:list* (B4) 104 121
kms:listgrants (B4) 122
kms:revoke* (B4) 121 122
kms:update* (B4) 121
kms:viaservice (B4) 104
kmsuser (B4) 130
know (B1) 7 30, (B2) 13 43 60 100 112, (B3) 49, (B4) 48
knowing (B1) 93 140, (B2) 16 18 21, (B3) 101, (B4) 107
knowledge (B2) 18, (B3) 9 96, (B5) 6 16 54
known (B1) 19 46 66 67 98 120 125 134, (B2) 43 44 56 67 116, (B3) 7 16 92 125 147, (B4) 6 32 38 65 74 97 98, (B5) 4 12 33 42 50 62 66
known/jwks.json (B2) 117
known/openid-configuration (B2) 116
knows (B1) 21, (B5) 12
kql (B5) 25 26 27 62
kubernetes (B1) 33 108 120, (B2) 98, (B3) 94, (B4) 140, (B5) 28 38 39 42
kubernetes: east-west traffic inspection policies (B3) 94

--- L ---

l1 (B1) 131
l1: standard federated user job functions (B1) 129
l2: privileged federated user permissions (B1) 131
l3/l4 (B1) 135 136 138
l3/l4: break-glass, root, super admin credential storage (B1) 135
l3/l4: break-glass, root, super admin mfa options (B1) 136

l3: break-glass identity bastion architecture (B1) 133
la (B4) 148
lab (B1) 2 5 36 37 38 39 50 51 62 64 65 71 72 73 74 96 97 110 111 112 141, (B2) 2 3 26 27 28 61 62 63 68 69 70 82 83 84 115 126 127 132 133 134, (B3) 2 3 32 33 34 51 52 53 54 66 67 77 78 86 87 88 107 108 113 114 121 122 123 148, (B4) 2 3 17 21 29 30 31 43 58 59 88 89 90 112 113 115 116 131 132 133 155, (B5) 2 3 17 18 19 56 57 58 72 73 80 81 87 88 89 95 96
labause (B2) 23
labeled (B3) 80 93
labeling (B3) 26 69 80, (B4) 9 25
labels (B3) 26 94, (B4) 8 11 22 25 85 105
labs (B4) 18 93, (B5) 42
lack (B1) 13, (B2) 98, (B5) 7
lacks (B1) 14, (B3) 128
lag (B2) 88, (B5) 23 48
laitan (B1) 25, (B2) 10 122, (B3) 9 27, (B4) 12 33
lake (B1) 4 142, (B2) 135, (B3) 149, (B4) 2 3 17 31 36 37 43 49 51 55 59 66 88 89 90 106 133 155 156, (B5) 21 22 25 26 44 45 46 47 50 59 61 64 93 94 101
lakes (B1) 129, (B4) 65, (B5) 21 22 44 45
lambda (B1) 117, (B2) 24 72 78 88, (B5) 9 31 38 39 52 61 74
lambda.amazonaws.com (B2) 88
landing (B1) 86, (B5) 52
lands (B4) 109
landscape (B1) 16 17 29, (B4) 7, (B5) 6
language (B1) 10 13 22 43, (B2) 31 33 37 40 71, (B3) 115, (B4) 60 76, (B5) 25 26 27 45 47 62 69
languages (B3) 115, (B5) 47
lanidv (B5) 25
laptop (B2) 12
laptops (B2) 14
large (B1) 22 27 28 29 36 76, (B2) 11 12 16 21 22 87 102, (B3) 6 35 41 54 56 57 58 61 138, (B4) 27 37 47 52 60 61 84 98, (B5) 21 31 52 61 65 66 68 74 75 76 77
large-enough (B1) 21
large-scale (B3) 35 56 57 63 64 84
largely (B2) 6, (B4) 33 130
larger (B1) 6 12 22 27 29 46 106 125, (B2) 21 22, (B3) 8, (B4) 66, (B5) 7 21
lastly (B1) 57, (B2) 49
late (B1) 21, (B2) 13 96, (B3) 16
latency (B1) 13, (B3) 30 60 61 63 64 65 80 84, (B4) 50 141, (B5) 66 83
later (B1) 35 43 84 87 89 133 139, (B2) 4 10 13 71, (B3) 7 19 30 69 147, (B4) 45 65 98, (B5) 70
lateral (B2) 6 10, (B4) 12
laterally (B2) 13
latest (B2) 29, (B4) 103
lattice (B3) 95
lattice-specific (B3) 95
lauato-generated (B4) 114
launch (B1) 23
launched (B1) 63 125, (B3) 22
laws (B1) 104, (B3) 125, (B4) 128, (B5) 64
lax (B1) 86
layer (B1) 16 25 26 43 49, (B2) 4 6 10 45 73 76 112, (B3) 10 55 89 92 93 94 95 102, (B4) 55 87 110 114 143 144, (B5) 6 9 24 33 34 36 37 40 43 44 91
layer/api (B1) 15
layered (B3) 128, (B5) 99
layers (B1) 11 16 28, (B3) 23 115, (B4) 139, (B5) 37 44
laying (B1) 80
ldap (B1) 67
lead (B1) 16 100 117 142, (B2) 135, (B3) 100 102 115 149, (B4) 12 135 138 156, (B5) 59 66 101
leaders (B1) 36, (B5) 22
leading (B1) 100 142, (B2) 135, (B3) 74 149, (B4) 156, (B5) 101
leads (B1) 17 41, (B4) 47 53 54 107
leakage (B4) 34 37
leaked (B4) 36 37
leaking (B2) 85
leaks (B4) 152
leapfrog (B5) 8
learn (B1) 3 4 74 75 112, (B2) 3 65 66 96, (B3) 9 17 20 26 42 50 64 65 73 75 76 84 96 115, (B4) 37 139, (B5) 20 27 36
learned (B1) 51 65 73 97 111, (B2) 17 62 70 83, (B3) 6 21 54 67 78 87, (B4) 32 59 89 113 116, (B5) 64 73 84 90 91
learning (B1) 3, (B2) 5 14, (B3) 7 115 119, (B4) 27, (B5) 42 45 62 92
learning-driven (B5) 62
least (B1) 18 22 28 41 93 113 121 128 135, (B2) 6 8 14 16 53 64, (B3) 5 41, (B4) 7 12 93 102 152 153 154, (B5) 90 93
least privilege (B1) 22 41 113 121 128 131, (B2) 16 29 94, (B3) 33 41, (B4) 7 12, (B5) 90 93 98
least-privilege (B1) 131, (B4) 148 154
leave (B3) 94 125 146, (B4) 87 93 128, (B5) 34
leaves (B1) 53, (B3) 81 111 125 134, (B4) 22 97 135
leaving (B1) 13 104, (B2) 12, (B3) 11 14 16 24 41 57 69 76 91 98 100 111 115 128
led (B1) 23 28 29 52 126, (B5) 36 53
left-hand (B1) 35
leftmost (B3) 112
legacy (B1) 3 15 87, (B2) 8 10 11 45 47 53 64 73 91, (B3) 91, (B4) 23 45, (B5) 91

legal (B2) 18, (B4) 4 38 147 153, (B5) 15
legitimate (B3) 100, (B5) 33
lends (B2) 10, (B5) 6
length (B1) 103, (B2) 19 47 49 54 55, (B4) 15 22 147
lengths (B2) 54
leonard (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
less (B1) 15 22 87 98 126 140, (B2) 35, (B3) 60 115, (B4) 97, (B5) 6 8 13 66
lessons (B2) 17, (B3) 54
lets (B3) 10 36
letters (B4) 15
letting (B2) 73
level (B1) 24 41 42 44 67 78 79 82 87 93 94 98 101 121 124, (B2) 5 8 10 14 16 18 20 21 29 31 34 38 48 73 74 87, (B3) 23 24 48 55 56 125, (B4) 9 18 24 34 41 46 47 48 51 52 54 61 63 64 66 70 72 76 80 87 128 142 147, (B5) 15 24 32 33 34 38 50 51
level-setting (B1) 40
levels (B1) 7 24 41 45 46 78 82 92, (B2) 10 31 33 34 35 38 55, (B3) 43 48 61 82, (B4) 11 18 20 47 53 148
leverage (B1) 49 76 92 98 101 136, (B2) 4 76, (B3) 42 79 83 111 119 135 139, (B4) 9 27 37 57, (B5) 8 13 37 45 61
leverage csp logging agents (B5) 37
leverage csp unique logging (B5) 37
leveraged (B1) 30 59 80 86 117, (B3) 30 46 68, (B4) 52, (B5) 10 54
leverages (B2) 30, (B4) 56 150, (B5) 26
leveraging (B1) 52 53 59 61 74 75 91, (B2) 5 55 73 100, (B3) 16 36 42 69 119 133 134, (B4) 148, (B5) 23 36 92
leveraging abac (B1) 59
leveraging resource groups (B3) 42
lex (B1) 117
lfoar (B4) 47
lgaithub (B2) 118
lhaave (B3) 111
libraries (B2) 65 67 71, (B5) 39 74
library (B4) 93
licensing (B3) 119, (B5) 61
lies (B1) 24
lieu (B1) 56
life (B1) 83
lifecycle (B4) 38 40
lifespan (B1) 88, (B2) 113
lifetime (B2) 54, (B4) 38
lift (B1) 15
lift-tinker-shift (B1) 15
lifting (B3) 6
lightning (B2) 43
lightweight (B4) 61
likelihood (B1) 16, (B3) 138, (B4) 37 134
likely (B1) 21 22 24 91, (B2) 44 56 66 78 96, (B3) 80 129, (B4) 53 128, (B5) 5 6 52 60 61 99
likes (B2) 16
lima (B5) 60
limit (B1) 92 94 103 117, (B2) 44 98 101 125, (B3) 6 56 57 76 127, (B4) 87, (B5) 33 36 54
limitation (B1) 103, (B3) 56, (B4) 109
limitations (B1) 17 103, (B2) 104, (B3) 56 136 139, (B4) 6 53 54 102 138 140 142, (B5) 25 33 36
limited (B1) 6 34 61 82 86 127 128 137, (B2) 32 113, (B3) 29 58 61 62 135, (B4) 15 37 79 81 122 139, (B5) 26 33 47 52 74 82
limiting (B1) 18, (B2) 45 96, (B3) 36 57 81 124, (B4) 87
limits (B1) 76 82, (B2) 76, (B3) 41 54 56 57 118, (B4) 47 52 97, (B5) 41
linddun (B1) 19 20
line (B1) 63 78 90 131, (B2) 41 43, (B3) 35, (B4) 50 73 122 123, (B5) 9
lines (B2) 107 125, (B4) 23 122 123 125
link (B1) 85 124, (B2) 24, (B3) 10 22 29 30 31 89 127 130 135, (B4) 12, (B5) 50 92
linkability (B1) 20
linkage (B3) 83
linked (B1) 93 123, (B3) 59 70, (B4) 119 123, (B5) 50
linkerd (B2) 13, (B3) 94
links (B3) 84 129
linux (B2) 48, (B5) 37 42
linux/unix (B1) 46
list (B1) 35 109 117 118 123, (B2) 44 49 52 79 102 104 109 117, (B3) 19 22 55 92 93 132 139, (B4) 26 36 37 45 70 74 120 122 123, (B5) 12 14 28 42 52 60
listed (B1) 62 109, (B2) 67 93 94, (B3) 27 112, (B5) 55
listening (B2) 13
lists (B2) 109, (B3) 23 36 47 54 56 57, (B4) 33 34 36 37 45 46 105
little (B1) 14 15, (B2) 22, (B4) 92
liv.e.. (B3) 105
live-loading (B1) 33
lived (B2) 113
lives (B1) 48, (B4) 63 118
living (B1) 22 116
load (B1) 29 33 120 125, (B3) 13 14 15 16 18 19 21 25 27 30 41 46 60 95 100 101 102 103 104 105 106 108 109 110 111 112 115 118 120 130 135 140 144, (B4) 51 60 61 64 85 141 145, (B5) 23 33 34 36 47 74
load balancer (B3) 14 101 103 130
load balancer sandwich (B3) 103

load balancer sandwich with centralized firewalls (B3) 109
load balancers supporting bi-directional (B3) 101
load balancing inspection network traffic (B3) 101
loaded (B1) 33, (B4) 61
loading (B1) 33 34, (B4) 60 61 62 63 70 85 86
loading data in bigquery (B4) 61
local (B1) 127 133, (B2) 72 88 91, (B3) 18 46 49 55 56 57 72 99 105 106 140, (B4) 61
locally (B1) 63, (B3) 16 20 69 72 106 110
locate (B4) 8 15
located (B2) 116, (B5) 36
locations (B2) 54
locations:block (B2) 53
locaytionus (B2) 56
lock (B1) 114, (B2) 36, (B4) 38 147, (B5) 46
lockboxes (B1) 135
locked (B1) 136, (B2) 53, (B4) 147 153
locking (B1) 14, (B2) 101, (B4) 141 142 145 147
log (B1) 4 44 52 53 54 55 63 84 108, (B2) 41 65 73 75 93 118, (B3) 8 28 138 147, (B4) 7 11 41 45 49 85 103 107 110 114 119 123 125 126 147 148 149 150 152 154, (B5) 1 5 6 11 20 21 22 23 24 25 26 27 28 29 31 33 34 36 37 38 39 40 41 44 45 46 47 48 49 50 51 52 53 57 59 60 62 64 66 68 69 70 73 74 76 77 78 81 82 84 85 88 94
log analytics (B4) 16, (B5) 45 51 62 64
log types found in the cloud (B5) 23
log-level (B1) 89 94 108 131, (B3) 5 100
loges (B5) 38
logged (B5) 29
logging (B1) 6 7 108 128 135, (B2) 45 75, (B3) 5 28 38 94 115 138 147, (B4) 8 11 14 33 41 42 105 110 114 119 122 123 124 125 126 140 153, (B5) 2 3 6 7 11 19 20 21 23 24 25 26 29 31 32 33 34 37 38 39 40 42 45 46 47 49 50 51 52 58 59 70 75 82 83 84 86 88 89 94 96
logging iam role policy (B4) 125
logic (B1) 24 101 108, (B2) 23 51 72 75 76 81, (B4) 15 44 63 97 150 153
logical (B3) 10 26, (B4) 63 105
logically (B1) 93, (B2) 4, (B4) 63
login (B1) 52 54 67 70 113 128 138, (B2) 43 47 48 49 51 54 58 67 73 91 118 131, (B4) 149
login request reads external id (B2) 67
login-hosted (B2) 72
logins (B2) 47 53 91
logos (B2) 88
logs (B1) 4 108 130 131 138, (B2) 5 45 78, (B3) 7 8 69 76 147, (B4) 11 37 38 41 42 69 95 107 148 153 154, (B5) 10 11 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 37 38 39 40 44 46 49 50 51 52 53 57 59 60 62 68 69 70 73 74 76 78 81 82 83 84 86 88 94
logs:aws (B5) 34
long (B1) 12 14 17, (B2) 65, (B3) 36 79, (B4) 148
long-lived (B1) 12 69, (B2) 22 41 85 86 96 100, (B3) 8, (B4) 152
longe-termd (B2) 92 96, (B5) 22
longer (B1) 4 12 14 55 93 128 140, (B2) 13 92 96 112 113, (B3) 103, (B4) 12 38 60 141 148, (B5) 46
longstanding (B1) 125 131
loo (B5) 61
look (B1) 3 10 21 33 40 80 105, (B2) 13 14 16 32 41 48 55 56 64 72 75 77 79 87 90 92, (B3) 6 46 58 85 124 143, (B4) 73 80 103, (B5) 6 9 22 40 52 62 91
looker (B5) 44 61
looking (B1) 5 7 23 57, (B2) 18 74 78 80, (B3) 6 57 80, (B4) 148, (B5) 22 40
looks (B1) 9 10, (B5) 52
lookup (B3) 106 146
looser (B1) 109
loss (B1) 4 16, (B4) 9 16 27 28 85 86 134 135 138 139 148, (B5) 93
lost (B4) 139 142, (B5) 5 40
lot (B2) 13 101, (B3) 80, (B4) 38 41 145, (B5) 4
lou (B5) 61
lovaerlooked (B5) 12
low (B2) 12 40, (B3) 80, (B4) 138
low-cost (B4) 60
low-lfataency (B5) 75
low-maintenance (B4) 153
low-risk (B1) 44, (B2) 14 44 55, (B3) 79
lower (B1) 21 93 105 121, (B2) 54, (B3) 26 56 60 61 65, (B5) 22 37 66 83
lowercase (B4) 15
lowest (B1) 32 94 127, (B2) 16, (B3) 24 27 61 64, (B4) 148, (B5) 47
loyalty (B4) 4
lreaal (B1) 12
lslaide (B4) 40
lsuaper (B1) 128
ltaransit (B3) 70
lthae (B3) 143
ltyapically (B5) 7
luckily (B5) 84
lucrative (B1) 109

luggage (B1) 23
luxury (B2) 11
lvapn (B3) 80
lwaho (B4) 70
lynas (B5) 99

--- M ---

ma(awst (B5) 47
maccouant (B4) 122
machine (B1) 3 113 120 123 134, (B2) 4 5 14 17 85 86 87 92 93 96 98 100 110 119 120 122 123 124 125 128 129 130 131, (B3) 7 20 23 26 29 30 52 74 119 125 140 146, (B4) 27 109 150, (B5) 36 42 62 91
machine identity certificate authentication (B2) 100
machine identity oidc federation (B2) 110
machines (B1) 24 25 86 94 98 129, (B2) 86 92 98 110 111 120 121, (B3) 8 29 69 89 102 103 135, (B4) 22 138 139, (B5) 33 38 39 42
macie (B4) 9 16 27
main (B1) 12 34 76 100 108, (B2) 78 118, (B3) 16
mainly (B1) 28
maintain (B1) 4 14 18 44 58 83 100, (B2) 8 10 53, (B3) 22 41 65 68 79 101 147, (B4) 11 13 50 51 60 68 102 153, (B5) 4 64 91
maintained (B1) 15 48 83 85 117 138, (B3) 74 96 102, (B4) 13 109 147
maintaining (B1) 13 22 53 61 85 100 104 117, (B2) 60, (B3) 69 76 79 82 83 96 103, (B4) 4 139, (B5) 44 99
maintains (B2) 107, (B3) 89, (B4) 14 25 148, (B5) 6
maintenance (B1) 15 41, (B2) 9, (B3) 115
major (B1) 15 17 25 30 98 112 125, (B2) 10 13 24 87 100 101, (B3) 10 38 43 60 70 80 102 109, (B4) 14 97 98 135 136 145, (B5) 99
majority (B2) 56, (B5) 5
makers (B5) 8
makes (B1) 3 18 22 98 103 113, (B2) 6 19 64 67 75 112, (B3) 18 29 31 38 133, (B4) 6 9 36 41 80 117 142, (B5) 7 43 51 52 74
making (B1) 13 48 49 100 121 130, (B2) 4 17 18 24 101 112, (B3) 38 57 92, (B4) 15 69 83 134 139, (B5) 13 20 60 68 82
malicious (B2) 5, (B3) 100 137 147, (B4) 34 38 76 138 139 152, (B5) 31 33 37 53
maliciously (B4) 87
malware (B3) 5, (B5) 11 42
manage (B1) 3 11 12 40 46 52 59 67 80 82 84 89 90 93 97 108 120 121 123 127 134, (B2) 9 21 24 53 72 81 94 96 98 102 106 120, (B3) 8 14 42 44 46 55 58 62 65 68 74 94 101 115 130 138 141, (B4) 4 14 22 36 37 38 54 60 65 66 68 70 85 105 106 107 109 117 120 123 140 150 154, (B5) 25 36 39 45 51 61 64 67 71 83 90
manageability (B2) 21, (B3) 64
manageable (B1) 91 116
managed (B1) 45 46 52 53 55 66 67 84 87 90 91 109 113 116 117 120 121 123 125 126 129 130 133 134 139 140, (B2) 17 21 24 33 47 48 53 71 72 75 81 87 91 92 94 96 98 106 110 118 119 120 121 122 128, (B3) 6 14 36 38 39 42 44 46 47 49 58 59 70 71 74 96 115 116 124 128, (B4) 2 3 12 17 20 26 27 31 43 50 60 61 65 66 68 86 90 95 98 101 102 105 106 109 110 112 113 114 115 119 126 130 131 133 135 138 140, (B5) 8 9 16 25 40 42 44 45 47 49 61 62 68 76 92
managed cloud services that generate (B5) 40
managed identities (B2) 92 94
managed identities (azure) (B2) 94
managed identity github federation (B2) 118
managed nat gateway resources (B3) 14
managed services from the csps (B5) 16
management (B1) 1 2 3 4 5 10 11 14 16 17 28 36 39 41 42 43 45 46 48 56 61 66 67 74 78 79 80 82 84 89 90 91 92 93 94 97 98 100 101 103 106 108 112 113 114 120 121 126 127 128 129 130 131 132 133 139 141 142, (B2) 2 3 6 8 12 13 17 28 29 55 60 63 64 71 72 81 84 85 90 96 100 101 102 105 106 108 135, (B3) 3 6 7 8 34 35 38 42 43 44 49 50 53 56 57 62 63 64 65 68 88 89 114 123 138 149, (B4) 2 3 9 11 12 14 15 17 20 21 22 25 26 30 31 33 34 40 41 43 44 65 68 70 80 86 90 91 92 93 95 96 97 98 100 102 105 107 109 110 113 114 116 117 118 120 122 126 127 128 129 132 133 134 135 156, (B5) 3 13 19 20 21 22 26 30 31 40 45 49 50 51 52 57 58 59 60 62 64 70 74 89 90 91 92 93 96 101
management and cost (B3) 138
management-plane (B5) 30
management-plane events (B5) 31
manager (B1) 30 59 106 107 117 131 132 135 142, (B2) 33 34 35 36 37 81 106 135, (B3) 36 41 43 44 45 46 47 49 52 63 64 70 124 130 135 138 139 146 149, (B4) 48 101 106 156, (B5) 42 55 101
managers (B1) 131
manages (B1) 66 129, (B2) 73 101, (B4) 74 101, (B5) 9 62
managing (B1) 52 58 67 77 84 112 126 128 129 133 134 140, (B2) 64 72 86 101 110, (B3) 2 3 4 14 34 35 43 44 53 54 55 71 88 91 96 115 123 125 138 143, (B4) 22 23 33 36 38 39 40 47 54 57 66 76 80 117 122 145 152, (B5) 2 3 9 17 19 37 58 66 89 92 96
managing aws network security controls (B3) 44
managing network firewalls at scale (B3) 43
managing network resources at scale (B3) 35
managing tag policies at scale (B4) 23
mandate (B1) 104, (B4) 38
mandates (B2) 58
manifest (B1) 12
manifesto (B1) 19 20
manifests (B2) 16, (B3) 94
manipulate (B4) 144
manipulated (B2) 58, (B3) 112, (B5) 53 54 55
manner (B1) 93 123 138, (B2) 51, (B3) 38 120 132, (B5) 53 75
manual (B1) 54 55 56, (B4) 8 140 141
manually (B1) 33 48 49 52 53 54 55 56, (B2) 94, (B5) 49
manually provisioned users (B1) 54

manually-created (B2) 93 94
maoncte (B1) 10
map (B2) 76 78, (B3) 14
mapped (B2) 81 129
mapping (B1) 48 56 57 70, (B2) 76 79
maps (B2) 129, (B3) 12, (B4) 8
mare (B3) 133
marked (B1) 88 131, (B4) 82 144, (B5) 49
marker (B4) 144
market (B1) 28, (B5) 8
marketed (B1) 23 52
marketing (B4) 20
marketplace (B1) 20 66, (B3) 82 131
marks (B1) 89
markup (B1) 43, (B2) 71
marries (B2) 20
marsh (B2) 12
marshal (B5) 9
mart (B2) 87, (B4) 72 76 87
marts (B4) 66
mask (B4) 12 83 84
masking (B1) 4, (B4) 7 8 83 84
massive (B2) 112
master (B3) 46, (B4) 134
mat (B3) 8 61, (B4) 38 48 74 148
match (B2) 47 51 56, (B3) 144, (B4) 57, (B5) 78
matched (B2) 47 51 54
matches (B2) 79, (B4) 50
matching (B1) 59, (B2) 51 117, (B3) 27 48, (B4) 27 79 86
material (B1) 4, (B4) 20 93 95 97 102 128 130
mathematical (B2) 12
matotf (B1) 30
matrices (B4) 9 12 18, (B5) 37
matrix (B4) 9 18 20 80 95
matter (B1) 10 100 133, (B2) 55, (B3) 30, (B4) 44 102
matters (B1) 9 80
mature (B2) 13 96 101 102, (B3) 5 60, (B4) 91, (B5) 3 5
matures (B5) 4
maturity (B2) 12 13, (B3) 5 6 7, (B5) 8
maws (B1) 63
max (B5) 36
maximum (B1) 116 117, (B2) 86, (B3) 25 56, (B4) 15 22 38 83, (B5) 75
mazy (B3) 72
ma–tat (B1) 94, (B4) 138
mbuckevt (B2) 79, (B4) 50
me-id (B2) 45 71 73, (B4) 37
mean (B1) 21 29 44, (B2) 8 9 22 25 41, (B5) 6 22
meaning (B1) 8 54, (B2) 9, (B3) 27 102, (B5) 40
meaningful (B3) 26, (B5) 25 40
meaningless (B5) 4
meanings (B1) 10
means (B1) 11 18 29 107 125 126, (B2) 4 6 8 13 14 18 22 24, (B3) 22 85 142, (B4) 126, (B5) 4 45 49
meant (B2) 12 21 96
measurable (B1) 9
measure (B1) 17, (B3) 5, (B4) 8 142, (B5) 21
measured (B1) 7
measures (B1) 14, (B2) 49, (B4) 4 136
measuring (B1) 30
mechanism (B1) 32 52 66 94 98 100 101 116, (B2) 6 17 112, (B3) 132 134, (B4) 25 45 46 52 54 76 127, (B5) 54 74 76
mechanisms (B1) 98 100 101 128, (B2) 102 124, (B3) 23 80, (B4) 36 47 80 136 138 139 142, (B5) 22
media (B2) 71 115, (B4) 20
mediums (B3) 6
meet (B1) 12 13 32 67 83 121 126, (B2) 8 29 45 47 49, (B3) 64 93 147, (B4) 33 38 40 91 93 102 105 128 130 139 142 152 153, (B5) 8 16 45 47 51 62 64
meeting (B1) 9 12, (B3) 4, (B4) 20 117 128
meets (B4) 18
member (B1) 21 22 52 79 89 90 91 93 103 123 135 142, (B2) 135, (B3) 35 43 46 47 149, (B4) 74 82 109 156, (B5) 13 51 52 101
members (B1) 21 58 61 89 109 123 128, (B2) 18 72 93, (B4) 15 23 36 64 70 72 74 80 81 82, (B5) 52
membership (B1) 48 51 53 57 59 120 139, (B2) 16 65 74 78
memberships (B1) 40 48 56 57, (B2) 74 78
memory (B4) 97 98
mendpovint (B3) 127 136
mental (B2) 4 5
mention (B5) 74
mentioned (B2) 58, (B5) 62
mentioning (B5) 25
mentions (B4) 38

menu (B5) 27
menus (B5) 26 27
merged (B2) 51
merger (B1) 87
merriam-webster (B1) 7 8
mesh (B3) 62 64 65 94
message (B1) 9 23 136, (B2) 109, (B4) 79 82 84, (B5) 21 68 70 76 78 82 83 84
messaged (B5) 45
messages (B4) 20 83, (B5) 64 69 70 76 78 82 83 84
messaging (B4) 61, (B5) 68 82
messing (B2) 15
met (B2) 45 47 48 49 51, (B4) 12 38
metadata (B2) 47 67 93 94 110 111 115 116 117 120 121 122 123 128 130 131, (B4) 15 22 25 28 70 80 104 154, (B5) 33 45 70 76 78
method (B1) 10 123, (B2) 6 32 73 77 78 87 89 124, (B4) 41 46 52 92 98 127 147, (B5) 47
methodologies (B1) 20, (B5) 3 4 5
methodology (B1) 19 20
methods (B1) 17 100 135, (B2) 73 112, (B3) 94 95, (B4) 6 32 61, (B5) 14 90
metric (B5) 20 25 38 46
metrics (B3) 28 147, (B4) 11 41, (B5) 27 37 38 39 47
mfa (B1) 42 44 46 66 67 104 113 114 126 127 128 131 133 135 136 137, (B2) 9 13 14 17 29 32 41 43 45 47 49 51 53 56 58 72 116, (B4) 12
mfollowving (B4) 110
mhighaest (B3) 24
micro (B3) 72 89 93, (B5) 92
micro- (B3) 93
micro-network (B1) 3, (B3) 56 58 59 60 61 72 91 93, (B5) 92
micro-networks (B3) 59 60 61
micro-perimeters (B2) 7 15, (B3) 6, (B5) 91
micro-segmentation (B3) 57 58 59
micro-segmented (B3) 6 57 58 111 117
microservice (B2) 10 21 22, (B3) 58 63, (B4) 107, (B5) 61 76
microsoft (B1) 3 17 19 46 47 48 57 67 69 70 89 108 120 125 128 131 136 137 138 140, (B2) 2 3 24 28 32 33 36 37 43 45 46 47 48 49 51 53 54 61 63 64 65 66 67 68 69 71 72 81 84 85 91 92 97 103 110 118 120 122 128, (B3) 17 20 26 42 49 50 56 64 65 73 75 76 79 83 84 89 90 102, (B4) 14 15 16 18 19 22 23 25 26 27 37 61 109 110 134 139 150 152, (B5) 10 16 21 27 29 36 40 42 49 61 62 63 69 78 79 81 84 85 86 88
microsoft azure well-architected framework (B3) 89
microsoft entra (B2) 45
microsoft entra id (B1) 136 138
microsoft entra id identity constructs (B1) 120
microsoft entra: conditional access policies (B2) 45
microsoft external id (B2) 67
microsoft external id reference architecture (B2) 66
microsoft external id: sequence diagram (B2) 67
microsoft power (B4) 61
microsoft purview (B4) 27
microsoft sentinel (B5) 61 62 63 64 65 73 78 79 81 84 85 86 88
microsoft sentinel centralized siem architecture (B5) 86
microsoft sentinel siem/soar platform (B5) 62
microsoft sentinel: ingesting google cloud logs (B5) 84
microsoft's tmt (B1) 19
microsoft-managed (B3) 64, (B4) 34
middle (B1) 13, (B2) 86, (B3) 16 19, (B4) 109
migrate (B1) 28 104, (B2) 14 23, (B3) 79, (B4) 138 139, (B5) 52
migrated (B1) 15 25 87 88, (B2) 17
migrating (B1) 15 100 113, (B2) 3 14 24 25, (B5) 8 60 66 92
migration (B1) 13 14 15 28 30 104, (B2) 3 14 72, (B3) 79, (B4) 2 3 17 31 43 90 133 155, (B5) 91
migrations (B1) 15, (B3) 4 79, (B5) 91
migrations.these (B1) 15
milestones (B1) 12
military (B4) 18
million (B1) 26, (B5) 48 68
millions (B2) 12, (B5) 70
milliseconds (B5) 67
milwaukee (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
mimic (B1) 25
mind (B1) 3 80 85 94 103, (B2) 8 15 24 25, (B4) 66
mindset (B2) 6 7, (B3) 56, (B4) 101
mingled (B3) 6
minimal (B1) 113 135, (B4) 152
minimally (B1) 57, (B5) 45

minimize (B2) 6, (B4) 4 12 134 136 139, (B5) 37 83
minimizes (B4) 4 38, (B5) 66
minimizing (B1) 32, (B3) 41 65, (B4) 134 137 145 148
minimum (B1) 54 98 109 114 118 138, (B2) 6 15 129, (B3) 25 72, (B4) 50 120 136
minute (B5) 34
minutes (B1) 57, (B2) 46, (B4) 20 60, (B5) 34 48 67
mirror (B1) 16 82, (B4) 15, (B5) 36
mirroring (B5) 33 36
mishandled (B2) 91
misnomer (B2) 47
miss (B1) 24, (B4) 107
missed (B1) 23 41, (B4) 142, (B5) 32
missing (B1) 106 108, (B3) 5 15 90, (B4) 25 26 68 86 107
mistaken (B2) 12
mistakes (B2) 87, (B4) 135
misuse (B1) 100
misused (B1) 127, (B2) 87
mitigate (B1) 12 22, (B2) 23, (B3) 89, (B4) 13 143 149, (B5) 54 90
mitigated (B1) 22
mitigates (B4) 33
mitigating (B1) 22, (B4) 138 139
mitigation (B1) 16 21 22 104 142, (B2) 23 135, (B3) 149, (B4) 156, (B5) 54 101
mix (B3) 79
mixed-use (B4) 53
mixing (B1) 105
ml (B2) 4
ml-ypowuerede (B3) 119
mmazonaaws.tcotmh (B4) 119
mmissionas (B1) 59
mneead (B5) 22
mobile (B1) 15 46 67 142, (B2) 14 48 51 54 55 56 58 71 75 135, (B3) 149, (B4) 156, (B5) 101
mobjecmt (B4) 50
moddel:e (B3) 7
mode (B1) 98 103 106 107, (B2) 13 33 37 60, (B3) 44 46 101 102, (B4) 24 86
modeling (B1) 2 3 5 10 11 16 17 19 20 21 22 23 25 28 37 39 61 74 75 80 92 101 105 112 125 127 140, (B2) 2 3 4 5 10 11 12 13 14 19 21 24 26 28 33 63 84 101, (B3) 2 3 6 31 32 34 53 76 88 89 91 118 123, (B4) 2 15 18 29 36 37 45 51 60 66 74 110 126 134, (B5) 2 3 8 9 10 16 17 18 19 21 33 45 58 61 75 82 89 90 96 98
models (B1) 3 10 16 19 21 22 23 92 105, (B2) 4 10 12 13 16 21 22, (B3) 104, (B4) 18, (B5) 9 82
modern (B1) 23 66, (B5) 4 94
modernization (B1) 124, (B2) 73
modernize (B1) 15
modernizing (B1) 15, (B2) 4
modernizing identity architectures for the cloud (B2) 4
modification (B3) 39, (B4) 76 105 138
modifications (B5) 29
modified (B1) 49, (B2) 104, (B3) 26 136, (B4) 48 95 147, (B5) 27
modifies (B1) 106
modify (B1) 15 106 130, (B2) 32 74, (B3) 6 16, (B4) 68 70, (B5) 27
modify session attributes (B2) 32
modifying (B1) 104 127, (B3) 6 12, (B4) 34 48, (B5) 31 45
module (B1) 3 5 16 40 52 74 106 112 137, (B2) 3, (B3) 4, (B4) 32 95 97, (B5) 60
modules (B4) 95 97 128, (B5) 20
modulus (B2) 117
moment (B1) 7, (B4) 117, (B5) 20
mone-oaff (B2) 53
money (B1) 11, (B4) 38, (B5) 51
monitor (B1) 14 109 134, (B2) 8 46, (B3) 44 46 47 138 147, (B4) 9 11 16 24 34 95 107 140 142, (B5) 9 21 25 26 27 29 37 38 39 46 49 52 60
monitor non-compliant resources (B4) 24
monitored (B1) 127 128, (B2) 14 18, (B4) 148 154, (B5) 9 12 13
monitoring (B1) 32 84 135 138 139, (B2) 4 5 41, (B3) 5 35 45 46 47 103 115 147, (B4) 7 8 11 14 24 33 34 41 69 101 107 117 118 119 127 140 141 153, (B5) 4 5 6 7 12 20 21 23 24 27 34 37 38 40 49 50 57 59 64 71 78 84
monitoring and incident response (B4) 127
monitoring journey overview (B5) 20
monitoring journey overview: data source to siem (B5) 20
monitoring-as-a-service (B3) 124
monitors (B3) 44
monolithic (B1) 29 125, (B2) 21 22
month (B1) 33 34, (B3) 15 138
monthly (B4) 22 97
months (B2) 54 86
morality (B2) 12
moreover (B5) 44
mostly (B1) 22
motivations (B1) 80
move (B1) 13 15 35 36 40 76 83 109, (B2) 12 13 14 64, (B3) 9 59 70 120 138, (B4) 8, (B5) 4 6 37 74

moved (B1) 93, (B2) 21, (B3) 14 120, (B4) 22 117, (B5) 32
movement (B1) 3, (B2) 5 10 11 12 21, (B3) 30 31, (B4) 8 11 12 87 153, (B5) 32 91
moves (B3) 79, (B4) 6 15
moving (B1) 3 15 23 25, (B2) 13 14 102, (B4) 7 44 107, (B5) 8 59 61 66
mozilla (B1) 19 20
mozilla sea sponge (B1) 19
mperfovrm (B5) 53
mpls (B3) 55 79 80 96
mpls/direct (B3) 74
mpointear (B4) 97
mrathevr (B3) 61
mroutinmg (B3) 61
mstoragve (B4) 34
mtraffivc (B3) 25
multi (B1) 135, (B3) 80, (B4) 140 141 145
multi-account (B1) 76 91 104, (B3) 111 115, (B4) 139 141, (B5) 52 59
multi-availability (B4) 135
multi-cloud (B3) 80 81
multi-factor (B1) 44 46 67 127 136, (B2) 9 17 29 49 56 58 90, (B4) 7 12 118
multi-factor authentication (mfa) options (B1) 136
multi-layered (B4) 139
multi-protocol (B3) 80
multi-region (B4) 32 53 63 136 140 141 145, (B5) 51
multi-regional (B4) 32
multi-tenant (B3) 31, (B5) 33
multi-tier (B3) 63
multi-vpc (B3) 68 71 76 89 90
multicloud (B2) 3 94, (B5) 59 61
multinational (B1) 36
multiple (B1) 3 41 44 45 52 67 76 78 86 90 106 128 135 136 137, (B2) 17 39 49 51 73 78 87 92 98, (B3) 6 13 14 16 23 25 26 27 36 38 43 44 48 49 58 63 81 83 100 101 102 115 138 140, (B4) 9 13 23 27 33 60 63 65 66 78 103 105 107 130 140 141 144 145 146, (B5) 11 15 22 42 51 59 60 64 70 71 75
multiplyingo (B1) 41
multitudes (B5) 25
mundane (B2) 24
musingv (B5) 62
must-have (B4) 36
mutual (B2) 22
mysql (B4) 61 62
m•actant (B3) 137

--- N ---

nacl (B3) 23
nacls (B3) 23
nader (B2) 112, (B5) 38
nail (B3) 22 23 24 55 111 117
name (B1) 27 35 57 62 118, (B2) 68 74 81 94 104 107 109 118 122 128, (B3) 12 21 26 49 72 92 103 140 143 144 146, (B4) 15 21 22 24 66 109 154, (B5) 25 30 34 36 38 76
name/value (B4) 25
named (B1) 56 123 140, (B2) 52 53 87 88, (B3) 10, (B4) 15 37 53, (B5) 82
namely (B4) 120
names (B1) 10 46 89 108, (B3) 70 92 124 128 141 144 145, (B4) 15 21 22 33 63 65 154, (B5) 54
namespace (B1) 108, (B4) 52 63 101, (B5) 54 70
namespaces (B1) 123
narrow (B2) 56, (B3) 117
narrow policy blocking access (B2) 56
narrowly (B1) 28, (B2) 56 57
nat (B3) 6 9 12 13 14 15 18 19 20 29 30 36 38 40 49 58 69 76 81 89 98 99 109 118 125 130 132
nat gateway (B3) 11 16
native (B1) 53
natural (B1) 11 27 29 76, (B2) 14, (B4) 134 145
naturally (B1) 11, (B2) 12
nature (B1) 5 13 20 87, (B5) 7
navigate (B1) 6 35 71
navigated (B1) 62
nbf (B2) 68
near (B1) 35, (B5) 21 44 47 70 74 82 83
near-real-time (B4) 153
nearest (B1) 29
nearly (B2) 6, (B3) 14 138, (B5) 74
necessarily (B2) 10 21, (B3) 35 127, (B5) 22 53
necessary (B1) 17 76 92 131, (B2) 6 22 65 79, (B3) 22 41 59 139, (B4) 14 72 98 102 141 142 148 152, (B5) 59 69
necessitate (B1) 127, (B2) 12
necessitates (B5) 4 7
necessitating (B2) 10
necessity (B1) 10 29, (B3) 35, (B4) 142

need-to-know (B1) 135
needed (B1) 12 16 19 21 35 41 77 84 86 107 117 118 128 129 131, (B2) 4 8 17 18 22 41 47 89, (B3) 24 25 48 57 59 61 74 76 81, (B4) 9 38 47 52 57 68 97 117 118 128, (B5) 6 9 34
needing (B1) 30 41 43 87 133, (B2) 96, (B3) 63 79 130, (B4) 74 152, (B5) 36 83
needs (B1) 7 10 12 16 21 32 66 76 84 86 88 91 100 105 115 121 125 131, (B2) 6 16 22 71 74 76 91 94, (B3) 12 14 26 27 29 44 45 61 64 79 96 100 101 124 125, (B4) 56 65 74 103 107 110 114 123 139 141 142 145, (B5) 49 51 53 75 76 84
negligent (B5) 12
negotiates (B2) 19
neither (B1) 49 76 116, (B2) 49 78
nest (B1) 33 76, (B3) 115, (B4) 144
nested (B1) 57 78 94, (B2) 31 34 35
nested policy (B2) 35
nesting (B2) 33 35
nesting conditions (B2) 33
netflow (B3) 5
netflow traffic analysis (B3) 5
network (B2) 16, (B3) 5 6 8 9 26 29 35 36 38 40 42 43 44 54 55 56 57 58 68 69 70 76 79 89 96 100 101 115 124 125 127 135 138 140 145 147, (B5) 33 34
network access control list (nacl) (B3) 24
network access without private endpoints (B3) 29
network and application security groups (B3) 26
network connectivity center (B3) 70
network firewall and traffic inspection architecture (B3) 89
network firewall considerations (B3) 115
network layer flow logs by cloud provider (B5) 34
network layer logging 101 (B5) 33
network management (B3) 42
network management – leveraging resource groups (B3) 42
network micro-segmentation and shared vpc (B3) 58
network policy (kubernetes) (B3) 96
network security (B3) 89
network security groups (B3) 26
network security guide (B3) 89
network segmentation (B3) 56 57 59
network-centric (B3) 44 46 134
network-independent (B1) 29
network-layer (B2) 39, (B3) 10 29 31 44 49 127 133, (B4) 53, (B5) 5 6 10 11 23 33 37
network-layer logging (B5) 33
network-layer logs (B5) 23
network-prod (B1) 85
network.anyone (B3) 129
network/environment (B2) 14
networking (B1) 25 34 84 85 129, (B2) 39, (B3) 10 15 30 40 42 49 50 58 59 61 63 64 83 95, (B4) 22 141, (B5) 34
networks (B1) 3 16 25 28 46 85 129, (B2) 4 5 10 13 16 17 19 20 21 23, (B3) 2 3 4 6 8 10 11 13 16 18 19 22 23 27 33 34 35 41 44 48 49 53 56 57 58 59 60 61 62 63 64 67 68 69 70 71 72 74 76 79 80 81 87 88 89 90 91 92 93 94 95 96 98 102 103 111 117 118 119 120 123 131 132 138 139 142 144 146 147, (B4) 87 141, (B5) 36 92
never (B1) 13 21 35 78 90 92 128 138, (B2) 6 10 12 13 21 58 101, (B3) 130, (B4) 44 57 93 97 128, (B5) 16 90
new logging planes emerge as (B5) 6
newcomers (B2) 15
newer (B5) 21
newline-delimited (B4) 61
newly (B2) 14, (B4) 46
news (B1) 60
newsletter (B5) 97
next-generation (B3) 119
next-hop (B3) 21 72 98 99 106 110
nfazcla (B3) 12
ngfw (B3) 28 102 119
nicholas (B1) 10
nigerian (B2) 12
nist (B1) 123, (B2) 7 9, (B5) 16 78
nlb (B3) 102
nlym (B3) 74
nmegotviating (B4) 142
nmtains (B2) 117
node (B1) 78 79 89 90 92 93 94 100 103 109, (B3) 48, (B5) 34
node.js (B2) 67
nodes (B1) 79 92 93 94, (B2) 47 94 106, (B4) 140
noise (B5) 64 66
nomenclature (B1) 90
non (B1) 106 118, (B4) 23
non- (B1) 106

non-authoritative (B3) 140 146
non-business (B4) 15 18
non-compliance (B1) 20 98 106 107 111, (B3) 46, (B4) 23 24 26 38
non-compliant (B1) 106, (B4) 23 24
non-empty (B1) 60
non-existent (B2) 4, (B4) 135, (B5) 6
non-federated (B1) 54 127 133
non-hierarchical (B4) 32
non-human (B2) 87
non-iaas (B5) 4 6
non-obvious (B5) 54
non-production (B1) 82
non-public (B3) 14
non-replaceable (B4) 138
non-repudiation (B1) 19 20 43
non-security (B5) 22
non-standard (B5) 44
non-user (B1) 120, (B4) 44 83
non-vpc (B3) 124
nonce (B2) 67 68
nonconforming (B1) 87
noncritical (B1) 127
none (B2) 10, (B3) 13 20 57
nor (B1) 15 76, (B2) 49 94, (B4) 82
normal (B3) 7, (B4) 11 127, (B5) 33
normalization (B5) 45 64
normalize (B4) 85
normalized (B4) 85, (B5) 21 64
normalizes (B5) 64
normalizing (B5) 64
normally (B4) 6, (B5) 67
north (B3) 57 91
north-south (B3) 89 90 91 92 93 117 120 122, (B5) 92
north-south traffic (B3) 89 90 91 92 93 94
north-south traffic inspection policies (B3) 92
northern (B4) 146
nosql (B4) 28 140
notable (B4) 60 135
notaction (B1) 67, (B2) 41 42, (B3) 29, (B5) 15 68 76 78
notebooks (B5) 62
noted (B1) 90, (B2) 13, (B4) 41
notes (B2) 32
nothing (B1) 15, (B2) 91 113, (B4) 48 56
notice (B2) 19, (B3) 13
notifications (B2) 41, (B5) 13 14 15 38 76 77
notified (B1) 23
notifies (B5) 14 68
notify (B2) 46, (B5) 76
notifying (B5) 13
noting (B5) 20
novel (B5) 10
november (B1) 137, (B5) 10
now-containerized (B2) 21
nqat-te (B3) 81
nsg (B3) 56
nslookup (B3) 140
nslookupsecretsmanager.us-east-.amazonaws.com (B3) 146
ntru (B2) 54
nuances (B3) 130
null (B4) 83 84
nullify (B4) 83
number (B1) 11 59 104, (B2) 74 109, (B3) 24 25 27 48 56 58 65 68 72 120, (B4) 52 98 107, (B5) 21 22 34 40 52 64 75 81
numbered (B3) 23
numbers (B1) 10 21, (B2) 109, (B4) 15 20 27 28, (B5) 66
numeric (B4) 83
numerous (B3) 49, (B4) 33 52 87, (B5) 41
nuts (B1) 6 9 10 48, (B2) 104
nva (B3) 16 70
nymeria (B2) 111 118 120 124 125 129 130
nymeria-workload-identity-session (B2) 125

--- O ---

oaf (B2) 120, (B4) 56, (B5) 16 74
oar (B3) 16, (B4) 76

oath (B1) 128 136, (B2) 116 118, (B3) 68
oauth (B1) 46 56 63, (B2) 67 68 73 75 81 112 113 116
oauth2 (B2) 67 81
obfuscate (B4) 83
object (B1) 57 120 126, (B2) 91 103 114 120, (B3) 29, (B4) 13 33 36 37 38 41 44 45 46 47 48 51 52 103 109 114 120 126 140 144 147, (B5) 21 22 32 48 76 78
object-level (B4) 45
objectify (B1) 20
objective (B1) 12, (B4) 45 134 136 141
objectives (B1) 9 12 21 80, (B3) 35, (B4) 136 138 142 153, (B5) 7
objects (B1) 104 116, (B2) 79 87 113, (B3) 137, (B4) 13 25 27 32 33 34 36 37 38 40 41 42 44 45 46 47 48 51 52 53 54 55 101 103 110 114 119 125 126 144 147, (B5) 22 32 53 76 78
obliged (B2) 88
obscure (B4) 46 83
obscurity (B1) 18, (B5) 52
observability (B5) 64
observation (B5) 64
observe (B3) 30 61 140, (B4) 110 114 117 123
observed (B5) 10
observing (B2) 18
obtain (B2) 88 123, (B3) 106, (B4) 84 150
obtained (B4) 148, (B5) 37
obtaining (B2) 112 123
obtains (B4) 150
obvious (B1) 22, (B2) 12 72
obviously (B2) 94
occasions (B1) 105
occur (B1) 22 78 83, (B3) 30 127 147, (B4) 143, (B5) 7 16 45 75
occurred (B1) 138, (B2) 13
occurrence (B1) 133
occurring (B5) 39
occurs (B2) 48 78, (B3) 31, (B4) 44 93 140, (B5) 3 4 21 30 53
odirectdory.e (B1) 120
odnls (B3) 43
off-cloud/alt-cloud (B4) 141
off-network (B2) 52
off-the-shelf (B3) 124
offer (B1) 30 33 46 118 125 139, (B2) 5 18 31 41 103, (B3) 80 124 127 128, (B4) 14 33 91 102 134 138 139 140 141 142 143 147, (B5) 21 23 42 47 61 68
offered (B1) 101, (B2) 5 25 64, (B3) 79 119, (B4) 56 106 110 114 130 142, (B5) 33 61 74
offering (B1) 34 98 126, (B2) 41 81, (B3) 10 128, (B5) 22 42 61
offerings (B1) 66 125, (B2) 4 31 33, (B3) 43 80 127 128 130, (B4) 92 135 140, (B5) 33 42 61
offerings for consuming services privately (B3) 127 128 130
offers (B1) 9 16 30 52 67 98 126, (B2) 6 13 73 85 92, (B3) 64 70 79 80 83 84 134, (B4) 61 127 135 142 148, (B5) 15 34 36 59 75
office (B1) 89 125, (B2) 12 13, (B4) 22, (B5) 12
officer (B2) 13
official (B1) 22, (B4) 15 18
officially (B1) 88
offline (B1) 135, (B4) 141
offload (B2) 72 73 75, (B4) 138 139 140 141 148
offloaded (B5) 9
offsite (B4) 136
oft (B3) 125, (B4) 26, (B5) 74
often (B1) 12 13 16 17 18 19 22 24 42 44 66 76 83 86 87 88 105 113 115 117 128, (B2) 10 12 16 29 32 47 53 73 76 78 81 94 100 101 102 113, (B3) 5 30 35 36 39 46 62 68 70 72 79 91 92 124 130 136, (B4) 6 22 23 37 38 53 61 63 70 85 92 97 107 123 128 135 138 140 141 142, (B5) 3 4 9 10 20 33 37 45 61 66 67 83
ohns.usr-ehast-a.amfazzonaaws.com (B3) 29
ohnsite-rtoh-sitae (B3) 81
ohn–rphlatfaormfs:za (B2) 58
oidc (B1) 42 126 139, (B2) 32 40 53 65 67 68 72 73 75 76 81 89 92 96 97 98 110 112 113 124, (B4) 150 152, (B5) 54 84
oidc configuration (B2) 67
oidc-issued (B4) 153
oidc/jwt (B2) 110
okey.l (B2) 117
okta (B1) 45 67 127, (B2) 4 32 43 64 81 122 128
okta policies based on user/group (B2) 32
ola (B1) 6, (B2) 13 73, (B4) 125
older (B1) 46 71, (B2) 12, (B4) 144 148, (B5) 22 25
oldest (B1) 89
omlicy (B4) 40 103
omrth/soauth (B3) 111
on- (B5) 5
on-cluster (B3) 94
on-demand (B1) 13
on-prem (B3) 59 70 79 81, (B5) 5 6 7
on-prem-to-cloud (B3) 79

on-premises (B2) 100, (B3) 5, (B5) 5 6
on-premises machine identities (B2) 100
on-premises network architecture (B3) 5
on-staff (B1) 30
onboarding (B2) 41
one-time (B1) 54 63 67 136 137, (B2) 9 19 43, (B4) 11 20
one-to-many (B1) 48 78, (B2) 92 93, (B3) 36 74 102, (B4) 83
one-way (B1) 78, (B3) 93, (B4) 84
onedrive (B2) 45 54
ones (B1) 59, (B2) 47, (B3) 145
ongoing (B1) 15, (B2) 25, (B4) 18
onion (B3) 125, (B4) 123, (B5) 21 60
online (B1) 10 125
only (B1) 103
only denies actions (B1) 103
ont (B3) 5 56 72, (B4) 110, (B5) 38 74
onward (B2) 12
oof (B2) 114
open (B1) 9 10 18 20 25 43 98, (B2) 129, (B3) 6 26 80 100, (B4) 56 100, (B5) 10 45 90
open-ended (B1) 7, (B5) 75
open-source (B1) 34 35, (B2) 40 85, (B4) 20 86, (B5) 42 60
openclipart-vectors (B1) 11
openid (B2) 31 65 67 70 72 73 83 91 96 98 99 100 101 103 110 111 112 113 115 116 117 119 120 122 123 125 128, (B4) 152
openid connect (B2) 123
openid connect (oidc) token types (B2) 113
openid connect protocol (oidc) introduction (B2) 112
opening (B1) 29 114, (B3) 49 100, (B5) 26
opens (B1) 131
opensearch (B5) 45 46
openssl (B5) 10
operate (B1) 4 25 86 100 131, (B2) 94, (B3) 24 47 76, (B4) 46 50 144, (B5) 1
operates (B1) 20, (B2) 88
operating (B1) 15 16, (B2) 24 36 48, (B4) 18 109, (B5) 9 10 37 38 40 42
operation (B1) 10 84 137, (B2) 24, (B4) 54 63 97, (B5) 38
operational (B1) 10 30 32 45 91, (B2) 60, (B3) 65, (B4) 22 134, (B5) 3 40
operationalizing ca policies (B2) 60
operationalizing ca policies: policy hygiene (B2) 60
operations (B1) 12 13 15 21 22 25 28 36 53 84 100 109 123 128 138, (B2) 12 25, (B3) 24, (B4) 11 53 65 92 110 114 122 125 127 130 136 140 152 154, (B5) 4 5 6 8 13 27 39 40 52 94
operations in cloud vs. on-premises (B5) 5 6
operations in cloud vs. on-premises: differences (B5) 6
operations in cloud vs. on-premises: similarities (B5) 5
operative (B1) 12
opinionated (B1) 30, (B2) 87, (B3) 35
opportunities (B4) 138
opportunity (B1) 9 11 98, (B2) 73, (B3) 40 130, (B5) 59
opposed (B1) 10, (B3) 130, (B5) 12
ops (B1) 21, (B5) 38 39
opt (B2) 13, (B3) 62 81, (B4) 93 140, (B5) 66
optimal (B2) 12 14, (B3) 6 10 79 127
optimization (B1) 15 30 32, (B4) 135 136, (B5) 40
optimize (B3) 28, (B4) 40 60, (B5) 21 64
optimized (B2) 15, (B3) 57, (B4) 61 135, (B5) 45
optimizes (B3) 134
optimizing (B1) 15 91, (B4) 52
opting (B4) 18 84 140, (B5) 25
option (B1) 33 88 89 136 139, (B2) 13 43 68 71 75 94 100 101 106 130, (B3) 10 12 19 25 59 60 61 125 130, (B4) 34 41 45 60 74 83 84 93 95 101 144 145 147 148, (B5) 22 25 29 34 47 52 82
optional (B1) 93 94 118 139, (B2) 74 105 115, (B4) 60, (B5) 25
optionally (B1) 43 46, (B2) 94, (B4) 53 57, (B5) 25
options (B1) 22 30 33 42 44 46 53 66 113 118 136 137, (B2) 36 71 73 76 87 96 103, (B3) 10 12 15 16 19 20 23 59 70 80 81 82 84 96, (B4) 11 16 26 28 33 41 60 68 76 80 83 84 87 95 96 134 135 138 141 142 143 145 147, (B5) 18 45 50 52 60 90
options:with (B1) 34
oracle (B4) 61
orangehrm (B3) 118 122, (B4) 113 148 153 154
orangehrm/mysql/* (B4) 154
orc (B4) 61
orca (B1) 118, (B2) 5, (B4) 10
orchestrated (B5) 52
orchestrates (B3) 10 79
orchestration (B1) 41 129, (B2) 21, (B3) 6 7, (B5) 37 61 62
order (B1) 92 94 98 106 109, (B2) 6 13 16 20 21 40 41 47 48 49 51 53 66 113, (B3) 23 24 42 71 111 118 120 138, (B4) 47 52 54 57 65 97 120, (B5) 25 27 60 67 90
ordered (B3) 23, (B5) 70

orderly (B1) 11
org (B1) 79 94 106 109 123 139, (B3) 36 46 47 48, (B4) 8, (B5) 15
org policy constraints (B1) 109
organization (B1) 2 3 4 5 6 7 9 10 12 13 14 15 19 20 39 65 66 67 71 73 74 75 76 78 79 82 84 86 87 88 89 90 93 94 96 97 98 99 101 103 104 105 109 111 112 113 124 125 127 129 133 134 139 140, (B2) 6 13 14 17 24 41 55 56 85 88 98 99 101 102 104 118, (B3) 5 6 8 10 14 27 28 38 39 40 41 43 44 46 48 56 69 70 79 89 97 124 125 139, (B4) 4 7 8 9 11 12 14 15 18 20 21 22 23 24 25 27 28 34 36 40 41 48 51 57 66 68 69 70 76 85 87 91 95 102 106 107 109 116 117 122 123 136 138 141 143 148, (B5) 3 4 6 8 13 15 25 37 42 47 50 51 52 53 54 55 81 82 83 92 93
organization policy (B1) 107, (B2) 105, (B3) 50, (B4) 16
organization policy governs (B4) 34
organization tag policies (B4) 24
organization-level (B4) 24
organization-level tag policies (B4) 24
organization-mandated (B3) 49
organizational (B1) 78 82 84 87 88 89 90 94 101 111 129, (B2) 94 104, (B3) 27, (B4) 40 48 117 142, (B5) 15 50 54 90
organizational units (B1) 90 92
organizations (B1) 10 12 13 14 15 28 32 52 53 67 76 79 90 92 93 97 98 100 104 125 128 129 131 133 135 139, (B2) 3 6 11 12 14 24 39 48 54 81 85 100 101 102, (B3) 5 6 8 14 29 36 44 57 60 61 101 116 138 147, (B4) 4 7 9 13 15 18 23 24 25 27 32 34 38 48 60 61 87 91 93 102 106 128 129 130 135 136 138 139 142 143 145 146, (B5) 3 13 21 31 32 36 37 44 47 51 52 60 61 64
organizations hierarchy (B1) 90
organize (B1) 78 79 82 83 91 93 94, (B3) 8 42, (B4) 22 51 52, (B5) 52
organized (B1) 30 77 78 80 94 123, (B2) 60, (B4) 21 63
organizing (B1) 67 82, (B4) 21 52 64 65 66 69 72 108
organizing resources (B1) 82
organizing s3 objects with prefixes (B4) 52
origin (B2) 14, (B4) 50 53 57 59 74 130
original (B1) 4 13, (B2) 68, (B3) 101 111 112, (B4) 84 97 98 100, (B5) 64
originally (B1) 4, (B2) 40
originate (B2) 54 74, (B4) 57
originates (B1) 25, (B2) 48, (B4) 54 57
originating (B1) 118 139, (B3) 85 111, (B4) 55 56 57, (B5) 10 54
ormganizaationt.tbhelowe (B1) 94
orr (B1) 7 120, (B4) 123
os and app-layer logs (B5) 37
os)-layer (B5) 9 23 37 42
os-layer (B5) 23
osubnelt (B3) 39
osutseider (B2) 10
others (B1) 20 33 121, (B2) 12 22 54, (B3) 11 58, (B4) 93, (B5) 40 60
otherwise (B1) 25 44 117 121, (B2) 49 113, (B3) 30 59 115 127 130 138, (B4) 40 65
ou (B1) 52 78 80 82 83 84 86 87 88 90 91 92 113, (B3) 39 46 134, (B4) 57, (B5) 23
ou-level (B4) 47
ous (B1) 83 84 86 87 88
out-of-band (B4) 93
out-of-compliance (B5) 49
out-of-date (B1) 4
outage (B3) 24 100 101, (B4) 33 140 145
outages (B3) 100, (B4) 134 135 138 139 141 143 145, (B5) 13
outbound (B1) 88, (B3) 13 14 15 18 20 22 23 24 25 26 29 41 49 54 69 76 78 91 92 98 102 103 124 130 132, (B5) 23 81
outcome (B1) 87, (B2) 60
outcomes (B2) 78
outer (B2) 12
outermost (B2) 10
outgoing (B3) 5 27
outgrowth (B1) 11
outlier (B2) 83
outliers (B2) 107
outline (B3) 80, (B5) 4
outlining (B2) 21
outlook (B2) 54
outnumber (B2) 87
output (B1) 63, (B2) 109, (B4) 28 84 98 100, (B5) 69
outs (B1) 21, (B3) 130
outset (B1) 5 13 21 92 127
outsized (B1) 9 25 32 52 86 103 105 120, (B2) 4 6 10 12 13 14 21 23 29 73 85 96 101 104, (B3) 6 12 36 39 81 94 117 124 125 128 139 142, (B4) 12 87 109 141, (B5) 10 26 29 54
over-privileged (B2) 12
overall (B1) 98, (B2) 5 47, (B3) 76 89, (B4) 33 38 50
overcome (B1) 48, (B3) 138, (B4) 52 53
overflowing (B1) 6
overhead (B1) 43, (B2) 73, (B3) 65 100, (B4) 97 148, (B5) 66
overlapping (B3) 18
overloading (B4) 98, (B5) 66
overly (B1) 12, (B3) 36 46 55, (B4) 107
overridden (B1) 93 101 105 118, (B3) 26, (B4) 47
override (B1) 101 118, (B3) 16, (B4) 34
overriding (B1) 18
oversees (B1) 129

overview (B1) 68 134, (B2) 65, (B3) 26 60 73 84 119, (B4) 37 87 101 102 105 130 139 150, (B5) 20 27 36 83
overwhelmed (B5) 64
overwhelming (B3) 56 62 115, (B4) 66
overwrites (B4) 33
owasp (B1) 19 20, (B5) 98 100
owasp threat dragon (B1) 19, (B5) 98
owned (B1) 94 100 140, (B2) 36 93 94, (B3) 38, (B4) 102 128
owner (B1) 22 121 123, (B2) 113, (B3) 35 36 145, (B4) 9 15 22 46 65 68 70 72 73 74 75 78 80 81 85 110 114, (B5) 14
owners (B1) 21 134, (B2) 87 91, (B3) 46, (B4) 66 74 82
ownership (B1) 21 22 78 80 100, (B3) 35, (B4) 45 46 48 102 142 154, (B5) 90
owning (B5) 37
owns (B3) 96, (B4) 22 46

--- P ---

p4sa (B1) 125
paas (B1) 16, (B3) 29
pace (B1) 100, (B2) 13, (B5) 4 6 48 76 83
package (B5) 38
packet (B2) 6, (B3) 80 100, (B5) 23 33 36
packets (B3) 61, (B5) 36
page (B4) 49
pager (B2) 20
pagerduty (B2) 16 19 20
pagerduty: trust engine (B2) 20
pages (B1) 10, (B4) 36
paid (B1) 33, (B5) 40
painful (B3) 115
pains (B5) 8
pair (B2) 86 93, (B3) 14 68 109
pairs (B2) 93 114, (B4) 22 98
palo (B3) 111 117 120
palo alto (B3) 119 122
palo alto security policy rules (B3) 117
pam (B1) 131
pan-os (B3) 116
panorama (B3) 115
paper (B1) 32, (B2) 17 18 21
paradigm (B1) 59, (B2) 6 13
parallel (B5) 45 46
parameter (B2) 117 120, (B4) 26
parameters (B4) 25 37 63
paramount (B5) 10
parent (B1) 78 80 94 105, (B3) 36, (B5) 15 90
parity (B3) 119, (B5) 6
park (B2) 70 83, (B3) 67, (B4) 72 73 75 78 79 82 84
parked (B1) 87, (B4) 78 79
parquet (B4) 61 62
parse (B5) 67
parses (B2) 128
parsing (B2) 73, (B5) 82
part (B1) 13 21 22 59 66 76 79 87 90 93 113 124 125 129, (B2) 11 24 41 47 54 66 88 110, (B3) 42 94, (B4) 4 18 86, (B5) 10 39 47 61
partially (B1) 98, (B5) 50
participant (B3) 36 57 58
participate (B3) 82
particular (B1) 16 32 59 80 98 101 117 118, (B2) 16 17 45 49 76, (B3) 11 24 25, (B4) 36 44 55 120, (B5) 52 60 90
particularly (B1) 48, (B2) 10 21 33 96, (B3) 65, (B4) 55 140, (B5) 33 61
parties (B1) 42 43 139 140, (B2) 96 112, (B5) 10
partition (B5) 70
partitioning (B4) 60
partitions (B3) 10, (B5) 25 70
partner (B1) 30 140, (B3) 83 130
partners (B1) 120, (B2) 65 66, (B3) 71, (B4) 4, (B5) 71
partnership (B5) 3 12
parts (B1) 15 22, (B4) 83
party (B1) 87 140, (B2) 13 19 31 33 72 96, (B3) 115, (B5) 31 41
pass (B1) 15 16 48 90 106, (B2) 4 5 31 73 74 75, (B3) 29 31 83 91, (B4) 93 110 114 135 140, (B5) 4 6 23
passed (B1) 16 42 59 103, (B2) 19 43 74 78 79, (B3) 127, (B4) 97 126
passes (B3) 99
passing (B1) 59 113, (B2) 31
passive (B1) 20, (B3) 120
passively (B4) 26
passphrase (B2) 101 102 103
passphrases (B2) 102
password (B1) 42 44 46 53 54 67 69 113 128 133 135 136 137, (B2) 9 29 30 32 43 47 49 51 65 67 71 72 85 86 91 101, (B4) 84 130
passwords (B1) 42 53 54 55 67 113 115 128 135, (B2) 9 14 41 72 91 93, (B4) 20 130
past (B4) 144, (B5) 44

pat (B4) 11
patch (B1) 23, (B2) 22, (B3) 82, (B5) 10
patched (B1) 7, (B2) 14 16
patches (B2) 29, (B3) 5 115, (B4) 129, (B5) 3 19 58 89 96
patching (B3) 115
path (B2) 96, (B3) 31 99 100 101, (B4) 52 154, (B5) 3 7 20 45 48 60 76
paths (B3) 84 89 94, (B4) 148
patient (B3) 96, (B4) 20
pattern (B1) 10 38 42 48 84 109 131 133 134 139, (B2) 18 19 20 74 77 79 89, (B3) 6 9 54 57 58 60 62 70 76 96 103 109 138 139, (B4) 27 32 50 54 56 61 65 66 68 101 117, (B5) 20 21 25 45 47 49 50 51 64 66 67 68 70 71 74 76 78 81 82 83 84 88
patterns (B1) 3 4 6 7 12 48 52 127, (B2) 9 16 30 72 73, (B3) 4 5 63 64 69 70 89 100 103 114 124 126 138 147, (B4) 8 11 28 32 33 41 49 63 127, (B5) 2 20 33 47 48 52 66 68 75 86 91 93 94
patters (B1) 32
pave (B5) 3
pay (B1) 13 30, (B3) 61, (B5) 36 45 61
pay-as-you-go (B4) 60
pay-to-play (B1) 20
payer (B1) 90
paying (B5) 40
payload (B2) 114 115 120, (B5) 33 70
payment (B1) 129, (B2) 81, (B3) 5, (B4) 105
payoff (B4) 76
pci (B3) 5 116, (B4) 20 105 125
pci-dss (B3) 41
peer (B3) 18 21 61, (B5) 68
peered (B3) 13 20 21 62, (B4) 38
peering (B3) 2 3 10 16 17 18 20 21 34 40 53 55 59 60 61 62 63 64 65 66 67 68 69 70 71 88 95 96 123 130
peers (B5) 94
pemnid (B2) 129
pen (B1) 21
penalties (B4) 4 38
pending (B1) 88
penetration (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
people (B1) 9 20 29 76, (B2) 10
per (B1) 33 34 59 125, (B2) 10 94, (B3) 14 15 56 68 70 81 138, (B4) 41 47 52 97 105 123, (B5) 13 27 29 30 31 36 44 47 48 70 75 78
per resource configuration (B4) 41
per-application (B2) 16, (B4) 22
per-bucket (B4) 147
per-bucket/prefix (B5) 32
per-request (B2) 8 18
per-service (B2) 16
per-subnet (B3) 128
perceived (B5) 8
percent (B5) 61
percentage (B1) 19, (B4) 84
perception (B2) 17
perfect (B1) 86 138, (B4) 68
perform (B1) 32 84 103 104 116 121 124 127 128 131, (B2) 6 89 105 107, (B3) 100 101 111, (B4) 12 41 93 109 138 150, (B5) 25 53 68 70 75
performance (B1) 13 30 32 142, (B2) 135, (B3) 56 57 60 61 63 64 65 80 84 100 149, (B4) 41 52 97 140 141 142 145 156, (B5) 38 40 45 66 101
performed (B1) 25 116, (B2) 48, (B4) 92 93, (B5) 13 42
performing (B1) 101, (B2) 4 87, (B3) 98 100 146, (B5) 47 49
performs (B5) 69
perhaps (B2) 54, (B3) 100 136, (B4) 93, (B5) 10
perils (B1) 41
perimelteir.ve (B2) 6
perimeter (B1) 3 4 5 25 29 39 74 112, (B2) 1 2 3 4 6 8 12 13 16 21 22 28 63 84 134, (B3) 3 31 34 53 88 123 139, (B4) 3 6 7 17 31 43 59 87 90 133, (B5) 3 4 19 58 89 90 91 96
perimeter-based (B4) 6
perimeter-based security limitations (B4) 6
perimeter-security (B2) 21
perimeters (B1) 3 4 5 29 39 74 112, (B2) 3 4 10 28 63 84, (B3) 1 3 34 53 88 123, (B4) 1 3 17 31 43 87 90 133, (B5) 3 19 58 89 92 93 96
period (B1) 88, (B2) 54, (B4) 36 38 147 152
periodic (B3) 102, (B4) 61, (B5) 66
periodically (B1) 87 128, (B5) 66 83
periods (B4) 12 128 142
permanent (B4) 135
permanently (B1) 127 128 131, (B4) 147
permissible (B4) 145
permission (B1) 3 48 52 58 59 61 62 65 71 79 89 92 94 109 116 117 118 124 125 126 129 131, (B2) 8 56 74 79 90 98 99 112 124 125, (B3) 6, (B4) 36 37 44 53 54 64 65 68 70 72 74 75 81 82 83 102 103 109 110 113 114 116 119 123 125 126 132 144, (B5) 53 84
permission-granting (B1) 92 105
permissions (B1) 40 48 49 52 58 61 65 69 73 78 79 80 89 92 93 101 103 111 112 113 114 115 116 117 118 121 123 124 125 127 128 129 130 131 133, (B2) 17 18 24 41 65 74 76 79 81 85 86 87 88 89 90 91 92 93 98 103 104 118 119 120 124 128 130 133, (B3) 6 42 120, (B4) 21 36 37 44 45 54 55 57 63 65 66 67 68 70 72 74 75 78 80 81 82 89 101 103 106 107 110 114 117 119 122 123 125 126 130 144 149 152 153, (B5) 81 84 88 90
permissions : understanding (B4) 107

permissive (B1) 92 105, (B3) 36 46, (B4) 107
permit (B2) 107 123 125, (B3) 25
permits (B1) 108
permitted (B2) 122 128, (B3) 22 125 146, (B4) 20
persist (B2) 55
persisted (B1) 22 139
persistent (B2) 47 54, (B4) 138
person (B1) 7 9 88 113, (B5) 12
person-centered (B1) 22
person.an (B2) 6
personal (B1) 23 33, (B2) 45 81
personally (B1) 43, (B4) 20 27 28 105
personnel (B4) 21
perspective. (B1) 9 23 32 34 107 117, (B2) 45, (B3) 135, (B4) 20 145, (B5) 24 70 71
petabytes (B4) 32 60
phase (B1) 21 23 33 83, (B3) 80, (B4) 86 127, (B5) 16
phased (B1) 12 32, (B2) 14, (B4) 154
phases (B1) 104 116
phi (B4) 20
philip (B2) 12 13
philosophical (B4) 93
philosophies (B1) 6 30
philosophy (B2) 6
phishing-resistant (B2) 49
phone (B2) 74
phone/email (B2) 72
phones (B2) 14
phrase (B5) 3
phrases (B4) 28
physical (B1) 24 135 136 137, (B2) 4 81, (B3) 79 80 83, (B5) 9
physical storage and delegating (B1) 135
physically (B3) 83, (B4) 141
picture (B1) 29 116 117, (B4) 107
pidpelienes.t (B4) 66
piece (B2) 21, (B3) 90, (B4) 9 18, (B5) 12 70
pieces (B1) 24 135, (B2) 13 22 74, (B4) 91
pii (B4) 20
piled (B1) 76
pillar (B1) 32, (B2) 14, (B3) 6, (B4) 14 16
pillar #3: network & environment (B3) 6
pillars (B1) 30 32, (B2) 14, (B5) 4
pim (B1) 131
pins (B4) 20
pioneers (B2) 13
pipeline (B1) 86, (B2) 85 86, (B4) 66 68 85 86, (B5) 44 68 69 75
pipelines (B1) 86 129, (B4) 23 61 65 66 68 85 86 145, (B5) 68 82 83
pivot (B2) 102, (B3) 55 57, (B4) 118
pivoting (B3) 5
pki (B1) 133, (B2) 98 100 101 102 104 105 106 110
pki system (B2) 101
place (B1) 3 5 20 21 57 82 84 86 98 114 136, (B2) 8 45 72 79 107 125, (B3) 9 46 48 71 91 99 100 101, (B4) 9 34 56 78 80 84 101 127 153, (B5) 15 21 22 26 52 59
placed (B1) 16 17 24 87 88 135, (B2) 48 85, (B3) 42 62, (B4) 128
placeholder (B1) 88
places (B1) 93, (B2) 106, (B5) 40
placing (B1) 98 100, (B4) 101
plaintext (B4) 93
plan (B1) 7 12 22 32, (B2) 13 65 66, (B3) 65, (B4) 134, (B5) 55 99
plane (B1) 27 89 106 130, (B2) 4 5 19 20 87, (B3) 6, (B4) 140, (B5) 9 21 23 38 40 42 50 51
planes (B4) 136, (B5) 6
planned (B1) 13
planning (B1) 10 15 21 22 89, (B2) 102, (B4) 2 3 17 31 43 90 133 134 135 136 138 142 145 155
plans (B1) 7, (B4) 136 137 149
platform (B1) 16 46 66 67 78 98 103 108 120 123 125 126 136, (B2) 4 5 32 47 48 51 58 64 96 110 113, (B3) 10 29, (B4) 60 135 140 148 151, (B5) 9 10 23 27 42 54 60 61 62 64 75 85
platform/os-layer (B5) 23
platform/os-layer logs (B5) 23
platforms (B1) 20 125 127 129, (B2) 48 52 55 56 57 58 86, (B3) 79, (B4) 9 11 14 92 139 140 141, (B5) 9 20 23 60 61
plausible (B1) 38
play (B1) 21, (B3) 46 134, (B5) 21
playbook (B4) 2 4 6, (B5) 93
playbooks (B1) 130, (B5) 5 6 62
player (B1) 125
plays (B1) 21 25
please (B5) 42
plentiful (B4) 135 138
plug-and-play (B5) 44

plugins (B3) 94
plumbed (B5) 61
plus (B2) 43, (B3) 12 60 138, (B5) 47 48
pod (B3) 94
podcast (B5) 97
pods (B2) 98, (B3) 95
point (B1) 3 7 32 45 90 93 94 125, (B2) 13 16 64 101, (B3) 11 70 76 80 91 100 111 119, (B4) 13 47 51 52 53 54 55 56 57 59 110 114 125 132 136 138 141 142, (B5) 59 70 74
point-in-time (B4) 138 139
pointing (B3) 105 109, (B5) 36
points (B1) 4 33 48 78 80 92 94, (B2) 23, (B3) 103, (B4) 2 3 17 31 43 47 51 52 53 54 55 57 58 59 68 90 133 135 139, (B5) 4 47
policed (B2) 10
policies (B1) 3 4 17 34 49 52 58 59 74 75 76 78 79 80 82 83 87 89 90 91 92 93 98 99 101 103 104 105 106 107 108 109 111 116 117 118 120 123 124 125 126 127 129 130 133, (B2) 2 3 4 12 24 28 29 31 32 33 34 35 38 40 41 44 45 46 47 48 49 51 53 54 55 56 57 58 60 62 63 84 87 89 90 98 104 105, (B3) 6 11 16 27 28 29 30 31 36 38 39 43 44 46 47 48 49 57 64 71 91 92 93 94 95 96 100 102 115 131 132 134 136 138 139, (B4) 8 9 12 15 18 20 21 22 23 24 25 26 33 34 36 38 40 44 45 47 48 52 54 57 59 66 76 78 89 95 102 105 106 107 117 120 121 122 123 129 142 148 152 153, (B5) 22 24 47 54 92
policies based on user/group (B2) 32
policing (B1) 25
policy (B1) 106
policy as code (B1) 51
policy built-in tag definitions (B4) 26
policy documents and statements (B1) 118
policy hygiene (B2) 60
policy-based (B1) 90, (B3) 27
policy-centric (B1) 29
policy/deny (B1) 10 101
policymaking (B1) 92
poll (B5) 66 68 69 76
polled (B5) 68
polling (B5) 66 68 70 83
pool (B2) 72 73 74 75 76 77 78 79 80 81 83 99 110 128 129 130 133, (B3) 102 103 109 118 127 131 135, (B5) 84
pools (B2) 71 72 73 76 77 78 79 80
poor (B4) 135
poorly (B3) 52
popular (B1) 57 66 117, (B2) 12, (B3) 131, (B5) 22
populate (B1) 52 69, (B4) 63
populated (B1) 58 63 101, (B5) 52
populates (B5) 51
populating (B1) 33 57, (B4) 65
population (B1) 54, (B2) 56
populations (B1) 54, (B2) 56, (B3) 16 72 74 98
port (B3) 27 46 55 92 93, (B5) 10 23
portability (B4) 142
portal (B1) 52 67 106 131, (B2) 45 53 55, (B3) 58 78, (B4) 106 117, (B5) 36
portals (B1) 113
portfolio (B5) 42
portions (B1) 29 61
ports (B3) 27 49 92 93 94 100 119 124, (B5) 10 11 33
pose (B1) 127
position (B1) 20, (B2) 60, (B3) 112, (B4) 93, (B5) 3 71
positioned (B1) 71, (B3) 46, (B5) 94
positioning (B1) 4, (B5) 94
positions (B4) 18
possess (B5) 45
possesses (B2) 113
possibility (B1) 78
possible (B4) 136
possible) (B1) 21 22 23 38 45 61 66 78 84 87 94 98 100, (B2) 8 9 16 22 43 75 78, (B3) 23 72 81 92 125 134, (B4) 47 134 136 140 141, (B5) 15 22 31 44 53 62
post (B2) 109, (B3) 69, (B4) 52
post-inspection (B3) 69 78 85 87 98 99 103 110 111 120
post-mortem (B5) 16
posted (B1) 30
postgresql (B4) 61
posting (B5) 12
postings (B4) 20
posts (B1) 32, (B4) 20
posture (B1) 19 127 130 139, (B2) 8 9 24, (B3) 44 84, (B4) 9 38 143 149, (B5) 3 40 60
potential (B1) 113, (B2) 4 21 58, (B3) 7 38 41 65 147, (B4) 7 11 33 45 118 136 142, (B5) 33
potentially (B1) 14 21 107 109, (B2) 12 13, (B3) 59, (B4) 47 52 93 135 138
power (B1) 107, (B4) 61 134 145, (B5) 44
powered (B1) 52, (B3) 127
powerful (B1) 44 105 107, (B2) 53, (B3) 134, (B4) 60 141 148, (B5) 52
powers (B3) 10
powershell (B1) 57 106
powrtal._odet (B2) 54
practical (B1) 6 10, (B2) 6 18

practicalities (B1) 80
practically (B2) 14
practice (B1) 30 61 86 91 114, (B2) 13 15 47 74, (B3) 57, (B4) 51 144, (B5) 12 40 48 51 52 54
practices (B1) 7 18 30 32 74 75 82 90 104 112 128 142, (B2) 12 23 85 86 96 135, (B3) 54 100 102 149, (B4) 4 12 14 15 16 107 117 136 156, (B5) 101
practitioner (B1) 20
practitioners (B5) 3
pre-configuring (B4) 148
pre-drawing (B1) 33
pre-existing (B1) 15 35, (B3) 79, (B4) 144, (B5) 60
pre-prod (B1) 83 85, (B3) 5
pre-prod ou (B1) 83
pre-signed (B4) 37
prebuilt (B1) 6 15 108, (B2) 94, (B5) 21
precedence (B1) 101, (B2) 51
precisely (B4) 154
predecessor (B2) 21
predefined (B1) 109 120 123 124 128 130, (B2) 18 49, (B3) 27 44, (B4) 25 28 63 70 71 123, (B5) 62 66
predictable (B1) 104, (B4) 21 51, (B5) 51
preemptively (B1) 11, (B4) 18
prefer (B4) 128, (B5) 9 25
preferable (B4) 47, (B5) 12
preferences (B2) 81, (B4) 4
preferred (B3) 22, (B4) 46, (B5) 26
prefers (B2) 96
prefix (B2) 79, (B3) 19 69 132, (B4) 47 52 54 57, (B5) 51 76 78
prefix list (B3) 132
prefix-level (B4) 52
prefixes (B4) 36 51 52 53 57, (B5) 25
prefixes for s3 scaling (B4) 52
premises (B1) 16 25 67, (B2) 10, (B3) 80 83, (B4) 138, (B5) 5 6 44
premium (B2) 31 36 47, (B3) 84, (B5) 40 43
preparation (B5) 16
prepare (B3) 68, (B4) 85, (B5) 3
prerequisites (B1) 53, (B3) 44
prescribing (B1) 7
prescriptive (B4) 15 21
presence (B1) 52 66 98, (B2) 29, (B4) 9 15
present (B1) 15 94 135, (B2) 41 49 51 60
presentation (B5) 2 3 19 58 89 95 96
presented (B1) 7 62 71, (B2) 67, (B4) 152
presenting (B5) 94
presents (B3) 138, (B4) 34
preserve (B3) 111
preserving (B4) 148
press (B1) 135 142, (B2) 13 135, (B3) 149, (B4) 20 80 156, (B5) 101
pressing (B2) 85
prevalent (B4) 49
prevent (B1) 17 22 101 102 104 106 108 109, (B2) 6 29 47 53 60 78 109, (B3) 6 36 39 41 54 139 147, (B4) 12 24 34 37 48 57 68 87 117 136 139 147 149, (B5) 15 54 55 78
prevent sprawl and stay organized (B2) 60
preventative (B4) 24
prevented (B2) 45 51 94
preventing (B1) 17 82 105 128, (B2) 49, (B3) 13 41, (B4) 6 47 48 87 138, (B5) 33 64
prevention (B1) 4 98, (B4) 9 16 27 28 35 85 86 144, (B5) 3 93
preventive (B1) 106
prevents (B2) 10, (B3) 40 41, (B4) 34 38 48 51 87 147
preview (B2) 39 64, (B3) 127, (B5) 34
previous (B1) 15 44 59 93, (B2) 35 43 68 115 116 117 118, (B3) 6 54, (B4) 12 13 82 83
previously (B1) 55 87, (B2) 39, (B4) 6 142, (B5) 44
price (B1) 32, (B4) 103, (B5) 47
pricing (B2) 101, (B4) 60 70, (B5) 48 61
primarily (B1) 9 27 125 129, (B2) 30, (B5) 21 44 75
primary (B1) 9 10 16 17 25 42 43 56 116 126 135, (B2) 85 120, (B3) 12 60 63 100 120, (B4) 6 22 36 38 100 134 145 146 150, (B5) 8 21 22 38 54 61 74
primer (B1) 40
primitive (B1) 123
primitives (B2) 16
principal (B1) 67 101 103 114 116 117 118 120 121 123 124 139 142, (B2) 48 85 86 88 89 90 91 92 93 96 100 103 104 107 115 120 122 124 128 135, (B3) 30 120 136 139 146 149, (B4) 44 46 48 54 74 103 104 109 110 114 120 123 126 149 150 151 152 153 154 156, (B5) 53 54 73 79 101
principals (B1) 101 103 105 116 117 120 121 123 125 129 139 140, (B2) 4 33 38 68 76 85 87 88 89 90 91 98 100 103 104 124 125 130, (B3) 139, (B4) 36 47 48 53 83 102 103 105 106 107 120 122, (B5) 14 43 53 54 91
principle (B1) 113 121 128, (B2) 16, (B4) 7 120 152
principles (B1) 5 10 19 20 32 48 82 98, (B2) 4 12 13 14 24 25, (B3) 41 134
printed (B1) 137
prior (B1) 98 100 125, (B2) 78, (B3) 101 130, (B4) 23 144
prioritize (B3) 147, (B4) 7 8

priority (B1) 17, (B2) 14, (B3) 23 24 26 27 35 48 93, (B4) 7, (B5) 6
pristine (B2) 60
privacy (B1) 19 20, (B2) 101 106, (B4) 2 3 4 5 6 7 8 11 13 17 31 43 60 90 133, (B5) 33 64 93
private (B1) 3 25 85, (B2) 21 86 94 100 102 103 106 107 108, (B3) 2 3 4 9 12 13 14 15 16 18 19 22 24 26 27 29 30 31 34 41 49 53 54 58 59 60 61 67 68 69 74 76 79 80 81 82 83 84 88 89 90 91 92 98 99 102 103 105 106 108 109 110 123 124 125 126 127 128 129 130 131 132 133 134 135 137 138 140 141 142 143 144 145 146 147 148, (B4) 12 18 20 32 34 38 50 56 87 130, (B5) 34 36 92
private dns query logging (B3) 147
private dns zone network associations (B3) 145
private dns zone record (B3) 144
private endpoint (B3) 31 127 129 132 137 140 144
private endpoint (azure) (B3) 31 129 132 137 140
private google access (B3) 128 130
private hosted zones (B3) 144
private hosted zones (route53) (B3) 144
private service connect (B3) 128
private shared network service access (B3) 135
private subnets hide non-public (B3) 14
private-subnet-a (B3) 72
private.googleapis.com (B3) 128
private/public (B2) 93
privatelink (B3) 131 132 135 137 140
privatelink (aws) (B3) 132 137 140
privately (B3) 29 30 127 128 129 130 131, (B4) 51 57
privilege (B1) 18 19 22 24 41 113 121 127 128 131, (B2) 16 29 94, (B3) 33 41, (B4) 7 12 152, (B5) 90 93 98
privileged (B1) 20 127 128 131 132, (B2) 12 14, (B5) 31 43 90
privileged access design (B1) 129 131 133 135 137
privileged federated user permissions (B1) 131
privileges (B1) 18 104 126 127 128 131, (B2) 6 8 87, (B3) 42
pro (B2) 101, (B3) 103
proactive (B1) 5 19, (B2) 5, (B4) 4 137 143, (B5) 99
proactively (B4) 139, (B5) 4
problem (B1) 52 53 113 139, (B2) 10 12 101, (B3) 44 132 147, (B4) 7 67 128, (B5) 22 53 54
problematic (B1) 22, (B3) 29 136 137, (B4) 103
problems (B1) 9 10 14 28 41, (B2) 10 12 32 75 96
procedure (B4) 63
procedures (B1) 128, (B4) 60 63
proceed (B2) 48 49
proceeding (B4) 85
process (B1) 10 18 19 20 22 33 43 44 59 69 88 90 100 121 136 138 139, (B2) 14 20 22 23 24 67 75 76 77 89 90 102 109 112 113 115, (B3) 58 76, (B4) 11 85 86 93 97 98 100 107 117 119 130 148 151 152 153, (B5) 20 59 64 68 70 71 74 76 82 83 98
processed (B2) 20, (B3) 8 14 111 147, (B4) 4, (B5) 20 45 64 76 77 83
processes (B1) 19 20 22 98, (B2) 6 8 17 24 94, (B4) 8 68 107 117 129, (B5) 8 12 21 45 94 99
processing (B1) 128, (B2) 85, (B3) 14 27 61 98 100, (B4) 8 60 61 85 86, (B5) 45 64 65 66 68 70 74 75 76 82 83 86
processor (B5) 47
processors (B5) 47
procurement (B1) 129, (B3) 116, (B4) 142
prod (B1) 83 84 85
prod ou (B1) 83
produce (B1) 108, (B5) 82
produced (B5) 66 70
producer (B3) 128 129, (B5) 66 70
producers (B3) 128, (B5) 64 70 74 75 76 82 83
produces (B4) 150
producing (B2) 96
product (B1) 13 23 52 66 125, (B3) 115, (B4) 22 23, (B5) 60
production (B1) 18 82 83 85 116 131, (B2) 21 22 60, (B3) 5 41 63 100, (B4) 22 57, (B5) 76
productivity (B1) 22, (B5) 8
products (B1) 13 25 66 125 136, (B2) 33 71, (B3) 96 115 124, (B4) 146, (B5) 21 22 29 42 52 60 86
professional-looking (B1) 35
professionals (B1) 76, (B2) 21
profile (B1) 63 67 70, (B2) 32 48 67 72 81 88 105 107 108, (B3) 136, (B4) 87 97, (B5) 41
profiles (B2) 72 88 92, (B4) 27 28
profit (B5) 98
program (B1) 18 113, (B2) 43 96, (B4) 4, (B5) 5
programmatic (B1) 63 114 120 126 133, (B2) 24 56 72 85 86 87 92, (B4) 37 46, (B5) 13 43
programming (B4) 60, (B5) 69
programs (B1) 113 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
progress (B1) 30 133, (B4) 13 16
prohibit (B3) 41
prohibited (B5) 11
prohibits (B1) 103, (B3) 41
project (B1) 21 27 34 71 73 76 82 87 94 101 102 109 111 124 125 133 134, (B2) 43 72 86 93 94 98 99 128 129 133, (B3) 6 10 36 41 48 56 57 58 59, (B4) 22 28 63 64 65 66 67 68 69 70 72 75 76 78 79 86 87 106 109 114, (B5) 15 31 32 42 50 84 88
project-level (B1) 71, (B4) 114
project-number (B2) 93

project/account (B3) 58
projects (B1) 27 79 80 88 89 93 94 97 101 102 105 109, (B2) 99, (B3) 27 35 36 38 41 48 57 96, (B4) 20 32 65 66 67 70 76 87 107 109 114
prominent (B3) 119
promises (B5) 44
promoting (B4) 21
prompt (B2) 54
prompted (B2) 17
prompts (B1) 136 137
prooach (B2) 13
propagate (B3) 46 74
propagated (B3) 74
propagation (B3) 74 99
proper (B1) 66, (B3) 42 65 76, (B4) 153
properly (B1) 30 86, (B3) 6 146 147, (B4) 12 15 40 52 95, (B5) 81 88 93
properties (B1) 106 108 120 136, (B2) 30, (B3) 74 127
property (B4) 4 20
property/self-developed (B1) 15
proposed (B1) 9, (B4) 150
proposed design (B4) 150
pros (B2) 3, (B4) 95
protect (B1) 12 32 105 107, (B2) 5 12 13 14 85 101 102, (B3) 44 89, (B4) 4 6 7 8 9 12 15 28 33 87 95 98 105 106 128 145 148 149, (B5) 33 93
protected (B1) 127 128 131, (B2) 10 31 36 113, (B4) 20 83 91 100 126 138
protecting (B1) 23, (B2) 11, (B3) 60 90 114 122 134, (B4) 4 6 7 14 92 94 105 117 126 129 137 141 142
protection (B1) 4 12 46 104, (B2) 11 14 15 31 32 33 47 49 51 72, (B3) 6 7 44 89, (B4) 4 5 6 7 8 9 11 13 14 16 27 33 38 68 91 105 107 134 139 141 143, (B5) 40 43 61
protections (B2) 66, (B3) 44 119
protects (B4) 118 141 145
protocol (B1) 43 56 63, (B2) 53 89 96 112 113, (B3) 10 49 92 93, (B5) 33 68 70
protocol/internet (B2) 30, (B3) 92
protocols (B1) 40 42 43 45, (B2) 4 47 72 112, (B3) 27 46 49 92 93, (B5) 33
protocols used in identity federation (B1) 43
protocols used in identity federation: saml (B1) 43
proven (B1) 113, (B2) 18
provenance (B2) 22 23
provide (B1) 3 9 14 33 42 43 67 101 104 107 120 131 133, (B2) 6 12 17 31 36 39 43 67 73 101 103 104 113 122 128, (B3) 5 10 12 16 19 26 30 42 44 61 68 76 81 83 111 117 119 127 130 132 134 135 147, (B4) 6 9 11 18 22 24 27 33 37 38 41 53 56 63 70 76 87 95 105 127 130 134 138 139 140 141 144 145, (B5) 5 20 21 22 23 30 31 33 34 37 38 41 44 45 47
provided (B1) 30 42 43 113 118 137, (B2) 12 13 18 19 64 65 67 74 77 85 90 112, (B3) 131 132, (B4) 50
provider (B1) 3 4 13 14 17 25 42 43 44 45 48 53 54 56 57 62 66 70 71 89 101 125 127 139, (B2) 5 17 24 29 43 65 68 71 72 73 74 75 76 77 79 80 81 83 85 87 89 90 96 97 98 101 102 103 110 112 113 114 115 116 117 118 119 120 122 123 124 125 128 129, (B3) 8 10 29 70 72 79 89 115 116 124 125 127 135 142, (B4) 9 12 14 24 34 41 91 93 95 97 98 101 102 109 127 134 135 136 138 139 140 141 142 143 145 146 152, (B5) 6 9 12 23 24 25 33 34 36 38 60 61 64 66 68 84 90
provider type: choose (B2) 123
provider url: set the value (B2) 123
provider: choose open id (B2) 129
providers (B1) 14 17 27 30 35 42 43 44 48 51 67 75 78 82 113 126 133 136 139, (B2) 4 5 24 25 29 32 39 40 41 43 64 73 75 76 81 87 96 98 100 101 102 103 114 115 116 117 120 127 128, (B3) 10 29 30 43 70 80 92 135, (B4) 9 14 21 26 33 93 97 98 100 102 126 128 135 139 141 142 143 145 146, (B5) 10 21 24 33 36 37 38 41 42 47 59 60 61 62 68 90
provides (B1) 10 13 15 20 23 30 32 33 42 43 67 92 93 121 131 140, (B2) 18 31 65 71 72 94 105 106 115, (B3) 5 12 27 28 38 40 43 49 91 93 100 102 135, (B4) 4 12 21 26 34 47 60 61 72 76 86 91 98 117 150 153, (B5) 4 20 22 25 34 38 41 42 45 51 52 54 60 61 62 64 68 70 74 75 83 99
providing (B1) 30 32 99 126 127 131 140, (B2) 29 43, (B3) 10 23 60 64 76 132, (B4) 13 51 53 145 150, (B5) 21 38 51 59 61
providing mfa at cli (B2) 43
provision (B1) 40 46 52 54 57 62, (B2) 120, (B3) 49 72, (B4) 107 128
provisioned (B1) 45 48 54 55 56 57 58 126, (B2) 65, (B4) 96
provisioning (B1) 2 3 5 39 42 45 50 51 54 56 57 59 61 64 69 70 72 74 90 112 126 128, (B3) 38, (B5) 49
provisioning from entra id (B1) 57
provisioning the user base (B1) 54
provisions (B4) 130
proxies (B3) 94 112
proximity (B5) 61
proximity.the (B1) 23
proxy (B2) 17 18 19 31 33 36 38, (B3) 67 103 112
ptoortal.l (B1) 108
pub (B4) 28, (B5) 50 82
pub/sub (B1) 94 123, (B4) 28 61 80, (B5) 47 50 64 68 69 82 83 84 88
pub/sub log export pattern (B5) 82
pub/sub topics (B5) 50
pub/sub-topic (B4) 28
publ (B2) 103
public (B1) 3 22 25 43 82 88 98 104 139, (B2) 4 13 18 21 24 25 77 93 100 101 102 103 105 110 116 117 122 128, (B3) 6 10 12 13 14 15 16 18 20 22 29 30 31 38 39 40 41 44 47 49 60 70 76 79 80 83 84 89 98 99 101 103 105 106 109 110 124 125 127 128 130 131 132 133 134 135, (B4) 9 11 15 18 20 21 22 24 25 32 34 35 36 47 48 53 57 67 68 103 146, (B5) 7 47 60 61 62 66 68
public cloud data transfer patterns (B5) 66
public cloud provider data transfer services (B5) 68

public key infrastructure (B2) 101
public shared network services (B3) 124
public shared network services routing & risks (B3) 125
public-private (B4) 98
publication (B2) 7, (B3) 12 33 52
publicly (B2) 16 116 122 128, (B3) 92, (B4) 32 36
publish (B1) 30, (B3) 92, (B4) 28, (B5) 74
publish/subscribe (B5) 21
published (B1) 10 100 108, (B2) 16, (B3) 128, (B4) 36 93, (B5) 12 43 83
publisher (B1) 123, (B3) 129 131, (B5) 82
publishers (B5) 82
publishing (B3) 129
pubsub.subscriptions.consume (B5) 84
pubsub.subscriptions.get (B5) 84
pull (B5) 20 52 60 62 64 66 67 68 74 75 76 77 78 82 83 84 94
pull architecture (B5) 67 68
pulled (B1) 33, (B5) 37 66 68 69 75
pulling (B5) 44 70
pulls (B2) 86, (B5) 78
puma (B1) 142, (B2) 111 135, (B3) 149, (B4) 156, (B5) 101
purchasing (B2) 100
purely (B1) 9 59
purpose (B1) 104 121, (B2) 86, (B3) 57, (B4) 15 105 128 147, (B5) 20
purposes (B1) 23, (B4) 25 49 142 154, (B5) 33 60
pursue (B1) 12
purview (B3) 127, (B4) 9 16 27
push (B1) 67 79 136 137, (B2) 16, (B3) 35 44 46, (B5) 20 60 64 66 67 68 70 71 74 75 77 82 83 94
push architecture (B5) 66 67
pushed (B5) 70 74 75
pushes (B1) 52, (B5) 66 82
pushing (B3) 7 43 44 96 100, (B5) 60 69
put (B1) 7 11 88, (B2) 13 51 79 89, (B4) 52
put/copy/post/delete (B4) 52
putblob (B5) 29
puts (B2) 89
putting (B2) 80 116
putting it all together (B2) 80
python (B2) 67, (B4) 60 86, (B5) 69

--- Q ---

qemv (B1) 45 114
qeventes (B5) 68
qualified (B3) 49 92
qualities (B5) 45
quality (B3) 100, (B4) 85
quantified (B1) 10
quantify (B1) 19
quantity (B5) 34
quarantined (B1) 88
quarantining (B3) 24
queried (B4) 63, (B5) 26 27 30
queries (B2) 116, (B3) 13 147, (B4) 60 63 65 67 70 76 79 82 84, (B5) 25 44 45 46 61 62
query (B3) 76 95 147, (B4) 60 63 64 65 66 68 72 73 74 76 78 79 82 83 84, (B5) 21 22 25 26 27 45 46 47 50 62 73 81 88
querying (B4) 60 61 63 65 70 75 81 84 148, (B5) 22 25 44 50
question (B1) 9 12 117 125, (B4) 44 52 93
questions (B1) 10 19 135, (B3) 35, (B4) 20, (B5) 61
questions/answers (B4) 20
queue (B1) 128, (B5) 68 76 78 81 83
queues (B1) 117, (B3) 29 130, (B4) 101 145, (B5) 47 68 76 78
queuing (B3) 29, (B5) 68 70 76
quickly (B1) 14 23, (B2) 60 86 96 101, (B3) 65 80 138 139, (B4) 22 117 127 134 142 148, (B5) 4 21 40 44 59 66
quite (B5) 22
quorum (B1) 128
quota (B3) 56
quotas (B1) 117, (B3) 54 56, (B5) 36

--- R ---

r_com (B1) 104 136, (B2) 4, (B3) 71, (B4) 103, (B5) 37 61
race (B2) 13, (B4) 67
radically (B5) 6
radius (B1) 18 76 104, (B2) 22 96 113
rainbow (B4) 84
ram (B2) 45 106, (B3) 36
ram:associateresourceshare (B3) 39

ran (B1) 113, (B5) 25 81 88
random (B4) 98, (B5) 54
random resource naming (B5) 54
randomization (B5) 54
randomly (B1) 123, (B4) 98
range (B1) 136, (B2) 29 113, (B3) 10 12 24 58 69 92 101, (B4) 95 145
ranges (B2) 16 44, (B3) 10 18 26 27 46 47 56 72 74 92 93 101, (B5) 42
ranging (B5) 41
rank (B1) 22
ranked (B1) 22, (B4) 44
ransomware (B4) 13 33 136 139 141 144 145 147 148 149 152 153
ransomware-resilient (B4) 150
rapid (B1) 12 13, (B4) 148
rapidly (B1) 100, (B2) 13, (B4) 135
rare (B2) 53, (B4) 139 141 145
rarely (B1) 114, (B2) 13
rarely-to-be-accessed (B1) 84
rate (B3) 36 65 115, (B5) 83
rates (B3) 80 98, (B5) 39
rather (B1) 7 9 10 13 20 29 32 48 59 69 78 82 84 89 101 116 126 131 133 136, (B2) 4 6 16 22 45 47 49 54 73 75 78 96 110, (B3) 6 11 44 62 68 69 92 132 144, (B4) 6 44 52 56 57 76 78 83 92 93 105 117 120, (B5) 4 8 33 40 53 66 83
rather than granting long-standing (B1) 131
rational (B1) 9 18 100, (B4) 20 134, (B5) 90
raw (B4) 51 65 66 67, (B5) 45
rbac (B1) 17 46 59 93 101 120 121 122 124, (B2) 78 98 118 120, (B3) 11 98, (B4) 33 110 148
rbac: role assignments (B2) 118
rcp (B4) 48
rds (B2) 114 115 117, (B4) 9 101 135 140
re-architect (B1) 15
re-created (B1) 52, (B3) 147, (B4) 67 135
re-engineered (B4) 146
re-evaluation (B1) 87, (B2) 6 8 19 32 46
reach (B1) 125, (B3) 13 25 30 60 69 72 74 84 93 98 99 118 125 128 132 133 138 140
reachable (B3) 127
reached (B1) 88
reaches (B3) 125
react (B2) 67
reactivate (B4) 127
reactivated (B4) 127
reactive (B1) 19
read (B1) 25 38, (B2) 74 78 79 86 90 93 117 122 124 125 128 131, (B4) 11 35 36 37 41 45 70 72 75 93 100 101 126 140 147 154, (B5) 25 30 31 32 67 69 70 71 75 78 81 84 88
read data from bigquery resources (B4) 70
read-only (B1) 33 84 130, (B3) 6, (B4) 66 70 145
readability (B2) 47
reader (B1) 121, (B4) 80 110 154
reader/writer (B4) 145
reads (B2) 67 68, (B4) 82 119, (B5) 76 84
ready (B3) 115, (B4) 72, (B5) 66
real (B2) 4 5 6 19, (B3) 7, (B4) 11 61, (B5) 8 21 74
real-world (B4) 80
realistic (B1) 77
realities (B1) 45, (B2) 14 18 31 73, (B3) 61, (B4) 11 60 61 76 85 86 148, (B5) 6 21 44 47 64 66 68 69 70 71 74 77 82 83
reality (B1) 16, (B2) 25
realize (B2) 13, (B3) 55 74, (B4) 67 84 107 123 145, (B5) 49 86
realized (B1) 12, (B2) 96
really (B1) 9, (B2) 13
realm (B5) 10
reason (B1) 18 46 76 77 117 134, (B2) 13 45, (B3) 54 62 94, (B4) 18 36 92, (B5) 21 22 47
reasonable (B1) 34, (B4) 91, (B5) 78 84
reasoning (B1) 113
reasons (B1) 10 76 87, (B2) 101 102, (B3) 147, (B4) 36 66 76 107 128, (B5) 62
reassessing (B5) 6
reauthentication (B2) 54
rebranded (B1) 125
rebuild (B1) 15, (B5) 4 91
rebuilt (B1) 87, (B2) 22, (B3) 8, (B4) 86
receive (B2) 24 94 109, (B3) 18 60 61 91 103 134 140, (B4) 84, (B5) 13 15 64 68 70 76 82 84
received (B1) 138, (B2) 80, (B4) 93, (B5) 82
receiver (B5) 66 68 69 76
receivers (B5) 66 68 69 76
receives (B2) 67 120, (B3) 14 91 102, (B4) 72, (B5) 70
receiving (B3) 96, (B4) 92 110 119, (B5) 66 70 78 84
recent (B1) 90 92, (B2) 12 13, (B4) 32
recently (B1) 23 90 125 137
recipients (B1) 138
recognize (B1) 16 17 23 28, (B2) 14, (B4) 138

recognized (B2) 8 17
recommend (B2) 94, (B5) 36 41 60
recommendations (B3) 28 49 50, (B4) 21, (B5) 40 41
recommended (B1) 43 83 84 107 116 127 136, (B2) 14, (B3) 46, (B4) 45 76
recommends (B3) 22, (B4) 15 18
reconfigure (B2) 43
record (B3) 140 144, (B4) 41, (B5) 30 31 51 52
recorded (B4) 95, (B5) 27 28 30 31 32 51
recording (B5) 23 51
records (B1) 25, (B3) 143 144, (B4) 20 61 63 107 123, (B5) 30 39 51 75
recover (B1) 4, (B3) 79, (B4) 13 136 142, (B5) 4
recovering (B4) 136 138
recovery (B1) 127 128 136, (B3) 63 79, (B4) 2 3 14 17 31 43 90 105 127 133 134 135 136 138 139 140 141 142 143 144 145 147 148 153 154 155, (B5) 4 16 93
recovery: reactivate the key after (B4) 127
recycling (B1) 86
red (B2) 58
redacting (B1) 15 19 20 125 127, (B2) 3 10 12 13 17 27, (B3) 41 65 74 100 130, (B4) 38 83 85 110 114 125 126 134 138 148 152, (B5) 31 45 59 64 71 75 76 88
redeploy (B4) 145
redeployment (B1) 15
redesign (B4) 51
redesigned (B3) 33
redesigning (B2) 22
redirect (B2) 68 75, (B3) 16
redirected (B1) 63, (B2) 17 75, (B5) 15
redsoureces.ttohe (B2) 18
reduce (B1) 59 92 100 104 133, (B2) 18 22 49 54, (B3) 26 65 100 124 125, (B4) 38 97 105, (B5) 21 22 25 50 64
reduce attack surface (B1) 104
reduce the complexity associated (B3) 26
reduced (B1) 13 113, (B3) 38 63 64 80, (B4) 4, (B5) 91
reduces (B2) 46 96, (B3) 38, (B4) 7 50 117 120 141 154, (B5) 44 52 67
redundancy (B2) 21, (B3) 14 100, (B4) 13 68 130 134 135 136 139 140 142 145 149 153
redundant (B3) 46 81 84 100 101, (B4) 145 150
refactor (B1) 15, (B5) 91
refactored (B3) 56
refer (B1) 22 37 50 64 72 90 96 110 141, (B2) 26 49 61 69 82 126 132 134, (B3) 32 51 66 77 86 107 113 121 148, (B4) 29 58 88 112 115 131 155, (B5) 17 31 52 56 72 80 87 95
reference (B1) 10 12 16 17 28 29 36 45 47 60 63 80 81 93 95 100 107 108 122 130, (B2) 7 12 13 16 17 21 40 41 66 102 105 109 114 115 123 125 128, (B3) 7 20 24 48 50 60 72 95 97 117 118 119 138 139 143, (B4) 7 8 13 21 22 26 28 34 39 40 44 45 46 60 63 64 65 66 67 69 71 72 73 74 75 78 79 83 85 86 100 108 111 114 119 121 126 144 145 146, (B5) 7 9 22 25 41 46 48 65 71 79 85
references (B1) 8 68 117 120 124 128 132 134 140, (B2) 13 43 65 66 67 68 74 77 85 86 97 100 103 106 108 109 111 112 116 117 119 121 122, (B3) 5 14 15 17 19 21 26 28 37 38 41 42 47 50 54 55 56 61 64 65 68 71 72 73 75 76 84 90 94 95 102 104 112 116 119 120 126 135 141 142 147, (B4) 5 6 9 11 14 16 18 23 25 27 32 35 37 42 48 50 52 54 57 61 62 70 71 77 81 82 83 86 87 91 92 93 94 96 97 99 101 102 105 109 120 122 124 127 129 130 134 139 147, (B5) 16 27 36 39 46 49 50 52 60 63 69 75 77 83 97
referencing (B1) 61 118
referred (B1) 42 90, (B2) 47 112, (B3) 79, (B4) 66 74 92 97, (B5) 30
referring (B1) 133, (B5) 74
refers (B1) 78 94 137, (B4) 120, (B5) 20
refine (B1) 94, (B2) 13
refined (B4) 154
refines (B4) 154
refining (B4) 137
reflect (B3) 36
reflected (B4) 36
reflecting (B1) 91
reflections (B2) 10
refresh (B2) 47 54 113
refreshed (B2) 113
refresher (B1) 136, (B3) 4, (B4) 44
regard (B1) 82, (B2) 24
regarding (B1) 80, (B2) 14, (B3) 130, (B4) 128
regardless (B1) 67 100 106, (B2) 6 8 14 24 73 98 113, (B4) 7 9 18 34 76 93 107 109 145, (B5) 31
region (B1) 63 104, (B2) 92, (B3) 10 21 56 101, (B4) 63 103 138 139 140 141 145 146, (B5) 36 51
region/account (B5) 48
regional (B3) 10 27 28 70 83, (B4) 32 33 53 138 140 141 145, (B5) 26
regional (or multi-regional) data storage (B4) 32
regionally (B3) 11 27
regions (B1) 91 100 104, (B2) 33, (B3) 10 11 49 61 63 83 84 102, (B4) 12 13 33 38 135 140 141 145, (B5) 25 34 51 52 59
register (B1) 41, (B2) 41 72
registered (B1) 137, (B2) 18 36 66 91
registering (B2) 67
registration (B1) 41 53 142, (B2) 72 74 135, (B3) 149, (B4) 156, (B5) 101
registrations (B1) 41
regular (B1) 46, (B4) 11 28 136 151
regularly (B4) 7
regulate (B2) 47, (B3) 5

regulated (B2) 101, (B3) 5 125 139
regulating (B3) 131 132
regulation (B1) 104
regulations (B4) 4 38 60 102 105 136
regulatory (B1) 76, (B3) 41 125 147, (B4) 4 38 56 117 128 139 141, (B5) 64
rehoboam (B4) 67 106 117 132
reigning (B1) 13
reigns (B3) 23
reinvent (B1) 22, (B2) 39
reject (B4) 47
rejects (B4) 47
relate (B2) 12, (B3) 98, (B5) 13
related (B1) 10 19 82 84 133 142, (B2) 12 81 135, (B3) 149, (B4) 60 63 156, (B5) 13 15 27 40 101
relational (B4) 85 140, (B5) 42
relationship (B1) 33 116, (B2) 90 92 93, (B3) 36, (B4) 152
relationships (B1) 78, (B3) 65, (B4) 4 150
relative (B1) 7 21 104
relatively (B1) 15 28, (B3) 56 80
release (B2) 13 118
released (B1) 22 59 120 121, (B2) 13 14 17 21 39 98 120, (B3) 44, (B4) 12 110 148, (B5) 10 62
releases (B2) 12, (B4) 20
releasing (B2) 13
relevant (B1) 29 35, (B3) 7 57, (B4) 4 65 68 97 153 154, (B5) 64
reliability (B1) 21 30 32, (B3) 84, (B5) 40
reliable (B4) 148, (B5) 51
reliably (B1) 32, (B5) 77
reliance (B2) 4
reliant (B4) 142
relied (B2) 30 73, (B4) 9 37
relies (B2) 36 58 101, (B4) 8 12 41
relqiuevsts.e (B3) 56
rely (B1) 18 25 42 43 113, (B2) 32 81 94 101, (B4) 6 134 142, (B5) 54
relying (B1) 42 44 85 109, (B2) 6 32 73 96 101, (B3) 26, (B4) 6 76 140 141, (B5) 52
remain (B1) 35 41 76 87, (B2) 8 74, (B4) 50 100 135 137 144, (B5) 51
remainder (B3) 8 69
remained (B2) 12
remaining (B2) 74, (B3) 48 72 90 102, (B4) 8 154
remains (B2) 22, (B4) 12 107 130 147 153, (B5) 51
remarkably (B1) 17
remediate (B1) 106
remediate non-compliant (B1) 106
remediation (B1) 15 106 127, (B3) 46, (B4) 26 35 127 128 129, (B5) 5 40 49
remember (B1) 78, (B2) 4, (B3) 134
remote (B1) 12 13 135, (B2) 14, (B3) 5 16 18
remote-first (B1) 13
removal (B2) 104
remove (B1) 128, (B2) 60 94, (B3) 16, (B4) 67 110 114, (B5) 83
removed (B1) 59, (B2) 18, (B3) 14 26 30, (B5) 84
removes (B5) 12 66
removing (B1) 45 59, (B2) 60
rems (B3) 5
rename (B1) 46
renamed (B1) 46, (B4) 144
renderings (B1) 33
renewal (B2) 32, (B4) 142
reorient (B2) 6
reorientation (B2) 7
repeat (B3) 58
repeatedly (B2) 10
replace (B1) 15, (B3) 112, (B4) 78, (B5) 22 91
replaced (B2) 64
replacement (B4) 91
replay (B5) 71
replayed (B2) 23
replica (B4) 18 49 145
replica store (B4) 49
replicas (B4) 140
replicated (B1) 57, (B4) 13 33 38 139 141
replication (B4) 33 145
repliccation (B1) 19 22 129, (B3) 63, (B4) 12 13 33 62 136 138 139 140 141 145 147 151 153, (B5) 48
replies (B3) 111
replying (B1) 42
repo:pumasecurity/nymeria:ref:refs/heads/main (B2) 118
report (B1) 108, (B2) 41, (B3) 44, (B5) 10
report-only (B4) 24
reported (B3) 46, (B5) 10

reporting (B1) 82 98, (B2) 3, (B4) 22 66
reports (B1) 106 108 129, (B4) 27, (B5) 10 12 13 42
repositioned (B5) 4
repositories (B1) 25 30 41 83 86 104
repository (B2) 12 73 118, (B4) 32 51 80, (B5) 21
represent (B1) 24 33 116, (B2) 23 94, (B3) 23, (B5) 90
representation (B2) 88 117
represented (B1) 46, (B2) 21 117
representing (B1) 20 44 120, (B2) 91
represents (B1) 15, (B2) 6 7 73 90 112, (B4) 22 63
reproduce (B1) 19
reproducibility (B1) 19
reputation (B1) 23
request (B1) 42 63 100 101 113, (B2) 4 6 8 9 17 18 19 20 23 24 30 32 33 41 48 49 51 58 67 68 73 77 106 110 112 118 120 128, (B3) 29 44 56 95 101 145, (B4) 8 47 52 72 98, (B5) 30 39 55 75 83
requested (B1) 104 131, (B2) 19 23 77 107 118, (B3) 39
requesting (B1) 98, (B2) 8 118, (B4) 12, (B5) 66
requests (B1) 42 56 63 114 118 127 131, (B2) 8 17 18 19 24 32 77, (B3) 44 89 103 128 147, (B4) 34 41 52 56 103 117 127 144, (B5) 66 83
require (B1) 16 20 25 29 42 43 45 84 87 104 118 127 128 131 137, (B2) 4 32 36 47 49 51 52 56 58 73 86 87 106 128, (B3) 8 29 42 55 56 60 61 62 63 65 72 74 76 91 92 101 115 118 119 124 142 145, (B4) 9 24 25 26 41 48 50 60 65 74 102 105 107 110 114 123 126 128 129 130 136 138 140 141 148 154, (B5) 10 33 40 47 49 60 99
required (B1) 3 44 84 86 106 113 116 127 129, (B2) 16 24 31 41 45 47 51 71 74 106 107 115 120, (B3) 12 13 25 55 64 76 79 81 93 96 101 103 111 116 130 147, (B4) 11 12 20 22 38 48 55 61 72 81 93 95 110 114 123 126 128 140 145 147 154, (B5) 3 5 10 25 33 47 51 59 62 74 75 78 83
requirement (B1) 44, (B2) 4 41 45, (B3) 93 101, (B4) 54 56 93 105 128
requirements (B1) 7 12 14 32 44 57 76 83 113 128 129, (B2) 29 35 43 47 49 51 53 55 62 101, (B3) 4 35 36 41 62 79 80 93 116 125 147, (B4) 4 9 12 18 22 38 40 76 86 93 95 102 105 117 128 129 130 139 141 142 152, (B5) 20 44 47 62
requires (B1) 3 15 42 44 45 57 67 69 98 113, (B2) 4 5 6 24 29 32 36 41 49 85 90 96 101 107 114 122 124 128, (B3) 6 9 14 25 54 60 61 72 80 98 100 101 103 105 115 118 125 128 142 145, (B4) 7 8 11 20 22 26 28 37 41 61 65 66 68 70 87 93 95 101 109 110 114 120 123 126 128 129 135 140 145 146 154, (B5) 13 25 36 66 83 99
requiring (B1) 25 41 45 114 135, (B2) 39 41 53 54 103 110, (B3) 5 63 124 130 140, (B4) 74 75, (B5) 49
requiring mfa for iam users (B2) 41
research (B1) 36 100 142, (B2) 135, (B3) 149, (B4) 4 156, (B5) 53 101
resembles (B4) 52
reservations (B4) 70
reserved (B1) 129, (B3) 12 128
reset (B1) 113, (B2) 72
resetting (B1) 67
reside (B1) 61 114 126 136, (B2) 98, (B3) 29 63, (B5) 52
resides (B1) 20 54 114, (B3) 131
residing (B1) 87, (B2) 12, (B4) 55
resilience (B4) 135 138 139 141 142
resiliency (B1) 32, (B3) 63, (B4) 144 147
resilient (B1) 5 30, (B4) 137 140
resistant (B1) 5
resize (B1) 35
reslouirvces.e (B4) 140
resolution (B1) 84, (B3) 145, (B5) 62
resolvable (B3) 146
resolve (B3) 12 140 142 143 144 147
resolved (B5) 99
resolver (B3) 12 13 30 44 106 147
resolvers (B3) 12
resolves (B3) 103 140 146
resolving (B3) 109 142
resort (B2) 102
resource (B1) 3 22 27 30 32 59 61 74 75 76 78 79 80 82 83 84 86 87 88 89 92 93 94 97 98 101 104 106 107 108 109 113 116 117 118 120 121 123 124 125 129 130 131 134 139, (B2) 8 24 41 42 44 45 47 48 49 51 52 54 68 73 79 85 86 87 89 91 92 93 98 102 104 105 106 107 109 112 113 119 120 122 123 124 128 129, (B3) 6 10 11 13 14 16 18 19 26 27 30 36 38 39 41 42 43 44 46 48 56 57 58 60 70 71 72 101 102 120 127 128 131 133 134 136 137 138 139 146, (B4) 15 21 22 23 24 25 26 30 34 36 41 44 47 48 56 57 63 64 68 70 74 78 80 91 101 103 104 106 109 110 114 117 119 120 122 123 125 130 140, (B5) 7 10 20 26 27 28 29 31 33 34 42 49 54 55 70 74 78 82 84 90
resource hierarchy (B1) 78 80 84 92 94 95
resource hierarchy example (B1) 93
resource logs (B5) 29
resource naming conventions (B4) 21
resource policy (B4) 36
resource specifies the kms (B4) 125
resource tagging (B4) 22
resource-based (B1) 116 118
resource-based policies additionally (B1) 118
resource-centric (B3) 134
resource-level (B1) 108
resource=api://nymeria-workload-identity (B2) 120
resources (B1) 82 89 101 106, (B2) 12, (B3) 14 35 140, (B4) 24 70, (B5) 98
resources in the shared services (B3) 140
respecting (B4) 4

respective (B1) 80 136, (B2) 88 103, (B3) 89
respond (B1) 4 106, (B2) 4 5, (B3) 147, (B5) 3 4 10 21 33 62
responded (B2) 12, (B5) 21
responders (B5) 4 21 23 52
responding (B4) 16, (B5) 9 21
response (B1) 9 13 84 129 130 133, (B2) 5 67 68 75 90, (B3) 7 14 22 24 31 61 101 138 147, (B4) 82 98 107 119 127 154, (B5) 2 3 4 5 6 7 9 10 16 19 21 30 39 47 50 55 58 59 61 62 71 89 94 95 96
responses (B3) 18 22 25 147, (B5) 7 62
responsibilities (B1) 14 76 113 127 131 142, (B2) 96 135, (B3) 33 149, (B4) 156, (B5) 9 101
responsibility (B1) 29 42, (B2) 5 19 20 25 73 75 106, (B3) 42 96 115, (B4) 4 21 65 66 95 101 102 134, (B5) 9 10 16 33 52 66
responsible (B1) 13 98 100 129, (B3) 58 72 82 96 98 103 109 115 117 140, (B4) 22 38 66 67 105 135 152 154, (B5) 9 12 21 24 47 64 67 82
responsibly (B4) 4
responsiveness (B4) 142
rest (B1) 15 86 88 89 90, (B2) 33 109, (B4) 12 20 22 33 60 68 83 91 92 93 95 97 98 101 102 114, (B5) 78 91
rest.olaitan (B4) 110
restart (B1) 131
restoration (B4) 142
restore (B1) 127, (B4) 134 148
restored (B4) 135 142, (B5) 22
restoring (B1) 114, (B4) 129 134
restrained (B1) 116
restricctive (B1) 78 79 83 87 88 92 98 99 100 101 103 104 105 109 114 118 127 136 139 140, (B2) 6 18 23 34 44 45 51 54 79 88 104 105 107 122 124 125 128 129 130, (B3) 6 13 23 30 31 41 46 47 55 60 102 115 127 128 131 132 134 136 137 139, (B4) 12 15 18 20 22 24 25 47 50 52 53 55 56 57 67 73 78 79 80 81 82 83 84 87 89 103 122 123 126 127 148 154, (B5) 54 92
restricmtionsm (B4) 34
restricted.googleapis.com (B3) 128
result (B1) 23 44 84 103 136, (B2) 49 51 78 85 89 112, (B3) 10 60 90 100 131 140, (B4) 11 37 46 52 63 66 67 76 79 86 109, (B5) 31 32 86
resulted (B1) 23
resulting (B2) 16 31, (B3) 100
results (B1) 9 25, (B3) 140, (B4) 28 63 72 74 79 82 84 85 136, (B5) 10 45 68
resume (B4) 127
retail (B1) 10
retain (B1) 15, (B4) 38
retained (B1) 88, (B5) 21 25 31 34 51 75
retaining (B5) 21
retention (B4) 12 18 22 33 38 40 66 142 147 148 152 153, (B5) 21 22 24 25 34 44 47 51
retention & lifecycle policy (B4) 38
retention-and-archived-logs-costs (B5) 22
rethink (B2) 17 21
rethinking (B2) 6
retirement (B3) 13
retrievable (B4) 144
retrieval (B5) 67
retrieve (B2) 75 77 93, (B4) 143 152, (B5) 1
retrieved (B2) 94, (B4) 50, (B5) 32
retrofit (B2) 73
retry (B4) 86 153, (B5) 76 82
return (B1) 9, (B2) 68 103 107 120 131, (B3) 22 23 24 27 99 101 102 108 140, (B4) 38 63 83 100
returned (B2) 73 77, (B3) 111, (B4) 76
returning (B4) 79 82, (B5) 45
returns (B2) 67 68 75 80 109 116 125, (B3) 106, (B4) 72 79 83 98 100
reusable (B1) 22, (B3) 54
reuse (B1) 15 42 54, (B2) 124, (B3) 96, (B4) 63
reused (B1) 12, (B2) 22, (B4) 63
reveal (B1) 7
revealed (B5) 10 11
reveals (B2) 120
revenue (B4) 4
reverse (B4) 84
reversed (B4) 66
revert (B4) 47
reverts (B1) 131, (B3) 46
review (B1) 21 22 30 57 138 142, (B2) 19 53 87 112 124 135, (B3) 62 68 80 101 109 149, (B4) 23 100 110 114 117 119 123 138 142 156, (B5) 23 42 48 60 91 101
review entra id consolelogin (B1) 138
review.while (B1) 30
reviewed (B1) 38 51 65 73 97 107 111, (B2) 27 62 70 83 127 133, (B3) 33 67 78 87 108 114 122, (B4) 30 59 89 113 116 132 142, (B5) 18 24 57 73 81 88
reviewing (B3) 138, (B4) 110 114
reviews (B4) 8 142
revise (B1) 15, (B5) 91
revised (B1) 21
revocation (B1) 45, (B2) 46 101 102 104 109 116, (B4) 37 107
revoke (B1) 49, (B2) 96 101 104, (B4) 37 117
revoked (B2) 109 113
rewarded (B2) 12
rewrites (B1) 15, (B2) 79, (B4) 140

rhafza (B2) 130
rhino (B5) 97
rhinosecuritylabs.com/blog (B5) 97
rhocwever (B3) 127
right-click (B1) 35
rights (B1) 46 48 49, (B4) 4
rigorous (B1) 14 128, (B4) 138
rigorously (B5) 13
ring (B4) 114
ripples (B2) 13
risk (B1) 7 10 12 19 20 21 22 41 45 76 127 131 142, (B2) 6 29 30 32 40 41 47 48 53 54 55 85 87 96 135, (B3) 80 125 134 149, (B4) 4 7 8 12 27 38 100 118 120 134 135 136 141 143 152 156, (B5) 8 31 52 53 59 67 90 101
risk-based (B2) 30
risk-level (B2) 48
riskier (B1) 139
risks (B1) 12 21 22 40, (B2) 96 101, (B3) 41 111 125, (B4) 4 6 7 37 67 102 135 136 138 139 142 149, (B5) 9 12 90
risky (B2) 53 72, (B3) 49, (B4) 141
rit (B1) 131, (B5) 68
rleastricts (B2) 125, (B4) 73
rnheedaed (B2) 16
rnoht (B1) 57
road (B1) 22 103, (B2) 13, (B5) 5
robot (B1) 90 127, (B2) 83, (B4) 120
robotics (B1) 36, (B4) 67 72 75 78 79 106 116 117, (B5) 88
robust (B1) 13 14, (B2) 8 9 31, (B3) 59 99, (B4) 91 138 139, (B5) 3 42 54
robustness (B1) 136, (B4) 153
rogue (B1) 41
role (B1) 7 25 27 33 41 46 58 59 62 63 67 78 79 92 94 101 103 104 112 113 114 115 118 120 121 123 124 125 127 128 129 131 134 139, (B2) 68 76 77 78 79 80 85 86 88 89 90 94 98 105 106 107 109 110 118 122 124 125 128 130, (B3) 6 29 36 42 58 136, (B4) 33 70 72 75 80 83 93 103 106 110 114 117 119 123 125 126 127 142 154, (B5) 21 31 49 54 55 78 79 94
role assignments (B4) 154
role assumption and trust policies (B2) 89
role based access control (rbac) assignment (B1) 121
role bindings (B1) 124 126
role bindings (gcp) (B1) 126
role-arn (B2) 107 108 125
role-session-name (B2) 125
roles (B1) 3 21 34 43 46 48 52 59 62 73 89 90 101 104 105 112 114 115 116 117 120 121 122 123 124 125 126 127 129 131 133 139, (B2) 18 24 30 33 34 38 49 65 78 87 88 89 93 94 96 98 100 105 106 107 108 109 122 130, (B3) 6 58, (B4) 44 68 70 71 72 109 123 124 148 152, (B5) 31 43 49 81 90
roles/bigquery.admin (B4) 70 72 75
roles/bigquery.jobuser (B4) 70 72
roles/bigquerydatapolicy.maskedreader (B4) 83
roles/datacatalog.categoryfinegrainedreader (B4) 80 81 82
roles:allow (B1) 123
rolesanywhere.amazonaws.com (B2) 107
roll (B1) 107
rolled (B2) 71
rolling (B3) 100
root (B1) 53 78 82 89 90 93 100 103 104 114 125 127 128 135 136 137 138, (B2) 104 105 106 123, (B3) 39 40, (B4) 26 32 34 41 109 120 122 125, (B5) 9 10 13 49 59 70 90
root-level (B1) 135, (B4) 68 76 77 78 79 89
root/super (B1) 98 128
rotate (B2) 101
rotated (B1) 56, (B4) 37
rotating (B1) 67 69, (B3) 59
rotation (B1) 113, (B2) 96 102, (B4) 91 95 101 102 105 107 117
route (B1) 13, (B3) 6 10 12 13 14 15 16 17 18 19 20 21 30 36 43 44 46 49 58 59 61 62 64 65 68 69 70 71 72 74 76 78 79 83 85 87 94 98 99 102 103 105 106 108 110 111 120 125 130 132 133 134 135 138 142 143 145 146 147, (B4) 56, (B5) 48 49 50 57 76 84
route 53 (B3) 44 144
route table (B3) 18 22 23
route table targets (B3) 18 20 21
route53 (B3) 142
route53 private hosted zones (B3) 142
routed (B3) 16 19 49 60 68 69 74 81 84 101 102 106 110 111 120 128
router (B3) 5 21 59 62 72 73 83 125, (B5) 21 47 50 84
routers (B3) 16, (B5) 21
routes (B3) 11 13 16 17 18 20 21 29 30 36 38 61 69 71 74 79 81 96 98 99 100 102 104 106 109 110 111 128 130 135, (B4) 66
routine (B1) 18 138, (B4) 63 74 76
routines (B4) 63 68 70 74 76
routing (B1) 3 129, (B2) 39, (B3) 2 3 6 8 10 12 16 17 20 34 53 59 60 61 62 64 65 68 69 70 72 75 76 81 82 88 89 94 96 98 99 101 102 103 105 107 108 109 120 123 125 127 128 130 131 132, (B5) 21 47 64
routinzes.y (B4) 76
row (B4) 61 63 78 80
row-level (B4) 76 78 79
row-level security (B4) 76

rows (B2) 113, (B4) 63 78 79 138 142
rpo (B4) 136
rpoclicy (B4) 82
rquaery (B5) 22
rrehsouarce:"f (B3) 136
rs256 (B2) 115 117
rsa (B2) 93 100 114 117
rss (B5) 12
rto (B4) 136
rubrik (B4) 141
rule (B3) 11 21 22 23 24 25 26 27 44 46 48 49 52 54 55 57 92 93 100 111 115 118 128, (B4) 23 83 84
rules (B1) 90 100 103 105 107 129 138, (B2) 24 40 60, (B3) 9 10 11 12 13 15 22 23 24 25 26 27 28 29 35 38 43 44 46 47 48 49 54 55 56 57 58 60 76 89 91 92 93 100 101 117 118 119 124 131 133 138, (B4) 21 23 24 26 41 76 83 84, (B5) 5 12 21 34
run (B1) 32 86 129, (B2) 21 60 85 86 94, (B3) 15 44, (B4) 56 60 63 64 65 68 70 72 74 76 83, (B5) 9 38 66
runbook (B1) 130, (B5) 4
running (B1) 25 84 97 120 139, (B2) 4 73 85 86 92 96 118 120, (B3) 14 16 29 74 91 98 99 117 124 140 146, (B4) 65 93 145 146, (B5) 37 38 45 65
runs (B2) 86, (B3) 12, (B4) 63 72 78 79 82 85 130
ryocu (B3) 44

--- S ---

s-leaks (B4) 32
s.us-east-.amazonaws.com (B4) 104
s3 (B1) 104, (B2) 24, (B3) 130 132 133, (B4) 61 103 144 147, (B5) 31 42 51 61
s3 access control lists (B4) 45
s3 access point policies (B4) 54
s3 access points (B4) 53
s3 and sqs log export pattern (B5) 76
s3 block public access settings (B4) 47
s3 bucket: s3:getobject (B4) 126
s3 from private subnets with gateway endpoints (B4) 56
s3 object ownership controls (B4) 46
s3 policy evaluation logic (B4) 44
s3 sse data access permission model (B4) 126
s3 use cases (B4) 49 50 51
s3 use cases: data lake (B4) 51
s:accesspointnetworkorigin (B4) 57
s:dataaccesspointaccount (B4) 57
s:getobject (B1) 116, (B2) 124, (B4) 126
s:putaccountpublicaccessblock (B4) 48
saas (B1) 16
saas):access (B1) 16
sabotage (B1) 7
sabsa (B1) 9 10, (B2) 17 94, (B4) 37, (B5) 99
sadcloud (B5) 100
saerveir.t (B1) 15
saettintgst:hew (B4) 47
safe (B1) 10 18 23 135 136 137
safeguard (B1) 104, (B4) 136 139
safeguarding (B4) 4
safeguards (B4) 139
safely (B1) 86, (B2) 12, (B3) 124, (B4) 78
safer (B2) 15
safes (B1) 135 136
safety (B1) 104, (B2) 17, (B5) 10 13
said (B1) 113, (B2) 53
salrb (B3) 111
salsa (B1) 10, (B4) 142
salt (B1) 142, (B2) 135, (B3) 24 111 118 120 149, (B4) 156, (B5) 101
same-account (B1) 125, (B2) 90 98 106, (B3) 18
saml (B1) 42 43 45 46 57 59 70 126, (B2) 71 72 73 75 76 79 81 89 90 98 99 100 122 124 128
saml-compliant (B2) 73
saml/2 or oidc (B1) 42
sample (B2) 114, (B4) 21 85
sampled (B4) 85, (B5) 34
samples (B2) 67 68, (B4) 86
sampling (B5) 34
san (B2) 104 105, (B3) 56
sandbox (B1) 86 88 97 100 109
sandwich (B3) 103 109
sandwiched (B3) 103
sanitize (B4) 61
sanitizes (B4) 85
sans (B5) 97
sans cloud security (B5) 97

sans.org/cloud (B5) 97
sans.org/cloud-security (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
sans.org/cloudace (B5) 97
sansurl.com/cloud-discord (B5) 97
satellite (B4) 18
satisfactory (B1) 123
satisfied (B2) 49
satisfy (B4) 56
save (B1) 35, (B3) 15, (B4) 38 63 72 86 98 145, (B5) 47 51
saved (B1) 35
saves (B1) 11, (B4) 73
saving (B2) 123
savings (B5) 8 44
savvy (B2) 13
saw (B1) 48, (B2) 38, (B3) 85
say (B1) 29, (B2) 12 76, (B3) 131, (B5) 13
scalability (B1) 13, (B2) 21, (B3) 63 64, (B4) 32 134, (B5) 91
scalable (B1) 22, (B2) 22, (B3) 25 68 71 76 89 90, (B4) 60, (B5) 70 75
scale (B1) 7 11 27 77 83 104, (B2) 102, (B3) 2 3 8 34 35 43 53 62 65 68 80 88 123 124 138, (B4) 21 23 34 36 41 51 52 65 91 97 98 135 148, (B5) 36 44 45 49 61 75 76 83 93
scales (B1) 100, (B4) 51 52 60 117
scaling (B1) 13 53, (B3) 64 65 96, (B4) 52, (B5) 61
scan (B2) 96, (B3) 8, (B4) 27 28
scanned (B1) 23, (B3) 8
scanning (B2) 8 85 86, (B3) 5 60, (B5) 10 25 93
scans (B4) 11 20 28, (B5) 51
scattered (B3) 11 44
scenario (B1) 63 109, (B2) 29 58 74 77, (B3) 14 31 133, (B4) 80 93 119 127 135 141 145 146 148
scenarios (B1) 108 129 138, (B2) 94 112, (B3) 63 81, (B4) 127 135 136 145 154, (B5) 10 76 77 83 90
schedule (B4) 22 102 105 150 152 153
schedule deletion (B4) 105
scheduled (B4) 61 128 148 150 153
scheduler (B4) 153
schedules (B4) 28
scheduling (B4) 129 153
schema (B4) 60 63 76 81 86, (B5) 45
schemes (B4) 18, (B5) 91
scholarship (B1) 4
science (B1) 46, (B4) 103 127 132
scientists (B4) 65
scim (B1) 56
scim provisioning (B1) 69
scim: system for cross-domain (B1) 56
scope (B1) 82 92 94 101 106 118 121, (B2) 18 45 52 53 55 67 113, (B3) 27 44 47 48 147, (B4) 28 57 61 154, (B5) 9 15 25 32 36
scoped (B1) 57 80 115 116, (B2) 56 57 68 79, (B3) 10 11 42 138, (B4) 9 28 52 148 149 152 154, (B5) 32
scopes (B1) 120 121
scoping (B1) 93, (B3) 42, (B4) 52, (B5) 32 51
score (B1) 19, (B2) 20 40 48
scores (B2) 20, (B4) 27
scoring (B1) 19 94
scp (B1) 78 83 98 103 104 106 111, (B2) 31 88 98, (B3) 36 39 40, (B4) 24 34 44 46 47 48 57 147
scp goals (B1) 104
scps (B1) 103
scpsis (B1) 104
scramble (B2) 13
scrambling (B2) 12
scratch (B1) 87 108
scratching (B2) 11
screen (B1) 35, (B2) 36
screenshot (B2) 118, (B3) 38
scripting (B4) 141
scripts (B1) 57, (B2) 120, (B4) 9 21 23 60 146, (B5) 20
scrutiny (B1) 87
sdk (B1) 114, (B2) 65 72, (B4) 60 86 140 141, (B5) 31 38 69 74
sdks (B2) 65, (B4) 140
sdlc (B1) 83, (B2) 23, (B5) 98
sea (B1) 19 20, (B2) 124
seamless (B4) 152, (B5) 75
seamlessly (B2) 43, (B4) 148
search (B1) 125, (B4) 80, (B5) 25 39 45 64
searches (B5) 26
searching (B1) 21
sebnsitive (B1) 43 99 127 131, (B2) 10 11 12 13 29 73 74, (B3) 57 111 139, (B4) 4 6 7 8 9 12 16 18 20 27 28 30 34 36 38 85 87 93 95 118 120 147 148, (B5) 42 43 45 64
sebtting (B1) 4 7 18 67 70 87 88 106 114 116 118 123 130, (B2) 11 14 24 33 40 41 73 75, (B3) 39 49 61 72 93 102, (B4) 34 37 41 46 47 48 49 66 83 105 110 117 130 136 147 152 153, (B5) 4 13 14 24 25 26 27 28 29 34 47 49 90
sec (B4) 20

sec-delos-web-prod (B1) 63
sec.com (B3) 99
sec.us-east-.amazonaws.com (B3) 30
second (B1) 53 66 136, (B2) 17 45 53 67 68 87 107 125, (B3) 103, (B4) 52 120 126, (B5) 36 68 70
second-factor (B1) 137
secondary (B3) 120, (B4) 136 151
seconds (B4) 60, (B5) 34 45 67
secrecy (B1) 12 18
secret (B1) 18 56 69, (B2) 85 86 96, (B3) 29, (B4) 15 18 106, (B5) 22
secrets (B1) 43 117 120 139, (B2) 41 85 86 91 96 102 120, (B3) 29 125 130 135 138 139 146, (B4) 4 48 101 106 114
secrets manager (B1) 137, (B4) 97
secrets/keys (B4) 91
secretsmanager.us-east (B3) 143
secretsmanager.us-east-.amazonaws.com (B3) 140 144 146
sector (B4) 18, (B5) 45
secure (B1) 3 7 10 12 14 18 22 30 67 86 98 114 128 142, (B2) 10 12 13 19 20 22 23 71 73 77 94 96 135, (B3) 5 68 71 76 89 90 102 127 130 135 149, (B4) 7 9 33 87 91 100 148 151 152 153 154 156, (B5) 8 12 101
secure-by-default (B1) 30
secured (B1) 135 136 140, (B2) 4 8 10 14
securely (B1) 18 120 126 127 128, (B2) 14, (B3) 135, (B4) 98 150 152 153
secures (B1) 7 14, (B5) 21
securing (B1) 84, (B2) 4 5 87, (B3) 147, (B4) 32, (B5) 12 54 90
securing communication channels (B5) 12
securing cross-account service principals (B5) 54
security (B1) 13
security advisory bulletins (B5) 10 12 14
security and infrastructure (B1) 84
security architecture and the identity landscape (B1) 17
security architecture meeting the needs of business (B1) 12
security architecture: a business drive (B5) 99
security command center (B4) 16, (B5) 42
security command center (scc) (B4) 16, (B5) 42
security data lake (B5) 46 47 58
security data lake benefits (B5) 44
security data lake options (B5) 45
security group (B1) 82 108, (B3) 24 25 41 49 56 59, (B5) 36 92
security group policy types (B3) 46
security groups (B3) 9 23 25
security hub (B5) 41 51
security hub (aws) (B5) 41 51
security lake (B5) 47
security lake promises (B5) 44
security operations in a cloud-centric world (B5) 4
security-as-a-service (B3) 124
security-focused (B5) 21
security-related (B5) 10
security-specific (B3) 30, (B5) 22
securityhub (B2) 5 13 101, (B3) 11 25 46 68 89 147, (B4) 33 73 75 87 100, (B5) 76 78
see (B2) 32
see notes for auth0 differences (B2) 32
seeded (B1) 33, (B3) 99
seeds (B1) 137
seeing (B2) 32, (B4) 84
seeking (B4) 148
seem (B2) 13 58 64
seen (B2) 7 79 112, (B4) 44 55 61, (B5) 54
segment (B1) 4 85, (B2) 75, (B3) 57 89, (B4) 6 53
segmentation (B1) 24, (B2) 14 22, (B3) 5 6 8 54 55 56 58 65 89 93, (B5) 92
segmented (B1) 82, (B2) 10 17, (B3) 10, (B4) 52
segmenting (B3) 82
segments (B3) 57 89
segregate (B1) 74 75 76 82, (B2) 18, (B3) 41
segregated (B1) 30 83, (B4) 154
segregating (B1) 76 83 109
segregating by sdlc (B1) 83
segregation (B1) 83, (B3) 10 63
select (B1) 35 104 124, (B2) 92 130, (B3) 23 143 145, (B4) 73 79 82 101 110, (B5) 25
selected (B1) 35 121 124, (B3) 10, (B4) 46, (B5) 29
selecting (B1) 71, (B2) 106 123 129, (B5) 36
selection (B1) 35, (B2) 75, (B3) 127
selective (B1) 57

selectively (B3) 23, (B4) 51
selects (B3) 110
self (B5) 98
self-hosted (B1) 33 34, (B3) 19
self-managed (B4) 138, (B5) 8
self-service (B1) 113
self-signed (B2) 103 105
semcretsvmanagaer.uss-earst-r.amraczonawsm.com (B3) 140
semi (B5) 45
send (B1) 53, (B3) 18 91 99 111, (B5) 22 26 27 28 37 38 49 50 70 75 78 82 83
sender (B5) 66 67
sending (B3) 14 102 104 108, (B4) 85, (B5) 47 48 74 76 82
sends (B1) 54, (B2) 67 68, (B3) 14 72 76 91 99 103 105 106 110, (B4) 86, (B5) 36 38 39 49 66 70 82 83
senior (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
sense (B2) 92, (B3) 133, (B4) 33 106 126, (B5) 52
sensitive actions (B5) 42
sensitive actions (gcp) (B5) 42
sensor (B3) 6, (B5) 25
sensors (B2) 5, (B5) 4 9 23
sent (B1) 138, (B2) 13 67 78, (B3) 14 99 102 109 111 120 128 135 146, (B4) 41 92 93 126, (B5) 12 13 22 27 46 64 76 78 82 83
sentinel (B5) 21 61 62 63 64 73 78 79 81 84 85 86 88
sentinel centralized siem architecture (B5) 86
sentinel siem/soar platform (B5) 62
sentinel: ingesting google cloud logs (B5) 84
separate (B1) 22 27 82 83 85 135, (B2) 16 39 47 55 60 64 65 66 81, (B3) 22 23 25 30 42 45 54 58 63 92 101 130, (B4) 34 45 46 65 66 74 76 105 120 144, (B5) 34 40 47 49 51 52
separated (B1) 120, (B2) 72
separately (B1) 17 41 45 134, (B2) 71 76 92, (B3) 64, (B5) 51
separates (B4) 100
separating (B4) 120, (B5) 10 33
separation (B1) 32 45, (B2) 20, (B3) 5 96
september (B2) 13, (B3) 13
sequence (B2) 67 75 77
sequence diagram (B2) 67
sequences (B5) 70
ser_com (B1) 54, (B2) 81, (B5) 66
serial (B2) 109
serialization (B4) 61 62
series (B3) 87 115, (B4) 85, (B5) 33 40
seriously (B2) 12, (B4) 4
serve (B1) 42, (B2) 53 93, (B4) 46 50, (B5) 10 33 61 74
served (B4) 50
server (B1) 25 86 142, (B2) 72 100 110 135, (B3) 5 8 12 25 81 118 140 146 149, (B4) 32 50 60 61 93 140 150 154 156, (B5) 9 31 32 38 45 68 76 101
server-side (B4) 92
server-side encryption (B4) 92 94
serverlessgoat (B5) 100
servers (B1) 15, (B2) 14 16 100, (B3) 5 25 26, (B4) 8 33 92 93 94 101 103 106 126, (B5) 10 11 33 38
serves (B2) 58
service (B1) 66 67 103, (B2) 41 43 44 88 91 93 130, (B3) 39 40 127 128 135, (B4) 123, (B5) 9 54
service account types (B2) 93
service control policies (scps) (B1) 103
service control policy (B1) 103 106, (B2) 41 43 44, (B3) 39 40 41 42
service control policy (scp) (B1) 103 106, (B3) 41 42
service control policy: allowed/disallowed ip ranges (B2) 44
service control policy: disable network connectivity (B3) 40
service control policy: disable subnet sharing (B3) 39
service control policy: providing mfa at cli (B2) 43
service endpoint (B3) 129
service endpoint (azure) (B3) 129
service principal (B2) 89 93, (B5) 53
service principal (azure) (B2) 89 93, (B5) 53
service principals and workload permissions (B2) 88
service-by-service (B2) 16 24, (B3) 30, (B5) 50
service-level (B2) 18 19 27
service-link (B2) 24 87 89, (B4) 106 119 123 124, (B5) 54
service-linked (B4) 123
service-principal (B2) 118
service/per-resource (B5) 30

services (B1) 3 10 13 14 15 17 25 30 33 42 46 66 67 70 78 79 82 84 85 86 90 91 94 100 104 113 114 117 120 125 126 127 129 136 139, (B2) 4 6 14 16 17 19 21 22 23 24 31 34 36 44 46 64 71 73 76 81 85 86 87 88 92 93 94 105 110 120 122 128, (B3) 2 3 5 6 11 29 30 31 34 41 44 46 49 53 56 58 60 61 62 63 65 68 70 79 80 83 84 85 88 92 93 95 96 98 102 103 104 115 116 123 124 125 126 127 128 129 130 131 132 134 135 136 138 139 140 141 142 143 146, (B4) 7 9 11 12 15 16 18 24 27 30 32 33 37 38 51 61 80 86 87 91 92 93 95 97 98 101 106 107 109 124 128 130 134 135 136 138 139 140 141 144 145 146 147 148, (B5) 16 21 22 23 25 27 36 37 38 39 40 41 42 44 45 47 50 52 53 54 61 64 68 70 79 82 83 86 92 93
serving (B1) 52, (B3) 10, (B4) 49 50 141
serving static web content (B4) 49
session (B1) 45 59 63, (B2) 32 43 47 49 52 54 55 67 77 79 80 89 107, (B4) 20 153, (B5) 31 68
session control (B2) 55
session control: session management for high-risk apps (B2) 55
session management for high-risk apps (B2) 55
sessions (B1) 114 128, (B2) 45 47 54 109, (B3) 22, (B5) 36
sessions/targets/filters (B5) 36
set (B2) 117 123, (B4) 24 60 74
set default tag values (B4) 24
sets (B1) 52 58 59 61 62 65 71 79 116 125 129, (B2) 67, (B3) 44 46 72, (B4) 51 53 55 60 61 63 65 66 68 70 74 87 105, (B5) 21 45 77
settings (B4) 47
setup (B1) 135, (B3) 64 85 111, (B5) 25 70
setups (B4) 136
seven (B1) 32, (B4) 38
several (B1) 19 20 24 27 46 88 90 114 120 121 133 136 137, (B2) 10 12 13 14 24 67 71 73 109 110, (B3) 9 21 38 40 46 59 76 100, (B4) 26 32 47 60 61 107 109 117 128, (B5) 54 64
severe (B4) 134
severity (B1) 22
sha (B4) 83 84
shadow (B1) 13 86 100, (B5) 7
shallow (B5) 7
shapes (B1) 35
shards (B4) 74, (B5) 74 75
share (B1) 3 44, (B2) 93 106, (B3) 36 57 58 65 81, (B4) 36 63 65 68 70 72 74 76 78 87 110 114 117 119 122
shared (B1) 13 14 44 56 84 85 91, (B2) 4 5 22 53 56 57 93, (B3) 2 3 34 36 37 38 39 41 42 53 54 56 57 58 59 63 65 70 85 88 96 123 124 125 135 138 139 140 142 143 146, (B4) 36 37 53 55 65 68 74 95 96 97 125 128 132 134, (B5) 9 10 16 33 92
shared access (B4) 36
shared responsibility model (B5) 12
shared services architecture (B3) 148
shared services network dns configuration (B3) 140
shared services private dns zone (B3) 143
shared vpc (B3) 38 41
shared-tenant (B4) 128
shares (B1) 67, (B3) 36 39 56 96 145, (B4) 68 109 122 138
sharing (B1) 3, (B2) 17, (B3) 5 36 38 39 41 42 58 97 130, (B4) 2 3 17 31 36 37 43 58 66 67 68 74 76 90 109 110 114 117 119 122 133
sheer (B5) 7
shell (B2) 12, (B4) 153
sherwood (B1) 10, (B5) 99
shield (B3) 44 46
shift (B1) 3 15 19 29, (B2) 4 5 22, (B3) 6 39 56, (B5) 4 9 44 61
shifting (B3) 6, (B5) 4
shifts (B1) 3, (B5) 3
shine (B2) 16
shopping (B3) 116
short (B1) 18 29, (B2) 96 113, (B4) 36
short-lived (B2) 113 120
short-term (B1) 128 131, (B2) 43 96
shortcomings (B4) 6
shorten (B2) 55
shortly (B1) 139, (B4) 92
showcase (B2) 16, (B4) 103
showed (B4) 144, (B5) 11
showing (B4) 4
sid (B2) 41 42 124, (B4) 103 104 120 122 123 125
side (B1) 30 35 120, (B2) 90, (B3) 61 130, (B4) 93, (B5) 10 16 66
sides (B4) 109
siem (B1) 4 56 59 65 69 73 84, (B3) 147, (B4) 11 145, (B5) 2 3 8 19 20 21 22 44 45 47 52 58 59 60 61 62 64 65 66 68 69 72 73 74 80 86 87 89 94 96
siem/soar (B5) 62
sight (B3) 35
sights (B1) 58
sign (B1) 45 70 114 133 135 138 139, (B2) 49 54 62 66 71 72 77 81 107 115, (B4) 130, (B5) 49 59
sign-in (B1) 138, (B2) 54
sign-in frequency (B2) 54
sign-in logs (B1) 138
sign-on (B1) 2 5 39 40 44 46 51 52 67 69 74 112, (B2) 24 32, (B5) 90
sign-up (B2) 65 71 72
sign-up/sign-in (B2) 71

signal (B1) 138, (B2) 48
signals (B3) 6, (B4) 4, (B5) 62
signature (B1) 42, (B2) 24 75 78 114 115 116 117 125, (B4) 6 37, (B5) 42
signatures (B2) 75 117, (B3) 115, (B4) 37, (B5) 42
signed (B1) 42 43 51 65 73 137, (B2) 23 24 62 68 70 75 83 101 103 105 106 107 113 114 115 120 127 133, (B4) 36 37 87 130, (B5) 73
signed urls (B4) 36
significant (B1) 131, (B2) 85 98, (B4) 66 91 134 135 136, (B5) 45
significantly (B1) 127, (B4) 148 152, (B5) 6 44 64
signing (B1) 43 45 70 114 138, (B2) 47 48 49 54 65 71 72 73 75 76 78 106 114 117, (B4) 91, (B5) 49
signs (B1) 45 89, (B2) 80, (B3) 147
silo (B1) 41 48 52 76 100 125, (B2) 73 104, (B4) 51 142
silos (B1) 45, (B2) 4, (B4) 21
similar (B1) 22 25 82 89 91 92 106 114 120 124 131 134, (B2) 20 21 31, (B3) 19 20 26 56 70 85 93 96 102 115 120, (B4) 48 63 68 74 109 120 138 147 148, (B5) 5 6 7 23 38 42 54 61 70 82
similar-sounding (B1) 46
similarities (B1) 7 9 46, (B4) 138, (B5) 5
similarly (B3) 49 56 74, (B4) 18, (B5) 38
simple (B1) 13 18 23 33 88 125 139, (B2) 24 29 34 41 49 65 67 71 72 85 96, (B3) 12 60 74 115 135 140, (B4) 15 36 50 56 67 76 106 135 144, (B5) 45 68 74 76 78
simpler (B1) 13 117, (B3) 22 61 74, (B4) 15 21 110 114 117, (B5) 66
simplest (B3) 54, (B4) 34, (B5) 45
simplicity (B1) 18 140, (B3) 22 25, (B4) 18 80 102, (B5) 90
simplified (B1) 13, (B3) 16 68 103, (B4) 117, (B5) 25
simplifies (B1) 76 120, (B2) 39, (B3) 57 64, (B4) 68 117
simplify (B1) 76 116, (B2) 39 64 71, (B3) 65 138, (B4) 92, (B5) 66
simplify your view of access (B1) 116
simplifying (B1) 91
simply (B1) 7 9 21 23 27 46 88 89 103 113 134, (B2) 3 12 24 51 92, (B4) 53 92 97 109
simulate (B3) 100, (B4) 136
simulating (B3) 24
simultaneously (B1) 45, (B3) 134
sin (B1) 20, (B3) 81
single (B1) 3 40 44 45 46 51 52 53 67 69 70 76 77 82 90 93 103 116 117 133 135 136 137, (B2) 3 13 34 73 101 124 130, (B3) 6 10 13 14 25 36 43 44 54 55 56 57 58 70 76 81 83 84 91 100 101 103 105 127 131 139, (B4) 9 47 49 52 53 55 63 66 68 73 95 105 107 109 117 118 128 135 139 140 141, (B5) 12 13 21 46 51 52 59 60 74 75 90
single page application (spa) backend (B4) 49
single sign on (sso) (B1) 70
single sign-on (B1) 46
single sign-on (sso) (B1) 46
single-cloud (B1) 30, (B4) 149
single-page (B2) 67
single-tenant (B3) 31, (B4) 95 97 128 130
singularc (B2) 13
sink (B4) 49, (B5) 50 66 69 84
sinks (B5) 46 50
sit (B1) 12, (B4) 139, (B5) 76
site (B1) 21 35, (B3) 79, (B4) 50 138 139, (B5) 39
site-to-site (B1) 85, (B3) 16 19 62 68 71 79 80 81
sites (B3) 83
sits (B2) 19, (B3) 81, (B4) 142
situation (B3) 22 23 81
situations (B1) 76 127, (B3) 23
six (B1) 30 32, (B2) 86
size (B1) 13 80 116 117, (B3) 5 12 58 139, (B4) 33 52 54 60 117, (B5) 23
sizes (B5) 62
skill (B1) 15
skills (B2) 15, (B4) 146
skip (B5) 45
slack (B5) 12
slas (B4) 142
slate (B2) 74
slice (B3) 44
slides (B1) 54 82 98, (B2) 16 73 87 91 94 96 105 110 115, (B3) 35 80 131 132, (B4) 45 49 51 109
slight (B4) 97
slis (B4) 142
slos (B4) 142
slow (B2) 12, (B5) 48
slower (B1) 100, (B3) 80, (B5) 21
small (B1) 23 76 82 125, (B2) 21 22 56 116, (B3) 57 69, (B4) 37 61 105, (B5) 42 70
smaller (B1) 22 29 89, (B3) 57 61 62 120, (B4) 60, (B5) 47
smart (B2) 18
smoke (B3) 100, (B4) 85
smoke-testing (B1) 138
sms (B1) 136
snapshot (B1) 20
snapshots (B4) 135
snippet (B2) 116

soar (B1) 2 5 39 50 64 72 74 96 110 112, (B2) 2 3 28 61 63 69 82 84 126 129 132, (B3) 2 3 7 34 51 53 66 77 86 88 107 113 121 123, (B4) 2 3 17 31 43 58 88 90 112 115 131 133, (B5) 2 3 6 19 56 58 61 62 72 80 87 89 96
soc (B1) 3 4 5 39 74 112 138, (B2) 3 28 63 84, (B3) 3 34 53 88 116 123, (B4) 3 17 31 43 90 133, (B5) 1 3 4 5 6 7 8 9 12 19 40 52 58 89 94 96
social (B2) 71 73 75 76, (B4) 4 20
socialize (B1) 12
soft (B2) 12, (B4) 107
soft-_deleote (B4) 127 129
softer (B2) 13
software (B1) 16 18 23 35 83 86 125 136, (B2) 5 6 23 29 65, (B3) 81 82 92 119, (B4) 60 86 97 135 140 142, (B5) 8 9 10 38
software-as-a-service (B1) 125
software-backed (B4) 95 97
software-defined (B1) 13, (B3) 10 30
software-defined networks in the cloud (B3) 10
sold (B1) 33
sole (B4) 134
solely (B1) 12, (B2) 6 8, (B3) 96, (B4) 6 141 154
solid (B1) 3, (B3) 57, (B4) 4
solitary (B1) 133
solution (B1) 7 9 15 21 33 52 67, (B2) 14 39 64 72 73 101 102, (B3) 64, (B4) 9 93 95 148 153, (B5) 8 20 23 40 60 61 62 68
solution architecture vs. security architecture (B1) 7
solution for adding (B2) 39
solutions (B1) 8 9 12 15 32 57 131, (B2) 41, (B3) 8 12 70 76 115 147, (B4) 6 9 32 102 134 138 139 140 141 143 145, (B5) 20 21 22 23 40 60 61 62
solutions:vendors (B4) 141
solve (B1) 9 52 113 125, (B3) 44 83 132, (B4) 67, (B5) 54
solved (B2) 104, (B3) 5
solves (B4) 51
solving (B1) 10, (B3) 132, (B4) 7 67
someone (B1) 10 23 76, (B2) 12 45, (B4) 148
something (B1) 7 121, (B2) 15 55 112, (B5) 4
sometimes (B1) 4 23 90, (B2) 47 112 113, (B5) 30
somewhere (B1) 21 23, (B4) 109
soon (B1) 23, (B5) 66
sophisticated (B1) 17
sorting (B1) 30
sorts (B1) 23
sot (B2) 88, (B3) 145
sounds (B4) 21
source (B1) 4 20 48 53 54 55 56 57 59 126 132 142, (B2) 8 19 44 78 106 130 135, (B3) 25 26 61 64 65 82 84 91 92 93 111 118 120 147 149, (B4) 15 20 28 32 37 50 61 63 68 85 150 153 156, (B5) 9 20 30 32 33 59 66 70 78 101
source/destination (B3) 27
sources (B1) 4 113, (B4) 60 85 107, (B5) 6 9 20 23 38 40 44 45 47 52 59 62 64 68 70 74 76 94
south (B3) 57 91
sovereignty (B4) 141
spa (B2) 67, (B4) 49
space (B2) 16 44, (B3) 58 81 130, (B4) 38, (B5) 53
spaces (B3) 128, (B4) 129
spam (B5) 10
spanner (B4) 141
spanning (B5) 25 42
sparingly (B1) 129
speak (B1) 20
special (B1) 112 114, (B2) 7, (B3) 19 30, (B4) 148, (B5) 78
specialist (B1) 28
specialized (B5) 16
specific (B1) 10 16 18 30 58 80 84 94 104 108 114 116 118 121 123 124 128 129 133, (B2) 16 22 29 32 36 40 46 76 79 89 107, (B3) 11 20 27 41 47 48 57 64 74 80 102 117 127 130 131 134 136, (B4) 6 14 15 22 54 55 57 65 74 100 138 141 147 148 152, (B5) 20 26 27 36 51 70
specifically (B1) 15 33 52 89, (B2) 5 22 48 72 94, (B3) 46 132, (B4) 12 134, (B5) 7 53
specificity (B3) 117
specifics (B2) 93, (B4) 93
specified (B1) 53 101 104 116 117 118 121, (B2) 88 120 125, (B3) 27 131, (B4) 46 47 55 56 57 120, (B5) 54 82
specifies (B2) 116, (B4) 125
specify (B1) 101 117, (B2) 49, (B3) 10 25 74 131 134, (B4) 56 57 105, (B5) 52 75
specifying (B1) 117, (B4) 57 152
spectacular (B2) 10 13
speech (B2) 10
speed (B1) 77 83 100, (B3) 80, (B5) 8 44
speeds (B4) 50
spend (B3) 14 68, (B4) 38, (B5) 47
spending (B1) 86
speorple (B1) 23
sphere (B1) 16
spikes (B3) 147
spill (B4) 128 129

spin (B1) 87
split (B1) 128, (B2) 33, (B3) 42
splunk (B5) 50 60 64 67 69 75 84
spoke (B1) 3 133, (B2) 12 98, (B3) 2 3 34 53 55 57 58 61 63 68 69 70 71 72 74 76 77 78 79 85 86 87 88 90 91 92 93 96 98 99 102 103 105 106 107 108 109 110 123 124 135 138 139 142 144 145 146 147, (B4) 72 107 109 118, (B5) 52 92
spoke account (B4) 109
spoke edge routing (B3) 103
spoke-to-spoke (B3) 63 64 120
spokes (B3) 64 70 71 74 98
spolricy (B4) 50
sponge (B1) 19 20
spoofed (B2) 23 58
spoofing (B1) 19 22
sport (B1) 21
spot (B5) 44
sprawl (B2) 10 60, (B3) 8 41
sprawling (B3) 44
spray (B2) 47
spread (B1) 76, (B2) 98, (B3) 100, (B4) 66, (B5) 20
spring (B1) 23
sql (B4) 61 63
sqs (B1) 117 128, (B3) 130, (B4) 48, (B5) 64 68 76 77 78 81
sqtoragee.gomogleavpis.coam). (B3) 29
squarely (B5) 16
srg (B4) 128
sroort (B2) 107
srtrategriers.c (B4) 134
srv-prod (B3) 54
sse (B4) 126
sse-kms (B4) 126
ssh (B1) 98, (B3) 47 92, (B5) 43
ssl (B5) 33
sso (B1) 44 46 51 52 61 67 70 84 126, (B2) 17 43 55 90, (B5) 90
stability (B1) 85
stable (B1) 85, (B5) 51
stack (B1) 16 29 41, (B2) 4 73, (B3) 10 30, (B5) 37 98
stacking (B3) 10
stacks (B3) 79
stage (B1) 11 83 84, (B2) 3, (B3) 5 35, (B4) 3 17 22 31 33 36 41 43 85 90 133, (B5) 47
stages (B1) 9 11, (B2) 72
staging (B1) 82, (B3) 63
stakeholders (B1) 7 12, (B5) 12 14 90
stalkers (B1) 23
stance (B4) 4
stand-alone (B1) 120, (B2) 41
standard (B1) 30 43 127 129 131, (B2) 4 49 73 74 89 90 103 112 116 124, (B4) 15 33 36 78 98 120, (B5) 45 77
standard federated user job functions (B1) 129
standardize (B2) 73
standardized (B2) 22 112, (B5) 41
standardizing (B2) 64
standards (B1) 17 30 98 109, (B2) 12, (B4) 4 21 105, (B5) 24
standby (B4) 135 145
standpoint (B1) 14
start (B1) 3 21 33 76 82 107 129, (B2) 14 67 100 123, (B3) 12 58 96 98 103 143 147, (B4) 8 18 72 75 106 154, (B5) 46 48 49 78 84
started (B2) 109, (B3) 94 96, (B4) 11 101, (B5) 40 46 75 92
starter (B1) 18 104
starting your zero trust journey (B2) 14
starts (B1) 3 69, (B2) 11, (B4) 9 26 34 80 91, (B5) 66 70
startups (B1) 76
stat (B1) 125
state (B1) 7 16 18 32 42 43 44 53 98, (B2) 8 9 49 73 75 80 112, (B3) 11 22 23 25 26 27 44 54 55 56 57 58 69 91 92 93 101 117 119, (B4) 144, (B5) 4 18
stated (B1) 80, (B4) 32
stateful (B3) 23
stateful vs. stateless (B3) 23
stateless (B3) 12 22 23 24 54 55 56 57 58 91 92 93
statement (B1) 4 118, (B2) 41 42 96 107 124, (B3) 139, (B4) 44 48 55 61 63 103 122 123, (B5) 79
statements (B1) 101 118, (B2) 35 45, (B3) 92 93, (B4) 21 24 52 55 76 78 105 125, (B5) 38 39
states (B3) 79, (B4) 18
static (B1) 69 137 142, (B2) 85 100 118 135, (B3) 5 14 16 21 74 76 81 98 149, (B4) 36 49 50 156, (B5) 51 101
static ip addressing (B3) 5
status (B1) 98, (B2) 43 48, (B4) 50 130, (B5) 52
stay (B1) 23, (B2) 60 68
staying (B4) 4
stays (B3) 125 128
stdout/dev (B5) 29

steady-eddie (B1) 29
steal (B2) 101
steam (B1) 18, (B5) 65
stephen (B2) 12
steps (B1) 42 88, (B2) 14 47, (B3) 72, (B4) 75 85 98 138, (B5) 99
stepwise (B2) 10
steven (B2) 109
stick (B1) 42, (B2) 92
sticking (B1) 52
stipulations (B4) 93
stolen (B2) 6 23 113, (B4) 87
stop (B3) 102, (B5) 12
storage (B1) 4 16 34 35 38 53 71 94 107 120 127 128 129 135 137, (B2) 24 70 72 86, (B3) 29 31 79 124 125 134 135 138 147, (B4) 2 6 8 9 12 13 15 16 18 22 27 28 30 32 33 34 35 36 37 38 39 40 41 42 48 49 50 60 61 80 85 86 87 95 96 97 98 101 109 110 111 114 116 136 138 140 141 144 145 147 148 150 151 152 153 154, (B5) 21 22 23 25 27 29 34 36 37 38 40 43 44 45 46 47 48 49 50 57 61 64 68 74 76 78 88
storage access control (B4) 36
storage access logs (B4) 41
storage lifecycle (B4) 42
storage lifecycle management (B4) 40
storage-related (B4) 22
storage.publicaccessprevention (B4) 34
storage:acts (B4) 150
storage:amazon (B4) 141
store (B1) 35 52 86 114 135, (B2) 72 73, (B3) 29 111, (B4) 32 49 72 93 96 98 107 130, (B5) 20 25 34 39 46 50 51 52 62 76
stored (B1) 128 133 135 137, (B2) 4 65 78 79 101 102, (B3) 79, (B4) 4 11 13 20 37 61 63 65 68 93 95 97 98 100 125 144 148 150 152, (B5) 20 23 27 29 31 34 40 44 45 48 59 70 76 93
stores (B1) 63, (B2) 64 65 81, (B4) 95 97 150, (B5) 21 25 74 83
storing (B2) 70 72 74, (B4) 18 38 50 51 97 141 148 150, (B5) 21 68
storing web content behind cloudfront (B4) 50
straightforward (B1) 57 117 139, (B2) 85 103, (B3) 62 72 81 103, (B4) 25 26 69 109 110, (B5) 45 49 74
strained (B2) 17
strategic (B1) 5 9
strategies (B1) 15 16 22 32 105, (B2) 6 8 13 43 87, (B3) 90, (B4) 135 136 138 141, (B5) 66 91
strategy (B1) 5 9 10 12 13 14 15 17 59 76, (B2) 13 21 65 78, (B3) 65 89, (B4) 105 134 136 137 138 142 145 146 148, (B5) 14 54
stream (B4) 61, (B5) 46 47 50 60 61 64 70 71 74 75 82 84
streamed (B5) 34 74
streaming (B3) 29, (B4) 60 61 85, (B5) 47 48 60 64 66 67 68 69 70 74 77
streamline (B4) 148, (B5) 62
streamlined (B2) 29, (B3) 81
streams (B4) 4, (B5) 42 64 68 70 74 75
strength (B1) 136, (B2) 30, (B4) 135
strengthen (B4) 142
strengthening (B2) 13
stressed (B2) 14
strict (B1) 86 128, (B3) 91 93 116, (B4) 7 8 22 102 105
stricter (B2) 52
strictly (B1) 85 91, (B2) 8 112, (B4) 7 148, (B5) 40 42
stride (B1) 19 20 22
string (B1) 116, (B2) 58 115, (B3) 95, (B4) 83
stringent (B1) 20 44, (B2) 53
strings (B5) 54 66
strings/token (B2) 91
strive (B1) 4 18
stroke (B1) 92
strong (B1) 79 92 128, (B2) 17, (B4) 4 8 12 20 95 143
stronger (B1) 42 57
strongly (B1) 107, (B4) 36 37 45
structural (B4) 63, (B5) 54
structure (B1) 76 78 80 82 91 94 98, (B4) 48 154, (B5) 15 44 90
structured (B1) 10, (B4) 32 51 63, (B5) 25 45 99
structures (B1) 2 5 39 74 78 86 112, (B3) 56
struggle (B2) 85, (B4) 66
struggled (B4) 91
sts (B1) 58 117, (B2) 43 77 107 124 125, (B3) 124, (B4) 48 70 76
sts.windows.net/acfb-c-db-aee-ecabfac/:aud (B2) 124
sts.windows.net/acfb-c-db-aee-ecabfac/:sub (B2) 124
sts.windows.net/cabaa---ad-eefbfe/ (B5) 78
sts.windows.net/cabaa---ad-eefbfe/:aud (B5) 79
sts:assumerole (B1) 133 139, (B2) 90 107
sts:assumerolewithsamlapi (B2) 90
sts:assumerolewithwebidentity (B2) 124, (B5) 79
sts:getsessiontoken (B2) 41 42
sts:rolesessionname (B5) 79

sts:setsourceidentity (B2) 107
sts:tagsession (B2) 107
student (B1) 51 62 71, (B2) 115
students (B1) 3 4, (B5) 94
studies (B2) 16
study (B1) 5 12
style (B2) 21
styran (B5) 98
sub (B1) 121 133, (B2) 68 115 118 120 128, (B4) 28, (B5) 50 82
sub-tags (B4) 80
subdivide (B4) 52
subdivided (B1) 22, (B4) 52
subject (B2) 92 104 115 116 118 120 124 125 130, (B3) 22 31, (B4) 36 128 152, (B5) 49
subjective (B1) 19
subjects (B2) 130
submit (B1) 44, (B2) 56 67 75
submits (B2) 17 67 77
submitted (B2) 17 75 77 113, (B5) 68
subnet (B2) 35, (B3) 8 9 11 12 13 14 15 16 18 19 20 22 23 24 26 29 30 39 54 55 56 58 60 61 69 72 74 82 99 101 102 103 105 109 110 111 114 115 127 128 131 132 133 135 137 138 140, (B4) 26 56, (B5) 34 36
subnets (B1) 129, (B2) 33, (B3) 6 9 10 11 12 13 14 15 16 22 23 26 27 29 36 41 52 54 55 57 58 59 65 72 76 81 82 89 96 101 103 108 133, (B4) 56, (B5) 34
subscribe (B2) 47, (B3) 135, (B5) 82
subscribed (B5) 70
subscriber (B5) 66 67 68 82 83
subscribers (B5) 42 82 83
subscribes (B5) 70
subscribing (B5) 82
subscription (B1) 20 27 33 76 79 82 89 93 121 133 134, (B2) 68 85 86 92 98, (B3) 6 10 42 56 57 71 135, (B4) 25 26 34 109 110 113, (B5) 14 26 27 36 40 49 57 69 70 82 83 84
subscriptions (B1) 27 88 89 93, (B2) 65, (B3) 35 42 49, (B4) 26, (B5) 40 49 82 83
subsequent (B2) 16 98, (B4) 76
subsequently (B1) 63, (B3) 57 111
subset (B1) 61 82, (B4) 74 122 134, (B5) 47
substantial (B1) 127
substantially (B5) 4 6
substrate (B3) 30
succeed (B2) 90 106
succeeded (B1) 19
success (B1) 17 22, (B5) 4
successful (B1) 7 14 22, (B2) 17 77 103 107, (B4) 51 54, (B5) 6
successfully (B1) 98, (B2) 19, (B5) 76
suffer (B1) 57
sufficient (B1) 7 14, (B4) 18, (B5) 33
sufficiently (B2) 87, (B4) 47
suggest (B3) 25, (B5) 53
suggested (B4) 27
suggests (B3) 56
suit (B4) 32, (B5) 45
suitable (B3) 84
suite (B1) 22 36 46 66 109 125, (B2) 93, (B5) 61
suited (B3) 62
suites (B3) 100
summarize (B4) 61, (B5) 38
summarized (B1) 100
summarizing (B4) 82
summary (B1) 10 38 51 65 73 97 111, (B2) 27 62 70 83 127 133, (B3) 33 52 67 78 87 108 114 122, (B4) 30 59 89 113 116 132 146 150, (B5) 18 57 73 81 88
summit (B5) 97
super (B1) 69 127 128 129 135 136 138
super-admin (B1) 89
supplies (B1) 126
supply (B1) 86, (B2) 94 101, (B4) 6
supply chain: third-party vendor (B2) 101
support (B1) 10 32 76 78 82 84 86 106 117 139, (B2) 32 44 46 64 65 81 85 86 92 100 104 105 110, (B3) 6 8 10 14 19 22 26 42 48 56 62 64 70 72 74 79 80 81 94 95 101 102 111 115 119, (B4) 15 21 22 24 27 36 47 54 56 101 128 134 135 138 144 145 146 147 154, (B5) 8 16 20 21 26 60 75 77 84
supported (B1) 33 34 59, (B2) 36 109 130, (B3) 27 36 43 70 128 135, (B4) 61 85 87 92, (B5) 34 36 75
supporting (B1) 46 84 86 129, (B2) 73 115, (B3) 58 101, (B4) 48, (B5) 5 66 68
supporting development teams (B1) 86
supports (B1) 13 33 46 66 67 82 139, (B2) 31 46 65 67 96 100 109 128, (B3) 21 22 23 58 61 62 68 81 84 94 95 115 138 142, (B4) 25 34 44 60 76 87 93 138 152, (B5) 21 22 34 38 64 66 68 75 82
surely (B3) 119
surface (B1) 11 16 24 38 104, (B2) 14, (B3) 38 41 57 60 124 125, (B4) 38 66 117 148 154, (B5) 4
surfaces (B1) 16 17 29
suricata (B3) 96 115 116 130
surprise (B1) 26, (B3) 35
surround (B1) 27

surrounded (B1) 27
surrounding (B1) 21 27, (B4) 91
suspended (B1) 88
suspended ou (B1) 88
suspenders (B5) 54
suspending (B5) 10
suspicious (B2) 47, (B4) 11, (B5) 12 33 37 42
sustainability (B1) 30 32
sustainable (B1) 16, (B2) 6
swath (B5) 61
swaths (B1) 74 75 100, (B2) 16
sweeping (B1) 105
swiftly (B1) 88
swingle (B3) 100
switch (B1) 139, (B2) 101 105
switches (B3) 5
switching (B3) 80
symbolic (B2) 16
symmetric (B3) 101 102, (B4) 92 98
symmetrically (B3) 102
symptom (B1) 11
sync (B1) 48 56 57 67 69, (B4) 150 152 153 154
synced (B1) 65 73
synchronization (B1) 56 67, (B4) 150 152 154
synchronize (B1) 56 120, (B4) 148 152 153
synchronized (B1) 60 127
synchronously (B4) 139
syncing (B1) 59 69, (B4) 149
syndicate (B2) 12
synopsis (B1) 9
syntax (B2) 40 129, (B3) 95 115, (B4) 60
system (B1) 10 11 12 15 16 17 18 19 20 21 22 24 27 32 38 40 42 46 48 49 53 54 56 59 67 113 121 124 129 133 139, (B2) 4 6 10 11 14 16 20 21 23 24 36 48 87 94 101 120, (B3) 7 8 16 24 72 82 111, (B4) 18 20 22 91 93 98 107 120 141 142 148, (B5) 7 9 20 36 37 38 52 59 74 90 92 99
system-assigned (B1) 120, (B2) 24 87 92, (B5) 49
system-layer (B5) 37
system.when (B2) 6
systematic (B1) 10 11 19 22 30
systematize (B1) 19
systemic (B4) 138
systems (B1) 5 11 13 15 16 17 18 19 21 24 25 32 41 42 44 45 48 86 107 113, (B2) 4 8 10 12 13 14 16 19 20 21 25 36 53 73 83 87 101, (B3) 5 54 55 57 58 61 124, (B4) 7 8 38 87 91 93 105 134 136 137 148 154, (B5) 10 11 21 37 42 64 66 67 68 74 75 76

--- T ---

t.m (B2) 90
table (B3) 16 18 20 21, (B4) 76
tables (B3) 74
tactical (B1) 9, (B5) 6
tag (B1) 61 104, (B2) 79 118, (B3) 13 15, (B4) 9 11 22 23 24 25 26 76 80 81 82 83 85 86 105 107, (B5) 36
tag policies (B4) 26 28
tagged (B1) 59 102, (B4) 22 80, (B5) 10
tagging (B1) 4 91, (B3) 13, (B4) 9 14 15 22 23 24 25 26 27 66 85 86, (B5) 93
tagname (B4) 26
tags (B1) 59, (B3) 11 13 27 46 47, (B4) 9 22 23 24 25 26 34 76 80 82 84 85 105, (B5) 45
tags/labels (B4) 105
take (B1) 7 12 15 48 49 74 75 79 80 86 88 100 101 105 133, (B2) 5 13 14 16 29 32 47 64 71 75 77 88 90 92 93 104 107 117, (B3) 20 35 47 69 80 89 96 101 136 143 147, (B4) 7 50 98 103 106 117 126 135 136, (B5) 10 25 48 52
take a phased approach (B2) 14
take-home (B1) 9
takeaway (B1) 5
takeaways (B1) 40 75 100, (B3) 4
taken (B1) 11 98 103, (B2) 88, (B3) 35, (B4) 4 149, (B5) 23 24 27 31 43 61
takeover (B2) 72
takes (B1) 7 10, (B2) 35 51 73 93, (B4) 4 9 51 66 73, (B5) 48
taking (B1) 32 76 80 113, (B2) 51, (B4) 4
talk (B2) 12, (B3) 10, (B4) 49
talked (B2) 12
talking (B1) 10 20
tamper-evident (B1) 135 137
tampered (B2) 23 114
tan (B1) 29, (B2) 54 109, (B3) 11, (B4) 8, (B5) 22
tao (B1) 54, (B2) 104, (B3) 80 93, (B4) 54, (B5) 54
tap (B5) 21
target (B1) 16 17 41 58 139, (B2) 13 30 85 89 90 98, (B3) 18 20 21 27 59 61 70 102 103 105 109 111 132 139, (B4) 64, (B5) 42 64
targeted (B1) 58, (B2) 89, (B3) 11
targeting (B1) 17, (B2) 56, (B3) 48, (B4) 135, (B5) 4 42
targets (B3) 18 19 20 21 25 27

task (B1) 7 49 114 115 131, (B2) 3 8 64 73 88 89, (B4) 85 92, (B5) 13 49
task-scoped (B1) 128
tasks (B1) 114 131, (B2) 5, (B4) 64
tax (B1) 137, (B4) 20 27 28
taxonomies (B4) 80
tbuoilt (B2) 73
tbyh (B1) 15
tcp (B3) 27 92 101 102
tcp/ip (B3) 92 101
teaches (B1) 4 108, (B2) 18 113
team (B1) 19 21 22 49 61 76 84 85 86 88 94 100 128 131 138, (B2) 18 46 58 104, (B3) 36 46 58 96 103 115 117, (B4) 15 22 23 33 38 65 68 69 72 78 80 81 83 106 117 127 154, (B5) 10 13 16 52 62 90 92 93
teams (B1) 13 84 85 86 99 100 109 129, (B2) 22 67 98, (B3) 5 24 35 41 42 54 57 65 68 93 96 101 102 103 115 116 138 147, (B4) 8 18 21 22 23 27 28 34 37 40 41 53 60 61 65 66 67 68 69 76 80 84 85 95 107 126 127 148, (B5) 8 12 16 21 39 46 50 86
tease (B1) 11
teased (B1) 9 46 67 136 137, (B2) 94, (B4) 147 153
tech (B1) 16 23 29 125, (B2) 13 73, (B3) 109, (B4) 12 26 44 110, (B5) 6 52
techenoltogoy.tlhaey (B1) 23
techies (B1) 23 30
technical (B1) 9 10 12 30 67 142, (B2) 12 13 21 135, (B3) 56 149, (B4) 23 145 146 156, (B5) 33 101
technically (B5) 70
techniques (B2) 78, (B5) 62 93
technologies (B1) 30 32 40 42 46, (B2) 4, (B3) 80 119, (B5) 86
technology (B1) 9 11 16, (B2) 6 9, (B3) 79 94
ted (B1) 28 108, (B2) 54
telecommunications (B4) 18
telemetry (B1) 13, (B2) 4 47, (B5) 2 3 4 5 6 9 19 23 37 38 39 40 43 48 58 72 80 87 89 96
telemetry from operating (B5) 37
telephony (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
tell (B2) 112, (B3) 100, (B4) 97, (B5) 21
tells (B2) 67, (B5) 83
template (B1) 81 106 107, (B4) 28
templates (B1) 33 107, (B4) 28
temporarily (B1) 54 131, (B2) 89, (B4) 140, (B5) 31 70
temporary (B1) 63 84 86 114 127 131 139, (B2) 43 71 77 80 88 89 90 91 92 96 100 105 107 113 125 131, (B4) 122, (B5) 31
temptation (B1) 10 41
tempted (B1) 10
tenant (B1) 51 70 89 128 134 139, (B2) 4 24 45 53 60 62 65 66 67 70 86 87 91 98 103 110 118 120, (B4) 95 96 97 109 110 128 136 138, (B5) 46 73 78 84
tenant/organization (B4) 136 138
tenants (B2) 65
tenatity (B1) 123
tend (B1) 87 116, (B2) 60 94
tendency (B1) 46
tends (B1) 117, (B4) 56
tenets (B2) 8 9
tens (B1) 6 52, (B4) 11
tenured (B1) 28
terabytes (B4) 32 60
term (B1) 7 14 42 46 94 114 123 140, (B2) 12 91, (B3) 22 25, (B4) 66 74 148, (B5) 84
terminal (B1) 63
terminate (B1) 88, (B3) 81
terminated (B1) 41 88, (B3) 81
terminating (B3) 83
termination (B1) 88
terminology (B3) 10, (B4) 97
terms (B2) 6 47 49
terraform (B1) 30 33 104, (B3) 100 115 116
terragoat (B5) 100
territories (B5) 4
teseting (B1) 21 76 83 85 86 116 129 142, (B2) 10 14 60 135, (B3) 35 41 46 100 149, (B4) 22 102 136 137 138 139 141 156, (B5) 101
test (B1) 19 35 79 86, (B2) 60, (B3) 24 80 100, (B4) 85 136, (B5) 26
tested (B1) 86 128, (B3) 100 114
tests (B2) 48, (B4) 85
text (B1) 35 136
tfoz (B5) 52
tgw (B3) 70 101
thais (B2) 73 90, (B3) 12 18 54 59 96, (B4) 32 36 80 126
thales (B1) 137, (B5) 16
thatvhe (B1) 118
thea (B4) 67 73 123, (B5) 69
thee (B1) 15 21 86 87, (B2) 102 113, (B3) 8 25 56 134, (B4) 15 27 50 68 73 109 110 123, (B5) 25 27 52 55
theft (B1) 23
theme (B1) 52, (B2) 70 83
themes (B2) 16
themselves (B1) 52 87 91 107, (B2) 24 88, (B4) 23 76 144
theories (B1) 86

thereafter (B1) 129
thesis (B2) 10 12
thew (B1) 20 137, (B5) 33
thieves (B2) 12
thing (B1) 10 44 101, (B4) 36
things (B1) 3 9 23 30 46 90, (B2) 9 15 29, (B4) 67 91
think (B1) 12, (B2) 4 47 64, (B3) 22, (B4) 65
thinking (B2) 4
third (B1) 87 140, (B2) 19 31 33 68 72 112, (B3) 42 92 115 135, (B4) 8 52, (B5) 41
third-parties (B1) 3 15 30 57 66 70 136 137 139 140, (B2) 31 32 71 78 96 101 122, (B3) 16 62 92 111 115 116 117 124 128 130 131, (B4) 6 16 27 61 85 140 141 143, (B5) 20 30 33 51 52 60 61 62 64 74
third-party (B1) 139, (B2) 101, (B3) 115, (B4) 61, (B5) 60
third-party access (B1) 139
third-party firewall (B3) 115
third-party integrations (B4) 61
third-party siem solutions and platforms (B5) 60
tho (B3) 80
thoroughly (B2) 101, (B4) 142
thought (B1) 94, (B3) 23 131
thoughtful (B3) 65
thoughtfully (B3) 42
thousands (B1) 77 84, (B3) 8 44 54 55 138, (B4) 34 36 76 107
threat (B1) 2 3 5 10 16 19 20 21 22 23 37 39 74 112 113 142, (B2) 2 3 8 10 16 26 28 47 63 84 87 114 135, (B3) 2 3 6 7 31 32 34 53 88 123 147 149, (B4) 2 7 16 29 36 156, (B5) 2 3 12 17 18 19 31 32 33 41 42 51 58 61 62 64 89 90 96 98 101
threat model (B1) 39, (B2) 4 28, (B3) 4 34, (B4) 31, (B5) 4 19
threat model your system to test assumptions (B1) 19
threat modeling (B1) 21, (B5) 100
threat modeling approaches (B1) 19
threat modeling resources (B5) 98
threat modeling tools (B1) 19
threat modeling: designing for security (B5) 98
threat.are (B1) 22
threatmodeler (B1) 19
threats (B1) 4 5 10 16 17 19 20 21 22 23 28 38, (B2) 5 23 27 30 48, (B3) 33 38 147, (B4) 4 6 11 30 33 102 134 136 139 141, (B5) 1 4 7 9 10 18 21 33 42 44 62 94
three (B1) 13 27 30 33 57 78 80 89 98 101 112 116 118 125 126, (B2) 47 54 73 85 87 91 112, (B3) 10 83 101 102 134 135, (B4) 8 46 57 75 106 117, (B5) 8 47
three-tier (B3) 76, (B4) 18
throughout (B1) 3 129 142, (B2) 14 135, (B3) 68 89 149, (B4) 21 36 156, (B5) 91 101
throughput (B3) 61 80
thumbprint (B2) 123
thwarting (B1) 17
ticket (B2) 23 24
tickets (B2) 23, (B4) 23
tied (B1) 120 140, (B2) 92, (B4) 32
tier (B2) 73, (B4) 148
tiered (B1) 127
tiers (B3) 63 76 89, (B4) 40 148, (B5) 47
tight (B1) 53, (B3) 79
tightly (B1) 80 82 116, (B2) 56, (B3) 65
timals (B2) 96
time (B1) 4 11 19 21 23 44 58 66 77 101 120 129 142, (B2) 4 5 7 10 18 19 21 29 30 38 44 45 46 49 51 54 56 64 85 101 113 135, (B3) 7 22 44 48 80 92 116 138 147 149, (B4) 11 13 18 22 33 36 37 38 41 60 61 83 87 103 128 138 141 142 147 148 152 156, (B5) 8 21 31 45 48 51 59 62 74 101
time-bound (B1) 127
time-saving (B1) 11
time-sensitive (B5) 13
timelier (B1) 57
timely (B1) 57 138, (B4) 91 153, (B5) 13
timeout (B1) 45, (B2) 55, (B5) 76
times (B1) 11 12, (B2) 8 70, (B4) 60 79 109 145, (B5) 16 39
tinhc (B1) 6
tioons (B2) 73
tips (B1) 22
titan (B1) 137
tlmy (B5) 47
tlohg (B4) 125
tls (B1) 43, (B2) 8 106, (B3) 92 93, (B4) 92
tls everywhere (B2) 8
tmt (B1) 19
toap-lenvel (B1) 57 89 94 129, (B3) 48, (B4) 63 80
tod (B1) 57 116, (B4) 46 122
today (B2) 12 13
toe (B1) 13, (B2) 4 23, (B3) 19 127, (B5) 25
toes (B1) 28

tofoten (B5) 12
toft (B1) 28 41 86
togaf (B1) 9 10, (B2) 125, (B3) 18 60, (B5) 31
together (B1) 7 35 44 76 100 129, (B2) 4 71 76 80 116, (B3) 16 18 25 83 134, (B4) 67 85 93 98, (B5) 61
token (B1) 43 56 136, (B2) 4 17 19 32 43 46 49 54 65 67 68 70 73 74 75 76 77 78 79 83 90 91 94 96 101 103 107 110 112 113 114 115 117 118 120 125 130 131, (B3) 124, (B4) 61 87 150 152 153, (B5) 31 61
token.the (B2) 113
tokens (B1) 3 113 128 136, (B2) 17 32 47 54 72 73 75 76 80 81 92 93 96 100 110 112 113 114 115 118 122 123 125 128 129, (B4) 20 28 150 152
tola (B1) 58, (B3) 5, (B4) 83 125, (B5) 14
tolerance (B4) 138, (B5) 41
tom (B1) 23, (B2) 101, (B3) 46 98, (B4) 107, (B5) 12
ton (B3) 68 80
took (B5) 91
tool (B1) 20 21 30 33 34 45 98 105 106 142, (B2) 94 107 109 135, (B3) 149, (B4) 60 85 140 153 156, (B5) 8 20 44 45 74 90 98 101
tooling (B1) 84, (B4) 150, (B5) 4 8
tools (B1) 19 20 22 30 33 34 45 66 67 74 75 84 86 104 125, (B2) 5 6 25 53 58 85, (B3) 5 44, (B4) 8 9 12 32 141, (B5) 20 42 44 45 52 61
top (B1) 35 89 92 105 124 142, (B2) 74 101 112 135, (B3) 48 49 128 149, (B4) 7 18 34 36 53 55 56 93 156, (B5) 101
top-down (B1) 12 93 106
top-secret (B1) 87
top-tier (B1) 89 93 94
topic (B1) 9 26, (B3) 7, (B5) 50 69 82 83 84 88
topics (B1) 9 94, (B5) 50 68
topologies (B3) 63 64 65
topology (B1) 33, (B3) 64 71
tor (B2) 47 125, (B3) 127 128, (B5) 78 84
tot (B2) 5, (B4) 44 97
total (B1) 103, (B2) 11
totality (B1) 13 117
totp (B1) 67 136 137, (B2) 88, (B3) 12
touch (B1) 90
touches (B5) 4
tout (B2) 75, (B3) 119
tow (B2) 49, (B5) 26 54
toward (B1) 29 77, (B2) 4 5 12 13 14 15 102, (B3) 36 56, (B4) 4, (B5) 42
towards (B1) 105, (B2) 4, (B3) 39
toy (B1) 131, (B4) 53 122 123
tpaarty (B5) 54
trace (B3) 99 111
traceability (B1) 32 127, (B4) 148
traces (B5) 39
track (B1) 7 22 23 46 49 140, (B2) 70 83, (B3) 22 27, (B4) 9 11 22 23 32 41 69 95, (B5) 24 62
tracked (B2) 5
tracker (B1) 23, (B2) 70 83
tracking (B3) 119, (B4) 11 32 142
tracks (B4) 33
trade (B4) 4
trade-offs (B1) 77, (B3) 64, (B4) 141
traded (B1) 25
traditional (B1) 6 28, (B2) 4 14 40 43 73 96, (B3) 94, (B4) 6 7 60 61 63 134 138 142, (B5) 3 4 5 7 8 45
traditionally (B5) 5 37
trafdfic.etola (B3) 133
traffic (B1) 3 25 88 108, (B2) 9 10 13 16 19 22 31, (B3) 2 3 4 5 7 8 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 34 35 38 43 48 49 52 53 54 55 57 58 59 60 61 62 63 64 68 69 70 71 72 74 76 79 80 81 84 85 88 89 90 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 108 109 110 111 114 115 117 118 120 122 123 124 125 128 130 131 132 133 134 135 138 143 146 147, (B4) 7 56 141, (B5) 9 23 29 33 34 36 37 52 66 92
trail (B1) 131, (B4) 11, (B5) 32 51 52 53 55
trails (B5) 30 31 51 52
train (B2) 41
training (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 100 101
transaction (B1) 113
transactional (B1) 83, (B4) 147
transactions (B5) 54 55
transfer (B3) 15 60 65, (B4) 153, (B5) 21 66 68 74 75
transferred (B1) 80
transferring (B4) 150, (B5) 66
transfers (B4) 11 70 153
transform (B4) 51 61 68 72, (B5) 47 74
transformation (B2) 4, (B4) 61 85, (B5) 20 45 69 74
transformations (B1) 12, (B5) 47 74
transformed (B2) 21, (B4) 85
transforming (B4) 65 86
transforms (B4) 85
transient (B1) 115
transit (B1) 43, (B2) 8, (B3) 16 17 18 36 55 59 60 61 62 68 69 70 71 72 73 75 78 81 82 83 84 85 87 91 96 97 98 102 104 106 108 110 111 117 120 138 146, (B4) 12 33 60 92 93, (B5) 52
transit gateway (B3) 16 59 70 71 72 76 87 91 109, (B5) 92
transit gateway (aws) (B3) 70 71 72 76 87 109, (B5) 92

transiting (B3) 132
transition (B2) 14 41, (B3) 79, (B4) 38 40, (B5) 47
transitional (B1) 87 97
transitional and exceptions ous (B1) 87
transitioning (B1) 29, (B2) 64, (B3) 8 13 15
transitioning to cloud-native security (B1) 29
transitions (B4) 40
transitive (B3) 61 70 71 142, (B4) 74 75
translate (B2) 23, (B3) 49 120
translated (B3) 99 118
translates (B2) 14, (B3) 111
translating (B1) 48
translation (B3) 12 14 49 98 109 111 118 120
transmission (B3) 92 125 135, (B5) 38
transmitting (B2) 112
transparency (B1) 76 89, (B4) 142
transparent (B1) 44, (B2) 17 113, (B4) 4 20 95
transparently (B1) 44, (B3) 128, (B4) 95 101, (B5) 37
transport (B1) 43
transportation (B5) 37
travel (B2) 10 13 47, (B3) 80 81
travels (B3) 80
traversal (B3) 63
traverse (B1) 25, (B3) 60 128
traverses (B3) 30, (B4) 56
traversing (B3) 60
treat (B2) 60 87
treated (B1) 22, (B2) 10 21 22, (B3) 100
treats (B4) 18
tremendous (B4) 66
trends (B3) 147, (B5) 20
triage (B1) 138, (B4) 114, (B5) 5 62
tried-and-true (B1) 33, (B3) 79
trigger (B4) 153, (B5) 68
triggered (B1) 18, (B2) 118, (B4) 150
triggers (B2) 72, (B3) 6, (B5) 47
trivial (B4) 101
troflers (B2) 24
trohle (B5) 54
troubleshoot (B4) 117, (B5) 37
troubleshooting (B3) 65, (B4) 107
true (B1) 9, (B2) 37 40 43 49 51 120 131, (B3) 11 58 102, (B4) 47 48, (B5) 3
truer (B5) 8
truly (B1) 87
trump (B4) 44
truncating (B4) 83
trust (B1) 21 23 24 25 27 28 38 42 43 44 56 58 70 133 139, (B2) 2 3 4 5 6 8 10 12 13 14 16 17 18 19 20 21 22 24 25 26 27 28 36 39 40 63 65 73 78 81 84 89 90 96 98 101 104 105 106 107 109 110 115 118 119 120 122 124 125 127, (B3) 5 6 7 8 57 91 92 93 100 120, (B4) 4 6 7 18 37 74 87 152, (B5) 10 13 40 78 79 91 92
trust boundaries (B1) 24 26 29
trust boundaries in the cloud (B1) 25
trust engine (B2) 20
trust model of information security" (B2) 12
trust policy (B2) 127
trust policy examples (B2) 90
trust providers for user (B2) 39
trust zones (B1) 29
trust-anchor (B2) 108 109
trust.trust (B2) 10
trusted (B1) 98 128 133 136, (B2) 6 8 10 13 19 29 44 47 53 96 113 127, (B3) 60 91 92 124, (B4) 4 7 87, (B5) 40 41
trusts (B1) 70 139, (B2) 68 110 122 128, (B5) 78 84
truth (B1) 7 48 53 54 56 113, (B2) 78, (B4) 153
truths (B1) 20
tth{ (B2) 115, (B3) 133
tuition (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
tuned (B5) 3
tuning (B3) 7
tunnel (B3) 21 67 80 81
tunnels (B2) 19, (B3) 62 63 70 71 81
turn (B1) 35 53 58 93 109, (B4) 47, (B5) 22
turned (B1) 66 125
turning (B2) 15, (B5) 44
turns (B3) 56
tusaer (B1) 128, (B2) 80, (B4) 70
tutorial (B3) 76
tweak (B1) 46 118

tweaked (B1) 15
twentieth-century (B2) 10
twenty-first (B2) 10
twice (B3) 111
twist (B1) 15
twitter (B2) 112
two (B1) 80
two motivations driving your hierarchy design (B1) 80
two-step (B1) 67
typ (B2) 115, (B5) 23
type (B1) 15 17 66 98 109 120 123 126 127, (B2) 6 11 14 17 31 36 91 92 112 114 115 123 129 130 131, (B3) 13 25 39 80 102 130 131 136 143 144, (B4) 9 15 21 22 40 44 48 56 83 85 95, (B5) 40 78
types (B1) 24 41 76 82 94 98 109 114 120 123, (B2) 16 17 48 52 85 87 91 92 93 113 116, (B3) 6 16 21 27 31 46 70 72 80 119, (B4) 25 27 28 46 56 63 64 83 105, (B5) 4 10 23 24 27 28 34 36 42 44 61 66 68
types.whether (B2) 73
typical (B1) 42 52 87, (B2) 17 30 66, (B3) 29 31 56, (B4) 148
typically (B1) 13 43 78 129 131, (B2) 29 66 81 87 113, (B3) 58 112, (B4) 8 92 97 98 135 138 140 152, (B5) 21 22 28 55 66 68 74

--- U ---

u.s (B1) 10, (B4) 129
ubiquitous (B1) 93, (B2) 24, (B4) 32, (B5) 25
ubiquity (B4) 32
udp (B3) 27 92 101 102
ultimate (B1) 20, (B2) 104, (B5) 20
ultimately (B1) 4 19, (B2) 14 19 88, (B4) 65, (B5) 52
ultra-sensitive (B4) 94
umbrella (B1) 123, (B2) 91
unable (B1) 23, (B2) 104, (B3) 18, (B4) 6 72 147, (B5) 33
unacceptable (B5) 48
unaffected (B4) 145
unattainable (B2) 8
unauthenticated (B2) 80, (B4) 45
unauthorized (B1) 17 76, (B2) 6 29 96 102, (B3) 41, (B4) 8 11 12 37 38 57 67 69 84 95, (B5) 33
unavailable (B2) 101, (B3) 101 102, (B4) 140, (B5) 44
unawareness (B1) 20
unchecked (B2) 13
unclassified (B4) 15 18
unclear (B2) 60
uncommon (B1) 52
uncovered (B2) 10
uncovering (B1) 12 19
under (B1) 84 101 102 103 113 118 128 135, (B2) 12 14 45 51 58 72 89 113, (B3) 47 65, (B4) 57 63 70 128 154, (B5) 25
under-the-hood (B3) 45
undergoes (B1) 46, (B2) 58, (B3) 111
underlying (B1) 16, (B3) 74 115 131 132 133 136, (B4) 37 53 54 60 63 65 70 74 75 76 129, (B5) 33 45 62 86
undermine (B4) 135
underneath (B1) 124, (B3) 27, (B4) 63, (B5) 49
underpinning (B1) 48, (B5) 5 6 33
underscores (B1) 7
understand (B1) 19 21 22 30 125, (B2) 5 14 21 32 45 110 114, (B3) 18 69, (B4) 4 6 8 9 15 21 22 36 74 95 97 134 142, (B5) 5 6 20 62 90
understand what data to protect (B2) 14
understanding (B1) 3 5 20 124 129, (B2) 91, (B3) 30 64, (B4) 7 8 63 70 72 107 119, (B5) 5 9 20 91
understanding your csp's backbone (B3) 30
understands (B1) 21
undertake (B1) 15
undertaken (B1) 12, (B2) 3, (B4) 32
undertaking (B1) 7
underway (B1) 88
undesirable (B2) 53
undetected (B2) 12 13
unequivocal (B1) 138
unexpected (B1) 18, (B4) 137
unfamiliar (B5) 4
unfettered (B3) 131
unfortunate (B1) 46
unfortunately (B2) 10, (B3) 103 137, (B4) 91, (B5) 21 24 30 84
ungroup (B1) 35
uni (B2) 75
unified (B5) 38
uniform (B1) 22, (B2) 22
unify (B1) 53
unilaterally (B1) 100
uninitialized (B4) 130
unintended (B3) 100
unintentional (B1) 44

unintentionally (B4) 67 68
unique (B1) 16 17 27 43 46 53 74 75 80 84 87 89 93 94 112 138, (B2) 54 67 88 104 115 120 128, (B3) 10 25 45 58 79, (B4) 37 54 98 105 110 120 126, (B5) 23 37 53 54 68 78 84 90
unique/oauth/v./authorize (B2) 67
uniquely (B2) 87 92 118, (B3) 92
unit (B1) 76 84 90 101 111 125 129, (B2) 81 104, (B3) 39 40, (B4) 9 22 63 85, (B5) 54
united (B1) 91, (B4) 18
units (B1) 3 78 82 90 97, (B5) 7 8
universal (B1) 18, (B3) 117
universally (B1) 87
unknown (B4) 6 93, (B5) 62
unless (B1) 35 53 87 118 128, (B2) 74, (B3) 22 39 72 91, (B4) 48 120 140
unlike (B1) 54 78 98 103, (B2) 76 86 91 93 105, (B3) 74 128 130, (B4) 37 142
unlikely (B1) 57, (B2) 58, (B3) 76, (B4) 40 45, (B5) 6 13
unlimited (B4) 32 52
unlimited in scalability (B4) 32
unlock (B5) 44
unlocking (B1) 128
unmanageable (B1) 41, (B4) 52 106 107 120
unmonitored (B1) 127
unnecessarily (B4) 107
unnecessary (B1) 76, (B3) 38 41 59 60, (B5) 64
unpredictable (B3) 80
unprivileged (B2) 18
unread (B5) 69
unreadable (B4) 12
unrecognized (B2) 17
unrecoverable (B4) 98
unrelated (B4) 154
unresponsive (B3) 120
unrestricted (B4) 148 154
unsecured (B1) 16 18, (B2) 12
unset (B2) 74
unsolicited (B3) 14
unstable (B3) 100
unstructured (B1) 21, (B2) 13 16 19 20 51, (B4) 32 51, (B5) 45
untested (B3) 100
untrust (B3) 111 120
untrusted (B2) 16
untrustworthy (B2) 6
unused (B2) 60, (B3) 46
unusual (B2) 54, (B3) 147, (B4) 6
unusual locations (B2) 54
unveiled (B1) 125
unwanted (B1) 76
unwrapped (B4) 100 110
unwrapping (B4) 100
uoblic (B3) 127
upcoming (B1) 54 82 91 98, (B2) 16 73 87 94, (B3) 35 80 99 131 132, (B5) 8
update (B1) 25 106, (B2) 22 74, (B3) 72 74, (B4) 11 25 61 68 70 95 110 117 136, (B5) 10 13 28 31 51
updated (B1) 21 41 49 106, (B2) 64 92 123, (B3) 137, (B4) 147, (B5) 51
updates (B2) 32 60, (B3) 132, (B4) 101 110 114, (B5) 66
updating (B1) 67, (B3) 12 92 100, (B5) 23 31
upfront (B4) 145, (B5) 25
upgraded (B3) 135
upgrades (B1) 15 85, (B3) 115
upgrading (B5) 10
upheaval (B2) 4
upheld (B4) 152
upkeep (B1) 77
uplift (B1) 15, (B2) 14, (B5) 3 91
uplifting (B2) 72 73
upload (B2) 93 100 103 106, (B4) 46 47
uploaded (B2) 104, (B4) 144, (B5) 32 76
uploading (B1) 70, (B2) 100 103
uploads (B4) 46
upon (B1) 9 16 54 100 112 118 128, (B2) 17 73 77 89 105, (B3) 96 131, (B4) 46 100
upset (B1) 76, (B5) 7
upskilling (B5) 6
upstream (B1) 48 54 56 78
uptime (B2) 101
upward (B1) 57, (B4) 32
urge (B1) 125, (B4) 36 52 102
urgency (B2) 13
urgent (B1) 84, (B2) 58
urges (B4) 37
url (B2) 123 129

urls (B1) 4 35 70, (B2) 67 68 123 129 130, (B3) 49 131, (B4) 15 36 37 152
urn:ietf:params:oauth:token-type:jwt (B2) 130
us-ealsti-va (B1) 63, (B3) 72 101 102
us-east-_pvkiqour (B2) 115 116
us-east-_pvkiqour/.well-known/jwks.json (B2) 116
usability (B1) 7, (B2) 53
usage (B1) 108 127 128 138, (B2) 44 89 91, (B3) 28 41 134, (B4) 8 11 41 69 95 101 107 117 123 127 140, (B5) 27 28 29 31 38 41
use/attempted (B1) 138
used (B1) 43, (B5) 5
useful (B1) 85, (B3) 41 63 68 128, (B4) 55 84, (B5) 31 32 33 76
usefulness (B5) 61
useless (B2) 17
usenix (B2) 17
user (B1) 3 13 15 18 23 25 27 28 36 42 43 44 45 48 51 52 53 54 56 57 58 59 62 63 66 67 69 71 94 98 100 103 104 109 113 114 117 118 120 121 123 124 125 126 127 128 129 131 133 136 137 138 139 140, (B2) 4 6 8 12 16 17 18 19 20 21 23 24 30 31 32 33 36 39 47 48 49 51 52 53 54 56 58 60 64 65 66 67 68 70 71 72 73 74 75 76 77 78 79 80 81 83 85 89 90 92 93 96 105 106 110 112 113 114 115 124, (B3) 10 12 29 36 59 63 84 116 119 128, (B4) 12 20 44 51 63 65 68 70 72 76 78 79 80 82 83 84 100 109 110 114 120 122 125 129 130 148, (B5) 30 31 38 39 43 50 74
user pool sequence diagram (B2) 75
user pools (B2) 71 72
user-agents (B2) 58
user-assigned (B1) 120 133 134, (B2) 87 92 98 118 119
user-defined (B3) 13 71, (B4) 63
user-friendly (B2) 29
user-generated (B4) 32 154
user-managed (B2) 87 93 94, (B4) 150 152
user/global (B5) 90
user/group (B2) 30 31 32
username (B1) 42 44 53 54 133, (B2) 9 29 30 67 71 72 74 85 101 118, (B4) 83 130
username/password (B1) 114
usernames (B1) 53 115, (B2) 14
users (B1) 3 12 13 18 19 23 30 34 40 41 42 44 45 46 52 53 54 55 56 57 58 59 60 61 62 65 66 67 69 70 71 73 78 104 105 106 112 114 116 117 118 120 121 123 124 125 126 127 128 131 133 139, (B2) 4 6 10 12 14 15 17 18 19 21 24 29 35 36 39 41 43 45 47 48 52 53 54 55 56 57 58 65 66 67 70 71 72 73 74 75 76 77 78 79 81 85 86 87 88 89 93 96 113, (B3) 6 27 63 99, (B4) 7 12 25 36 37 44 45 48 63 65 72 75 78 82 83 84 87 95 105 109 118 121 130 148, (B5) 49 61 62
users.armed (B2) 18
users/roles/groups (B1) 112
uses (B1) 10 12 54 84 116 120 139, (B2) 24 36 47 52 67 75 77 81 88 90 110, (B3) 6 10 14 23 47 70 74 99 101 103 106 110 120, (B4) 18 28 92 101 109 120 128 151 152, (B5) 42 62 68 69 74 76 78 84
using.they (B2) 18
usually (B1) 114, (B3) 23 69, (B4) 92
utah (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
utility (B4) 150 152 153
utilization (B3) 57, (B4) 140
utilize (B1) 15 46 94 104, (B2) 6 14 22 24 87, (B3) 41 81 134
utilized (B1) 15 43 92, (B2) 21, (B5) 10 33 52
utilizes (B1) 84, (B2) 6 8 33
utilizing (B1) 104, (B2) 3 6 13 21 76 94, (B3) 11 79, (B4) 136, (B5) 9 75
utoion (B5) 12
utopiecs (B5) 84
uuid (B5) 78 84
uviewes (B4) 76

--- V ---

vabrying (B1) 46, (B4) 18 148
vaclidated (B1) 43, (B2) 6 14 31 72 75 78 104 107 112 114 115 116 117 122 125 128, (B3) 6, (B4) 85 128 152 154
valid (B1) 4 118, (B2) 12 13 23 67 75 105 107 122 128, (B4) 7 37 83
validating (B1) 42 85, (B2) 17 23 72 73 75 112 116 117 122 128, (B4) 37
valuable (B1) 82, (B2) 33, (B3) 65 147, (B4) 142, (B5) 21 31 40 51
value (B1) 4 7 28 32 54 60, (B2) 67 68 74 78 86 90 104 112 115 117 118 120 122 123 125 128 129 130, (B3) 112 119 144, (B4) 8 9 12 22 24 26 37 63 83 84 100, (B5) 15 55 64 78
values (B1) 19 20 109, (B2) 67 74 78 85 91 117 118 120 125, (B3) 92, (B4) 4 22 24 25 26 83 84 105 106 152
vande/or (B2) 8
variable (B2) 79
variables (B2) 102
variances (B4) 97
variations (B1) 13
varied (B1) 16, (B3) 79
varies (B1) 139, (B3) 58 68, (B4) 109 123, (B5) 24 48
varieties (B1) 109, (B2) 92, (B3) 130 133
variety (B1) 142, (B2) 19 30 33 76 135, (B3) 49 149, (B4) 32 156, (B5) 10 101
various (B1) 19 20 21 80, (B2) 3 58, (B3) 18 20 43 44 79 139, (B4) 22 33 47 80 128 134 144, (B5) 15 20 27 38 40 52 59 61 62 64 68 74 76 90
vary (B1) 20 136, (B3) 5 8 70 115, (B4) 33 128, (B5) 4 67
vast (B1) 10, (B5) 45 64
vault (B1) 108, (B4) 91 97 105 109 110 113 127 128 129 138, (B5) 43

vaults (B1) 135
vconetaining (B2) 56
vehicle (B1) 23
vein (B5) 42
velocity (B1) 113
vendor (B1) 14 15 17 86 133 137 139, (B2) 101, (B3) 30 76 115 124, (B4) 9 27 141 142 145, (B5) 60 61 62
vendor-hosted (B3) 30 135 138
vendor-managed (B2) 100
vendor-provided (B4) 54 142
vendor-specific (B1) 28, (B3) 96
vendor-supplied (B3) 131
vendors (B1) 30 120 139, (B3) 116 119 124 135, (B4) 6 16 61 138, (B5) 21 60
venfoerce (B1) 123
venture (B1) 30
verb (B1) 21, (B2) 60 68
verifiable (B2) 112
verifiably (B4) 91
verification (B2) 115
verification, (B1) 67 126 137, (B2) 14 33 36 72 115
verified (B1) 131, (B2) 6 31 32 39 40 76 81 96 113, (B3) 78, (B4) 126 132
verified access (B2) 31
verified access (ava) (B2) 39 40
verified access (ava) – access policies (B2) 40
verifies (B4) 86
verify (B1) 42 140, (B2) 6 12 13 75 115, (B4) 7 153
verifying (B2) 114 117
versa (B3) 22 120
versatile (B3) 131
version (B1) 10 33 34 46 52, (B2) 24 41 42 44 94 107 120 124, (B3) 81, (B4) 13 50 84 103 120 125 144, (B5) 40 79
versioned (B1) 117
versioning (B1) 116, (B4) 13 33 38 144 148
versioning and immutable (B4) 38
versions (B2) 36, (B4) 45 106 127 129 144 147, (B5) 10 21
versus (B2) 3 4 45 55 81, (B3) 14, (B4) 55 134, (B5) 8 31
vertically (B4) 52
via (B1) 43 56 62 63 71 78 79 88 112 116 126 127 128 130 140, (B2) 18 24 31 32 33 40 65 72 73 89 91 93 107 118, (B3) 12 21 36 41 42 58 59 64 70 80 94 128 130 131 132 134 136, (B4) 44 45 46 51 54 57 83 93 120 141 148 150, (B5) 7 9 27 31 32 40 48
viable (B1) 15, (B2) 10, (B4) 148
vice (B3) 22 120
victim (B1) 46
victims (B1) 23
view (B1) 33 44 45 48 67 93 94 116 129 130, (B2) 70 83, (B4) 18 63 68 70 72 73 74 75 76 78 79 80 82 117, (B5) 20 21 26 38 52 59 60
viewable (B5) 29
viewed (B5) 25 26
viewer (B1) 123 124, (B4) 65 66 70 72 75 114
viewing (B1) 121, (B5) 27 34
views (B1) 4, (B3) 81, (B4) 60 63 65 66 68 70 72 74 76 78 83
villain (B1) 23
violates (B4) 128
virginia (B4) 146
virtual (B1) 16 25 86 94 98 120 123 129 135 136 137, (B2) 4 86 92 98 110 111 119 120 121 122 123 124 125 128 129 130 131, (B3) 4 8 9 10 11 16 17 18 19 20 21 23 24 25 26 27 29 30 42 49 52 56 57 58 59 61 63 64 65 68 69 70 71 72 73 74 75 80 81 82 83 84 85 87 89 102 103 111 117 118 120 125 127 130 134 135 140 146, (B4) 22 56 63 74 76 113 138 139 150, (B5) 23 33 34 36 38 39
virtual machine identity token (B2) 120
virtual storage and delegating access (B1) 135
virtual wan (B3) 85
virtual wan (azure vwan) (B3) 70 71 72 76
virtual wan (vwan) (B3) 70 71 72 76
virtualization (B1) 33 34, (B2) 14 23 67 73 101, (B3) 10, (B4) 85, (B5) 52 68
viruses (B2) 10, (B3) 69
visibility (B1) 16 29 80 140, (B2) 8 9 16 98, (B3) 6 7 35 38 94 111, (B4) 6 7 9 11 127 154, (B5) 5 6 12 21 23 33 34 36 37 39 76
visible (B1) 33 139, (B2) 6 93, (B3) 36, (B5) 76
vision (B1) 9 12 33
visited (B1) 35
visitors (B4) 50
visual (B4) 150
visualize (B4) 8 11
visualizing (B1) 33, (B4) 80, (B5) 50
visually (B2) 60
vital (B4) 134
vivid (B2) 58
vlad (B5) 98
vm-series (B3) 96 102 111 112
vmware (B1) 33
vnet (B3) 8 9 29 30 36 127 134

vnet/vpc (B3) 8 62 63 65
vnet/vpc mesh peering connections at scale (B3) 65
vnet/vpc peering design considerations (B3) 62
vnet/vpc peering topologies (B3) 63
vnets.full (B3) 65
voiders (B2) 101
volume (B1) 10, (B3) 70, (B4) 101, (B5) 7 31 64 66 83
volumes (B4) 11 61 101, (B5) 65 66 68 74 75 76
voption.a (B2) 103
voutebound (B3) 91
vpc (B1) 33 34 114 117 118, (B2) 39, (B3) 2 3 8 9 10 11 12 13 14 16 18 19 21 22 23 24 25 27 28 29 30 31 34 36 37 38 39 40 41 43 44 46 48 53 54 55 56 57 58 59 60 61 62 66 67 68 69 70 73 74 75 81 83 88 89 91 93 95 96 98 99 100 101 102 103 105 106 108 109 110 111 117 123 124 125 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147, (B4) 12 53 56 57 59 87 130, (B5) 34 36 40 51 52 74 76 78 92
vpc endpoint access control (B3) 136
vpc endpoint default policy (B3) 137
vpc firewall rules & policies (B3) 27
vpc firewall rules and firewall policies (B3) 27
vpc gateway endpoints (B3) 132
vpc interface endpoints (B3) 131
vpc lattice (B3) 95
vpc lattice: east-west traffic inspection policies (B3) 95
vpc network sharing (B3) 36
vpc network sharing benefits (B3) 38
vpc peering (B3) 16 17 55 59 61 62 63 64 65 66 67 68 69 70 130
vpc service controls (B3) 130, (B4) 59
vpc service controls (gcp) (B3) 130, (B4) 59
vpc with hsms deployed (B4) 130
vpc-bound (B3) 18 29 31 79 92 128 130 131
vpc/shared (B1) 129
vpc/vnet (B3) 29 30 61
vpc/vnet peering between micro-networks (B3) 61
vpce-ae (B3) 140 144
vpcflow (B5) 76
vpcs (B3) 147
vpcs in the network (B3) 147
vpn (B1) 85, (B2) 10 18, (B3) 5 13 16 19 20 21 40 55 59 60 62 63 64 68 70 71 72 74 79 80 81 82 95 96 130
vspeceified (B4) 56
vulnerabilities (B1) 16 22 24, (B2) 23, (B3) 8 100 126, (B4) 4 7 102, (B5) 10 44
vulnerability (B1) 14 22 130 142, (B2) 5 22 135, (B3) 5 149, (B4) 20 156, (B5) 41 53 78 101
vulnerable (B3) 60 100, (B5) 54 91

--- W ---

wacces (B1) 62
wacting (B1) 88 100, (B3) 70, (B4) 85 128
wads (B1) 58, (B2) 10 93
waf (B1) 25 100, (B3) 43 44 46, (B5) 9
wait (B1) 58 88 131, (B2) 70, (B3) 81, (B4) 37
waits (B5) 83
walk (B1) 139, (B2) 105 109 110 115, (B3) 72 99, (B4) 16 49 72 98 135
wall (B5) 10
wan (B3) 16 52 59 64 70 71 73 75 85 87 117 120
wand (B1) 41, (B4) 38
want (B1) 10 12 35 57 80 85 100 109 118 123 134, (B2) 55, (B3) 12 46 128 133, (B4) 54 93, (B5) 36 75 83
wants (B1) 9 13 100, (B4) 148
warehouse (B4) 27 30 60 63 65 66 67 68 69 70 72 78 85 86 87, (B5) 44 94
warehouses (B1) 25 129, (B4) 9 101, (B5) 68
warehousing (B5) 45 77
warm (B4) 12 40 138, (B5) 47
warning (B1) 6, (B4) 79
waste (B1) 32
watcher (B5) 34 36
ways (B1) 16 22 23 46 76 90, (B2) 3 10 21 24 71, (B4) 4 61 117
weak (B1) 79
weaker (B2) 49
weakness (B3) 5
weakness: implicit trust (B3) 5
weaknesses (B1) 24
web (B1) 4 6 15 25 142, (B2) 16 55 56 67 68 71 73 75 110 112 113 114 115 116 117 125 135, (B3) 25 33 44 55 56 63 76 126 149, (B4) 9 21 32 49 50 60 79 154 156, (B5) 9 40 79 101
web-identity (B2) 125
webb (B5) 27

website (B1) 10, (B3) 12, (B4) 50 148
websites (B1) 13, (B2) 112, (B5) 70
wee (B2) 73, (B3) 9
weeds (B2) 80
weekly (B2) 21, (B4) 22
weeks (B2) 113
weigh (B3) 14
welcome (B1) 36, (B2) 13
welcomed (B2) 13
well-architected (B1) 30 32, (B3) 89 90 102, (B4) 14 15 16
well-architected framework data protection (B4) 14
well-architected framework pillars (B1) 32
well-defined (B1) 129, (B2) 4, (B4) 134
well-known (B2) 101 116 122 128, (B3) 115, (B5) 12
well-monitored (B1) 49
well-prepared (B4) 137
well-segmented (B1) 83
well-suited (B5) 77
wemakesta (B2) 24
west (B3) 117
whatever (B2) 13
wheel (B1) 22, (B2) 24
whenever (B1) 89 101, (B2) 75 88, (B3) 125, (B4) 144
where (B4) 136
where possible (B4) 136
wherever (B2) 21
whether (B1) 13 18 54 67 78 82 87, (B2) 30 36 45 48 49 73 75, (B3) 13 44 65 136, (B4) 44 48 56 141 142, (B5) 8 13 30 31
whichever (B1) 20
whistles (B1) 24 33
white (B1) 32, (B2) 13 17
whole (B1) 32, (B2) 21
whole.the (B2) 21
wholly (B2) 93
whose (B1) 7 89, (B4) 154
why (B1) 10 24 52 76 125, (B2) 4 10 73 102, (B3) 30, (B4) 51, (B5) 3 7
why implement a zero trust access model? (B2) 10
wide (B1) 142, (B2) 29 113 135, (B3) 71 149, (B4) 156, (B5) 101
widely (B1) 21, (B5) 24 48
wildcard (B1) 118
wildcards (B2) 130, (B4) 57
win (B3) 56 100
window (B2) 96, (B4) 37 128
windows (B1) 46 125 136, (B2) 48, (B4) 37 105, (B5) 37 42 61
wins (B2) 14, (B3) 68
wipe (B4) 98 128
wiped (B4) 97 128 129
wiping (B4) 98 129
wise (B2) 44
wish (B1) 35 63, (B2) 75, (B3) 29 82
withhold (B1) 61, (B4) 144
without (B3) 29
wiz (B3) 98, (B4) 9 10
wizard (B2) 53
wmighet (B1) 87
wmigra (B1) 6
wonder (B1) 10
word (B1) 12, (B3) 103
word:friction (B1) 100
words (B1) 46 93, (B4) 28
work (B1) 6 7 10 13 22 43 46 56 76 79 80 93 117 129, (B2) 4 12 41 43 45 101, (B3) 25 74 75 144, (B4) 9 52 53 67 78 85 95 107 128, (B5) 5 6
workaround (B1) 59, (B4) 128
workarounds (B4) 136
workbook (B1) 37 50 64 72 96 110 141, (B2) 26 61 69 82 126 132 134, (B3) 32 51 66 77 86 107 113 121 148, (B4) 29 58 88 112 115 131 155, (B5) 17 56 72 80 87 95
worked (B1) 142, (B2) 135, (B3) 149, (B4) 156, (B5) 101
worker (B4) 140
workers (B2) 18
workflow (B1) 46 70, (B2) 15 118 124, (B4) 72 98 100 110 150, (B5) 70 82 83
workflows (B1) 42 127, (B2) 65 72 85, (B3) 6, (B4) 15, (B5) 40
workforce (B1) 2 5 37 39 40 44 48 52 74 112, (B2) 10 17 66 81
workforce iam (B2) 81
workforce versus customer identity and access management (B2) 81
workload (B1) 13 21 22 29 32 84 85 86 87 125, (B2) 14 16 23 53 88 96 97 98 99 100 110 114 128 129 130 133, (B3) 6 54 57 59 65 91 103 125 138, (B4) 12 149 152, (B5) 5 40 84

workload identity (B2) 130 131 132, (B4) 151
workload identity configuration (B2) 128
workload identity federation (B2) 100 104 125 126 127 128 130 131 132 133 134
workload identity pool (B2) 131 132
workload identity pool provider (B2) 129
workload identity pool service account (B2) 130
workload-centric (B1) 29
workload-identity.json (B2) 130
workloads (B1) 14 21 22 32 74 75 76 82 83 84 86 87 97 113 127 129, (B2) 4 16 21 65 66 85 98 110, (B3) 6 8 54 58 59 63 65 69 79 89 94 124 139, (B4) 106 134 138 140, (B5) 3 4 6 23 61
workloads ou (B1) 83
workloads/services (B2) 21
workmanlike (B1) 7
works (B1) 10 33 142, (B2) 110 135, (B3) 14 96 149, (B4) 127 156, (B5) 70 76 82 101
workspace (B1) 66 67 123 125 127 128 136 137 138, (B4) 148 150, (B5) 26 27 29 38 46 49 57 62 78 84
workspace user (B1) 138
workspaces (B2) 33
world (B1) 4 29 46 98 138, (B2) 4 12 13, (B3) 125, (B4) 50 134, (B5) 1 4 94 98
worm (B4) 147
wormking (B1) 12 27 30, (B2) 6 12 79, (B3) 4 6 44 73 83, (B4) 21 44 56 67 73 83 85, (B5) 40
worms (B2) 10
worry (B3) 101, (B4) 101, (B5) 61
worse (B3) 100
worth (B5) 20 25
wpolic (B2) 52 53
wrap-up (B5) 2 3 19 58 89 96
wrapkey (B4) 110
wrapped (B4) 97 98 100, (B5) 94
wrapping (B1) 3, (B3) 102, (B4) 97 98, (B5) 90
wraps (B1) 4
wregar (B1) 63
write (B2) 74 79 88, (B4) 36 37 41 45 46 147, (B5) 7 25 30 32 37 39 47 52 53 69 76 82
writer (B4) 46
writes (B2) 12, (B4) 73
writing (B1) 23 103, (B3) 100 115, (B4) 41 125 126, (B5) 24 31 84
written (B1) 38 104 107 138, (B2) 17 40, (B3) 52, (B4) 23 86 92 152, (B5) 25 31 32 39 47 51 52 68 74 78
wrong (B1) 76 140, (B4) 67
wrote (B2) 12
ws-fed (B1) 46
wserveice (B3) 4
www.sec.com (B3) 105 106 109 110

--- X ---

x-forwarded-for (B3) 111 112
xm.m (B2) 103
xml (B1) 43

--- Y ---

y.q..e (B3) 99
yaml (B3) 94
year (B1) 56, (B3) 15, (B4) 83, (B5) 34
years (B1) 13 19 36 92 142, (B2) 10 12 13 14 21 73 85 86 87 135, (B3) 149, (B4) 33 36 37 38 101 156, (B5) 34 47 101
yecars.o (B2) 13
yes (B1) 33, (B5) 23
ymanqage (B5) 52
you'll (B1) 48 74 75 78 106, (B2) 3 19 73, (B3) 44
yourself (B3) 23, (B4) 93 97
yourselves (B1) 21
ysouruces (B5) 20

--- Z ---

zcloaud (B2) 87, (B4) 134
zcreayte (B1) 45
zdlap (B4) 86
zero (B1) 94, (B2) 2 3 4 5 6 8 10 12 13 14 16 17 18 19 20 21 24 25 26 27 28 36 63 73 78 81 84, (B3) 5 6 7 8 57 91 92 93 100, (B4) 6 7 87 95, (B5) 21 91 92
zero trust (B2) 4 8 14 16 21 28 29, (B3) 100, (B4) 9
zero trust data security (B4) 9
zero trust data security & privacy (B4) 7
zero trust for the user (B2) 17
zero trust for workloads/services (B2) 21
zero trust iam policy example (B2) 78
zero-trust (B1) 3 25
zhigah-risk (B3) 79

znumaber (B4) 66
zone (B1) 24 27 86, (B3) 12 13 21 24 58 72 101 106 110 117 138 140 142 143 144 145 146, (B4) 135 145
zones (B1) 24 27 28, (B3) 10 30 100 101 102 115 117 140 142 143, (B4) 12 33 130 140 145
zoom (B2) 80
zoom.the (B1) 66
zplayce (B4) 12
zrestarict (B3) 134
zsecaurity (B1) 45
zsenat (B5) 25
zseravices (B5) 47
zt (B2) 6 10 12 14 16
zt for resources (B2) 12
zt for users (B2) 12
zta) (B2) 36
zthias (B5) 78
zusears (B1) 136
zwea (B4) 123

--- # ---

"the big blue book" (B5) 99
$ (B1) 34
$$$$ (B3) 68 103
$(base (B2) 109
$. (B3) 14, (B5) 48
$azure_client_id (B2) 118
$azure_jwt (B2) 125
$azure_tenant_id (B2) 118
$gh_jwt (B2) 118
$logs (B5) 29
$profile_arn (B2) 108
$ta_arn (B2) 108
${cognito (B2) 79
${cognito-identity.amazonaws.com:sub} (B2) 79
${crl_id} (B2) 109
${{env.actions_id_token_request_url}}&audience=api://azureadtokenex (B2) 118
${{env.actions_runtime_token}} (B2) 118
's bigquery data warehouse (B4) 60
exec-env/cloudshell (B2) 44
***note** (B2) 75
./aws_signing_helper (B2) 108
.access_token (B2) 120
.amazonaws.com (B3) 92
.azure.com (B3) 92
.cc (B2) 41
.crl.crlid (B2) 109
.crt (B2) 103
.ctero (B2) 103
.github.com (B3) 92
.net (B2) 67
.pelma (B2) 103
.pem (B2) 103 106
.value (B2) 118
.well (B2) 117
/ (B3) 12
//example (B2) 40
//iam.googleapis.com/projects//locations/global (B2) 130
/cloudtrail (B5) 76
/getcredentialsforidentity (B2) 77
/google guardrail policy inheritance model (B1) 105
/kmsi (B2) 68
/login (B2) 67
/oauth/v./token (B2) 68
/route (B5) 76
/securityhub (B5) 76
/sts.windows.net/acfb-c-db-aee-ecabfac/ (B2) 124
/v (B3) 18
/vpcflow (B5) 76
/workloadidentitypools/nymeria-azure-pool/providers/nymeria (B2) 130
<see (B2) 41
{"aws (B4) 120
{"aws:multifactorauthpresent (B2) 41 42

{"aws:sourceip (B1) 118
{c (B2) 44
{cc (B4) 103
{e (B4) 122
|vpc (B3) 17 21, (B5) 36
~ (B2) 92
~$. (B3) 138
~/.aws/config (B1) 63
~/.aws/credentials (B2) 43
–automates (B3) 63
–automatically (B4) 85
–typically (B1) 130