

# Lab1

**Owner:** olichka

**Reviewer:**

**Contributors:**

**Date Generated:** Sun Dec 14 2025

# Executive Summary


## High level system description

Not provided

## Summary

|                          |    |
|--------------------------|----|
| Total Threats            | 16 |
| Total Mitigated          | 0  |
| Total Open               | 16 |
| Open / Critical Severity | 1  |
| Open / High Severity     | 10 |
| Open / Medium Severity   | 2  |
| Open / Low Severity      | 0  |
| Open / TBD Severity      | 3  |

## New STRIDE diagram



# New STRIDE diagram

## User (Actor)

Description: system user

| Number | Title                  | Type        | Severity | Status | Score | Description                                                                                                                                              | Mitigations                                                                       |
|--------|------------------------|-------------|----------|--------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 6      | Credential theft       | Spoofing    | High     | Open   |       | Attacker steals users credentials                                                                                                                        | Defences include providing enforcement of behavioral workflow and anti-automation |
| 7      | User denies actions    | Repudiation | Medium   | Open   |       | User can deny performed actions                                                                                                                          | Defences include providing enforcement of behavioral workflow and anti-automation |
| 8      | Vulnerability scanning | Repudiation | TBD      | Open   |       | See OWASP Automated Threat #14: Systematic enumeration and examination in order to find weaknesses and points where a security vulnerability might exist | Defence includes providing anti-automation                                        |

## Web Application (Process)

Description: proctsses users request

| Number | Title                   | Type                   | Severity | Status | Score | Description                                                                                                                                              | Mitigations                                                                       |
|--------|-------------------------|------------------------|----------|--------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 1      | Service overload        | Denial of service      | Medium   | Open   |       | App becomes unavailable due to attack                                                                                                                    | Provide remediation for this threat or a reason if status is N/A                  |
| 2      | User impersonation      | Spoofing               | High     | Open   |       | Attacker pretends to be a user                                                                                                                           | Provide remediation for this threat or a reason if status is N/A                  |
| 3      | Request manipulation    | Tampering              | High     | Open   |       | Attacker modifies HTTP                                                                                                                                   | Provide remediation for this threat or a reason if status is N/A                  |
| 4      | Sensitive data exposure | Information disclosure | High     | Open   |       | App leaks sensitive information                                                                                                                          | Defences include providing enforcement of behavioral workflow and anti-automation |
| 5      | Vulnerability scanning  | Tampering              | TBD      | Open   |       | See OWASP Automated Threat #14: Systematic enumeration and examination in order to find weaknesses and points where a security vulnerability might exist | Defence includes providing anti-automation                                        |

## database (Store)

Description: stores data

| Number | Title                          | Type      | Severity | Status | Score | Description                   | Mitigations                                                                       |
|--------|--------------------------------|-----------|----------|--------|-------|-------------------------------|-----------------------------------------------------------------------------------|
| 9      | Unauthorized data modification | Tampering | High     | Open   |       | Attacker modifies stored data | Defences include providing enforcement of behavioral workflow and anti-automation |

| Number | Title                  | Type                   | Severity | Status | Score | Description                                                                                                                                              | Mitigations                                                                                          |
|--------|------------------------|------------------------|----------|--------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 10     | Vulnerability scanning | Repudiation            | TBD      | Open   |       | See OWASP Automated Threat #14: Systematic enumeration and examination in order to find weaknesses and points where a security vulnerability might exist | Defence includes providing anti-automation                                                           |
| 11     | Data breach            | Information disclosure | High     | Open   |       | Usage may resemble legitimate application usage but leads to exhaustion of resources                                                                     | Mitigation or prevention such as providing backoff, resource management and avoiding forced deadlock |
| 12     | Privilege escalation   | Tampering              | High     | Open   |       | Attacker gains higher access rights                                                                                                                      | Provide remediation for this threat or a reason if status is N/A                                     |

HTTP Request (Data Flow)

Description: request

| Number | Title               | Type                   | Severity | Status | Score | Description                                                                          | Mitigations                                                                                          |
|--------|---------------------|------------------------|----------|--------|-------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| 13     | MITM                | Tampering              | Critical | Open   |       | Data is modified in transit                                                          | Defences include providing enforcement of behavioral workflow and anti-automation                    |
| 14     | Unencrypted traffic | Information disclosure | High     | Open   |       | Traffic can be intercepted                                                           | Defence includes providing anti-automation                                                           |
| 15     | Data breach         | Denial of service      | High     | Open   |       | Usage may resemble legitimate application usage but leads to exhaustion of resources | Mitigation or prevention such as providing backoff, resource management and avoiding forced deadlock |

SQL Query (Data Flow)

| Number | Title         | Type      | Severity | Status | Score | Description                      | Mitigations                                                                       |
|--------|---------------|-----------|----------|--------|-------|----------------------------------|-----------------------------------------------------------------------------------|
| 16     | SQL injection | Tampering | High     | Open   |       | Malicious SQL queries alter data | Defences include providing enforcement of behavioral workflow and anti-automation |