

Analyze A/B Test Results


Maximus Walker



How Was The Experiment Implemented?

Total Variant Visitors: 35,211

Total Control Participants: 34,678



Conversion Rates

	U.S.	U.K.	CA
Control	10.73%	10.16%	9.45%
Treatment	15.78%	14.87%	15.40%

Executive Summary: Treatment users converted at a higher rate in the U.S., U.K., and Canada. After controlling for treatment, country was not statistically significant (UK $p=0.905$; US $p=0.170$, Canada baseline). Treatment-by-country interactions were also not significant, so the treatment advantage is broadly consistent across countries.

Experiment Results

Treatment Conversion Rate: 15.53%

Control Conversion Rate: 10.53%

Delta in Treatment vs. Control Conversion Rate: +5.01 percentage points

z statistic: 19.647

p-value (one-sided): 3.052e-86

Conclusion: The treatment page has a statistically significant higher conversion rate than the control page. The estimated lift is also practically meaningful in this experiment, so the evidence supports implementing the treatment page.

Country Results

Country main effects (Canada baseline):

- UK p-value = 0.9048
- US p-value = 0.1701

Treatment-by-country interactions:

- Treatment × UK p-value = 0.2887
- Treatment × US p-value = 0.3001

Conclusion: There is no statistically significant evidence that country independently changes conversion or that the treatment effect differs by country. The treatment effect remains the primary statistically significant predictor of conversion.