


Units in MM

Sheet: Front copper
File: working.kicad_pcb

Title:

Size: A4 Date: 2023-08-06_12-56-12
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3

Rev:
Id: 1/6




MM ni ežinU

Sheet: Bottom copper
File: working.kicad_pcb

Title:

Size: A4 Date: 2023-08-06_12-56-12
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3

Rev:
Id: 2/6




MM ni ežinU

Sheet: Bottom courtyard area
File: working.kicad_pcb

Title:


Size: A4 Date: 2023-08-06_12-56-12
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3

Rev:
Id: 3/6




Units in MM

Sheet: Front courtyard area		
File: working.kicad_pcb		
Title:		
Size: A4	Date: 2023-08-06_12-56-12	Rev:
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3		Id: 4/6



MM ni zjinU

Sheet: Bottom documentation		
File: working.kicad_pcb		
Title:		
Size: A4	Date: 2023-08-06_12-56-12	Rev:
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3		Id: 5/6



Min μ Hat Specifications
– μHat dimensions measures are in reference Layer 49 – Mounting hole offset at top of board is not equal to mounting hole offset at bottom of board – Mounting holes are non-plated or electrically isolated. – If non-plated landing area use trestrict and brestrict of radius 3.1mm – Must have minimum 3 mounting holes – The box below the right mounting hole is for a 2x4 pin header on the Pi 3 Model B+.

Units in MM
Released under the Creative Commons Attribution Share-Alike 4.0 License
<https://creativecommons.org/licenses/by-sa/4.0/>
Designed by: M. Hord
Revised by: Pete Lewis

Sheet: Front documentation File: working.kicad_pcb		
Title:		
Size: A4	Date: 2023-08-06_12-56-12	Rev:
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3		Id: 6/6