




The DIM is 70 mm wide

pin 1


Licensed under CERN OHL v.1.2
Copyright (©) 2021, Patrick Baus <patrick.baus@physik.tu-darmstadt.de>

Sheet: Bottom copper
File: working.kicad_pcb

Title: Keithley SCAN-2000-20 SSR

Size: A4 Date: 2022-01-11
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3

Rev: v1.1.0
Id: 2/6




Licensed under CERN OHL v.1.2
Copyright (©) 2021, Patrick Baus <patrick.baus@physik.tu-darmstadt.de>

Sheet: Bottom courtyard area
File: working.kicad_pcb

Title: Keithley SCAN-2000-20 SSR

Size: A4	Date: 2022-01-11	Rev: v.1.1.0
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3		Id: 3/6




Licensed under CERN OHL v.1.2
Copyright (©) 2021, Patrick Baus <patrick.baus@physik.tu-darmstadt.de>


Sheet: Front courtyard area
File: working.kicad_pcb

Title: Keithley SCAN-2000-20 SSR

Size: A4 Date: 2022-01-11
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3

Rev: v.1.1.0
Id: 4/6





The DMM slot is 70 mm wide

Manufacturing Instruction:
- Material FR-4
- Finished thickness: 1.57 mm ± 0.13 mm
- Surface finish: ENIG
- Solder mask color: Blue
- PCBs are to be RoHS compliant
- Do not edit artwork, e.g. to add logos or order numbers
- Clean to meet IPC J-STD-001E, Class 2 after assembly

Licensed under CERN OHL v.1.2
Copyright (©) 2021, Patrick Baus <patrick.baus@physik.tu-darmstadt.de>

Sheet: Front documentation
File: working.kicad_pcb

Title: Keithley SCAN-2000-20 SSR

Size: A4 Date: 2022-01-11
KiCad E.D.A. 7.0.6-7.0.6-ubuntu22.04.1 + KiBot v1.6.3

Rev: v.1.1.0
Id: 6/6