Chapter 1

The spatially-adaptive solution of the azimuthally Fourier-decomposed equations of 3D time-harmonic linear elasticity on unstructured meshes

In this tutorial we re-visit the solution of the time-harmonic equations of 3D linear elasticity in cylindrical polar coordinates, using a Fourier decomposition of the solution in the azimuthal direction. The driver code is very similar to the one discussed in another tutorial — the main purpose of the current tutorial is to demonstrate the use of spatial adaptivity on unstructured meshes. Compared to the test case considered in the other tutorial we study a slightly less contrived test problem: the forced time-harmonic oscillations of a finite-length, hollow cylinder, loaded by a time-periodic pressure load on its inner surface.

Acknowledgement: This implementation of the equations and the documentation were developed jointly with Robert Harter (Thales Underwater Systems Ltd) with financial support from a KTA Secondment grant from University of Manchester's EPSRC-funded Knowledge Transfer Account.

1.1 The test problem

The figure below shows the problem considered in this tutorial: an annular elastic body that occupies the region $r_{\min} \leq r \leq r_{\max}, z_{\min} \leq z \leq z_{\max}$ is loaded by a time-harmonic pressure load acting on its inner surface (at $r=r_{\min}$). The upper and lower ends of the hollow cylinder (at $z=z_{\min}$ and $z=z_{\min}$) are held at a fixed position. Here is an animation of the resulting displacement field for $r_{\min}=0.1$ and $r_{\max}=1.1$.




Figure 1.1 Forced oscillations of a thick-walled, hollow cylinder, subject to a pressure load on its inner surface. The pink shape in the background shows the cylinder's undeformed shape (in a radial plane); the mesh plotted in the region r < 0 illustrates how spatial adaptivity refines the mesh in regions of sharp displacement gradients (near the loaded surface and the supports).

1.2 The numerical solution

The driver code for this problem is very similar to the one discussed in another tutorial. Running sdiff on the two driver codes

```
\label{lem:composed_linear} $$ \ensuremath{\mathsf{demo\_drivers/time\_harmonic\_fourier\_decomposed\_linear\_} \leftarrow $$ \ensuremath{\mathsf{elasticity/cylinder.cc}}$
```

and

```
demo_drivers/time_harmonic_fourier_decomposed_linear_
    elasticity/cylinder/pressure_loaded_cylinder.cc
```

shows you the differences, the most important of which are:

- The change of the forcing to a spatially constant pressure load on the inside boundary.
- The provision of the actions_before/after_adapt() functions and a helper function complete_\(\sim \) problem_setup() which rebuilds the elements (by passing the problem parameters to the elements) following the unstructured mesh adaptation. (The need/rationale for such a function is discussed in another tutorial.)
- The mesh generation and the application of boundary conditions at the upper and lower boundaries of the hollow cylinder. .
 - All of this is reasonably straightforward and provides a powerful code that automatically adapts the mesh in regions of large displacement gradients. Have a look through the driver code and play with it.

1.3 Code listing

Here's a listing of the complete driver code:

1.3 Code listing 3

```
//LIC// Copyright (C) 2006-2024 Matthias Heil and Andrew Hazel
//LIC// This library is free software; you can redistribute it and/or
//LIC// modify it under the terms of the GNU Lesser General Public
//LIC// License as published by the Free Software Foundation; either
// LIC// version 2.1 of the License, or (at your option) any later version.
//LIC//
//LIC// This library is distributed in the hope that it will be useful,
//LIC// but WITHOUT ANY WARRANTY; without even the implied warranty of //LIC// MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
//LIC// Lesser General Public License for more details.
//LIC//
//LIC// You should have received a copy of the GNU Lesser General Public
//LIC// License along with this library; if not, write to the Free Software
//LIC// Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA
//LIC// 02110-1301 USA.
//T.TC//
//LIC// The authors may be contacted at oomph-lib@maths.man.ac.uk.
//LIC//
//LIC//===
// Driver
// The oomphlib headers
#include "generic.h"
#include "time_harmonic_fourier_decomposed_linear_elasticity.h"
// The mesh
#include "meshes/rectangular_quadmesh.h"
#include "meshes/triangle_mesh.h"
using namespace std;
using namespace oomph;
/// Namespace for global parameters
namespace Global_Parameters
/// Define Poisson's ratio Nu
std::complex<double> Nu(0.3,0.0);
 /// Define the non-dimensional Young's modulus
std::complex<double> E(1.0,0.0);
 /// Define Fourier wavenumber
int Fourier_wavenumber = 0;
 /// Define the non-dimensional square angular frequency of
 /// time-harmonic motion
 std::complex<double> Omega_sq (10.0,0.0);
 /// Length of domain in r direction
double Lr = 1.0:
 /// Length of domain in z-direction
 double Lz = 2.0;
 // Set up min & max (r,z) coordinates
double rmin = 0.1;
double zmin = 0.3;
double rmax = rmin+Lr;
double zmax = zmin+Lz;
 /// Define the imaginary unit
const std::complex<double> I(0.0,1.0);
 // Pressure load
double P=1.0;
 /// The traction function at r=rmin: (t_r, t_z, t_theta)
 void boundary_traction(const Vector<double> &x,
                      const Vector<double> &n,
                      Vector<std::complex<double> > &result)
  // Radial traction
  result[0] = P;
  // Axial traction
  result[1] = 0.0;
  // Azimuthal traction
  result[2] = 0.0;
} // end_of_namespace
//===start_of_problem_class===========
/// Class to validate time harmonic linear elasticity (Fourier
/// decomposed)
                    _____
template<class ELEMENT>
class FourierDecomposedTimeHarmonicLinearElasticityProblem : public Problem
public:
```

```
/// Constructor: Pass number of elements in r and z directions
 /// and boundary locations
FourierDecomposedTimeHarmonicLinearElasticityProblem(
const unsigned &nr, const unsigned &nz,
const double &rmin, const double& rmax
const double & zmin, const double & zmax);
 /// Update before solve is empty
void actions_before_newton_solve() {}
 /// Update after solve is empty
void actions_after_newton_solve() {}
 /// Delete traction elements
void delete_traction_elements();
 /// Helper function to complete problem setup
void complete_problem_setup();
 /// Actions before adapt: Wipe the mesh of traction elements
 void actions_before_adapt()
 { $\ //\ \rm{Kill}$ the traction elements and wipe surface mesh <math display="inline">$\ //\ \rm{C}$
  delete_traction_elements();
  // Rebuild the Problem's global mesh from its various sub-meshes
  rebuild_global_mesh();
 /// Actions after adapt: Rebuild the mesh of traction elements
void actions after adapt()
  // Create traction elements from all elements that are
  \ensuremath{//} adjacent to FSI boundaries and add them to surface meshes
  assign_traction_elements();
   // Rebuild the Problem's global mesh from its various sub-meshes
  rebuild_global_mesh();
  // Complete problem setup
  complete_problem_setup();
 /// Doc the solution
void doc_solution(DocInfo& doc_info);
 /// Allocate traction elements on the bottom surface
void assign_traction_elements();
#ifdef ADAPTIVE
 /// Pointer to the bulk mesh
RefineableTriangleMesh<ELEMENT>* Bulk_mesh_pt;
 /// Pointer to the bulk mesh
Mesh* Bulk_mesh_pt;
#endif
 /// Pointer to the mesh of traction elements
Mesh* Surface_mesh_pt;
}; // end_of_problem_class
/// Problem constructor: Pass number of elements in coordinate
/// directions and size of domain.
template<class ELEMENT>
FourierDecomposedTimeHarmonicLinearElasticityProblem<ELEMENT>::
FourierDecomposedTimeHarmonicLinearElasticityProblem
(const unsigned &nr, const unsigned &nz,
const double &rmin, const double& rmax,
const double & zmin, const double& zmax)
#ifdef ADAPTIVE
// The boundary is bounded by four distinct boundaries, each
 // represented by its own polyline
Vector<TriangleMeshCurveSection*> boundary_polyline_pt(4);
 // Vertex coordinates on boundary
 Vector<Vector<double> > bound_coords(2);
bound_coords[0].resize(2);
bound_coords[1].resize(2);
 // Horizontal bottom boundary
bound_coords[0][0]=rmin;
```

1.3 Code listing 5

```
bound_coords[0][1]=zmin;
bound_coords[1][0]=rmax;
bound_coords[1][1]=zmin;
 // Build the boundary polyline
unsigned boundary_id=0;
boundary_polyline_pt[0]=new TriangleMeshPolyLine(bound_coords,boundary_id);
 // Vertical outer boundary
bound_coords[0][0]=rmax;
bound_coords[0][1]=zmin;
bound coords[1][0]=rmax;
bound_coords[1][1]=zmax;
 // Build the boundary polyline
boundary_id=1;
boundary_polyline_pt[1]=new TriangleMeshPolyLine(bound_coords,boundary_id);
 // Horizontal top boundary
bound_coords[0][0]=rmax;
bound_coords[0][1]=zmax;
bound_coords[1][0]=rmin;
bound_coords[1][1]=zmax;
 // Build the boundary polyline
boundary_id=2;
boundary_polyline_pt[2]=new TriangleMeshPolyLine(bound_coords,boundary_id);
 // Vertical inner boundary
bound_coords[0][0]=rmin;
bound_coords[0][1]=zmax;
 bound_coords[1][0]=rmin;
bound_coords[1][1]=zmin;
 // Build the boundary polyline
boundary_id=3;
boundary_polyline_pt[3]=new TriangleMeshPolyLine(bound_coords,boundary_id);
 // Pointer to the closed curve that defines the outer boundary
TriangleMeshClosedCurve* closed_curve_pt=
 new TriangleMeshPolygon(boundary_polyline_pt);
 // Use the TriangleMeshParameters object for helping on the manage of the
 // TriangleMesh parameters
TriangleMeshParameters triangle_mesh_parameters(closed_curve_pt);
 // Specify the maximum area element
 double uniform_element_area=0.2;
triangle_mesh_parameters.element_area() = uniform_element_area;
 // Create the mesh
 Bulk mesh pt=new RefineableTriangleMesh<ELEMENT>(triangle mesh parameters);
 // Set error estimator
Bulk_mesh_pt->spatial_error_estimator_pt() = new Z2ErrorEstimator;
#else
 //Now create the mesh
Bulk_mesh_pt = new RectangularQuadMesh<ELEMENT>(nr,nz,rmin,rmax,zmin,zmax);
#endif
 //Create the surface mesh of traction elements
 Surface_mesh_pt=new Mesh;
assign_traction_elements();
 // Complete problem setup
complete_problem_setup();
 // Add the submeshes to the problem
 add_sub_mesh(Bulk_mesh_pt);
add_sub_mesh(Surface_mesh_pt);
 // Now build the global mesh
build_global_mesh();
 // Assign equation numbers
cout « assign_eqn_numbers() « " equations assigned" « std::endl;
} // end of constructor
//===start_of_complete_problem_setup=========================
/// Complete problem setup
template<class ELEMENT>
void FourierDecomposedTimeHarmonicLinearElasticityProblem<ELEMENT>::
complete_problem_setup()
 // Set the boundary conditions for this problem: All nodes are
// free by default -- just pin & set the ones that have Dirichlet
 // conditions here
 // Pin displacements everywhere apart from boundaries 1 and 3 \,
 for (unsigned ibound=0;ibound<3;ibound=ibound+2)</pre>
  unsigned num_nod=Bulk_mesh_pt->nboundary_node(ibound);
   for (unsigned inod=0;inod<num_nod;inod++)</pre>
```

```
6
```

```
/ Get pointer to node
     Node* nod_pt=Bulk_mesh_pt->boundary_node_pt(ibound,inod);
     // Pinned in r, z and theta
     nod_pt->pin(0);nod_pt->pin(1);nod_pt->pin(2);
     nod_pt->pin(3);nod_pt->pin(4);nod_pt->pin(5);
     // Set the displacements
     nod_pt->set_value(0,0.0);
     nod_pt->set_value(1,0.0);
     nod_pt->set_value(2,0.0);
     nod_pt->set_value(3,0.0);
     nod_pt->set_value(4,0.0);
     nod_pt->set_value(5,0.0);
 // Complete the problem setup to make the elements fully functional
 // Loop over the elements
unsigned n_el = Bulk_mesh_pt->nelement();
 for (unsigned e=0;e<n_e1;e++)</pre>
   // Cast to a bulk element
  ELEMENT *el_pt = dynamic_cast<ELEMENT*>(Bulk_mesh_pt->element_pt(e));
   // Set the pointer to Poisson's ratio
   el_pt->nu_pt() = &Global_Parameters::Nu;
   // Set the pointer to Fourier wavenumber
   el_pt->fourier_wavenumber_pt() = &Global_Parameters::Fourier_wavenumber;
   // Set the pointer to non-dim Young's modulus
   el_pt->youngs_modulus_pt() = &Global_Parameters::E;
// Set the pointer to square of the angular frequency
el_pt->omega_sq_pt() = &Global_Parameters::Omega_sq;
  }// end loop over elements
 // Loop over the traction elements
 unsigned n_traction = Surface_mesh_pt->nelement();
 for(unsigned e=0;e<n_traction;e++)</pre>
   // Cast to a surface element
   TimeHarmonicFourierDecomposedLinearElasticityTractionElement<ELEMENT>*
    el_pt =
    dynamic_cast<TimeHarmonicFourierDecomposedLinearElasticityTractionElement</pre>
    <ELEMENT>* > (Surface_mesh_pt->element_pt(e));
   // Set the applied traction
   el_pt->traction_fct_pt() = &Global_Parameters::boundary_traction;
  }// end loop over traction elements
/// Make traction elements along the boundary r=rmin
template<class ELEMENT>
void FourierDecomposedTimeHarmonicLinearElasticityProblem<ELEMENT>::
assign_traction_elements()
unsigned bound, n neigh;
 // How many bulk elements are next to boundary 3
n_neigh = Bulk_mesh_pt->nboundary_element(bound);
 // Now loop over bulk elements and create the face elements for (unsigned n=0; n< n\_neigh; n++)
   // Create the face element
   FiniteElement *traction_element_pt
    = new TimeHarmonicFourierDecomposedLinearElasticityTractionElement<ELEMENT>
    (Bulk_mesh_pt->boundary_element_pt(bound,n),
     {\tt Bulk\_mesh\_pt->face\_index\_at\_boundary\,(bound,n));}
   // Add to mesh
   Surface_mesh_pt->add_element_pt(traction_element_pt);
} // end of assign_traction_elements
//===start_of_delete_traction======
/// Delete traction elements
template<class ELEMENT>
void FourierDecomposedTimeHarmonicLinearElasticityProblem<ELEMENT>::
delete_traction_elements()
// How many surface elements are in the surface mesh
unsigned n_element = Surface_mesh_pt->nelement();
 // Loop over the surface elements
 for (unsigned e=0;e<n_element;e++)</pre>
   // Kill surface element
   delete Surface mesh pt->element pt(e);
```

```
}
 // Wipe the mesh
Surface_mesh_pt->flush_element_and_node_storage();
} // end of delete_traction_elements
/// Doc the solution
template<class ELEMENT>
void FourierDecomposedTimeHarmonicLinearElasticityProblem<ELEMENT>::
doc_solution(DocInfo& doc_info)
ofstream some file;
char filename[100];
 // Number of plot points
unsigned npts=5;
// Output solution
sprintf(filename, "%s/soln.dat", doc_info.directory().c_str());
 some_file.open(filename);
Bulk_mesh_pt->output(some_file,npts);
some_file.close();
 // Output norm of solution (to allow validation of solution even
 // if triangle generates a slightly different mesh)
 sprintf(filename, "%s/norm.dat", doc_info.directory().c_str());
 some_file.open(filename);
 double norm=0.0;
unsigned nel=Bulk_mesh_pt->nelement();
 for (unsigned e=0;e<nel;e++)</pre>
  double el_norm=0.0;
  Bulk_mesh_pt->compute_norm(el_norm);
  norm+=el_norm;
 some_file « norm « std::endl;
} // end of doc solution
//===start_of_main=======
/// Driver code
int main(int argc, char* argv[])
// Number of elements in r-direction
unsigned nr=10;
 // Number of elements in z-direction (for (approximately) square elements)
unsigned nz=unsigned(double(nr)*Global_Parameters::Lz/Global_Parameters::Lr);
 // Set up doc info
DocInfo doc_info;
 // Set output directory
doc_info.set_directory("RESLT");
#ifdef ADAPTIVE
 // Set up problem
FourierDecomposedTimeHarmonicLinearElasticitvProblem
 <ProjectableTimeHarmonicFourierDecomposedLinearElasticityElement</pre>
  <TTimeHarmonicFourierDecomposedLinearElasticityElement<3>>>
 problem(nr,nz,Global_Parameters::rmin,Global_Parameters::rmax,
         Global_Parameters::zmin,Global_Parameters::zmax);
 // Solve
unsigned max adapt=3;
problem.newton_solve(max_adapt);
 // Set up problem
Four ier {\tt DecomposedTimeHarmonicLinearElasticityProblem}
 \verb|<QTimeHarmonicFourierDecomposedLinearElasticityElement<3>|>
 problem(nr,nz,Global_Parameters::rmin,Global_Parameters::rmax,
         Global_Parameters::zmin,Global_Parameters::zmax);
// Solve
problem.newton_solve();
#endif
 // Output the solution
problem.doc_solution(doc_info);
```

1.4 Source files for this tutorial

• The source files for this tutorial are located in the directory:

8

$$\label{lem:demodrivers} \begin{split} \text{demo_drivers/time_harmonic_fourier_decomposed_linear_} &\leftarrow \\ &\quad \text{elasticity/cylinder/} \end{split}$$

• The driver code is:

demo_drivers/time_harmonic_fourier_decomposed_linear_←
 elasticity/cylinder/pressure_loaded_cylinder.cc

1.5 PDF file

A pdf version of this document is available.