


Example Website



Game Tic Tac Toe

Board Size:


| | | |
|--|--|--|
| | | |
| | | |
| | | |

Reset

Game History


No games history

Size board change



Game Tic Tac Toe

Board Size:



Reset

Game History

No games history


localhost:5173 บอกว่า

X wins!

ตกลง

Game Tic Tac Toe

Board Size:



Reset

Game History

No games history

History game board

Game History

Game 1:

Date: 25/7/2567 20:22:44

Winner: X

Board:

| | | |
|---|---|---|
| | | X |
| | O | X |
| O | | X |

Game 2:

Date: 25/7/2567 20:26:32

Winner: X

Board:

| | | | | |
|---|---|---|---|---|
| | | | | |
| | | | | |
| X | X | X | X | X |
| | O | O | O | O |
| | | | | |

MongoDB

The screenshot displays the MongoDB Compass web interface. The top navigation bar includes 'Connect', 'Edit', 'View', 'Collection', and 'Help'. The left sidebar shows the database hierarchy: 'localhost:27017' with collections 'admin', 'config', 'local', 'test', 'tictactoe', and 'games' (selected). The main panel shows the 'games' collection with 0 documents. The 'Documents' tab is active, displaying a single document with the following structure:

```
{
  "_id": ObjectId('66a251a4d8793fb876dc2bd7'),
  "board": [
    [
      "",
      "",
      "X"
    ],
    [
      "",
      "O",
      "X"
    ],
    [
      "O",
      "",
      "X"
    ]
  ],
  "currentPlayer": "O",
  "winner": "X",
  "date": "2024-07-25T13:22:44.564+00:00",
  "__v": 0
}
```

The bottom status bar shows the command prompt prompt '>_MONGOSH'.