BINOCULAR

BINOCULAR
双筒望远镜

CATALOG
产品图册

Eyebre

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vis

Eyebre®

PORRO BINOCULAR

PL1240-118

MAgnification:	12x	放大倍率：12x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	TEP	镜身材料：橡塑
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK9 Optical Lens	棱镜材料：BAK9光学镜片
Angle of View:	60°	等效视场：60°
Coating:	Green	镀膜：绿膜
Weight:	520g	重量 520g
Handwheel Focusing		手轮调焦

PL1240-118K

MAgnification:	12x	放大倍率：12x
Aperture:	22mm	物镜直径：22mm
Eyepiece Diameter:	20mm	目镜直径：20mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	TEP	镜身材料：橡塑
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK9 Optical Lens	棱镜材料：BAK9光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	520g	重量 520g
Handwheel Focusing		手轮调焦

PL2050-118

MAgnification:	20x	放大倍率：20x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	20mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	TEP	镜身材料：橡塑
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK9光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	700g	重量 700g
Handwheel Focusing		手轮调焦

PL2050-118K

MAgnification:	20x	放大倍率：20x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	20mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	TEP	镜身材料：橡塑
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK9光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	700g	重量 700g
Handwheel Focusing		手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

20X50HQ

MAgnification:	10x	放大倍率：	10x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	15mm	出瞳距离：	15mm
Exit Diameter:	3.1mm	出瞳直径：	3.1mm
Body Material:	ABS+Metal	镜身材料：	ABS+金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	340m/1000m	视场：	340m/1000m
Coating:	Green Coating	镀膜：	绿膜
Weight:	750g	重量	750g
Handwheel Focusing			手轮调焦

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

10x50 BDM

Magnification:	10x	放大倍率：	10x
Objective Diameter:	50mm	物镜直径：	50mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Eye Relief:	10mm	出瞳距离：	10mm
Exit Pupil Diameter:	5mm	出瞳直径：	5mm
Body Material:	Plastic Steel	镜身材料：	塑钢
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK9 Optical Lens	棱镜材料：	BAK9 光学镜片
Eyecup:	Fixed	目镜罩：	固定
Coating:	Green Coating	镀膜：	绿膜
Weight:	760g	重量：	760g
Focusing Method:	Handwheel Focusing	调焦方式：	手轮调焦

PL1240-PO

MAgnification:	12x	放大倍率：12x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	PVC	镜身材料：塑钢
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Foldable	目镜罩：可折叠
Coating:	Green	镜膜：绿膜
Weight:	630g	重量 630g
Handwheel Focusing		手轮调焦

PL2050-PO

MAgnification:	20x	放大倍率：20x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	PVC	镜身材料：塑钢
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Foldable	目镜罩：可折叠
Coating:	Green	镜膜：绿膜
Weight:	780g	重量 780g
Handwheel Focusing		手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

PL2050-DF

MAgnification:	20x	放大倍率：20x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	PVC	镜身材料：塑钢
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK9光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	760g	重量 760g
Handwheel Focusing		手轮调焦

PL2050-DFG

MAgnification:	20x	放大倍率：20x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	PVC	镜身材料：塑钢
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	760g	重量 760g
Handwheel Focusing		手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

PL2050-DX

MAgnification:	20x	放大倍率:	20x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Fixed	目镜罩:	固定
Coating:	Green Coating	镀膜:	绿膜
Weight:	860g	重量	860g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

PL2050-TCLG

MAgnification:	20x	放大倍率:	20x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	Green Coating	镀膜:	绿膜
Weight:	830g	重量	830g
IPX6			IPX6级防水
Fixed Focal Length			定焦

PL1240-BR A

MAgnification:	12x	放大倍率:	12x
Aperture:	40mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	PVC	镜身材料:	塑钢
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Fixed	目镜罩:	固定
Coating:	Green Coating	镀膜:	绿膜
Weight:	575g	重量	575g
Handwheel Focusing			手轮调焦

PL2050-BR A

MAgnification:	20x	放大倍率:	20x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	PVC	镜身材料:	塑钢
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Fixed	目镜罩:	固定
Coating:	Green Coating	镀膜:	绿膜
Weight:	720g	重量	720g
Handwheel Focusing			手轮调焦

PL6090-BR A

MAgnification:	20x	放大倍率:	20x
Aperture:	90mm	物镜直径:	90mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	PVC	镜身材料:	塑钢
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Fixed	目镜罩:	固定
Coating:	Green Coating	镀膜:	绿膜
Weight:	915g	重量	915g
Handwheel Focusing			手轮调焦

PL1240-BR B

MAgnification:	12x	放大倍率:	12x
Aperture:	40mm	物镜直径:	40mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	PVC	镜身材料:	塑钢
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Fixed	目镜罩:	固定
Coating:	Green Coating	镀膜:	绿膜
Weight:	620g	重量	620g
Handwheel Focusing			手轮调焦

PL2050-BR B

MAgnification:	20x	放大倍率:	20x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	PVC	镜身材料:	塑钢
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Fixed	目镜罩:	固定
Coating:	Green Coating	镀膜:	绿膜
Weight:	760g	重量	760g
Handwheel Focusing			手轮调焦

PL6090-BR B

MAgnification:	20x	放大倍率:	20x
Aperture:	90mm	物镜直径:	90mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	PVC	镜身材料:	塑钢
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Fixed	目镜罩:	固定
Coating:	Green Coating	镀膜:	绿膜
Weight:	960g	重量	960g
Handwheel Focusing			手轮调焦

PL1050-ELPO

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26 mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1050-ELSQ

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护级别

PL1050-ELPOCA

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1050-ELSQCA

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护等级

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

PL1050-ELA5

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	A5 coating	镀膜：A5膜
Weight:	880g	重量 880g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护等级

PL840-DT

MAgnification:	8x	放大倍率：8x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	750g	重量 750g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL840-DTML

MAgnification:	8x	放大倍率：8x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	750g	重量 750g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1050-DT

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	900g	重量 900g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1050-DTML

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	900g	重量 900g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护级别

PL1050-SEIII

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Foldable	目镜罩：折叠
Coating:	Green	镀膜：绿膜
Weight:	810g	重量 810g

Handwheel Focusing	手轮调焦
IPX7	IPX7级别防护

PZ1350-28

MAgnification:	10-30x	放大倍率：10-30x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	20mm	目镜直径：20mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：塑钢
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Fixed	目镜罩：可折叠
Coating:	Green	镀膜：绿膜
Weight:	930g	重量 930g

Handwheel Focusing	手轮调焦
IPX6	IPX6级别防护

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

PL840-28SE

MAgnification:	8x	放大倍率：8x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	20mm	目镜直径：20mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	760g	重量 760g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1040-28LE

MAgnification:	10x	放大倍率：10x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	26mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Purple coating	镀膜：紫膜
Weight:	770g	重量 770g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护等级

PL1550-28SE

MAgnification:	15x	放大倍率：15x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Purple coating	镀膜：紫膜
Weight:	900g	重量 900g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1550-28LE

MAgnification:	15x	放大倍率：15x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Purple coating	镀膜：紫膜
Weight:	900g	重量 900g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

DM-6 10X50G

MAgnification:	10x	放大倍率：	10x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	23mm	目镜直径：	23mm
Exit Relief:	16mm	出瞳距离：	16mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Rubber	镜身材料：	橡胶
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	FMC Coating	镀膜：	FMC镀膜
Weight:	870g	重量	870g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

DM-6 10X50B

MAgnification:	10x	放大倍率：	10x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	23mm	目镜直径：	23mm
Exit Relief:	16mm	出瞳距离：	16mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Rubber	镜身材料：	橡胶
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	FMC Coating	镀膜：	FMC镀膜
Weight:	870g	重量	870g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

PL1232-DM9G

MAgnification:	12x	放大倍率：12x
Aperture:	32mm	物镜直径：32mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护级别

PL1232-DM9Y

MAgnification:	12x	放大倍率：12x
Aperture:	32mm	物镜直径：32mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护等级

PL1232-TB4

MAgnification:	12x	放大倍率：12x
Aperture:	32mm	物镜直径：32mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	650g	重量 650g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护级别

PL1232-TB4CA

MAgnification:	12x	放大倍率：12x
Aperture:	32mm	物镜直径：32mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	650g	重量 650g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护级别

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

PL1240-DM2S

MAgnification:	12x	放大倍率：12x
Aperture:	32mm	物镜直径：32mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	720g	重量 720g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护级别

PL1240-DM2DCA

MAgnification:	12x	放大倍率：12x
Aperture:	32mm	物镜直径：32mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	720g	重量 720g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护等级

PL1232-DM2SCA

MAgnification:	12x	放大倍率：12x
Aperture:	36mm	物镜直径：36mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Fixed	目镜罩：固定
Coating:	Green	镀膜：绿膜
Weight:	720g	重量 720g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护级别

PL1036-FQ836

MAgnification:	10x	放大倍率：10x
Aperture:	36mm	物镜直径：36mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	730g	重量 730g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1036-FQ836G

MAgnification:	10x	放大倍率：10x
Aperture:	36mm	物镜直径：36mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	730g	重量 730g
Handwheel Focusing		手轮调焦
IPX6		IPX6防护级别

PL1036-FQ836CA

MAgnification:	10x	放大倍率：10x
Aperture:	32mm	物镜直径：36mm
Eyepiece Diameter:	26mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK7光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	730g	重量 730g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

Eyebre®

MH2106 BINOCULARS SERIES

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

PL1040-MH2106

MAgnification:	10x	放大倍率：	10x
Aperture:	40mm	物镜直径：	40mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Iron	镜身材料：	铁质
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	Blue Coating	镀膜：	蓝膜
Weight:	800g	重量	800g
Handwheel Focusing		手轮调焦	
IPX6		IPX6级别防护	

PZ72140-MH2106

MAgnification:	7-21x	放大倍率：	7-21x
Aperture:	40mm	物镜直径：	40mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Iron	镜身材料：	铁质
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Fixed	目镜罩：	固定
Coating:	Blue Coating	镀膜：	蓝膜
Weight:	800g	重量	800g
Handwheel Focusing		手轮调焦	
IPX6		IPX6级别防护	

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

PZ1350-MH2106

MAgnification:	10-30x	放大倍率：10-30x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Fixed	目镜罩：固定
Coating:	Blue Coating	镀膜：蓝膜
Weight:	850g	重量 850g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PZ1360-MH2106

MAgnification:	10-30x	放大倍率：10-30x
Aperture:	60mm	物镜直径：60mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Fixed	目镜罩：固定
Coating:	Blue Coating	镀膜：蓝膜
Weight:	1200g	重量 1200g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1650-MH2106

MAgnification:	16x	放大倍率：16x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Blue Coating	镀膜：蓝膜
Weight:	850g	重量 850g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1860-MH2106

MAgnification:	18x	放大倍率：18x
Aperture:	60mm	物镜直径：60mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Blue Coating	镀膜：蓝膜
Weight:	1200g	重量 1200g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

Eyebre®

MH2107 BINOCULARS SERIES

PZ72140-MH2107

MAgnification:	7-21x	放大倍率：7-21x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Fixed	目镜罩：固定
Coating:	Blue Coating	镀膜：蓝膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PZ1350-MH2107

MAgnification:	10-30x	放大倍率：10-30x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Fixed	目镜罩：固定
Coating:	Blue Coating	镀膜：蓝膜
Weight:	850g	重量 850g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL1240-MH2107

MAgnification:	12x	放大倍率：12x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Blue Coating	镀膜：蓝膜
Weight:	850g	重量 850g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL2050-MH2107

MAgnification:	20x	放大倍率：20x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Blue Coating	镀膜：蓝膜
Weight:	850g	重量 850g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

PL2060-MH2107

MAgnification:	20x	放大倍率：20x
Aperture:	60mm	物镜直径：60mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Iron	镜身材料：铁质
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Blue Coating	镀膜：蓝膜
Weight:	1200g	重量 1200g
Handwheel Focusing		手轮调焦
IPX6		IPX6级别防护

Yiwu Inre Optical Instrument Co,. LT
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.C
WECHAT:13906893397 WHATSAPP:+86 139068931
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.C

PZ1360-MH2107

MAgnification:	10-30x	放大倍率:	10-30x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Iron	镜身材料:	铁质
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Fixed	目镜罩:	固定
Coating:	Blue Coating	镀膜:	蓝膜
Weight:	1250g	重量	1250g
Handwheel Focusing		手轮调焦	
IPX6		IPX6级别防护	

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

SZIIIQ 12-36x70变倍望远镜

MAgnification:	12-36x	放大倍率:	12-36x
Aperture:	70mm	物镜直径:	70mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	16.5-22mm	出瞳距离:	16.5-22mm
Field of view:	3-1.1°	视场范围:	3-1.1°
Prism Material:	K9	棱镜材料:	K9
Prism coating:	Blue film	棱镜镀膜:	蓝膜
Pupil diameter:	(Diameter) 2.2 - 5.8 mm	出瞳直径:	（直径）2.2-5.8mm
Coating:	FMC	镀膜:	FMC
Color:			

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

SZ-A 15-45x80 变倍望远镜

MAgnification:	15-45x	放大倍率:	15-45x
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	16.5-22mm	出瞳距离:	16.5-22mm
Field of view:	2.5 - 1°	视场范围:	2.5 - 1°
Prism Material:	K9	棱镜材料:	K9
Prism coating:	Blue film	棱镜镀膜:	蓝膜
Pupil diameter:	(Diameter) 2.2 - 5.7 mm	出瞳直径:	（直径）2.2-5.7mm
Lens Coating:	FMC	透镜镀膜:	FMC
Color:			

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

SZIIIQ 15-45x80 变倍望远镜

MAgnification:	15-45x	放大倍率:	15-45x
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	16.5-22mm	出瞳距离:	16.5-22mm
Field of view:	2.5 - 1°	视场范围:	2.5 - 1°
Prism Material:	K9	棱镜材料:	K9
Prism coating:	Blue film	棱镜镀膜:	蓝膜
Pupil diameter:	(Diameter) 2.2 - 5.7 mm	出瞳直径:	（直径）2.2-5.7mm
Lens Coating:	FMC	透镜镀膜:	FMC
Color:			

PZ1350-15/ PZ1350-15G

MAgnification:	10x-30x	放大倍率：10x-30x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	20mm	目镜直径：20mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	930g	重量 930g

Handwheel Focusing	手轮调焦
IPX6	IPX6级别防水
Waterproof	防水

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

PL1650-DTA5

PL1650-DTA5S

PL1650-DTA5G

MAgnification:	16x	放大倍率:	16x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	A5膜
Weight:	890g	重量	890g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

PL840-CB3

MAgnification:	8x	放大倍率：8x
Aperture:	40mm	物镜直径：40mm
Eyepiece Diameter:	20mm	目镜直径：20mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	ABS	镜身材料：ABS
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	A5 coating	镀膜：A5膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
Waterproof		防水

PL1050-CB3

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	22mm	目镜直径：22mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	ABS	镜身材料：ABS
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	A5 coating	镀膜：A5膜
Weight:	1060g	重量 1060g
Handwheel Focusing		手轮调焦
Wateroroof		防水
IPX7		IPX7防护级别

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

CZ11

MAgnification:	16x	放大倍率:	16x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24.5mm	目镜直径:	24.5mm
Exit Relief:	22mm	出瞳距离:	22mm
Exit Diameter:	3.1mm	出瞳直径:	3.1mm
Body Material:	Aluminum alloy	镜身材料:	铝合金
Prism System:	Pauline style	棱镜系统:	保罗式
Prism Material:	BAK7	棱镜材料:	BK7
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带多层镀膜
Weight:	954g	重量:	954g
Fixed Focal Length			

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

PL1050-MZW13

MAgnification:	10x	放大倍率：10x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	20mm	目镜直径：20mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	5mm	出瞳直径：5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Porro Prism	棱镜系统：保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：BAK4光学镜片
Eyecup:	Multiposition Spin	目镜罩：旋转
Coating:	Green	镀膜：绿膜
Weight:	940g	重量 940g

Handwheel Focusing 手轮调焦
IPX7 IPX7级别防护

PZ1350-MZW13

放大倍率：10x-30x
物镜直径：50mm
目镜直径：22mm
出瞳距离：10mm
出瞳直径：5mm
镜身材料：金属
棱镜系统：保罗棱镜
棱镜材料：BAK4光学镜片
目镜罩：旋转
镀膜：绿膜
重量 950g

手轮调焦
IPX6级别防护

MAgnification:	10x-30x
Aperture:	50mm
Eyepiece Diameter:	20mm
Exit Relief:	10mm
Exit Diameter:	5mm
Body Material:	Metal
Prism System:	Porro Prism
Prism Material:	BAK4 Optical Lens
Eyecup:	Multiposition Spin
Coating:	Green
Weight:	950g

Handwheel Focusing
IPX6

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

50迷彩变倍

MAgnification:	10-30x	放大倍率:	10-30x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	spin	目镜罩:	旋转
Coating:	Green Coating	镀膜:	绿膜
Weight:	730g	重量	730g
Fixed Focal Length			定焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

灰瑶10x42

MAgnification:	10x	放大倍率:	12x
Aperture:	42mm	物镜直径:	42mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	19mm	出瞳距离:	19mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料:	BAK4光学镜片
Eyecup:	Spin	目镜罩:	旋转
Coating:	Multi-band Green Coating	镀膜:	全镀宽带绿膜
Weight:	900g	重量	900g
IPX7			IPX7级防水
Fixed Focal Length			定焦

灰瑶 10x50

MAgnification:	10x	放大倍率:	10x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	19mm	出瞳距离:	19mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料:	BAK4光学镜片
Eyecup:	Spin	目镜罩:	旋转
Coating:	Multi-band Green Coating	镀膜:	全镀宽带绿膜
Weight:	1000g	重量	1000g
IPX7			IPX7级防水
Fixed Focal Length			定焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

绿影10x32

MAgnification:	8x	放大倍率：	8x
Aperture:	32mm	物镜直径：	32mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Exit Relief:	15mm	出瞳距离：	15mm
Exit Diameter:	4.9mm	出瞳直径：	4.9mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：	BAK4光学镜片
Eyecup:	Spin	目镜罩：	旋转
Coating:	FMC Multi-band Coating	镀膜：	FMC全宽带多层镀膜
Weight:	570g	重量	570g
Fixed Focal Length			定焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

98式 10x50

MAgnification:	10x	放大倍率:	10x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	20.8mm	出瞳距离:	20.8mm
Exit Diameter:	5.2mm	出瞳直径:	5.2mm
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带镀膜
Weight:	1300g	重量	1300g
IPX7			IPX7

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

28LE-10X-30X60

MAgnification:	10-30x	放大倍率：	10-30x
Aperture:	60mm	物镜直径：	60mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：	BAK4光学镜片
Eyecup:	Fixed	目镜罩：	固定
Coating:	FMC Multi-band Coating	镀膜：	FMC全宽带多层镀膜
Weight:	1300g	重量	1300g
Handwheel Focusing			手轮调焦

2065 8x40

MAgnification:	8x	放大倍率：	8x
Aperture:	40mm	物镜直径：	40mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：	BAK7光学镜片
Eyecup:	Fixed	目镜罩：	固定
Coating:	FMC Multilayer Coating	镀膜：	FMC多层镀膜
Weight:	650g	重量	650g
Handwheel Focusing			手轮调焦

2065 10x50

MAgnification:	10x	放大倍率：	10x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7 Optical Lens	棱镜材料：	BAK7光学镜片
Eyecup:	Fixed	目镜罩：	固定
Coating:	FMC Multilayer Coating	镀膜：	FMC多层镀膜
Weight:	770g	重量	770g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

MAgnification:	12x	放大倍率：	12x
Aperture:	60mm	物镜直径：	60mm
Eyepiece Diameter:	23mm	目镜直径：	23mm
Exit Relief:	21mm	出瞳距离：	21mm
Exit Diameter:	2.8mm	出瞳直径：	2.8mm
Body Material:	ABS+Metal	镜身材料：	ABS+金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Field of view:	96m/1000m	视场：	96m/1000m
Coating:	FMC green coating	镀膜：	全色域增透绿膜
Weight:	1200g	重量	1200g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

168III

MAgnification:	20x	放大倍率：	20x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	15mm	出瞳距离：	15mm
Exit Diameter:	3.1mm	出瞳直径：	3.1mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Fixed	目镜罩：	固定
Coating:	Broad band red film	镀膜：	宽带红膜
Weight:	788g	重量	788g

Eyebre®

STRAIGHT BINOCULAR

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

R832-ML

MAgnification:	8x/10x	放大倍率：	8x/10x
Aperture:	32mm	物镜直径：	32mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	Green	镀膜：	绿膜
Weight:	450g	重量	450g
Handwheel Focusing		手轮调焦	
IPX6		IPX6	

R1032-YFT

MAgnification:	10x	放大倍率：	10x
Aperture:	32mm	物镜直径：	32mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	Green	镀膜：	绿膜
Weight:	410g	重量	410g
Handwheel Focusing		手轮调焦	
IPX6		IPX6	

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

R1026-YFT

R1026-YFT-G

MAgnification:	10x	放大倍率：	10x
Aperture:	26mm	物镜直径：	26mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	Green	镀膜：	绿膜
Weight:	350g	重量	350g
Handwheel Focusing		手轮调焦	
IPX6		IPX6	

R1042-BS

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK4	棱镜材料：BAK4
Eyecup:	Spin	目镜罩：旋升
Coating:	Green	镀膜：绿膜
Weight:	460g	重量 460g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-STD09

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Green	镀膜：绿膜
Weight:	580g	重量 580g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-DF

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Green	镀膜：绿膜
Weight:	580g	重量 580g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-DHB

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Green	镀膜：绿膜
Weight:	510g	重量 510g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1250-LD212

MAgnification:	12x	放大倍率：12x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	ABS	镜身材料：ABS
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Green	镀膜：绿膜
Weight:	800g	重量 800g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-LD213

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	20mm	目镜直径：20mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	ABS	镜身材料：ABS
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Double Layer Coating	镀膜：双层
Weight:	560g	重量 560g
Handwheel Focusing		手轮调焦
IPX6		IPX6

8X42DM

MAgnification:	8x	放大倍率：	8x
Aperture:	42mm	物镜直径：	42mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	Green	镀膜：	绿膜
Weight:	670g	重量	670g
Handwheel Focusing		手轮调焦	
IPX6		IPX6	

R1042-LD218

MAgnification:	10x	放大倍率：	10x
Aperture:	42mm	物镜直径：	42mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	Green	镀膜：	绿膜
Weight:	650g	重量	650g
Handwheel Focusing		手轮调焦	
IPX6		IPX6	

R1042-LD214

MAgnification:	12x	放大倍率：12x
Aperture:	42mm	物镜直径：50mm
Eyepiece Diameter:	20mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	ABS	镜身材料：ABS
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Overturn	目镜罩：Overturn
Coating:	Double Layer Coating	镀膜：双层
Weight:	570g	重量 570g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-LD215

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	20mm	目镜直径：20mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	ABS	镜身材料：ABS
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Overturn	目镜罩：Overturn
Coating:	Double Layer Coating	镀膜：双层
Weight:	570g	重量 570g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-TK4

R1042-TK4-B

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	TEP	镜身材料：橡塑
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Green	镀膜：绿膜
Weight:	650g	重量 650g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1026-DM-S

R1026-DM-G

R1026-DM

MAgnification:	10x	放大倍率：	10x
Aperture:	26mm	物镜直径：	26mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	Green	镀膜：	绿膜
Weight:	500g	重量	500g
Handwheel Focusing			手轮调焦
IPX6			IPX6

HD Series

Eyebre
BX Series

Eyebre
T23 Series

Eyebre
Gaspo Series

Eyebre
TK3 Series

Eyebre

BX-定焦系列

BX-Fixed Focusing

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

R1032-BX-WF

R1032-BX-F

R1032-BX-SF

MAgnification:	10x	放大倍率：	10x
Aperture:	32mm	物镜直径：	32mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4mm	出瞳直径：	4mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	A5 Coating	镀膜：	A5
Weight:	383g	重量	383g
IPX6		IPX6	

Eyebre

BX-调焦系列

BX-Handwheel Focusing

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

R1032-BX-W

R1032-BS-S

R1032-BX

MAgnification:	10x	放大倍率：	10x
Aperture:	32mm	物镜直径：	32mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4mm	出瞳直径：	4mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	A5 Coating	镀膜：	A5
Weight:	400g	重量	400g
IPX6		IPX6	
Handwheel Focusing		手轮调焦	

Eyebre

T23系列

T23 Series

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

R1250-T23B

R1250-T23S

R1250-T23G

MAgnification:	12x	放大倍率:	12x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	22mm	目镜直径:	22mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	4mm	出瞳直径:	4mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Roof Prism	棱镜系统:	屋脊棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Spin	目镜罩:	旋升
Coating:	A5 Coating	镀膜:	A5
Weight:	835g	重量	835g
IPX6		IPX6	
Handwheel Focusing		手轮调焦	

Eyebre
艾博睿

T21 SERIES
12X50

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

产品参数

规格型号	12x50
放大倍率	12x
物镜直径	50mm
棱镜类别	BAK4
透镜镀膜	FMC镀膜
视场角	5°
视　　场	262ft
出瞳直径	4mm
出瞳距离	12.8mm
近焦距离	4m
产品净重	730g
产品尺寸	190x140mm

R1042-TK3-DH

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Highly Reflective Dielectric Coatings	镀膜：高反射介质膜
Weight:	670g	重量 670g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-DHB

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Green	镀膜：绿膜
Weight:	510g	重量 510g
Handwheel Focusing		手轮调焦
IPX6		IPX6

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

FT10x50

Product Model:	10-12X50	产品型号：	12-10X50
Magnification:	10X	放大倍率：	10X
Housing Material:	Plastic Steel	镜体材料：	塑钢
Armoring Material:	Rubber	外铠材料：	橡胶
Eyepiece Diameter:	21mm	目镜口径：	21mm
Objective Diameter:	50mm	物镜口径：	50mm
Prism System:	Straight Tube (Roof Prism)	棱镜系统：	直筒（屋脊）
Prism Material:	BAK4	棱镜材料：	BAK4
Field Angle:	6.2°	视场角度：	6.2°
Field of View@1000yds:	324FT/1000YDS	千米视场：	324FT/1000YDS
Eye Relief:	14.6mm	出瞳距离：	14.6mm
Exit Pupil:	4mm	出瞳直径：	4mm
Product Dimension:	148mm/170mm/65mm	产品尺寸：	148mm/170mm/65mm
Net Weight:	800g	产品重量：	800g
Lens Coating:	FMC-A4 Anti-Reflection Coating	透镜镀膜：	FMC.A4 增透膜

ES SERIES

ES12X50咖色

ES12X50黑色

E5 10X50

MAgnification:	10x	放大倍率：	10x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	16.8mm	出瞳距离：	16.8mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Magnesium aluminum alloy	镜身材料：	美铝合金
Prism System:		棱镜系统：	
Prism Material:	BAK4	棱镜材料：	BAK4
Coating:	SMC Multilayer Coating	镀膜：	SMC多层宽带镀膜
Weight:	860g	重量	860g
IPX6			

E5 12X50

MAgnification:	12x	放大倍率：	12x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	21mm	目镜直径：	21mm
Exit Relief:	14.6mm	出瞳距离：	14.6mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	Magnesium aluminum alloy	镜身材料：	美铝合金
Prism System:		棱镜系统：	
Prism Material:	BAK4	棱镜材料：	BAK4
Coating:	SMC Multilayer Coating	镀膜：	SMC多层宽带镀膜
Weight:	860g	重量	860g
IPX6			

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

T23金属手轮

MAgnification:	12x	放大倍率:	12x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	7mm	出瞳距离:	7mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Roof Prism	棱镜系统:	屋脊棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料:	BAK4光学镜片
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC多宽带镀膜
Weight:	880g	重量	880g
Fixed Focal Length			定焦

ED series

Eyebre
TK Series

Eyebre
E01 Series

Eyebre
PS26 Series

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

PL12x50-E01 ED

MAgnification:	12x	放大倍率:	12x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	4.3mm	出瞳直径:	4.3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Roof Prism	棱镜系统:	屋脊棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Spin	目镜罩:	旋转
Coating:	ED A5 coating	镀膜:	EDA5膜
Weight:	890g	重量	890g
IPX7			IPX7级防水
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

PL12x50-E01 ED

MAgnification:	12x	放大倍率:	12x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	4.3mm	出瞳直径:	4.3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Roof Prism	棱镜系统:	屋脊棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料:	BAK7光学镜片
Eyecup:	Spin	目镜罩:	旋转
Coating:	ED A5 coating	镀膜:	EDA5膜
Weight:	890g	重量	890g
IPX7			IPX7级防水
Handwheel Focusing			手轮调焦

PL12x50-E02 ED

MAgnification:	12x	放大倍率:	12x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	18.5mm	出瞳距离:	18.5mm
Exit Diameter:	4.3mm	出瞳直径:	4.3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Roof Prism	棱镜系统:	屋脊棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料:	BAK4光学镜片
Eyecup:	spin	目镜罩:	旋转
Coating:	ED A5 Coating	镀膜:	EDA5膜
Weight:	890g	重量	890g
IPX7			IPX6级防水
Fixed Focal Length			定焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

E02 12X50

MAgnification:	12x	放大倍率：	12x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	18.5mm	出瞳距离：	18.5mm
Exit Diameter:	4.3mm	出瞳直径：	4.3mm
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Spin	目镜罩：	旋转
Coating:	ED A5 Coating	镀膜：	EDA5膜
Weight:	890g	重量	890g

R1050-PS26-ED

MAgnification:	12x	放大倍率：	12x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Spin	目镜罩：	旋升
Coating: Highly Reflective Dielectric Coatings		镀膜：	高反射介质膜
Weight:	1000g	重量	1000g
Handwheel Focusing		手轮调焦	
IPX6		IPX6级别防护	

R1042-TK31-ED

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Purple Coating	镀膜：紫膜
Weight:	670g	重量 670g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-TK6-ED

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	TEP	镜身材料：橡塑
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Highly Reflective Dielectric Coatings	镀膜：高反射介质膜
Weight:	680g	重量 680g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1042-TK26-ED

MAgnification:	10x	放大倍率：10x
Aperture:	42mm	物镜直径：42mm
Eyepiece Diameter:	26mm	目镜直径：26mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	Metal	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Highly Reflective Dielectric Coatings	镀膜：高反射介质膜
Weight:	720g	重量 720g
Handwheel Focusing		手轮调焦
IPX6		IPX6

R1250-TK26-ED

MAgnification:	12x	放大倍率：12x
Aperture:	50mm	物镜直径：50mm
Eyepiece Diameter:	24mm	目镜直径：24mm
Exit Relief:	10mm	出瞳距离：10mm
Exit Diameter:	4.5mm	出瞳直径：4.5mm
Body Material:	TEP	镜身材料：金属
Prism System:	Roof Prism	棱镜系统：屋脊棱镜
Prism Material:	BAK7	棱镜材料：BAK7
Eyecup:	Spin	目镜罩：旋升
Coating:	Highly Reflective Dielectric Coatings	镀膜：高反射介质膜
Weight:	820g	重量 820g
Handwheel Focusing		手轮调焦
IPX6		IPX6

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

R1042-TK7-ED

MAgnification:	10x	放大倍率：	10x
Aperture:	42mm	物镜直径：	42mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	4.5mm	出瞳直径：	4.5mm
Body Material:	Magnesium Alloy	镜身材料：	镁合金
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋升
Coating:	Highly Reflective Dielectric Coatings	镀膜：	高反射介质膜
Weight:	680g	重量	680g
Handwheel Focusing		手轮调焦	
IPX6		IPX6	

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

10X42FED

MAgnification:	10x	放大倍率:	10x
Aperture:	42mm	物镜直径:	42mm
Eyepiece Diameter:	21mm	目镜直径:	21mm
Exit Relief:	14.9mm	出瞳距离:	14.9mm
Exit Diameter:	4.25mm	出瞳直径:	4.25mm
Body Material:	Magnesium-aluminum alloy	镜身材料:	镁铝合金
Prism System:	Roof Prism	棱镜系统:	屋脊式
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带多层镀膜
Weight:	790g	重量:	790g
Fixed Focal Length			

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

DT-A 10x42

MAgnification:	10x	放大倍率:	10x
Aperture:	42mm	物镜直径:	42mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	13.6mm	出瞳距离:	13.6mm
Exit Diameter:	4.2mm	出瞳直径:	4.2mm
Body Material:	PVC-plastic	镜身材料:	塑钢镜体
Prism System:	Roof Prism	棱镜系统:	屋脊式
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带多层镀膜
Weight:	605g	重量:	605g
Fixed Focal Length			
Colour:			

Eyebre

高清双筒望远镜

M81/3 ED SERIES

M81-15X56ED

MAgnification:	15x	放大倍率：	15x
Aperture:	56mm	物镜直径：	56mm
Eyepiece Diameter:	23mm	目镜直径：	23mm
Exit Relief:	23mm	出瞳距离：	23mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-5D-+5D	屈光度调节：	-5D-+5D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1460g	重量	1460g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦
No Image distortion			视场无变形

M83-10X42ED

MAgnification:	10x	放大倍率：	10x
Aperture:	42mm	物镜直径：	42mm
Eyepiece Diameter:	23mm	目镜直径：	23mm
Exit Relief:	23mm	出瞳距离：	23mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-5D-+5D	屈光度调节：	-5D-+5D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	870g	重量	870g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦
No Image distortion			视场无变形

M83-12X56ED-B

M83-12X56ED-G

MAgnification:	12x	放大倍率：	12x
Aperture:	56mm	物镜直径：	56mm
Eyepiece Diameter:	23mm	目镜直径：	23mm
Exit Relief:	23mm	出瞳距离：	23mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-5D-+5D	屈光度调节：	-5D-+5D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1180g	重量	1180g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦
No Image distortion			视场无变形

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

10X42HD

MAgnification:	10x	放大倍率:	10x
Aperture:	42mm	物镜直径:	42mm
Eyepiece Diameter:	21mm	目镜直径:	21mm
Exit Relief:	14mm	出瞳距离:	14mm
Exit Diameter:	4.1mm	出瞳直径:	4.1mm
Body Material:	ABS+Metal	镜身材料:	ABS+金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Field of view:	100m/1000m	视场:	100m/1000m
Coating:	FMC Coating	镀膜:	全表面多层镀膜
Weight:	700g	重量	700g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LG11 12x42 Green

MAgnification:	12x	放大倍率：	12x
Aperture:	42mm	物镜直径：	42mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	15.2mm	出瞳距离：	15.2mm
Exit Diameter:	4mm	出瞳直径：	4mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：	BAK4光学镜片
Eyecup:	Spin	目镜罩：	旋转
Coating:	Multilayer coating	镀膜：	多层镀膜
Weight:	800g	重量	800g
IPX6			IPX6级防水
Fixed Focal Length			定焦

LG11 12x42 Black

MAgnification:	12x	放大倍率：	12x
Aperture:	42mm	物镜直径：	42mm
Eyepiece Diameter:	26mm	目镜直径：	26mm
Exit Relief:	15.2mm	出瞳距离：	15.2mm
Exit Diameter:	4mm	出瞳直径：	4mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Roof Prism	棱镜系统：	屋脊棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：	BAK4光学镜片
Eyecup:	Spin	目镜罩：	旋转
Coating:	Multilayer coating	镀膜：	多层镀膜
Weight:	800g	重量	800g
IPX6			IPX6级防水
Fixed Focal Length			定焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

10X42HD

MAgnification:	10x	放大倍率：	10x
Aperture:	42mm	物镜直径：	42mm
Eyepiece Diameter:	21mm	目镜直径：	21mm
Exit Relief:	14mm	出瞳距离：	14mm
Exit Diameter:	4.1mm	出瞳直径：	4.1mm
Body Material:	ABS+Metal	镜身材料：	ABS+金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Field of view:	100m/1000m	视场：	100m/1000m
Coating:	FMC Coating	镀膜：	全表面多层镀膜
Weight:	700g	重量	700g
Handwheel Focusing			手轮调焦

Eyebre®

Mini BINOCULARS

PINK

BLACK

BLUE

GREEN

SANDBLACK

PURPLE

YELLO

WHITE

Eyebre

10X22 MINI BINOCULARS

MAgnification:	8x	放大倍率：	8x
Aperture:	22mm	物镜直径：	22mm
Eyepiece Diameter:	13mm	目镜直径：	13mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	2.6mm	出瞳直径：	2.6mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	121m/1000m	视场：	121m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	137g	重量	137g
Handwheel Focusing			手轮调焦

LD109

MAgnification:	8x	放大倍率：	8x
Aperture:	21mm	物镜直径：	21mm
Eyepiece Diameter:	13mm	目镜直径：	13mm
Exit Relief:	12mm	出瞳距离：	12mm
Exit Diameter:	2.94mm	出瞳直径：	2.94mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Filed of view:	123m/1000m	视场：	123m/1000m
Coating:	FMC Blue Coating	镀膜：	FMC蓝膜
Weight:	130g	重量	130g
Handwheel Focusing			手轮调焦

MAgnification:	8x	放大倍率:	8x
Aperture:	22mm	物镜直径:	22mm
Eyepiece Diameter:	16mm	目镜直径:	16mm
Exit Relief:	15mm	出瞳距离:	15mm
Exit Diameter:	3.1mm	出瞳直径:	3.1mm
Body Material:	Plastic	镜身材料:	塑料
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4+SK15	棱镜材料:	BAK4+SK15
Field of view:	126m/1000m	视场:	126m/1000m
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	215g	重量	215g
Handwheel Focusing			手轮调焦

TD2202 8x22

MAgnification:	8x	放大倍率：	8x
Aperture:	22mm	物镜直径：	22mm
Eyepiece Diameter:	14mm	目镜直径：	14mm
Exit Relief:	15mm	出瞳距离：	15mm
Exit Diameter:	3.1mm	出瞳直径：	3.1mm
Body Material:	Plastic	镜身材料：	塑料
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	147m/1000m	视场：	147m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	185g	重量	185g
Handwheel Focusing			手轮调焦

TD2303W

TD2303B

TD2303G

TD2303Y

MAgnification:	8x	放大倍率:	8x
Aperture:	22mm	物镜直径:	22mm
Eyepiece Diameter:	16mm	目镜直径:	16mm
Exit Relief:	15mm	出瞳距离:	15mm
Exit Diameter:	3.1mm	出瞳直径:	3.1mm
Body Material:	Plastic	镜身材料:	塑料
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Field of view:	126m/1000m	视场:	126m/1000m
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	300g	重量	300g
Handwheel Focusing			手轮调焦

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Exit Relief:	13mm	出瞳距离：	13mm
Exit Diameter:	2.5mm	出瞳直径：	2.5mm
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	131/1000m	视场：	131/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	240g	重量	240g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

MAgnification:	10x	放大倍率：	10x
Aperture:	22mm	物镜直径：	22mm
Eyepiece Diameter:	13mm	目镜直径：	13mm
Exit Relief:	11mm	出瞳距离：	11mm
Exit Diameter:	3.2mm	出瞳直径：	3.2mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	112m/1000m	视场：	112m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	300g	重量	300g
Handwheel Focusing			手轮调焦

LD105

MAgnification:	10x	放大倍率：	10x
Aperture:	22mm	物镜直径：	22mm
Eyepiece Diameter:	13mm	目镜直径：	13mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	2.6mm	出瞳直径：	2.6mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	121m/1000m	视场：	121m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	137g	重量	137g
Handwheel Focusing			手轮调焦

LD111

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16.5mm	目镜直径：	16.5mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	2.8mm	出瞳直径：	2.8mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	114m/1000m	视场：	114m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	210g	重量	210g
Handwheel Focusing			手轮调焦

8X21 UCF

MAgnification:	8x	放大倍率:	8x
Aperture:	21mm	物镜直径:	21mm
Eyepiece Diameter:	13mm	目镜直径:	13mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	2.8mm	出瞳直径:	2.8mm
Body Material:	ABS	镜身材料:	ABS
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Field of view:	114m/1000m	视场:	114m/1000m
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	138g	重量	138g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD103

MAgnification:	10x	放大倍率：	10x
Aperture:	22mm	物镜直径：	22mm
Eyepiece Diameter:	13mm	目镜直径：	13mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	2.6mm	出瞳直径：	2.6mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	121m/1000m	视场：	121m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	137g	重量	137g
Handwheel Focusing			手轮调焦

ZJ-C10X25（20x25）

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16.5mm	目镜直径：	16.5mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	2.5mm	出瞳直径：	2.5mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	114m/1000m	视场：	114m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	210g	重量	210g
Handwheel Focusing			手轮调焦

1030PERSONALITY

MAgnification:	10x	放大倍率：	10x
Aperture:	30mm	物镜直径：	30mm
Eyepiece Diameter:	16.5mm	目镜直径：	16.5mm
Exit Relief:	15mm	出瞳距离：	15mm
Exit Diameter:	3mm	出瞳直径：	3mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	114m/1000m	视场：	114m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	345g	重量	345g
Handwheel Focusing			手轮调焦

TD25B

TD25G

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Exit Relief:	13mm	出瞳距离：	13mm
Exit Diameter:	2.5mm	出瞳直径：	2.5mm
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	131/1000m	视场：	131/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	282g	重量	282g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

TD35C

TD35D

TD35S

MAgnification:	10x	放大倍率:	10x
Aperture:	25mm	物镜直径:	25mm
Eyepiece Diameter:	16mm	目镜直径:	16mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	2.5mm	出瞳直径:	2.5mm
Body Material:	TEP	镜身材料:	橡塑
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Field of view:	131m/1000m	视场:	131m/1000m
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	220g	重量	220g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

TD2201W

TD2201B

MAgnification:	8x	放大倍率：	8x
Aperture:	21mm	物镜直径：	21mm
Eyepiece Diameter:	14mm	目镜直径：	14mm
Exit Relief:	13mm	出瞳距离：	13mm
Exit Diameter:	2.6mm	出瞳直径：	2.6mm
Body Material:	Plastic	镜身材料：	塑料
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	112m/1000m	视场：	112m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	160g	重量	160g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD110

MAgnification:	10x	放大倍率:	10x
Aperture:	25mm	物镜直径:	25mm
Eyepiece Diameter:	16.5mm	目镜直径:	16.5mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	2.8mm	出瞳直径:	2.8mm
Body Material:	ABS	镜身材料:	ABS
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Field of view:	114m/1000m	视场:	114m/1000m
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	210g	重量	210g
Handwheel Focusing			手轮调焦

C2B

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Exit Relief:	13mm	出瞳距离：	13mm
Exit Diameter:	2.5mm	出瞳直径：	2.5mm
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	131m/1000m	视场：	131m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	255g	重量	255g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

TD24

MAgnification:	10x	放大倍率:	10x
Aperture:	25mm	物镜直径:	25mm
Eyepiece Diameter:	16mm	目镜直径:	16mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	2.5mm	出瞳直径:	2.5mm
Body Material:	TEP	镜身材料:	橡塑
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Field of view:	131/1000m	视场:	131/1000m
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	220g	重量	220g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

TD2202B-P

MAgnification:	8x	放大倍率：	8x
Aperture:	22mm	物镜直径：	22mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Exit Relief:	16mm	出瞳距离：	16mm
Exit Diameter:	3.1mm	出瞳直径：	3.1mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	126m/1000m	视场：	126m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	230g	重量	230g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

TD2903 12x25 C

MAgnification:	12x	放大倍率：	12x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	15mm	目镜直径：	15mm
Exit Relief:	20mm	出瞳距离：	20mm
Exit Diameter:	3mm	出瞳直径：	3mm
Body Material:	ABS	镜身材料：	ABS
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	113m/1000m	视场：	113m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	255g	重量	255g
Handwheel Focusing			手轮调焦

TD51B

TD51B

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Exit Relief:	12mm	出瞳距离：	12mm
Exit Diameter:	2.5mm	出瞳直径：	2.5mm
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Filed of view:	114m/1000m	视场：	114m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	350g	重量	350g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

TD38B

TD38S

MAgnification:	10x	放大倍率:	10x
Aperture:	25mm	物镜直径:	25mm
Eyepiece Diameter:	16mm	目镜直径:	16mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	2.5mm	出瞳直径:	2.5mm
Body Material:	TEP	镜身材料:	橡塑
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Field of view:	114m/1000m	视场:	114m/1000m
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	252g	重量	252g
Handwheel Focusing			手轮调焦

TD53B

TD51C

MAgnification:	8x	放大倍率：	15x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	17mm	目镜直径：	17mm
Exit Relief:	18mm	出瞳距离：	18mm
Exit Diameter:	3.1mm	出瞳直径：	3.1mm
Field of View:	126m/1000m	视场：	126m/1000m
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	336g	重量	336g
Handwheel Focusing			手轮调焦

ZO10X25

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	18mm	目镜直径：	16mm
Exit Relief:	13mm	出瞳距离：	13mm
Exit Diameter:	2.5mm	出瞳直径：	2.5mm
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	114m/1000m	视场：	114m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	240g	重量	240g
Handwheel Focusing			手轮调焦

ZO7-21x25

MAgnification:	7-21x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	25mm	目镜直径：	16mm
Exit Relief:	13mm	出瞳距离：	13mm
Exit Diameter:	2.5mm	出瞳直径：	2.5mm
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Field of view:	114m/1000m	视场：	114m/1000m
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	250g	重量	250g
Handwheel Focusing			手轮调焦

521C

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Exit Relief:	13mm	出瞳距离：	13mm
Exit Diameter:	2.5mm	出瞳直径：	2.5mm
Body Material:	TEP	镜身材料：	橡塑
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Field of view:	131/1000m	视场：	131/1000m
Coating:	Green Coating	镀膜：	绿膜
Weight:	282g	重量	282g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

Eyebre

HIGH QUALITY

10X24

HY-P

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

HY-P 10X24

MAgnification:	8x	放大倍率:	8x
Aperture:	24mm	物镜直径:	24mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	1.3mm	出瞳直径:	1.3mm
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Red Coating	镀膜:	红膜
Weight:	378g	重量	378g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

LD117 10x25

MAgnification:	10x	放大倍率:	10x
Aperture:	25mm	物镜直径:	25mm
Eyepiece Diameter:	16mm	目镜直径:	16mm
Exit Relief:	10mm	出瞳距离:	10mm
Exit Diameter:	3.2mm	出瞳直径:	3.2mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料:	BAK4光学镜片
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带多层镀膜
Weight:	245g	重量	245g
Fixed Focal Length			定焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD108 10x22

MAgnification:	10x	放大倍率：	10x
Aperture:	22mm	物镜直径：	22mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Fixed	目镜罩：	固定
Coating:	FMC Coating	镀膜：	FMC镀膜
Weight:	190g	重量	190g

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

3903 12x25

MAgnification:	12x	放大倍率：	12x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	15mm	目镜直径：	15mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4 Optical Lens	棱镜材料：	BAK4光学镜片
Eyecup:	Spin	目镜罩：	旋转
Coating:	FMC Multi-band Coating	镀膜：	FMC全宽带多层镀膜
Weight:	245g	重量	245g
Fixed Focal Length			定焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD201 10x25

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋转
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	190g	重量	190g

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China

LD201 10x25

MAgnification:	10x	放大倍率：	10x
Aperture:	25mm	物镜直径：	25mm
Eyepiece Diameter:	16mm	目镜直径：	16mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Spin	目镜罩：	旋转
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	190g	重量	190g

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

LD115

MAgnification:	8x	放大倍率:	8x
Aperture:	30mm	物镜直径:	30mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	14mm	出瞳距离:	14mm
Exit Diameter:	4.2mm	出瞳直径:	4.2mm
Body Material:	ABS、PVC	镜身材料:	ABS、PVC
Prism System:	Little Paul	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Spin	目镜罩:	旋转
Coating:	Red film	镀膜:	红膜
Weight:	343g	重量:	343g
Fixed Focal Length			
Color			

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

10x25A型保罗望远镜

MAgnification:	10x	放大倍率:	10x
Aperture:	25mm	物镜直径:	25mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	15.5mm	出瞳距离:	15.5mm
Exit Diameter:	5mm	出瞳直径:	5mm
High-definition level:	BSR-7-FHD	高清等级:	BSR-7-FHD
Highlight coating grade:	BSC-7775	高亮镀膜等级	BSC-7775
Prism Material:	BAK4	棱镜:	BAK4
Eyecup:	Multiple-speed ascending	目镜罩:	多档旋升
Size:	40x80x110mm	尺寸:	40x80x110mm
Weight:	187g	重量:	187g
Fixed Focal Length			
Color			

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

U255

Specifications:	10×25	参数:	10X25
Lens Material:	BK7	镜片材质:	BK7
Body Material:	ABS	镜身材质:	ABS
Coating:	Multi-coated	镀膜:	多层镀膜
Eyepiece Diameter:	15mm	目镜直径:	15mm
Objective Lens Diameter:	25mm	物镜直径:	25mm
Field of View:	114m/1000m	视场范围:	114m/1000m
Angle of View:	6.5°	视场角:	6.5°
Eye Relief:	10mm	出瞳距离:	10mm
Exit Pupil Diameter:	2.5mm	出瞳直径:	2.5mm
Eyecup Type:	Twist-up	眼罩类型:	旋升式
Coating Type:	FMC Coating	镀膜类型:	FMC镀膜
Focusing System:	Central Focusing	调焦系统:	中央调焦
Close Focus Distance:	3m	最近对焦距离:	3M
Waterproof Performance:	None	防水性能:	无
Weight:	190g	重量:	190g
Dimensions:	102×101×42mm	尺寸:	102*101*42mm

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

U256

Specifications:	10×25	参数:	10X25
Lens Material:	BK7	镜片材质:	BK7
Body Material:	ABS	镜身材质:	ABS
Coating:	Multi-coated	镀膜:	多层镀膜
Eyepiece Diameter:	15mm	目镜直径:	15mm
Objective Lens Diameter:	25mm	物镜直径:	25mm
Field of View:	114m/1000m	视场范围:	114m/1000m
Angle of View:	6.5°	视场角:	6.5°
Eye Relief:	10mm	出瞳距离:	10mm
Exit Pupil Diameter:	2.5mm	出瞳直径:	2.5mm
Eyecup Type:	Twist-up	眼罩类型:	旋升式
Coating Type:	FMC Coating	镀膜类型:	FMC镀膜
Focusing System:	Central Focusing	调焦系统:	中央调焦
Close Focus Distance:	3m	最近对焦距离:	3M
Waterproof Performance:	None	防水性能:	无
Weight:	190g	重量:	190g
Dimensions:	102×101×42mm	尺寸:	102*101*42mm

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

TD35C-C

Magnification:	10×	放大倍率:	10倍
Eyepiece Diameter:	16.5mm	目镜直径:	16.5mm
Objective Diameter:	25mm	物镜直径:	25mm
Field of View:	5°	视场:	5°
Exit Pupil Diameter:	2.5mm	出瞳直径:	2.5mm
Exit Pupil Distance:	6.5mm	出瞳距离:	6.5mm
Minimum Focus Distance:	5m	近焦距离:	5m
Lens Coating:	Wide-band Green Coating	镜片镀膜:	宽带绿膜
Waterproof Rating:	Daily Waterproof	防水级别:	普通生活防水
Packing Qty per Carton:	50PCS	装箱数:	50PCS
Product Dimension:	120×100×50mm	产品尺寸:	120×100×50mm
Weight:	240g	重量:	240g

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

TD20-520

Magnification:	5×	放大倍率:	5×
Interpupillary Distance:	52–74mm	瞳距调节范围:	52–74mm
Field of View:	263m/1000m	视场范围:	263m/1000m
Eyepiece Diameter:	16mm	目镜直径:	16mm
Objective Lens Diameter:	22mm	物镜直径:	22mm
Lens Coating:	Fully Coated	镜片镀膜:	全表面镀膜
Prism System:	Porro Prism	棱镜系统:	保罗式
Prism Material:	BK7	棱镜材质:	BK7
On-Axis Resolution:	≤11 arc seconds	轴上分辨率:	≤11角秒
Eye Relief:	13mm	出瞳距离:	13mm
Exit Pupil Diameter:	4mm	出瞳直径:	4mm
Focusing System:	Central Focusing	调焦系统:	中央调焦
Eyecup Type:	Fold-Down Eyecups	眼罩类型:	可折叠式眼罩
Minimum Focusing Distance:	2.5m	最近对焦距离:	2.5m
Product Dimensions:	109×40×89mm	产品尺寸:	109×40×89mm
Product Weight:	161g	产品重量:	161g

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

LD101

Magnification:	8×	放大倍率：	8×
Field of View:	7.5°	视场角度：	7.5°
Eyepiece Diameter:	16.5 mm	目镜直径：	16.5 mm
Objective Lens Diameter:	22 mm	物镜直径：	22 mm
Exit Pupil Diameter:	2.8 mm	出瞳直径：	2.8 mm
Minimum Focusing Distance:	1.5 m	最近观测距离：	1.5 m
Product Weight:	140 g	产品重量：	140 g
Product Dimensions:	80 × 102 × 40 mm	产品尺寸：	80 × 102 × 40 mm
Body Material:	ABS	镜身材质：	ABS
Prism Material:	BAK7	棱镜材质：	BAK7
Lens Coating:	Multi-Layer Broadband Coating	镀膜工艺：	多层宽带镀膜

Eyebre®

COMPASS BINOCULAR

With Compass
带罗盘

Ranging Ruler
带测距尺

1050C-Digital

MAgnification:	10x	放大倍率：	10x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	24mm	出瞳距离：	24mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-5D-+5D	屈光度调节：	-5D-+5D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1120g	重量	1120g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Renging Ruler			测距环
Separated Wheels Focusing			双调焦环

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

1050-SCC

MAgnification:	7x	放大倍率：	7x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	24mm	出瞳距离：	24mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-5D-+5D	屈光度调节：	-5D-+5D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1050g	重量	1050g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Renging Ruler			测距环
Separated Wheels Focusing			双调焦环

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

30系列

MAgnification:	7x	放大倍率:	7x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	22mm	目镜直径:	22mm
Exit Relief:	24mm	出瞳距离:	24mm
Exit Diameter:	6.5mm	出瞳直径:	6.5mm
Body Material:	Aluminum alloy	镜身材料:	铝合金
Prism System:	Pauline style	棱镜系统:	保罗式
Prism Material:	K9	棱镜材料:	K9
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带多层镀膜
Weight:	980g	重量:	980g
Fixed Focal Length			
Color			

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

ZB-2C Series

Color Customization
颜色可选

With Compass
带罗盘

Ranging Ruler
待测距尺

MAgnification:	7x	放大倍率：	7x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	24mm	出瞳距离：	24mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-5D-+5D	屈光度调节：	-5D-+5D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1000g	重量	1000g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Renging Ruler			测距环
Separated Wheels Focusing			双调焦环

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Primay color

Secondary color

With Compass
带罗盘

ZB-2C-GC

Primay color

Secondary color

With Compass
带罗盘

ZB-2C-BC

Primay color

Secondary color

With Compass
带罗盘

ZB-2C-NGC

Primay color

Secondary color

With Compass
带罗盘

ZB-2C-YC

Primay color

Secondary color

ZB-2C-G

Primay color

Secondary color

ZB-2C-RC

ZB7x50C-Fluffy

MAgnification:	7x	放大倍率:	7x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	24mm	出瞳距离:	24mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Diopter:	-4D-+4D	屈光度调节:	-4D-+4D
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	1360g	重量	1360g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Separated Wheels Focusing			双调焦环

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

ZB-3B 7X50

MAgnification:	7x	放大倍率：	7x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	24mm	出瞳距离：	24mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-4D-+4D	屈光度调节：	-4D-+4D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1420g	重量	1420g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Separated Wheels Focusing			双调焦环

ZB-37x50C

MAgnification:	7x	放大倍率：	7x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	24mm	出瞳距离：	24mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-4D-+4D	屈光度调节：	-4D-+4D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1360g	重量	1360g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Separated Wheels Focusing			双调焦环

ZB-37x50

MAgnification:	7x	放大倍率：	7x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	24mm	出瞳距离：	24mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-4D-+4D	屈光度调节：	-4D-+4D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1360g	重量	1360g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Separated Wheels Focusing			双调焦环

ZB-3A7x50-C

MAgnification:	7x	放大倍率:	7x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	24mm	出瞳距离:	4mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Diopter:	-5D-+5D	屈光度调节:	-5D-+5D
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	1050g	重量	1050g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Renging Ruler			测距环
Separated Wheels Focusing			双调焦环

ZB-3A7x50-CC

MAgnification:	7x	放大倍率:	7x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	24mm	出瞳距离:	4mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Diopter:	-5D-+5D	屈光度调节:	-5D-+5D
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	1050g	重量	1050g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Renging Ruler			测距环
Separated Wheels Focusing			双调焦环

22-750-GC

22-750-MC

22-750-CC

22-750-BC

With Compass
带罗盘

Optional Color
颜色可选

IPX6
级别防水

MAgnification:	7x	放大倍率:	7x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	24mm	出瞳距离:	24mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Diopter:	-4D-+4D	屈光度调节:	-4D-+4D
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	1360g	重量	1360g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Separated Wheels Focusing			双调焦环

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

MZW21-750-B

MZW21-750-Y

MZW21-750-G

MZW21-750-C

With Compass
带罗盘

Optional Color
颜色可选

IPX6
级别防水

MAgnification:	7x	放大倍率:	7x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	22mm	出瞳距离:	22mm
Exit Diameter:	7mm	出瞳直径:	7mm
Body Material:	Rubber(NBR+PVC)	镜身材料:	橡胶（NBR+PVC)
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Diopter:	-5D-+5D	屈光度调节:	-5D-+5D
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	1090g	重量	1090g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Renging Ruler			测距环
Separated Wheels Focusing			双调焦环

MZW21-750-B

MZW21-750-C

MZW21-750-G

MZW21-750-Y

Optional Color
颜色可选

IPX6
级别防水

MAgnification:	7x	放大倍率:	7x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	22mm	出瞳距离:	24mm
Exit Diameter:	7mm	出瞳直径:	5mm
Body Material:	Rubber（NBR+PVC)	镜身材料:	橡胶（NBR+PVC)
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Diopter:	-5D-+5D	屈光度调节:	-5D-+5D
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	1090g	重量	1090g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Separated Wheels Focusing			双调焦环

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

STD2308-L

STD2308-M

MAgnification:	7x	放大倍率：	7x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	22mm	出瞳距离：	22mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-5D-+5D	屈光度调节：	-5D-+5D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1130g	重量	1130g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Renging Ruler			测距环
Separated Wheels Focusing			双调焦环

With Compass
带罗盘

Ranging Ruler
带测距尺

YTW180750-C

With Compass
带罗盘

Ranging Ruler
带测距尺

YTW180750-CC

MAgnification:	7x	放大倍率：	7x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	24mm	出瞳距离：	24mm
Exit Diameter:	5mm	出瞳直径：	5mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-5D-+5D	屈光度调节：	-5D-+5D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1050g	重量	1050g
Nitrogen Fog proof			充氮防雾
IPX6			IPX6级防水
Range Ruler			测距环
Separated Wheels Focusing			双调焦环

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

40-LCB

40-LB

40-LCS

40-LS

40-LCG

40-LG

MAgnification:	10x
Aperture:	50mm
Eyepiece Diameter:	24mm
Exit Relief:	18.3mm
Exit Diameter:	5mm
Body Material:	Metal
Prism System:	Porro Prism
Prism Material:	BAK4
Diopter:	-5D-+5D
Coating:	FMC Green Coating
Weight:	1100g
Nitrogen Fog proof	
IPX6	
Renging Ruler	
Separated Wheels Focusing	

With Compass
带罗盘

Optional Color
颜色可选

放大倍率：	10x
物镜直径：	50mm
目镜直径：	24mm
出瞳距离：	18.3mm
出瞳直径：	5mm
镜身材料：	金属
棱镜系统：	保罗棱镜
棱镜材料：	BAK4
屈光度调节：	-5D-+5D
镀膜：	FMC绿膜
重量	1100g
充氮防雾	
IPX6级防水	
测距环	
双调焦环	

W130750-BC

W130750-YC

MAgnification:	7x	放大倍率：	7x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	27.4mm	出瞳距离：	27.4mm
Exit Diameter:	7mm	出瞳直径：	7mm
Body Material:	Rubber	镜身材料：	Rubber
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Diopter:	-4D-+6D	屈光度调节：	-4D-+6D
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	990g	重量	990g
Nitrogen Fog proof		充氮防雾	
IPX6		IPX6级防水	
Separated Wheels Focusing		双调焦环	

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

ZB6 8X30

MAgnification:	8x	放大倍率:	8x
Aperture:	30mm	物镜直径:	30mm
Eyepiece Diameter:	18mm	目镜直径:	18mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	4mm	出瞳直径:	4mm
Body Material:	Rubber	镜身材料:	橡胶
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Fixed	目镜罩:	固定
Coating: Double sided full band coating		镀膜:	双面全宽带镀膜
Weight:	630g	重量	630g
IPX6			IPX6级防水

ZB6C 8X30

MAgnification:	8x	放大倍率:	8x
Aperture:	30mm	物镜直径:	30mm
Eyepiece Diameter:	18mm	目镜直径:	18mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	4mm	出瞳直径:	4mm
Body Material:	Rubber	镜身材料:	橡胶
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Coating	镀膜:	FMC镀膜
Weight:	620g	重量	620g
IPX6			IPX6级防水
Eyepiece Focusing			目镜调焦

БИНОКЛЬ

15X60

12X45

10X40

8X30

RU8X30

MAgnification:	8x	放大倍率：	8x
Aperture:	30mm	物镜直径：	30mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	12mm	出瞳距离：	12mm
Exit Diameter:	3.75mm	出瞳直径：	3.75mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1360g	重量	1360g
IPX6			IPX6级防水

RU10X40

MAgnification:	10x	放大倍率：	10x
Aperture:	40mm	物镜直径：	40mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	12mm	出瞳距离：	12mm
Exit Diameter:	3.75mm	出瞳直径：	3.75mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	680g	重量	680g
IPX6			IPX6级防水

БИНОКЛЬ

RU8X30

МЕТАЛЛИЧЕСК

ПЛАСТИКОВ

RU12X45

MAgnification:	12x	放大倍率:	12x
Aperture:	45mm	物镜直径:	45mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	12mm	出瞳距离:	12mm
Exit Diameter:	3.75mm	出瞳直径:	3.75mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	935g	重量	935g
IPX6			IPX6级防水

RU15X60

MAgnification:	15x	放大倍率:	15x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	12mm	出瞳距离:	12mm
Exit Diameter:	3.75mm	出瞳直径:	3.75mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	1110g	重量	1110g
IPX6			IPX6级防水

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

JLT-BQ 8 x30

MAgnification:	8x	放大倍率:	8x
Aperture:	30mm	物镜直径:	30mm
Eyepiece Diameter:	21.5mm	目镜直径:	21.5mm
Exit Relief:	16mm	出瞳距离:	16mm
Field of view:	7.8°	视场范围:	7.8°
Prism Material:	BAK4	棱镜材料:	BAK4
Prism coating:	Blue film	棱镜镀膜:	蓝膜
Pupil diameter:	3.75mm	出瞳直径:	3.75mm
Coating:	FMC	镀膜:	FMC
Color:			

JLT-BQ 6 x30

MAgnification:	8x	放大倍率:	8x
Aperture:	30mm	物镜直径:	30mm
Eyepiece Diameter:	21.5mm	目镜直径:	21.5mm
Exit Relief:	23mm	出瞳距离:	23mm
Field of view:	8.5°	视场范围:	8.5°
Prism Material:	BAK4	棱镜材料:	BAK4
Prism coating:	Blue film	棱镜镀膜:	蓝膜
Pupil diameter:	5mm	出瞳直径:	5mm
Coating:	FMC	镀膜:	FMC
Color:			

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

E01-1256

MAgnification:	12x	放大倍率:	12x
Aperture:	56mm	物镜直径:	56mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	16.1mm	出瞳距离:	16.1mm
Exit Diameter:	4.5mm	出瞳直径:	4.5mm
Body Material:	PVC plastic steel	镜身材料:	塑钢
Prism System:	Roof ridge style	棱镜系统:	屋脊
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带多层镀膜
Weight:	1021g	重量:	1021g
Fixed Focal Length			
Color			

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

E06

MAgnification:	10x	放大倍率:	10x
Aperture:	42mm	物镜直径:	42mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	16.8mm	出瞳距离:	16.8mm
Exit Diameter:	5.2mm	出瞳直径:	5.2mm
Body Material:	PVC plastic steel	镜身材料:	塑钢
Prism System:	Roof ridge style	棱镜系统:	屋脊
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Spin	目镜罩:	旋转
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带多层镀膜
Weight:	615g	重量:	615g
Fixed Focal Length			
Color			

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

10X42F(II)STT激光测距沙色双筒望远镜

MAgnification:	10x	放大倍率:	10x
Aperture:	42mm	物镜直径:	42mm
Eyepiece Diameter:	21mm	目镜直径:	21mm
Exit Relief:	15.1mm	出瞳距离:	15.1mm
Field of view:	6.1°	视场范围:	6.1°
Prism Material:	BAK4	棱镜材料:	BAK4
Measurement range:	5-1500/1800/2400m	测距范围:	5-1500/1800/2400m
Pupil diameter:	(Diameter) 4.25 mm	出瞳直径:	（直径）4.25mm
Lens Coating:	FMC	透镜镀膜:	FMC
Color:			

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

18系列 10x50L半包升级版双筒望远镜

MAgnification:	10x	放大倍率:	10x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	24.5mm	目镜直径:	24.5mm
Exit Relief:	18.3mm	出瞳距离:	18.3mm
Field of view:	5.8°	视场范围:	5.8°
Prism Material:	BAK4	棱镜材料:	BAK4
Folding eyecups:	Yes	目罩反接:	Yes
Pupil diameter:	5mm	出瞳直径:	5mm
Lens Coating:	FMC	透镜镀膜:	FMC
Color:			

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

18系列 10x50WA全包超广角双筒望远镜

MAgnification:	10x	放大倍率:	10x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	26mm	目镜直径:	26mm
Exit Relief:	17.8mm	出瞳距离:	17.8mm
Field of view:	7.6°	视场范围:	7.6°
Prism Material:	BAK4	棱镜材料:	BAK4
Folding eyecups:	Yes	目罩反接:	Yes
Pupil diameter:	4.8mm	出瞳直径:	4.8mm
Lens Coating:	FMC	透镜镀膜:	FMC
Color:			

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

18系列8-24x50变倍望远镜

MAgnification:	8X-24X	放大倍率:	8X-24X
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	20.5mm	目镜直径:	20.5mm
Exit Relief:	20mm	出瞳距离:	20mm
Field of view:	4.5°	视场范围:	4.5°
Prism Material:	K9	棱镜材料:	K9
Folding eyecups:	Yes	目罩反接:	Yes
Pupil diameter:	5.6mm	出瞳直径:	5.6mm
Lens Coating:	Multi	透镜镀膜:	Multi
Color:			

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

92直筒折叠系列望远镜

MAgnification:	10X	放大倍率:	10X
Aperture:	25mm	物镜直径:	25mm
Minimum focal length:	1.5M/5Ft	最近焦距:	1.5M/5Ft
Exit Relief:	15.8mm	出瞳距离:	15.8mm
Field of view:	5.4°	视场范围:	5.4°
Prism Material:	K9	棱镜材料:	K9
Number of lens groups:	7Pcs/4Groups	透镜组数:	7Pcs/4Groups
Pupil diameter:	2.5mm	出瞳直径:	2.5mm
Lens Coating:	Full	透镜镀膜:	Full
Color:			

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

56/10.5x42APO

Magnification:	10.5X	放大倍率:	10.5X
Objective lens diameter:	42mm	物镜直径:	42mm
Prism category:	BAK4	棱镜类别:	BAK4
Eye-to-eye distance:	16.3mm	出瞳距离:	16.3mm
Pupil diameter:	Φ4mm	出瞳直径:	Φ4mm
Field of view:	6.5°	视场:	6.5°
Number of lens groups:	11Pcs / 7 Groups	透镜组数:	7组11片
Eyepiece size:	26mm flat-field design	目镜尺寸:	26mm 平场设计
Lens coating:	FMC	透镜镀膜:	FMC
Waterproof structure:	Nitrogen-filled waterproofing	防水结构:	充氮防水
Product size:	135x65x155mm	产品尺寸:	135x65x155mm
Net weight of the product:	723.8g	产品净重:	723.8g

56/8.5x42APO

Magnification:	8.5X	放大倍率:	8.5X
Objective lens diameter:	42mm	物镜直径:	42mm
Prism category:	BAK4	棱镜类别:	BAK4
Eye-to-eye distance:	18.2mm	出瞳距离:	18.2mm
Pupil diameter:	4.99mm	出瞳直径:	4.99mm
Field of view:	7.78°	视场:	7.78°
Number of lens groups:	11Pcs / 7 Groups	透镜组数:	7组11片
Eyepiece size:	26mm flat-field design	目镜尺寸:	28mm 平场设计
Lens coating:	FMC	透镜镀膜:	FMC
Waterproof structure:	Nitrogen-filled waterproofing	防水结构:	充氮防水
Product size:	135x65x155mm	产品尺寸:	135x65x155mm
Net weight of the product:	723.8g	产品净重:	723.8g

56/7x36APO

Magnification:	7X	放大倍率:	7X
Objective lens diameter:	36mm	物镜直径:	36mm
Prism category:	BAK4	棱镜类别:	BAK4
Eye-to-eye distance:	18.2mm	出瞳距离:	18.2mm
Pupil diameter:	5.14mm	出瞳直径:	5.14mm
Field of view:	9.42°	视场:	9.42°
Number of lens groups:	11Pcs / 7 Groups	透镜组数:	7组11片
Eyepiece size:	26mm flat-field design	目镜尺寸:	28mm 平场设计
Lens coating:	FMC	透镜镀膜:	FMC
Waterproof structure:	Nitrogen-filled waterproofing	防水结构:	充氮防水
Product size:	104x60x104mm	产品尺寸:	104x60x104mm
Net weight of the product:	692g	产品净重:	692g

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

25X100NF

MAgnification:	24x	放大倍率:	24x
Aperture:	100mm	物镜直径:	100mm
Pupil distance:	56MM~74MM	瞳孔距离:	56MM~74MM
Exit Relief:	15.5mm	出瞳距离:	15.5mm
Field of view:	2.8°	视场范围:	2.8°
Prism Material:	BAK4	棱镜材料:	BAK4
Eye Mask System:	Put down	眼罩系统:	放下
Pupil diameter:	4mm	出瞳直径:	4mm
Lens Coating:	FMC	透镜镀膜:	FMC
Color:			

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

22-750 7x50罗盘大兵迷彩航海望远镜

MAgnification:	7x	放大倍率:	7x
Aperture:	50mm	物镜直径:	50mm
Nitrogen-filled waterproofing:	yes	充氮防水:	是
Exit Relief:	22mm	出瞳距离:	22mm
Exit Diameter:	6.8mm	出瞳直径:	6.8mm
Field of view:	7.5°	视场:	7.5°
Prism System:	Pauline style	棱镜系统:	保罗式
Prism Material:	BAK4	棱镜材料:	BAK4
Distance between eyepieces:	72mm to 56mm	目镜相距:	72mm to 56mm
Coating:	FMC Multi-band Coating	镀膜:	FMC全宽带多层镀膜
Weight:	1098g	重量:	1098g

Fixed Focal Length

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LRB30 10x42绿色4000m双筒激光测距望远镜

MAgnification:	10x	放大倍率：	10x
Aperture:	42mm	物镜直径：	42mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	16.5mm	出瞳距离：	16.5mm
Field of view angle:	6.7°	视场角度：	6.7°
Waterproof rating:	IPX7 - Nitrated waterproofing	防水等级：	IPX7 充氮防水
Prism System:	Roofing system	棱镜系统：	屋脊系统
Prism Material:	BAK4	棱镜材料：	BAK4
Electronic Compass:	yes	电子指北针：	有
Coating:	SMC Full Multi-Layer Broadband Coating	镀膜：	SMC全多层宽带镀膜
Weight:	860g	重量：	860g

Fixed Focal Length

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China



CZ15

Model:	CZ15 8×40	产品型号:	CZ15 8×40
Magnification:	8X	放大倍率:	8X
Objective Diameter:	Φ40mm	物镜口径:	Φ40mm
Eyepiece Diameter:	Φ23.5mm	目镜口径:	Φ23.5mm
Body Material:	Aluminum Alloy	镜体材料:	铝合金
Rubber Armor:	PVC	胶皮材料:	PVC
Exit Pupil:	Φ5mm ±10%	出瞳直径:	Φ5mm ±10%
Eye Relief:	17mm	出瞳距离:	17mm
Field of View:	8.2°	视场角:	8.2°
Interpupillary Distance:	56-73mm	瞳距范围:	56-73mm
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	K9	棱镜材料:	K9
Objective Structure:	2 Elements / 1 Group	物镜结构:	2片1组
Eyepiece Structure:	4 Elements / 3 Groups	目镜结构:	4片3组
Product Size:	187×61×130mm	产品尺寸:	187×61×130mm
Product Weight:	Approx. 865g	产品重量:	约865g

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

CZ15

Magnification:	10x	放大倍率：	10x
Objective Diameter:	Φ50mm	物镜口径：	Φ50mm
Eyepiece Diameter:	Φ23.5mm	目镜口径：	Φ23.5mm
Body Material:	Aluminum Alloy	镜体材料：	铝合金
Rubber Armor:	PVC	胶皮材料：	PVC
Color:	Black	颜色：	黑色
Exit Pupil:	Φ5mm ±10%	出瞳直径：	Φ5mm ±10%
Eye Relief:	17mm	出瞳距离：	17mm
Field of View:	6.5°	视场角：	6.5°
Interpupillary Distance:	56-73mm	瞳距范围：	56-73mm
Prism System:	Porro Prism	棱镜系统：	Paul prism
Prism Material:	K9	棱镜材料：	K9
Product Size:	198×63×172mm	产品尺寸：	198×63×172mm
Weight:	945g	重量：	945g

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

CZ15 10-30x50

Magnification:	10-30x	放大倍率:	10-30x
Objective Diameter:	Φ50 ± 1mm	物镜口径:	Φ50 ± 1mm
Eyepiece Diameter:	Φ20 ± 1mm	目镜口径:	Φ20 ± 1mm
Body Material:	Aluminum Alloy	镜体材料:	铝合金
Rubber Armor:	Rubber (NBR+PVC)	胶皮材料:	橡胶（NBR+PVC）
Exit Pupil:	Φ6mm-Φ2.3mm ±10%	出瞳直径:	Φ6mm-Φ2.3mm ±10%
Eye Relief:	22mm-16.5mm	出瞳距离:	22mm-16.5mm
Field of View:	4.4°~1.7°	视场角:	4.4°~1.7°
Focusing System:	Central Focusing	调焦方式:	中央调焦
Interpupillary Distance:	58-73mm	瞳距范围:	58-73mm
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	K9	棱镜材料:	K9
Optical Material:	All-Optical Glass	光学材料:	全光学玻璃
Eyecup Type:	Twist-Up Eyecups	眼杯类型:	旋升式眼罩
Product Size:	196×65×199mm	产品尺寸:	196×65×199mm
Weight:	990g	重量:	990g

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

12X50-SHD

Magnification	12X	放大倍率	12X
Field of View	5.5°	视场角	5.5°
Eyepiece Diameter	23mm	目镜直径	23mm
Objective Lens Diameter	50mm	物镜直径	50mm
Prism	BAK7	棱镜阿贝	BAK7
Eye Relief	16.5mm	出瞳距离	16.5mm
Exit Pupil Diameter	4mm	出瞳直径	4mm
Interpupillary Adjustment Range	56-77mm	目距调节范围	56-77mm
Eyecup Type	Multi-position Twist-up	眼罩类型	多档旋升
Focus Type	Center Focus	调焦类型	中央调焦
Coating Grade	BSC-7775	高清等级	BSC-7775
Weight	640g	重量	640g
Dimension	136x64x176mm	尺寸	136x64x176mm

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

8x32保罗B款

Magnification:	10x	放大倍率：	10x （虚标）
Objective Diameter:	32mm	物镜直径：	32mm
Abbe Prism:	BAK4	棱镜阿贝：	BAK4
Eye Relief:	16mm	出瞳距离：	16mm
Minimum Focus Distance:	0.78m	最近焦距：	0.78m
Exit Pupil Diameter:	4.5mm	出瞳直径：	4.5mm
Interpupillary Adjustment Range:	55-80mm	目距调节范围：	55-80mm
Eyecup Type:	Twist-up Multiple Gear	眼罩类型：	多档旋升
Focus Type:	Central Focus	调焦类型：	中央调焦
HD Grade:	BSR-7-FHD	高清等级：	BSR-7-FHD
Coating Grade:	BSC-7775	高亮镀膜等级：	BSC-7775
Weight:	315g	重量：	315g
Dimension:	117*55*115mm	尺寸：	117*55*115mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

MDS 20X50

Magnification:	8X	放大倍率:	8×
Objective Diameter:	Φ50mm	物镜直径:	ϕ50mm
Eyepiece Diameter:	Φ26mm	目镜直径:	ϕ26mm
Eye Relief:	18mm	出瞳距离:	18mm
Exit Pupil:	6mm	出瞳直径:	6mm
Body Material:	Aluminum Alloy	镜身材料:	铝合金材质
Prism Material:	K9	棱镜材料:	K9
Prism System:	Porro Prism	棱镜系统:	保罗系统
Field of View:	8.2°	视场:	8.2°
Coating:	FMC Fully Multi-Coated	镀膜:	FMC 多层宽带镀膜
Product Weight:	783g	重量:	783g

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

NOVA 12×50 APO

Body Material:	Magnesium Alloy	镜身材质：	镁合金镜体
Eyepiece Diameter:	25mm	目镜直径：	25mm
Objective Diameter:	50mm	物镜直径：	50mm
Waterproof Rating:	IPX7, N_2-Filled	防水级别：	IPX7级充氮防水
Lens Material:	La-ED + ED Glass	镜片材质：	镧系ED玻璃+ED低色散镜片
Exit Pupil Diameter:	4.1mm	出瞳直径：	4.1mm
Eye Relief:	16.5mm	出瞳距离：	16.5mm
Angular FOV:	5.5°	视场角度：	5.5°
FOV at 1000m:	96m/1000m	千米视场：	96m/1000m
Close Focus:	2.5m	近焦距离：	2.5m
Diopter Adjustment:	-4D to +4D	屈光度范围：	-4D～+4D
Eyepiece Elements:	5E / 4G	目镜组成：	5片4组
Objective Elements:	3E / 2G + Focus Group	物镜组成：	3片2组+1组调焦镜
Lens Coating:	SMC Broadband FMC	镜片镀膜：	SMC全多层宽带镀膜
Prism Coating:	Broadband AR + Phase + HR Dielectric	棱镜镀膜：	宽带增透膜+相位膜+高反介质膜
Prism System:	Roof Prism	棱镜系统：	屋脊系统
Prism Material:	BAK-4	棱镜材质：	BAK-4
Prism Configuration:	Large Roof + Half-Roof	棱镜组成：	大号屋脊+大号半屋
Eyecup Type:	Twist-Up Eyecups	眼杯类型：	旋升眼杯
Focus Mechanism:	Center Focus	调焦方式：	中央调焦
Focus System:	Internal Focus	调焦系统：	内调焦
Dimensions:	170×133×60mm	产品尺寸：	170×133×60mm
Weight:	965g	产品重量：	965g

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

逐野・岩 R0CK 12x42

Magnification:	12×	倍率:	12倍
FOV:	7.5°	视场:	7.5°
Eyepiece:	25mm	目镜:	25mm
Objective:	42mm	物镜:	42mm
Prism:	16.5mm BaK7 FMC	棱镜:	16.5mm Bak7 宽带绿
Eye Relief:	17.8mm	出瞳距离:	17.8mm
Exit Pupil:	5.2mm	出瞳直径:	5.2mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

逐野・锋EOGE 12x42

Magnification:	12×	倍率:	12倍
FOV:	7.5°	视场:	7.5°
Eyepiece:	25mm	目镜:	25mm
Objective:	42mm	物镜:	42mm
Prism:	16.5mm BaK7 FMC	棱镜:	16.5mm Bak7 宽带绿
Eye Relief:	17.8mm	出瞳距离:	17.8mm
Exit Pupil:	5.2mm	出瞳直径:	5.2mm

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

望野 · Wildview

Model:	10×42	产品型号:	10×42直筒
Magnification:	10×	放大倍率:	10×
Eyepiece Diameter:	23mm	目镜直径:	23mm
Objective Diameter:	42mm	物镜直径:	42mm
Field of View:	7.5°	视场角:	7.5°
Linear FOV:	131m/1000m	视场范围:	131m/1000m
Eye Relief:	16mm	出瞳距离:	16mm
Exit Pupil:	5.5mm	出瞳直径:	5.5mm
Resolution:	6.5 arcsec	分辨率:	6.5角秒
Diopter Adjustment:	±4D	屈光度调节范围:	±4D
Interpupillary Distance:	56–74mm	瞳距调节范围:	56–74mm
Close Focus:	2.5m	最近对焦距离:	2.5m
Eyecup Type:	Twist-up	眼罩类型:	旋升式眼罩
Body Material:	Reinforced ABS	镜身材质:	强化ABS
Lens Material:	Optical Glass	镜片材质:	光学玻璃
Eyepiece Design:	3 Elements / 2 Groups	目镜结构:	2组3片
Lens Coating:	Dual-Side Purple Coating	镜片镀膜:	双面紫膜增透膜
Armor Material:	Eco-Friendly PVC	外皮材质:	环保PVC
Net Weight:	505g	产品重量:	505g
Dimensions:	143×128×54mm	产品尺寸:	143×128×54mm

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

望野 · Wildview

Magnification:	10×	放大倍率：	10×
Eyepiece Lens Diameter:	23 mm	目镜直径：	23mm
Objective Lens Diameter:	50 mm	物镜直径：	50mm
Field of View Angle:	6.2°	视场角：	6.2°
Field of View:	109 m/1000 m	视场范围：	109m/1000m
Eye Relief:	15 mm	出瞳距离：	15mm
Exit Pupil Diameter:	4.7 mm	出瞳直径：	4.7mm
Angular Resolution:	4.7 arcsec	角分辨率：	4.7角秒
Light Transmittance:	85%	透光率：	85%
Diopter Adjustment:	±4 D	屈光度调节范围：	±4D
Interpupillary Distance:	56–74 mm	瞳距调节范围：	56–74mm
Minimum Focus Distance:	3 m	最近对焦距离：	3m
Eyecup Type:	Twist-up eyecups	眼罩类型：	旋升式眼罩
Body Material:	Reinforced ABS	镜身材质：	强化ABS
Prism Type:	16.5 prism	棱镜规格：	16.5棱镜
Lens Material:	Optical glass	镜片材质：	光学玻璃
Eyepiece Configuration:	3 groups, 4 elements	目镜结构：	3组4片
Edge Distortion:	Low	边缘畸变：	低
Stray Light Suppression:	Good	杂散光抑制：	良好
Lens Coating:	Double-sided anti-reflective coating	镜片镀膜：	双面镀膜增透膜
Armor Material:	Eco-friendly PVC	外层包胶材质：	环保PVC
Weight:	740 g	重量：	740g
Dimensions:	173 × 138 × 62 mm	产品尺寸：	173×138×62mm

Eyebre®

TEL:
+86 13906893397

EMAIL:
SALES.EYEBREE GMAIL.COM

WECHAT:
13906893397

WHATSAPP:
+86 13906893397

WEBSITE:
HTTPS://INRE.EN.ALIBABA.COM
HTTPS://LINREOPTICAL.1688.COM