Eyebre

单筒望远镜

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD311

Magnification:	7-17x	倍率：	7-17x
Eyepiece Diameter:	23mm	目镜直径：	23mm
Objective Diameter:	60mm	物镜直径：	60mm
Field of View Angle:	5.8° -2.8°	视场角度：	5.8° -2.8°
Exit Pupil Diameter:	4-2.8mm	出瞳直径：	4-2.8mm
Minimum Focusing Distance:	2m	最近距离：	2m
Body Material:	ABS，PVC	镜身材质：	ABS，PVC
Prism Material:	BAK7	棱镜材质：	BAK7
Weight:	490g	重量：	490g
Product Dimensions:	212*70*70mm	产品尺寸：	212*70*70mm

Colour:

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

E5-10x42ED

Magnification:	10x	倍率:	10x
yepiece Diameter:	26mm	目镜直径:	26mm
Objective Diameter:	42mm	物镜直径:	42mm
Field of View Angle:	8°	视场角度:	8°
Exit Pupil Diameter:	5.2mm	出瞳直径:	5.2mm
Lens Material:	ED (Extra - low Dispersion) Lens	镜片材质:	ED低色散镜片
Lens Coating:	SMC Multi - layer Broadband Coating	镜片镀膜:	SMC多层宽带镀膜
Waterproof Rating:	IPX7	防水级别:	IPX7
Minimum Focusing Distance:	1.5m	最近距离:	1.5m
Body Material:	Aluminum Alloy	镜身材质:	铝合金
Prism Material:	BAK4	棱镜材质:	BAK4
Weight:	490g	重量:	490g
Product Dimensions:	212*70*70mm	产品尺寸:	212*70*70mm

Colour:

25x30海盗镜

Magnification:	12x	倍率:	12x
Eyepiece Diameter:	13mm	目镜直径:	13mm
Objective Diameter:	30mm	物镜直径:	30mm
Field of View Angle:	2.3°	视场角度:	2.3°
Exit Pupil Diameter:	3mm	出瞳直径:	3mm
Eyepiece:	Two groups, three pieces each	目镜:	2组3片
Lens Coating:	FC	镜片镀膜:	FC
Eye-to-eye distance:	15mm	出瞳距离:	15mm
Minimum Focusing Distance:	5m	最近距离:	5m
Body Material:	1 group, 2 pieces	物镜:	1组2片
Product model:	NDT-01	产品型号:	NDT-01
Weight:	128g	重量:	128g
Product Dimensions:	346x36mm	产品尺寸:	346x36mm

Colour:

25x42海盗镜

Magnification:	12x	倍率:	12x
Eyepiece Diameter:	24mm	目镜直径:	24mm
Objective Diameter:	43mm	物镜直径:	43mm
Field of View Angle:	3.2°	视场角度:	3.2°
Exit Pupil Diameter:	4mm	出瞳直径:	4mm
Single-lens eyepiece:	Two groups, three pieces each	单边目镜:	2组3片
Lens Coating:	FMC	镜片镀膜:	FMC
Eye-to-eye distance:	25mm	出瞳距离:	25mm
Minimum Focusing Distance:	5m	最近距离:	4m
Body Material:	1 group, 2 pieces	物镜:	1组2片
Product model:	NDT-02	产品型号:	NDT-02
Weight:	290g	重量:	290g
Product Dimensions:	380x53mm	产品尺寸:	380x53mm

Colour:

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD-301

Magnification:	12x	倍率:	12x
Eyepiece Diameter:	23mm	目镜直径:	23mm
Objective Diameter:	50mm	物镜直径:	50mm
Field of View Angle:	5°	视场角度:	5°
Exit Pupil Diameter:	4.5mm	出瞳直径:	4.5mm
Minimum Focusing Distance:	1.5m	最近距离:	1.5m
Body Material:	ABS\PVC	镜身材质:	ABS\PVC
Prism Material:	BAK7	棱镜材质:	BAK7
Weight:	353g	重量:	353g
Product Dimensions:	170x70x64mm	产品尺寸:	170x70x64mm

Colour:

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD309

Magnification:	8-22x	倍率：	8-22x
Eyepiece Diameter:	20mm	目镜直径：	20mm
Objective Diameter:	50mm	物镜直径：	50mm
Field of View Angle:	4.5-2.2°	视场角度：	4.5-2.2°
Exit Pupil Diameter:	6.2-2.4mm	出瞳直径：	6.2-2.4mm
Body Material:	ABS\PVC	镜身材质：	ABS\PVC
Prism Material:	BAK7	棱镜材质：	BAK7
Weight:	370g	重量：	370g
Product Dimensions:	190x70x64mm	产品尺寸：	190x70x64mm

Colour:

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD310

Magnification:	7-17x	倍率:	7-17x
Eyepiece Diameter:	23mm	目镜直径:	23mm
Objective Diameter:	60mm	物镜直径:	60mm
Field of View Angle:	4.5-2.2°	视场角度:	4.5-2.2°
Exit Pupil Diameter:	6.2-2.4mm	出瞳直径:	6.2-2.4mm
Body Material:	ABS	镜身材质:	ABS
Prism Material:	BAK7	棱镜材质:	BAK7
Weight:	497g	重量:	497g
Product Dimensions:	200x74x72mm	产品尺寸:	200x74x72mm

Colour:

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

LD311

Magnification:	7-17x	倍率：	7-17x
Eyepiece Diameter:	23mm	目镜直径：	23mm
Objective Diameter:	60mm	物镜直径：	60mm
Field of View Angle:	5.8-2.8°	视场角度：	5.8-2.8°
Exit Pupil Diameter:	4-2.8mm	出瞳直径：	4-2.8mm
Body Material:	ABS\PVC	镜身材质：	ABS\PVC
Prism Material:	BAK7	棱镜材质：	BAK7
Weight:	490g	重量：	490g
Product Dimensions:	212x70x70mm	产品尺寸：	212x70x70mm

Colour:

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

DT11 8-20x50单筒

Magnification:	8-20x	倍率:	8-20x
Eyepiece Diameter:	20mm	目镜直径:	20mm
Objective Diameter:	50mm	物镜直径:	50mm
Field of View Angle:	4.4-1.75°	视场角度:	4.4-1.75°
Exit Pupil Diameter:	6.25-2.5mm	出瞳直径:	6.25-2.5mm
Eye-to-eye distance:	22-16.5mm	出瞳距离:	22-16.5mm
Lens coating:	FMC	透镜镀膜:	FMC
Prism coating:	Blue film	棱镜镀膜:	兰膜
Prism Material:	K9	棱镜材质:	K9
Weight:	398g	重量:	398g
Product Dimensions:	78x64x225mm	产品尺寸:	78x64x225mm

Colour:

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

XW8-16X56绿

Magnification:	8-16x	倍率：	8-16x
Number of lens sets:	6 groups of 10 pieces	镜片组数：	6组10片
Objective Diameter:	56mm	物镜直径：	56mm
Field of View Angle:	4.5-3.15°	视场角度：	4.5-3.15°
Eye-to-eye distance:	19-16mm	出瞳距离：	19-16mm
Pupil diameter:	6.3-3.3mm	出瞳直径：	6.3-3.3mm
Prism Material:	BAK4	棱镜材质：	BAK4
Weight:	530g	重量：	530g
Product Dimensions:	189x85x68mm	产品尺寸：	189x85x68mm

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

XW12X56ED绿

Magnification:	12x	倍率:	12x
Number of lens sets:	6 groups of 10 pieces	镜片组数:	6组10片
Objective Diameter:	56mm	物镜直径:	56mm
Field of View Angle:	5.2°	视场角度:	5.2°
Eye-to-eye distance:	14.2mm	出瞳距离:	14.2mm
Pupil diameter:	4.2mm	出瞳直径:	4.2mm
Prism Material:	BAK4	棱镜材质:	BAK4
Weight:	482g	重量:	482g
Product Dimensions:	165x85x67mm	产品尺寸:	165x85x67mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

XW8-16X50黑色

Magnification:	8-16x	倍率:	8-16x
Number of lens sets:	6 groups of 10 pieces	镜片组数:	6组10片
Objective Diameter:	50mm	物镜直径:	50mm
Field of View Angle:	4.6-3°	视场角度:	4.6-3°
Eye-to-eye distance:	19.5-16.5mm	出瞳距离:	19.5-16.5mm
Pupil diameter:	6.3-3.3mm	出瞳直径:	6.3-3.3mm
Prism Material:	BAK4	棱镜材质:	BAK4
Weight:	522g	重量:	522g
Product Dimensions:	190x84x66mm	产品尺寸:	190x84x66mm

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

XW12X50ED黑色

Magnification:	12x	倍率:	12x
Number of lens sets:	6 groups of 10 pieces	镜片组数:	6组10片
Objective Diameter:	50mm	物镜直径:	50mm
Field of View Angle:	5.2°	视场角度:	5.2°
Eye-to-eye distance:	14mm	出瞳距离:	14mm
Pupil diameter:	4.2mm	出瞳直径:	4.2mm
Prism Material:	BAK4	棱镜材质:	BAK4
Weight:	462g	重量:	462g
Product Dimensions:	165x80x66mm	产品尺寸:	165x80x66mm

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

10-30x21

Magnification:	10-30x	倍率：	10-30x
Eyepiece Diameter:	12mm	目镜直径：	12mm
Objective Diameter:	21mm	物镜直径：	21mm
Field of View Angle:	1.6-3.3°	视场角度：	1.6-3.3°
Eye-to-eye distance:	14-12mm	出瞳距离：	14-12mm
Lens:	XP5 Round Lens	镜片：	XP5圆镜片
Prism Material:	BAK4	棱镜材质：	BAK4
Weight:	78g	重量：	78g
Product Dimensions:	130x35x35mm	产品尺寸：	130x35x35mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

10-30x25单筒

Magnification:	10-30x	倍率：	10-30x
Eyepiece Diameter:	13mm	目镜直径：	13mm
Objective Diameter:	25mm	物镜直径：	25mm
Field of View Angle:	3.5-2°	视场角度：	3.5-2°
Coating:	Multilayer broadband green-coated film	镀膜：	多层宽带镀绿膜
Focus adjustment method:	Stretch or rotate	调焦方式：	拉伸或旋转
Prism Material:	BAK4	棱镜材质：	BAK4
Weight:	160g	重量：	160g
Internal and external materials:	PVC plastic and elastic rubber	内外材质：	塑钢、弹性橡胶

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

10-30x30单筒

Magnification:	10-30x	倍率：	10-30x
Objective Diameter:	30mm	物镜直径：	30mm
Coating:	FMC multilayer coating	镀膜：	FMC多层镀膜
Focus adjustment method:	Stretch or rotate	调焦方式：	拉伸或旋转
Prism Material:	BAK4	棱镜材质：	BAK4
Weight:	160g	重量：	160g
Product material:	ABS plastic steel	产品材质：	ABS塑钢

6x30单筒

Magnification:	6x	倍率：	6x
Objective Diameter:	30mm	物镜直径：	30mm
Field of View Angle:	10.5°	视场角度：	10.5°
Exit Pupil Diameter:	5mm	出瞳直径：	5mm
Prism material:	K9	棱镜材质：	K9
Lens Coating:	Blue film	镜片镀膜：	蓝膜
Eye-to-eye distance:	20mm	出瞳距离：	20mm
Minimum Focusing Distance:	183m/1000m	最近距离：	183m/1000m
Weight:	215g	重量：	215g

Colour:

6X18单筒

Magnification:	12x	倍率：	6x
Objective Diameter:	43mm	物镜直径：	18mm
Field of View Angle:	3.2°	视场角度：	8.1°
Exit Pupil Diameter:	4mm	出瞳直径：	3mm
Prism material:	Two groups, three pieces each	棱镜材质：	K9
Lens Coating:	FMC	镜片镀膜：	蓝膜
Eye-to-eye distance:	25mm	出瞳距离：	10.5mm
Minimum Focusing Distance:	5m	最近距离：	142m/1000m
Weight:	290g	重量：	75g

Colour:

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

40X60斜纹单筒

Magnification:	10x	倍率:	10x
Objective Diameter:	50mm	物镜直径:	50mm
Coating:	FMC Multi-layer Broadband Green Coating	镀膜:	FMC多层宽带镀绿膜
Near focal distance:	3m	近焦距离:	3m
Field of view:	120m/1000m	视场:	120m/1000m
Focus adjustment method:	Intermediate focus wheel	调焦方式:	中间调焦轮
Prism Material:	BAK4	棱镜材质:	BAK4
Lens:	Optical glass lens	镜片:	光学玻璃镜片
Prism System:	Roof prism system	棱镜系统:	屋脊棱镜系统

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

35x50熊猫

Magnification:	35x	倍率：	35x
Objective Diameter:	50mm	物镜直径：	50mm
Coating:	Green film	镀膜：	绿膜
Focus adjustment method:	Stretch or rotate	调焦方式：	拉伸或旋转
Pupil diameter:	4.3mm	出瞳直径：	4.3mm
Eye-to-eye distance	22.2mm	出瞳距离：	22.2mm
Perspective:	6.8°	视野角度：	6.8°
Lens:	Optical glass	镜片：	光学玻璃

8x28旋转目镜单筒

Magnification:	8x	倍率:	8x
Eyepiece Diameter:	15mm	目镜直径:	15mm
Objective Diameter:	28mm	物镜直径:	28mm
Field of View Angle:	5.6°	视场角度:	5.6°
Field of view:	98m/1000m	视场:	98m/1000m
Focus adjustment method:	Central focusing	调焦方式:	中央调焦
Lens Coating:	FMC Broadband Coating	镜片镀膜:	FMC宽带镀膜
Eye-to-eye distance:	20mm	出瞳距离:	20mm
Minimum Focusing Distance:	5m	最近距离:	5m
Waterproof type:	Waterproof for daily use	防水类型:	生活防水
Prism material:	BAK4	棱镜材质:	BAK4
Weight:	225g	重量:	225g
Product Dimensions:	120*115*35mm	产品尺寸:	120*115*35mm

Colour:

8x25单筒

Magnification:	12x	倍率:	8x
Optical system:	Roof ridge	光学系统:	屋脊
Objective Diameter:	43mm	物镜直径:	25mm
Field of view:	3.2°	视场:	126m/1000m
Exit Pupil Diameter:	4mm	出瞳直径:	3.1mm
waterproof:	Two groups, three pieces each	是否防水:	是
Lens Coating:	FMC	镜片镀膜:	FMC多层镀膜
Prism material:	25mm	棱镜材质:	BAK4
Minimum Focusing Distance:	5m	最近距离:	1.5m
Weight:	290g	重量:	230g

Colour:

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

16x52老皮单筒望远镜

Magnification:	16x	倍率:	16x
Objective Diameter:	52mm	物镜直径:	52mm
Coating:	FMC Broadband Multi-layer Coating	镀膜:	FMC宽带多层镀膜
Eyepiece:	23mm	目镜:	23mm
Prism Material:	BAK4	棱镜材质:	BAK4
Weight:	160g	重量:	160g
Size:	145x52mm	尺寸:	145x52mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

8-24x40贝戈士单筒

Magnification:	8-24x	倍率:	8-24x
Eyepiece Diameter:	23mm	目镜直径:	23mm
Objective Diameter:	40mm	物镜直径:	40mm
Field of View Angle:	5-14°	视场角度:	5-14°
Exit Pupil Diameter:	5-1.6mm	出瞳直径:	5-1.6mm
Lens material:	Fluorinated optical glass	透镜材质:	氟化光学玻璃
Lens Coating:	FMC Full-Band Coating	镜片镀膜:	FMC全宽带镀膜
Eye-to-eye distance:	24mm	出瞳距离:	24mm
Mirror material:	Al-Mg Alloy + NBR Protective Cover	镜身材质:	铝镁合金+NBR护皮
Body Material:	Objective lens focusing	调焦系统:	目镜调焦
Product Dimensions:	240x65mm	产品尺寸:	240x65mm

Colour:

贝戈士8x30单

Magnification:	12x	倍率:	8x
Objective Diameter:	43mm	物镜直径:	30mm
Field of View Angle:	3.2°	视场角度:	8.3°
Exit Pupil Diameter:	4mm	出瞳直径:	3.75mm
Single-lens eyepiece:	Two groups, three pieces each	调焦方式:	目镜调焦
Lens Coating:	FMC	镜片镀膜:	淡蓝淡紫多层宽带膜
Eye-to-eye distance:	25mm	出瞳距离:	12mm
Minimum Focusing Distance:	5m	材料:	金属
Weight:	290g	重量:	226g
Product Dimensions:	380x53mm	产品尺寸:	122x50mm

Colour:

ZH-2 12X50单筒

Magnification:	12x	倍率:	12x
Eyepiece Diameter:	20mm	目镜直径:	20mm
Objective Diameter:	50mm	物镜直径:	50mm
Focus adjustment method:	Central focusing	调焦方式:	中央调焦
Lens Coating:	FMC Multi-Band Coating	镜片镀膜:	FMC多宽带镀膜
Eye-to-eye distance:	5mm	出瞳距离:	5mm
Minimum Focusing Distance:	2.5m	最近距离:	2.5m
Prism:	BAK4	棱镜:	BAK4
Mirror material:	金属+橡胶	镜身材质:	金属+橡胶
Weight:	303g	重量:	303g
Product Dimensions:	182x75x65mm	产品尺寸:	182x75x65mm

Colour:

ZH-2 16X50单筒

Magnification:	12x	倍率:	16x
Eyepiece Diameter:	24mm	目镜直径:	20mm
Objective Diameter:	43mm	物镜直径:	50mm
Exit Pupil Diameter:	4mm	视野:	211FT/1000YSD
Lens Coating:	FMC	镜片镀膜:	高清绿膜
Focus wheel:	Metal focusing wheel	调焦轮:	金属调焦轮
Weight:	290g	重量:	277g
Product Dimensions:	380x53mm	产品尺寸:	150x55x55mm

Colour:

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

ZH-2 25x50

Magnification:	25x	倍率：	25x
Eyepiece Diameter:	20mm	目镜直径：	20mm
Objective Diameter:	50mm	物镜直径：	50mm
Prism System:	Roof prism	棱镜系统：	屋脊棱镜
Lens Coating:	Green film	镜片镀膜：	绿膜
Eye-to-eye distance:	13.6mm	出瞳距离：	13.6mm
Pupil diameter:	5.2mm	出瞳直径：	5.2mm
Prism:	BAK4	棱镜：	BAK4
Field of view angle:	8.8°	视场角度：	8.8°
Waterproof rating:	Waterproof for daily use	防水等级：	生活防水
Type of eye mask:	Rotating eye mask	眼罩类型：	旋升眼罩

Colour:

ZH-2 16X50单筒

Magnification:	12x	倍率：	16x
Eyepiece Diameter:	42mm	目镜直径：	42mm
Objective Diameter:	50mm	物镜直径：	50mm
Exit Pupil Diameter:	1500m/9500m°	视野：	1500m/9500m°
Lens Coating:	FMC Multi-layer Green Film	镜片镀膜：	FMC多层绿膜
Eye-to-eye distance:	10mm	出瞳距离：	10mm
Weight:	350g	重量：	350g
Product Dimensions:	167x55x165mm	产品尺寸：	167x55x165mm

Colour:

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

MOD09 10-20x50

Magnification:	10-20x	倍率:	10-20x
Objective Diameter:	50mm	物镜直径:	50mm
Coating:	FMC Multi-layer Broadband Green Coating	镀膜:	FMC多层宽带镀绿膜
Objective lens diameter:	21mm	目镜直径:	21mm
Prism Material:	BAK4	棱镜材质:	BAK4
Eye-to-eye distance:	12-14mm	出瞳距离:	12-14mm
Product size:	200x65x75mm	产品尺寸:	200x65x75mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

OY7x32单筒

Magnification:	7x	倍率:	7x
Objective Diameter:	32mm	物镜直径:	32mm
Coating:	FMC green film	镀膜:	FMC绿膜
Optical system:	Roof ridge style	光学系统:	屋脊式
Field of view:	175m/1000m	视场:	175m/1000m
Prism:	BAK7	棱镜:	BAK7
Product size:	147x41.5x41.5mm	产品尺寸:	147x41.5x41.5mm
Product weight:	243g	产品重量:	243g
Color:			

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

ST20-60x80A

Magnification:	20-60x	倍率：	20-60x
Objective Diameter:	80mm	物镜直径：	80mm
Coating:	Multilayer broadband green-coated film	镀膜：	多层宽带镀绿膜
Focus adjustment method:	Quick focus wheel	调焦方式：	快手调焦轮
Prism Material:	BAK4	棱镜材质：	BAK4
Weight:	1600g	重量：	1600g
Eyepiece size:	22mm	目镜尺寸：	22mm
Objective lens focal length:	480mm	物镜焦距：	480mm
Objective lens focal length:	8-24mm	目镜焦距：	8-24mm
Pupil diameter:	4mm	出瞳直径：	4mm
Field of view size:	105-53ft@1000yds	视场大小：	105-53ft@1000yds
Near focal distance:	8.2m@20x	近焦距离：	8.2m@20x
Waterproof:	IPX7-8级	防水：	IPX7-8级
Length:	406mm	长度：	406mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

TL10x32-四色单筒

Magnification:	10x	倍率:	10x
Objective Diameter:	32mm	物镜直径:	32mm
Coating:	Multilayer broadband coating	镀膜:	多层宽带镀膜
Focus adjustment method:	Central focusing	调焦方式:	中央调焦
Prism Material:	BAK4	棱镜材质:	BAK4
Weight:	200g	重量:	200g
Waterproof for daily use:	Yes	生活防水:	是
Product size:	130x45x45mm	产品尺寸:	130x45x45mm
Color:			

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

DW8X32手电筒

Magnification:	8x	倍率：	8x
Objective Diameter:	32mm	物镜直径：	32mm
Field of view:	8°	视场：	8°
Focus adjustment method:	Objective lens focusing	调焦方式：	目镜调焦
Prism Material:	BAK4	棱镜材质：	BAK4
Weight:	568g	重量：	568g
Waterproof rating:	Waterproof for daily use	防水等级：	生活防水
Size:	93x105mm	尺寸：	93x105mm
Objective lens diameter:	20mm	目镜直径：	20mm
Light source:	3W LED lamp beads	光源：	3W LED灯珠
Lighting Mode:	Strong light / Weak light / Flashlight	照亮模式：	强光/弱光/爆闪

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

DW 8X25GAMU单筒

Magnification:	8x	倍率:	8x
Objective Diameter:	25mm	物镜直径:	25mm
Coating:	Multilayer broadband green-coated film	镀膜:	多层宽带镀绿膜
Pupil diameter:	2.5mm	出瞳直径:	2.5mm
Eye-to-eye distance:	15mm	出瞳距离:	15mm
Weight:	160g	重量:	170g
Product material:	Metal body, surface covered with leather	产品材质:	金属镜身、表面饰皮
Close focus:	0.7m	近焦:	0.7m
Waterproof:	Yes	防水:	有
Length:	12cm	长度:	12cm
Color:			

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

C020 62式铜8x30单筒望远镜

Magnification:	10-30x	倍率:	8x
Objective Diameter:	30mm	物镜直径:	30mm
Coating:	FMC multilayer coating	镀膜:	FMC多层镀膜
Focus adjustment method:	Stretch or rotate	调焦方式:	目镜调焦
Prism Material:	BAK4	棱镜材质:	BAK4
Objective lens diameter:	160g	目镜直径:	23mm
Pupil diameter:	ABS plastic steel	出瞳直径:	3.7mm
Eye-to-eye distance:	Stretch or rotate	出瞳距离:	11.2mm
Field of view:	BAK4	视场:	8.5°
Lens material:	160g	透镜材质:	光学镜片
Mirror material:	ABS plastic steel	镜身材质:	铝合金+硫化护皮+胶目眼罩
Net weight of the product:	Stretch or rotate	产品净重:	228g
Product size:	BAK4	产品尺寸:	120x50x65mm

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

10-30x30单筒

Magnification:	10-30x	倍率:	10-30x
Objective Diameter:	30mm	物镜直径:	30mm
Coating:	FMC multilayer coating	镀膜:	FMC多层镀膜
Focus adjustment system:	Single-handed focusing	调焦系统:	单手调焦
Prism Material:	BAK4	棱镜材质:	BAK4
Weight:	275g	重量:	275g
Product size:	170x54x72mm	产品尺寸:	170x54x72mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

45x60海盗镜

Magnification:	45x	倍率:	45x
Objective Diameter:	60mm	物镜直径:	60mm
Coating:	FMC multilayer coating	镀膜:	FMC多层镀膜
Focus adjustment method:	Stretch	调焦方式:	拉伸
Prism material:	Optical prism	棱镜材质:	光学棱镜
Field of view:	5.5°	视场角:	5.5°
Product material:	PVC	产品材质:	PVC
Field of view:	103/9500m	视场:	103/9500m
Recent Focus:	2.2m	最近对焦:	2.2m
Objective lens diameter:	20mm	目镜直径:	20mm
Waterproof type:	Waterproof for daily use	防水类型:	生活防水
Type of eyeglass:	Helicopter lift	眼杯类型:	旋升
Tripod interface:	Yes	脚架接口:	有
Eye-to-eye distance:	23mm	出瞳距离:	23mm
Weight:	435g	重量:	435g
Product size:	75x73x172mm	产品尺寸:	75x73x172mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

8-20x25爱博瑞变倍单筒

Magnification:	10-30x	倍率:	8-20x
Objective Diameter:	30mm	物镜直径:	25mm
Objective lens diameter:	FMC multilayer coating	目镜直径:	13mm
Pupil diameter:	Stretch or rotate	出瞳直径:	25mm
Prism material:	BAK4	棱镜材质:	BAK4
Material:	160g	材料:	橡胶+塑料
Size:	ABS plastic steel	尺寸:	50x66x110mm
Net weight:	30mm	净重:	148g
Field of view distance:	FMC multilayer coating	视场距离:	126m/1000m

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

8X33ED

Magnification:	8x	倍率:	8x
Objective Diameter:	33mm	物镜直径:	33mm
Coating:	FMC multilayer coating	镀膜:	FMC多层镀膜
Objective lens diameter:	28mm	目镜直径:	28mm
Prism Material:	BAK4	棱镜材质:	BAK4
Field of view:	108m/1000m	视场范围:	108m/1000m
Eye-to-eye distance:	11mm	出瞳距离:	11mm
Weight:	277g	重量:	277g
Product size:	160x450x400mm	产品尺寸:	160x450x400mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

AD840单筒

Magnification:	8x	倍率:	8x
Objective Diameter:	40mm	物镜直径:	40mm
Coating:	FMC Multi-Layer Anti-Reflective Green Film	镀膜:	FMC多层增透绿膜
Objective lens diameter:	22mm	目镜直径:	22mm
Objective lens coating:	MC Blue Film	目镜镀膜:	MC蓝膜
Weight:	490g	重量:	490g
Prism material:	BAK4	棱镜材质:	BAK4
Product size:	175x165x65mm	产品尺寸:	175x165x65mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

10-30x30单筒

Magnification:	10-30x	倍率：	10-30x
Objective Diameter:	30mm	物镜直径：	30mm
Coating:	FMC multilayer coating	镀膜：	高清绿膜
Focus adjustment method:	Stretch or rotate	目镜直径：	20mm
Prism Material:	BAK4	防水：	生活防水
Weight:	160g	视野：	378FT/1000YSD
Weight:	160g	重量：	212g

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

BX-3 10x42

Magnification:	10x	倍率:	10x
Objective Diameter:	42mm	物镜直径:	42mm
Coating:	FMC Full-Band Coating	镀膜:	FMC全宽带镀膜
Eye-to-eye distance:	9mm	出瞳距离:	9mm
Field of view:	305FT@1000YDS	视场:	305FT@1000YDS
Pupil diameter:	4.2mm	出瞳直径:	4.2mm
Prism System:	屋脊棱镜	棱镜系统:	屋脊棱镜
Weight:	283g	重量:	283g
Product size:	150x59x56mm	产品尺寸:	150x59x56mm

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

10x42龙皮旋转目镜单筒

Magnification:	10-30x	倍率:	10x
Objective Diameter:	30mm	物镜直径:	42mm
Coating:	FMC multilayer coating	镀膜:	宽带多层镀膜
Waterproof:	Waterproof for daily use	防水:	生活防水
Prism Material:	BAK4	棱镜材质:	BAK4
Eye-to-eye distance:	10mm	出瞳距离:	10mm
Pupil diameter:	4.2mm	出瞳直径:	4.2mm
Weight:	160g	重量:	330g
Product size:	ABS plastic steel	产品尺寸:	145x55x70mm

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

10x50海盗单筒

Magnification:	10x	倍率:	10x
Objective lens diameter:	50mm	物镜直径:	50mm
Diagonal of the tube:	55mm	镜筒直径:	55mm
Pupil diameter:	5mm	出瞳直径:	5mm
Eye-to-eye distance:	18mm	出瞳距离:	18mm
Objective lens diameter:	23mm	目镜直径:	23mm
Perspective:	7°	视角:	7°
Field of view:	113m/1000m	视场:	113m/1000m
Visual range:	10000m	可视距离:	10000m
Coating:	Broadband green film	镀膜:	宽带绿膜
Focus adjustment system:	Objective lens focusing	调焦系统:	目镜调焦
Weight:	380g	重量:	380g
Prism type:	Roof-shaped prism	棱镜类型:	屋脊式棱镜
Color:			

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

A款8X22黑色单筒望远镜

Magnification:	15x	倍率：	15x
Eyepiece Diameter:	16.5mm	目镜直径：	16.5mm
Objective Diameter:	32mm	物镜直径：	32mm
Field of View Angle:	5.5°	视场角度：	5.5°
Pupil diameter:	2mm	出瞳直径：	2mm
Eye-to-eye distance:	11mm	出瞳距离：	11mm
Near focal distance:	4mm	近焦距离：	4mm
Number of lens groups:	5 pieces in 2 groups	透镜组数：	5片2组
Waterproof:	Waterproof for daily use	防水：	生活防水
Mirror material:	Aluminum + ABS	镜身材质：	铝+ABS
Outer Skin:	Soft ABS	外皮：	软ABS
Lens material:	(K9 + F4 + Bak7 + ZF4 + LF3) optical glass	镜片材质：	(K9+F4+Bak7+ZF4+LF3)光学玻璃
Type of eye mask:	Helicopter lift	眼罩类型：	旋升

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

CY3 12x62

Model No.:	CY3 12X62	产品型号:	CY3 12X62
Product Type:	Monocular Telescope	产品类别:	单筒望远镜
Color (Pantone No.):	Green	颜色（潘通色号）:	军绿色
Magnification:	12X	放大倍率:	12X
Eyepiece Diameter:	28MM	目镜直径:	28MM
Objective Diameter:	62MM	物镜直径:	62MM
Exit Pupil Diameter:	5.16mm	出瞳直径:	5.16mm
Eye Relief:	18mm	出瞳距离:	18mm
Prism System:	Roof Prism	棱镜系统:	屋脊棱镜
Prism Material:	BAK4 High Transmission Glass	棱镜材质:	BAK4高透光玻
Lens Coating:	Fully Multi-Coated	镜片镀膜:	全表面多层增透镀膜
Lens Material:	HD	镜片材质:	HD
Actual Field of View:	7.5°	实际视场:	7.5°
Apparent Field of View:	90°	表观视场:	90°
Field of View (m/1000m):	131 m @ 1000m	XXX米/1000米:	131 m @ 1000m
Field of View (ft/1000yds):	393Ft @ 1000Yds	XXX英尺/1000码:	393Ft @ 1000Yds
Minimum Focus Distance:	6m	最近对焦距离:	6m
Brightness Index:	26.62mm	亮度指数:	26.62mm
Twilight Factor:	27.28mm	黄昏指数:	27.28mm
Body Material:	Plastic-Steel Body + Rubber Armor	镜身材质:	塑钢镜体+橡胶护皮
Water/Fog Proof Performance:	IPX7 Nitrogen Water/Fog Proof	防水防雾性能:	IPX7 充氮防水防雾
Focus Type:	Center Focus	调焦方式:	中央调焦
Diopter Adjustment Range:	±4D	屈光度调节范围:	±4D
Interpupillary Adjustment Range:	0mm	瞳距调节范围:	0mm
Dimensions (L×W×H):	282×72×72mm	产品尺寸（长×宽×高）:	282X72X72mm
Gross Weight (with Package):	632g	毛重（含包装）:	632g

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

ED 10x25

Model:	ED 10X25	产品型号:	ED 10X25
Product type:	Monocular Telescope	产品类别:	单筒望远镜
Magnification:	10X	放大倍率:	10X
Eyepiece diameter:	20mm	目镜直径:	20mm
Objective lens diameter:	25mm	物镜直径:	25mm
Exit pupil diameter:	2.5mm	出瞳直径:	2.5mm
Exit pupil distance:	16mm	出瞳距离:	16mm
Prism system:	Roof Prism	棱镜系统:	屋脊棱镜
Prism material:	BAK4	棱镜材质:	BAK4
Lens coating:	Fully Multi-coated	镜片镀膜:	全表面多层增透镀膜
Lens material:	ED+LAK	镜片材质:	ED+LAK
Actual field of view:	5.8°	实际视场:	5.8°
Apparent field of view:	58°	表观视场:	58°
Minimum focus distance:	1.5m	最近对焦距离:	1.5m
Brightness index:	6.25mm	亮度指数:	6.25mm
Twilight factor:	15.8mm	黄昏指数:	15.8mm
Body material:	Metal Mirror Body	镜身材质:	Metal Mirror Body
Waterproof and fogproof performance:	IPX7 Nitrogen-filled Waterproof & Fogproof	防水防雾性能:	IPX7 充氮防水防雾
Focusing method:	Central Focusing	调焦方式:	中央调焦
Diopter adjustment range:	±5D	屈光度调节范围:	±5D
Interpupillary adjustment range:	0mm	瞳距调节范围:	0mm
Product dimensions (L×W×H):	110×33×33mm	产品尺寸（长×宽×高）:	110X33X33mm
Gross weight (with package):	173g (510g)	毛重（含包装）:	173g（510g）

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

ED 10x25

Magnification:	8x	放大倍率:	8倍
Objective Lens:	50mm	物镜直径:	50mm
Prism:	Roof / BaK4	棱镜类型/材料:	屋脊棱镜 / BaK4
Prism Coating:	Yes	棱镜镀膜:	是
Lens Construction:	7Pcs / 3Groups	透镜数量:	7片/3组
Lens Coating:	Fully Coated	透镜镀膜:	全镀膜
Focusing:	Eyepiece	调焦方式:	目镜调焦
Exit Pupil:	6.25mm	出瞳直径:	6.25mm
Eye Relief:	18.6mm	出瞳距离:	18.6mm
FOV (Angle):	8°	视场角:	8°
FOV (ft/1000 yd):	422ft	视场范围（英制）:	422英尺/1000码
FOV (m/1000 m):	141m	视场范围（公制）:	141米/1000米
Close Focus:	10m	最近对焦距离:	10m
Relative Brightness:	39.06	相对亮度:	39.06
Twilight Factor:	20	黄昏指数:	20
Diopter Adjustment:	±5D	视度调节:	±5屈光度
Compass:	Yes	罗盘:	有
Reticle:	Yes	目标分划板:	有
Weatherproof:	Yes	全天候保护:	是
Waterproof:	Yes	防水:	是
Nitrogen Purged:	Yes	充氮防雾:	是
Net Weight:	446g	产品净重:	446g
Dimensions:	78×67×202mm	产品尺寸:	78×67×202mm