Eyebre®

SPOTTING SCOPE



Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China



20-60x60

MAgnification:	20-60x	放大倍率：	20-60x
Aperture:	60mm	物镜直径：	60mm
Eyepiece Diameter:	15mm	目镜直径：	15mm
Exit Relief:	17mm	出瞳距离：	17mm
Exit Diameter:	3mm	出瞳直径：	3mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Fixed	目镜罩：	固定
Coating:	FMC Green Coating	镀膜：	绿膜
Weight:	780g	重量	780g
Handwheel Focusing			手轮调焦



25-75x70

MAgnification:	25-75x	放大倍率：	25-75x
Aperture:	70mm	物镜直径：	70mm
Eyepiece Diameter:	15mm	目镜直径：	15mm
Exit Relief:	19mm	出瞳距离：	19mm
Exit Diameter:	3mm	出瞳直径：	3mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Fixed	目镜罩：	固定
Coating:	FMC Green Coating	镀膜：	绿膜
Weight:	866g	重量	866g
Handwheel Focusing			手轮调焦

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China



15-45x50

MAgnification:	15-45x	放大倍率:	15-45x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	15mm	目镜直径:	15mm
Exit Relief:	19mm	出瞳距离:	19mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Fixed	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Handwheel Focusing			手轮调焦



20-60x80

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	15mm	目镜直径:	15mm
Exit Relief:	19mm	出瞳距离:	19mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Fixed	目镜罩:	固定
Coating:	FMC Green Coating	镀膜:	绿膜
Handwheel Focusing			手轮调焦



25-75x100

MAgnification:	25-75x	放大倍率:	25-75x
Aperture:	100mm	物镜直径:	100mm
Eyepiece Diameter:	15mm	目镜直径:	15mm
Exit Relief:	19mm	出瞳距离:	19mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Fixed	目镜罩:	固定
Coating:	FMC Green Coating	镀膜:	绿膜
Handwheel Focusing			手轮调焦

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



15-45x50

MAgnification:	15-45x	放大倍率:	15-45x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	16mm	出瞳距离:	16mm
Exit Diameter:	4mm	出瞳直径:	4mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Fixed	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Handwheel Focusing			手轮调焦



20-60x60

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	16mm	出瞳距离:	16mm
Exit Diameter:	4mm	出瞳直径:	4mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Fixed	目镜罩:	固定
Coating:	FMC Green Coating	镀膜:	绿膜
Handwheel Focusing			手轮调焦



25-75x70

MAgnification:	25-75x	放大倍率:	25-75x
Aperture:	70mm	物镜直径:	70mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	16mm	出瞳距离:	16mm
Exit Diameter:	4mm	出瞳直径:	4mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Fixed	目镜罩:	固定
Coating:	FMC Green Coating	镀膜:	绿膜
Handwheel Focusing			手轮调焦



DM-20X60-G

MAgnification:	20x	放大倍率:	20x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	16mm	出瞳距离:	16mm
Exit Diameter:	4mm	出瞳直径:	4mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦



DM-20X60-B

MAgnification:	20x	放大倍率:	20x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	24mm	目镜直径:	24mm
Exit Relief:	16mm	出瞳距离:	16mm
Exit Diameter:	4mm	出瞳直径:	4mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China



10-30x50

MAgnification:	10-30x	放大倍率：	10-30x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Exit Relief:	18.5mm	出瞳距离：	18.5mm
Exit Diameter:	4mm	出瞳直径：	4mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Fixed	目镜罩：	固定
Coating:	FMC Green Coating	镀膜：	绿膜
Weight:	425g	重量	425g
Handwheel Focusing			手轮调焦



13x50

MAgnification:	13x	放大倍率：	13x
Aperture:	50mm	物镜直径：	50mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Exit Relief:	18.5mm	出瞳距离：	18.5mm
Exit Diameter:	4mm	出瞳直径：	4mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Fixed	目镜罩：	固定
Coating:	FMC Green Coating	镀膜：	绿膜
Weight:	425g	重量	425g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



12-36x50-S



12-36x50-C

MAgnification:	12-36x	放大倍率:	12-36x
Aperture:	50mm	物镜直径:	50mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	16/13mm	出瞳距离:	16/13mm
Exit Diameter:	4/1.3mm	出瞳直径:	4/1.3mm
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	Green Coating	镀膜:	绿膜
Weight:	900g	重量	900g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China



15-45x60-S



15-45x60-C

MAgnification:	15-45x	放大倍率：	15-45x
Aperture:	60mm	物镜直径：	60mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	16/13mm	出瞳距离：	16/13mm
Exit Diameter:	4/1.3mm	出瞳直径：	4/1.3mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	Green Coating	镀膜：	绿膜
Weight:	900g	重量	900g
Handwheel Focusing			手轮调焦

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



20-60x60-S



20-60x60-C

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	16/13mm	出瞳距离:	16/13mm
Exit Diameter:	4/1.3mm	出瞳直径:	4/1.3mm
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK7	棱镜材料:	BAK7
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	Green Coating	镀膜:	绿膜
Weight:	900g	重量	900g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China



60防水（20-60x60waterproof）

MAgnification:	20-60x	放大倍率：	20-60x
Aperture:	60mm	物镜直径：	60mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	17mm	出瞳距离：	17mm
Exit Diameter:	4mm	出瞳直径：	4mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	Green Coating	镀膜：	绿膜
Weight:	1000g	重量	1000g
Handwheel Focusing			手轮调焦



80防水（20-80x80waterproof）

MAgnification:	20-80x	放大倍率：	20-80x
Aperture:	80mm	物镜直径：	80mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	10mm	出瞳距离：	10mm
Exit Diameter:	5mm	出瞳直径：	5mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	Green Coating	镀膜：	绿膜
Weight:	1200g	重量	1200g
Handwheel Focusing			手轮调焦



TE-Y01 20-60X60

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	1074g	重量	1074g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

TE-Y05 20-60X60

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	934g	重量	934g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

TE-Y07 20-60X60

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	13mm	出瞳距离:	13mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	1039g	重量	1039g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

Eyebre

观鸟镜系列

BIRDWATCHING MIRROR SERIES



ED SERIES



MODEL NUMBER:

20-60X80

20-60X80-S

20-60X80ED

20-75X100

20-75X100-S

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China



CY7 80-S

MAgnification:	25-75x	放大倍率:	25-75x
Aperture:	100mm	物镜直径:	100mm
Eyepiece Diameter:	27mm	目镜直径:	27mm
Exit Relief:	18mm	出瞳距离:	18mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	2145g	重量	2145g
IPX7			IPX7级防水
Handwheel Focusing			手轮调焦



CY7 100-S

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	27mm	目镜直径:	20mm
Exit Relief:	18mm	出瞳距离:	18mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	1616g	重量	1616g
IPX7			IPX7级防水
Handwheel Focusing			手轮调焦



CY7 20-60x80

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	27mm	目镜直径:	27mm
Exit Relief:	18mm	出瞳距离:	18mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	1668g	重量	1668g
IPX7			IPX7级防水
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



CY7 ED

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	27mm	目镜直径:	27mm
Exit Relief:	18mm	出瞳距离:	18mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	1910g	重量	1910g
IPX7			IPX7级防水
Handwheel Focusing			手轮调焦



CY7 20-60x80

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	27mm	目镜直径:	27mm
Exit Relief:	18mm	出瞳距离:	18mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	1648g	重量	1648g
IPX7			IPX7级防水
Handwheel Focusing			手轮调焦



CY7 25-75x100

MAgnification:	25-75x	放大倍率:	25-75x
Aperture:	100mm	物镜直径:	100mm
Eyepiece Diameter:	27mm	目镜直径:	27mm
Exit Relief:	18mm	出瞳距离:	18mm
Exit Diameter:	3mm	出瞳直径:	3mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	2153g	重量	2153g
IPX7			IPX7级防水
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China



CY500*100 (25-75x100)

MAgnification:	25-75x	放大倍率:	25-75x
Aperture:	100mm	物镜直径:	100mm
Eyepiece Diameter:	27mm	目镜直径:	27mm
Exit Relief:	15mm	出瞳距离:	15mm
Exit Diameter:	5mm	出瞳直径:	5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	1850g	重量	1850g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



DW 20-60X60-V2

MAgnification:	20-60x	放大倍率：	20-60x
Aperture:	60mm	物镜直径：	60mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	16mm	出瞳距离：	16mm
Exit Diameter:	4mm	出瞳直径：	4mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	FMC Green Coating	镀膜：	绿膜
Weight:	1300g	重量	1300g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦



DW 20-60X80-V2

MAgnification:	20-60x	放大倍率：	20-60x
Aperture:	80mm	物镜直径：	80mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	16mm	出瞳距离：	16mm
Exit Diameter:	4mm	出瞳直径：	4mm
Body Material:	Metal	镜身材料：	金属
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	FMC Green Coating	镀膜：	绿膜
Weight:	1300g	重量	1300g
IPX6			IPX6级防水
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China



SP-05 16-48x60

MAgnification:	16-48x	放大倍率：	16-48x
Aperture:	60mm	物镜直径：	60mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	16mm	出瞳距离：	16mm
Exit Diameter:	4mm	出瞳直径：	4mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	Green Coating	镀膜：	绿膜
Weight:	930g	重量	1000g
Handwheel Focusing			手轮调焦



SP-05 20-60x80

MAgnification:	20-60x	放大倍率：	20-80x
Aperture:	80mm	物镜直径：	80mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	16mm	出瞳距离：	16mm
Exit Diameter:	4mm	出瞳直径：	4mm
Prism System:	Porro Prism	棱镜系统：	保罗棱镜
Prism Material:	BAK7	棱镜材料：	BAK7
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	Green Coating	镀膜：	绿膜
Weight:	1000g	重量	1000g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



BAK-L-LD25x100

MAgnification:	25-45x	放大倍率:	25-45x
Aperture:	100mm	物镜直径:	100mm
Eyepiece Diameter:	20mm	目镜直径:	20mm
Exit Relief:	14mm	出瞳距离:	14mm
Exit Diameter:	4-2.5mm	出瞳直径:	4-2.5mm
Body Material:	Metal	镜身材料:	金属
Prism System:	Porro Prism	棱镜系统:	保罗棱镜
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	绿膜
Weight:	44kg	重量	44kg
IPX6			IPX6级防水

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBRE@GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China





FD-S 25X100

FM-S 25X100

MAgnification:	25x	放大倍率：	20-80x
Aperture:	100mm	物镜直径：	80mm
Eyepiece Diameter:	20mm	目镜直径：	20mm
Exit Relief:	14mm	出瞳距离：	16mm
Exit Diameter:	4mm	出瞳直径：	4mm
Prism System:	Kepler	棱镜系统：	开普勒
Prism material:	Composite prism	棱镜材料：	复合棱镜
Visual adjustment range:	Fixed	视度调节范围：	固定视度
Coating:	FMC Green Coating	镀膜：	绿膜
Weight:	40kg	重量	40kg
IPX8			IPX8防水等级

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



20-75X80 枫叶

MAgnification:	20-60x	放大倍率:	20-60x
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	22mm	目镜直径:	22mm
Exit Relief:	15-18mm	出瞳距离:	15-18mm
Exit Diameter:	1.3-4mm	出瞳直径:	1.3-4mm
Prism Material:	BAK4	棱镜材料:	BAK4
Eyecup:	Multiposition Lens	目镜罩:	旋转
Coating:	FMC Green Coating	镀膜:	FMC绿膜
Weight:	1270g	重量	1270g
Handwheel Focusing			手轮调焦

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Eyebre®

Leading Supplier of Vision Solution in China



ST20-60x80A

MAgnification:	20-60x	放大倍率：	20-60x
Aperture:	80mm	物镜直径：	80mm
Eyepiece Diameter:	22mm	目镜直径：	22mm
Exit Relief:	18mm	出瞳距离：	18mm
Exit Diameter:	4mm	出瞳直径：	4mm
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Multiposition Lens	目镜罩：	旋转
Coating:	FMC Green Coating	镀膜：	FMC绿膜
Weight:	1600g	重量	1600g
Handwheel Focusing			手轮调焦
IPX7			IPX7级别防水

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



D049 B型 HD25-60x75

MAgnification:	25-75x	放大倍率：	25-75x
Aperture:	61.5mm	物镜直径：	61.5mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	15.5mm	出瞳距离：	15.5mm
Exit Diameter:	5-1.5mm	出瞳直径：	5-1.5mm
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Spin	目镜罩：	旋转
Coating:	FMC (A5 ruby film + wideband green film)	镀膜：	FMC(A5宝石红膜+宽带绿膜)
Weight:	720g	重量：	720g

Eyebre®

Yiwu Inre Optical Instrument Co,. LTD.

TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM

WECHAT:13906893397 WHATSAPP:+86 13906893397

WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China



Zj-GT60

MAgnification:	25-75x	放大倍率：	25-75x
Aperture:	61.5mm	物镜直径：	61.5mm
Eyepiece Diameter:	24mm	目镜直径：	24mm
Exit Relief:	15.5mm	出瞳距离：	15.5mm
Exit Diameter:	5-1.5mm	出瞳直径：	5-1.5mm
Prism Material:	BAK4	棱镜材料：	BAK4
Eyecup:	Spin	目镜罩：	旋转
Coating:	FMC (A5 ruby film + wideband green film)	镀膜：	FMC(A5宝石红膜+宽带绿膜)
Weight:	720g	重量：	720g

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China

LG80-A



Magnification:	20-60x	放大倍率：	20-60x
Objective lens diameter:	80mm	物镜直径：	80mm
Prism category:	BAK4	棱镜类别：	BAK4
Eye-to-eye distance:	15mm-18mm	出瞳距离：	15mm-18mm
Pupil diameter:	Φ4.7mm	出瞳直径：	Φ4.7mm
Resolution:	≤6"	分辨率：	≤6"
Number of lens groups:	5 groups of 7 pieces	透镜组数：	5组7片
Near focal distance:	12m	近焦距离：	12m
Lens coating:	FMC	透镜镀膜：	全多层宽带绿膜
Waterproof structure:	1m water depth for 30min	防水结构：	1米水深30分钟
Product size:	70x17.5x10cm	产品尺寸：	70x17.5x10cm
Net weight of the product:	1270g	产品净重：	1270g

LG80

Magnification:	20-60x	放大倍率：	20-60x
Objective lens diameter:	80mm	物镜直径：	80mm
Prism category:	BAK4	棱镜类别：	BAK4
Eye-to-eye distance:	15mm-18mm	出瞳距离：	15mm-18mm
Pupil diameter:	Φ4.7mm	出瞳直径：	Φ4.7mm
Resolution:	≤6"	分辨率：	≤6"
Number of lens groups:	5 groups of 7 pieces	透镜组数：	5组7片
Near focal distance:	12m	近焦距离：	12m
Lens coating:	FMC	透镜镀膜：	全多层宽带绿膜
Waterproof structure:	1m water depth for 30min	防水结构：	1米水深30分钟
Product size:	70x17.5x10cm	产品尺寸：	70x17.5x10cm
Net weight of the product:	1270g	产品净重：	1270g





LG70

Magnification:	20-60x	放大倍率：	20-60x
Objective lens diameter:	80mm	物镜直径：	80mm
Prism category:	BAK4	棱镜类别：	BAK4
Eye-to-eye distance:	15mm-18mm	出瞳距离：	15mm-18mm
Pupil diameter:	Φ4.7mm	出瞳直径：	Φ4.7mm
Resolution:	≤6"	分辨率：	≤6"
Number of lens groups:	5 groups of 7 pieces	透镜组数：	5组7片
Near focal distance:	12m	近焦距离：	12m
Lens coating:	FMC	透镜镀膜：	全多层宽带绿膜
Waterproof structure:	1m water depth for 30min	防水结构：	1米水深30分钟
Product size:	70x17.5x10cm	产品尺寸：	70x17.5x10cm
Net weight of the product:	1270g	产品净重：	1270g

Eyebre®
Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

Leading Supplier of Vision Solution in China



LYS 25-75x60 观靶镜

MAgnification:	25-75x	放大倍率:	25-75x
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	22mm	目镜直径:	22mm
Exit Relief:	15mm	出瞳距离:	15mm
Minimum Distance:	3.5m	最近距离:	3.5m
Prism Material:	BAK4	棱镜材料:	BAK4
Mirror Body Material:	Metal + Rubber	镜身材质:	金属+橡胶
Coating:	FMC Multi-Broadband Coating	镀膜:	FMC多宽带镀膜
Weight:	585g	重量:	585g
Color:			

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



G15-45x70 AE-SE SPEC

MAgnification:	15X-45X	放大倍率:	15X-45X
Aperture:	70mm	物镜直径:	70mm
Eyepiece Diameter:	5.15-1.65mm	出瞳直径:	5.15-1.65mm
Exit Relief:	17-13.5mm	出瞳距离:	17-13.5mm
Field of view:	2.3-1.2°	视场:	2.3-1.2°
Prism Material:	BAK7	棱镜材料:	BAK7
Mirror Body Material:	3/9	最小焦距:	3/9
Coating:	FMC Multi-Broadband Coating	镀膜:	FMC多宽带镀膜
Weight:	730g	重量:	730g

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

60X70AE C型

MAgnification:	20-60X	放大倍率:	20X-60X
Aperture:	70mm	物镜直径:	70mm
Eyepiece Diameter:	3.55-1.2mm	出瞳直径:	3.55-1.2mm
Exit Relief:	17-13.5mm	出瞳距离:	17-13.5mm
Field of view:	2.45-1.26°	视场:	2.45-1.26°
Prism Material:	Bak4	棱镜材料:	Bak4
Minimum focal length:	6/18	最小焦距:	6/18
Coating:	FMC Coating	镀膜:	FMC镀膜
Weight:	816g	重量:	816g



G20-60X60AE C型



MAgnification:	20-60X	放大倍率:	20X-60X
Aperture:	60mm	物镜直径:	60mm
Eyepiece Diameter:	3.15-1.05mm	出瞳直径:	3.15-1.05mm
Exit Relief:	17-13.5mm	出瞳距离:	17-13.5mm
Field of view:	2.1-1.08°	视场:	2.1-1.08°
Prism Material:	Bak4	棱镜材料:	Bak4
Minimum focal length:	5/15	最小焦距:	5/15
Coating:	FMC Coating	镀膜:	FMC镀膜
Weight:	780g	重量:	780g

G20-60x80 AE C型

MAgnification:	20-60X	放大倍率:	20X-60X
Aperture:	80mm	物镜直径:	80mm
Eyepiece Diameter:	4.2-1.35mm	出瞳直径:	4.2-1.35mm
Exit Relief:	17-13.5mm	出瞳距离:	17-13.5mm
Field of view:	2.85-1.45°	视场:	2.85-1.45°
Prism Material:	Bak4	棱镜材料:	Bak4
Minimum focal length:	7/21	最小焦距:	7/21
Coating:	FMC Coating	镀膜:	FMC镀膜
Weight:	1050g	重量:	1050g



Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM

GN7x40粉色观靶镜



Magnification:	7x	放大倍率:	7x
Objective lens diameter:	40mm	物镜直径:	40mm
Prism category:	BAK4	棱镜类别:	BAK7
Eye-to-eye distance:	>=17mm	出瞳距离:	>=17mm
Pupil diameter:	Φ5mm	出瞳直径:	Φ5mm
Resolution:	≤4"	分辨率:	≤4"
Field of view:	56m/1000m	视场范围:	56m/1000m
Near focal distance:	>=18m	近焦距离:	>=18m
Lens coating:	FMC Multi-layer Green Film	透镜镀膜:	FMC多层绿膜
Waterproof structure:	Waterproof for daily use	防水结构:	生活防水
Mirror material:	Aluminum alloy + rubber	镜身材质:	铝合金+橡胶
Lens material:	All-optical glass lens	镜片材质:	全光学玻璃镜片

GN10X50绿色观靶镜

Magnification:	10x	放大倍率:	10x
Objective lens diameter:	50mm	物镜直径:	50mm
Prism category:	BAK4	棱镜类别:	BAK7
Eye-to-eye distance:	>=17mm	出瞳距离:	>=17mm
Pupil diameter:	Φ5mm	出瞳直径:	Φ5mm
Resolution:	≤4"	分辨率:	≤4"
Field of view:	56m/1000m	视场范围:	56m/1000m
Near focal distance:	>=18m	近焦距离:	>=18m
Lens coating:	FMC Multi-layer Green Film	透镜镀膜:	FMC多层绿膜
Waterproof structure:	Waterproof for daily use	防水结构:	生活防水
Mirror material:	Aluminum alloy + rubber	镜身材质:	铝合金+橡胶
Lens material:	All-optical glass lens	镜片材质:	全光学玻璃镜片



GN12X60绿色观靶镜



Magnification:	12x	放大倍率:	12x
Objective lens diameter:	60mm	物镜直径:	60mm
Prism category:	BAK4	棱镜类别:	BAK7
Eye-to-eye distance:	>=17mm	出瞳距离:	>=17mm
Pupil diameter:	Φ5mm	出瞳直径:	Φ5mm
Resolution:	≤4"	分辨率:	≤4"
Field of view:	56m/1000m	视场范围:	56m/1000m
Near focal distance:	>=18m	近焦距离:	>=18m
Lens coating:	FMC Multi-layer Green Film	透镜镀膜:	FMC多层绿膜
Waterproof structure:	Waterproof for daily use	防水结构:	生活防水
Mirror material:	Aluminum alloy + rubber	镜身材质:	铝合金+橡胶
Lens material:	All-optical glass lens	镜片材质:	全光学玻璃镜片

Yiwu Inre Optical Instrument Co,. LTD.
TEL:+86 13906893397 EMAIL:SALES.EYEBREE GMAIL.COM
WECHAT:13906893397 WHATSAPP:+86 13906893397
WEBSITE:HTTPS://INRE.EN.ALIBABA.COM HTTPS://LINREOPTICAL.1688.COM



WG-1025-75x100黑色观鸟镜

MAgnification:	25-75X	放大倍率:	25-75X
Aperture:	103mm	物镜直径:	103mm
Eyepiece Diameter:	3.6-1.35mm	出瞳直径:	3.6-1.35mm
Exit Relief:	15.5-13mm	出瞳距离:	15.5-13mm
Field of view:	0.8-1.65°	视场:	0.8-1.65°
Resolution:	2.8''	鉴辨率:	2.8''
Waterproof rating:	IPX68	防水等级:	IPX68
Coating:	FMC Multi-Broadband Coating	镀膜:	FMC多宽带镀膜
Prism System:	Paul	棱镜系统:	保罗

Eyebre®

TEL:
+86 13906893397

EMAIL:
SALES.EYEBRE@GMALL,COM

WECHAT:
13906893397

WHATSAPP:
+86 13906893397

WEBSITE:
HTTPS://INRE.EN.ALIBABA.COM
HTTPS://LINREOPTICAL.1688.COM