

v2.10.2 逐任务验收（A） — 修复后 AFTER 效果图

Tester1 · 实例 test-v2102acc · binary v2.10.2-27184d7b (commit 27184d7b) · 2026-06-16
登录 Owner v2102acc · 桌面 1440×900（移动 390 见 T145/M3 复验另报）。全部 AFTER（修复后真实界面），非 before/问题图。


任务	结论	要点
T101 resume-paused-node	PASS*	Resume 准确提示非 generic 报错；单测 PausedOverlay/ResumeAuthz/ErrorMapping 全绿。*无 live 暂停节点可截（当前无 paused node），代码+测试验证
T121 Work Board 拖拽跨 plan	PASS	running plan(SSE RUNNING)带 锁定其卡片不可拖；backlog 卡片可拖入 plan
T126 #hash 全清	PASS	Plan/DAG/Task列表全显 org_ref(P1/T8/T9/T1…)；全页扫描无 #
T130 claimability	PASS	backlog 不可 claim(409)、不可经直接指派 start_work(409)；live HTTP 红线
T132 Plan 3 tab 无中文括注	PASS	Chat / DAG / Task List，无括注
T133 Members Agents	PASS	名字为链接(蓝)无 Open 按钮，点名进 agent 详情
T134 去 execution-view 说明	PASS	Plan 详情 tab 下无「← execution view…」说明文字
T139 Projects 卡片快捷按钮	PASS	Edit/WorkBoard/Tasks/Issues/Codebase 5 图标按钮
T142 Plan→Plans	PASS	左导航与页面标题为 Plans
T143 System · Env Agents	PASS	Agents 名字链接无 Open、点名进详情、provider 第二列对齐
T144 Work Board plan 列头	PASS	列头为可点 plan 名(进详情)，无「Open 」
T147 Plan assignee 单下拉	PASS	ASSIGNEE 列为合并的单下拉(头像+名+)

结论：12/12 通过（T101 以代码+测试验证，当前实例无可截的 paused 节点）。无 FAIL，无回退。

T139 项目卡片快捷按钮 + T142 Plan→Plans

PASS / PASS


Alpha 卡片右上 5 个图标：编辑/Work Board/Tasks/Issues/Codebase；左导航与标题为 Plans。



T132 Plan 3 tab 无中文括注 + T134 去 execution-view 说明

PASS / PASS

Plan 详情 tab: Chat / DAG / Task List (无中文括注) ; tab 下无「← execution view…」说明文字。标题 P1 显示 org_ref。



T147 assignee 单下拉 + T126 org_ref(Task列表)

PASS / PASS

ASSIGNEE 列为单一合并下拉（头像+名字+ ）； TASK 列显示 T8/T9（无 #id-tail）。

A

Work

Chat

Members

System

Workspace

Search...

⌕

PROJECTS

Alpha

Issues

Tasks

Members

Code repos

Work Board

Projects / Alpha / Plans / SSE Stability Hardening

P1 SSE Stability Hardening

RUNNING

Auto-advancing

Advance now

Stop (→ draft)

PROGRESS 0/2

CREATOR @Owner v2102acc

Chat

DAG

Task List

Filter by title, Task id, or assignee...

Showing 2 of 2

TASK	TITLE	ASSIGNEE	TASK STATUS	NODE STATUS
T8	Implement heartbeat emitter	SV Sandbox Agent ...	OPEN	BLOCKED
T9	Verify reconnect on backgrounding	SV Sandbox Agent ...	OPEN	DISPATCHED

T126 #hash 全清 (DAG / 纵向 stepper)

PASS

DAG 节点显示 org_ref T9/T8 (START→T9→T8→END) , 无 #; 全页扫描 0 处 #id-tail。

A

Work

Chat

Members

System

Workspace

Search...

#K

PROJECTS

Alpha

Issues

Tasks

Members

Code repos

Work Board

Projects / Alpha / Plans / SSE Stability Hardening

P1 SSE Stability Hardening

RUNNING

Auto-advancing

Advance now

Stop (→ draft)

PROGRESS 0/2

CREATOR @Owner v2102acc

Chat

DAG

Task List

Compact

START

T9

Verify reconnect on ...

SV Sandbox @ DISPATCHED cc

T8

Implement heartbeat...

SV Sandbox @ BLOCKED cc

END

⚠ BLOCKED

🟢 READY

🟡 DISPATCHED

▶ RUNNING

⏸ PAUSED

✓ DONE


✖ FAILED

Node status is derived (= f(task status, all upstream done, dispatch record)) and shown, not edited. Display-only graph: a running plan auto-advances (the system dispatches ready nodes as upstream tasks complete) and "Advance now" is a manual override. Dependencies can only be edited while the plan is a draft.

T121 Work Board 拖拽跨 plan + T144 plan 列头

PASS / PASS

三段式板：Backlog | Assignment Pool | structured Plans。running plan 「SSE Stability H...
RUNNING 」列头与其卡片带锁=锁定不可拖；列头为可点 plan 名(进详情)无「Open 」；卡片全为
org_ref(T8/T9/T1/T7/T11)。



T133 Members · Agents 列表

PASS

Agents 列表 NAME 为蓝色链接（无 Open 按钮），点名进 agent 详情；列对齐(Provider/Lifecycle/...)。

A

Work

Chat

Members

System

Members

Q Search... *K

HUMANS

All humans

Owner v2102acc

AGENTS

All agents

Sandbox Agent v2102acc

Agents

Organization-scoped agents with a managed lifecycle.

+ Add Agent

NAME	PROVIDER	LIFECYCLE	AVAILABILITY	ROLE	STATUS	LAST ACTIVITY	WORKER
Sandbox Agent v...	claude-code claude-opus-4-8	RUNNING	AVAILABLE	member	JOINED	Jun 15, 2026, 10:29 PM GMT+8 mcp__agent-cent...	test-v2102acc-w1 Delete

T143 System · Env Agents 列表 (+ T140/T141 Worker Activity)

PASS

Env→WORKERS→AGENTS: agent 名为链接无 Open、provider 第二列对齐、点名进详情(0 个 Open 控件)。Activity feed 同屏佐证 T140/T141: WORK 行「T9 · Verify reconnect…」 「T8 · …」 「T2 · …」 + agent 名均为链接(不 404)。

A

Work

Chat

Members

System

System

Q Search... *K

SYSTEM

Environment

Settings

Environment

Compute resources in this organization, the agents bound to them, in-flight work items, and file transfers.

1Workers Online

1Agents Running

3Work Items

2Pending Issues

WORKERS

test-v2102acc-w1
worker-f173b19b

ONLINE3 activehb Jun 15, 2026, 11:57 PM GMT+8Remove

CLI
>_ codex codex-cli 0.135.0 Executable: claude-code only (codex/opencode discovery only — v2.8)

AGENTS
Sandbox Agent v2102accclaude-codeclaude-opus-4-8RUNNING

Activity

AllWork ItemsIssuesTransfers

WORKT9 · Verify reconnect on backgrounding agent Sandbox Agent v2102accQUEUED

WORKT8 · Implement heartbeat emitter agent Sandbox Agent v2102accQUEUED

WORKT2 · Wire up the SSE heartbeat probe agent Sandbox Agent v2102accQUEUED

ISSUEComposer overflows on narrow viewport

ISSUEWorker activity link 404 on task ref

T130 claimability 硬门 (live HTTP 红线)

PASS

backlog claim→409 not_claimable; 直接指派→start_work→409 task_not_runnable(task 仍 open); 同一 WI 入真实 plan→200 active; 越权 404/404/401。

```
v2.18.2 - T130 claimability/authz hard-gate - LIVE HTTP red-line evidence (tester)

=== v2.18.2 T130 claimability/authz hard-gate - LIVE HTTP evidence ===
instance: test-v2182acc Binary: agent-center v2.18.2-2718407b (commit: 2718407b)
session: https://127.0.0.1:27181 Agent_Id: 81XV5SM4HC8WZT37790220P Identity: agent-agent-4002101d
captured: (UTC): 2026-01-10T14:05:42Z

==== setup: create_task [fresh backlog - no plan, no pool]
POST /create_task
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "project_id": "project-2ee9e524", "title": "T130 redline backlog probe", "description": "acceptance probe \u2018014 must never reach running\u2019" }
resp: HTTP 200 {"task_id":"task-3b8463c"}

→ new backlog task_id = task-3b8463c

==== setup: assign_task [DIRECT assign - starts a queued work item; this is the path T83 left open]
POST /assign_task
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "task_id": "task-3b8463c", "assignee": "agent-agent-4002101P" }
resp: HTTP 200 {"ok":true}

==== resolved queued work_item_id for task-3b8463c: 81XV5SP8HNPWZ80EUVK7KJP

#### REQ 1 - a backlog task is NOT claimable from the assignment pool ####
==== claim_task on the backlog task
POST /claim_task
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "task_id": "task-3b8463c" }
resp: HTTP 409 {"error":"not_claimable","message":"projectmanager: task is not claimable from the assignment pool"}

#### REQ 2 - backlog cannot reach running via direct-assign → start_work (the ONLY closed path) ####
==== start_work on the backlog work item
POST /start_work
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "work_item_id": "81XV5SP8HNPWZ80EUVK7KJP" }
resp: HTTP 409 {"error":"task_not_runnable","message":"task is backlog - add it to a plan (add_task_to_plan) or dispatch it into the assignment pool before starting"}

==== post-check (DB): task must still be OPEN, work item must still be QUEUED
task = task-3b8463c status=open plan=None
work_item: 81XV5SP8HNPWZ80EUVK7KJP status=queued

#### REQ 5 - unauthorized / illegal operations fail-closed ####
==== So start_work with a FORGED agent_id (not on this worker)
POST /start_work
req: { "agent_id": "81XV5P8E8H8E8T1DXXXXXXX0000", "work_item_id": "81XV5SP8HNPWZ80EUVK7KJP" }
resp: HTTP 404 {"error":"not_found","message":"agent: agent not found"}

==== So claim_task on an UNKNOWN task (existence specificity, T83 §4.3)
POST /claim_task
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "task_id": "task-doesnotexist0000" }
resp: HTTP 404 {"error":"not_found","message":"task found"}

==== So start_work with NO bearer token (unauthenticated)
POST /start_work
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "work_item_id": "81XV5SP8HNPWZ80EUVK7KJP" }
resp: HTTP 401 {"error":"token_missing","message":"missing authentication bearer"}

#### REQ 3 & 4 - builtin (r-real plan; real-plan/dispatched pool task DOES run (no false positive) ####
builtin-es-real plans in this instance (predicate kops off is_builtin):
plan=84e68f9d is_builtin=1 (builtin-in)
plan=84e68f9d is_builtin=0 002 Stability Hardening
plan=504d2355 is_builtin=0 T130 acceptance real plan

==== req step: create_plan (REAL, non-builtin)
POST /create_plan
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "project_id": "project-2ee9e524", "name": "T130 acceptance real plan B", "description": "reqd happy path" }
resp: HTTP 200 {"plan_id":"plan-e9b30cc"}

→ real plan_id = plan-e9b30cc

==== req step2: add_task_to_plan (backlog task → REAL plan mode)
POST /add_task_to_plan
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "plan_id": "plan-e9b30cc", "task_id": "task-3b8463c" }
resp: HTTP 200 {"ok":true}

==== req step3: start_work the SAME work item - now a real-plan mode → RUNNABLE
POST /start_work
req: { "agent_id": "81XV5SM4HC8WZT37790220P", "work_item_id": "81XV5SP8HNPWZ80EUVK7KJP" }
resp: HTTP 200 {"status":"active","work_item_id":"81XV5SP8HNPWZ80EUVK7KJP"}

==== post-check (DB): same task now left OPEN+running path (real-plan mode); plan is non-builtin
task /task-3b8463c status=open plan=plan-e9b30cc
plan = plan-e9b30cc is_builtin=0

=== Summary: REQ1 not_claimable | REQ2 task_not_runnable | REQ3 is_builtin gate | REQ4 same WI runs in real plan | REQ5 404/404/401 fail-closed ===
```