## What is CSS?

- CSS stands for Cascading Style Sheets
- CSS describes how HTML elements are to be displayed on screen. • CSS saves a lot of work. It can control the layout of multiple web pages all at once • External stylesheets are stored in CSS files




The selector points to the HTML element you want to style.

The declaration block contains one or more declarations separated by semicolons.

Each declaration includes a CSS property name and a value, separated by a colon.

Multiple CSS declarations are separated with semicolons, and declaration blocks are surrounded by curly braces.

### Types of selectors:

| | | |
|---|---|---|
| **Element selector** | P | All <p> elements |
| **ID selector** | #abc | element with id="abc" |
| **Class selector** | .abc | elements with class="abc" |

## Three Ways to Insert CSS

There are three ways of inserting a style sheet:

- External CSS
- Internal CSS
- Inline CSS

### Inline CSS

An inline style may be used to apply a unique style for a single element.

To use inline styles, add the style attribute to the relevant element. The style attribute can contain any CSS property.

```
<h1 style="color:blue;text-align:center;">This is a heading</h1>
<p style="color:red;">This is a paragraph.</p>
```

### Internal CSS

An internal style sheet may be used if one single HTML page has a unique style.

The internal style is defined inside the <style> element, inside the head section.

```
<head>
<style>
body {
  background-color: maroon;
}

h1 {
  color: white;
  margin-left: 40px;
}
</style>
</head>
```

## External CSS

With an external style sheet, you can change the look of an entire website by changing just one file! Each HTML page must include a reference to the external style sheet file inside the <link> element, inside the head section. The **<link>** element can be used in an HTML document to tell the browser where to find the CSS file used to style the page.

lives inside the **<head>** element.

```
<head>
<link rel="stylesheet" href="mystyle.css">
</head>
```

It should use three attributes:

- **href:** This specifies the path to the CSS file
- **rel:** This specifies the relationship between the HTML page and the file it is linked to

The value should be **stylesheet** when linking to a CSS file.

## CSS background properties

The CSS background properties are used to add background effects for elements. Such as:

- background-color, - background-image, - background-repeat, background-attachment
- background-position

### background-color:

```
<head>
<style>
body {
    background-color: rgb(200,200,200);}
h1 {
    background-color: DarkCyan;}
p {
    background-color: white;}
</style>
</head>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>

</body>
```

## CSS Margins

The CSS margin properties are used to create space around elements, outside of any defined borders. With CSS, you have full control over the margins.

**Setting Margins**

You can set margins for each side of an element using:

- margin-top
- margin-right
- margin-bottom
- margin-left

## CSS Padding

The CSS padding properties are used to generate space around an element's content, inside of any defined borders. With CSS, you have full control over the padding.

Padding - Individual Sides

CSS has properties for specifying the padding for each side of an element: •

padding-top

- padding-right
- padding-bottom
- padding-left

## Block vs. Inline Elements in HTML

In HTML, elements are categorized into **block-level** and **inline** elements based on how they are displayed on the page.

### 1. Block Elements

A **block-level element** always **starts on a new line** and takes up the **full width** available.

- Always starts on a **new line**
- Takes up the **full width** available by default
- Can have **width, height, margin, and padding**

### 2. Inline Elements

An **inline element** stays **on the same line** as surrounding content and only takes up as much width as necessary.

# Lecture5 Introduction to CSS