

What is Bootstrap?

- Bootstrap is a free front-end framework for faster and easier web development
- Bootstrap includes HTML and CSS based design templates for typography, forms, buttons, tables, navigation, modals, image carousels and many other, as well as optional JavaScript plugins
- Bootstrap also gives you the ability to easily create responsive designs

What is Responsive Web Design?

Responsive web design is about creating web sites which automatically adjust themselves to look good on all devices, from small phones to large desktops.

Bootstrap History

Bootstrap was developed by Mark Otto and Jacob Thornton at Twitter, and released as an open source product in August 2011 on GitHub.

In June 2014 Bootstrap was the No.1 project on GitHub!

Bootstrap Versions

This tutorial follows **Bootstrap 3**, which was released in 2013. However, we also cover newer versions; [Bootstrap 4 \(released 2018\)](#) and [Bootstrap 5 \(released 2021\)](#).

[Bootstrap 5](#) is the newest version of [Bootstrap](#); with new components, faster stylesheets, more responsiveness etc. It supports the latest, stable releases of all major browsers and platforms. However, Internet Explorer 11 and down is not supported.

The main differences between Bootstrap 5 and Bootstrap 3 & 4, is that Bootstrap 5 has switched to [JavaScript](#) instead of [jQuery](#).

Note: [Bootstrap 3](#) and Bootstrap 4 is still supported by the team for critical bugfixes and documentation changes, and it is perfectly safe to continue to use them. However, new features will NOT be added to them.

Where to Get Bootstrap?

There are two ways to start using Bootstrap on your own web site.

You can:

- Download Bootstrap from getbootstrap.com
- Include Bootstrap from a CDN

Bootstrap Buttons

Button Styles

Bootstrap provides different styles of buttons:

Basic Default Primary Success Info Warning Danger Link

To achieve the button styles above, Bootstrap has the following classes:

- `.btn`
- `.btn-default`
- `.btn-primary`
- `.btn-success`
- `.btn-info`
- `.btn-warning`
- `.btn-danger`
- `.btn-link`

The following example shows the code for the different button styles:



Example

```
<html lang="en">

<head>

  <title>Bootstrap Example</title>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">

  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>

</head>

<body>

<div class="container">
```

```
<h2>Button Styles</h2>
```

```
<button type="button" class="btn">Basic</button>
```

```
<button type="button" class="btn btn-default">Default</button>
```

```
<button type="button" class="btn btn-primary">Primary</button>
```

```
<button type="button" class="btn btn-success">Success</button>
```

```
<button type="button" class="btn btn-info">Info</button>
```

```
<button type="button" class="btn btn-warning">Warning</button>
```

```
<button type="button" class="btn btn-danger">Danger</button>
```

```
<button type="button" class="btn btn-link">Link</button>
```

```
</div></body></html>
```

Bootstrap Image Shapes

Rounded Corners:



Circle:



Thumbnail:



Rounded Corners

The `.img-rounded` class adds rounded corners to an image

Circle

The `.img-circle` class shapes the image to a circle

Example

```
<html lang="en">
```

```
<head>
```

```
<title>Bootstrap Example</title>
```

```

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1">

<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

<script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>

</head>

<body>

<div class="container">

  <h2>Rounded Corners</h2>

  <p>The .img-rounded class adds rounded corners to an image (not available in IE8):</p>

  

</div></body></html>

```

Bootstrap Tables

Bootstrap Basic Table

A basic Bootstrap table has a light padding and only horizontal dividers.

The .table class adds basic styling to a table:

Example

```

<html lang="en">

<head>

  <title>Bootstrap Example</title>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">

  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>

```

```
</head>
```

```
<body>
```

```
<div class="container">
```

```
<h2>Basic Table</h2>
```

```
<p>The .table class adds basic styling (light padding and only horizontal dividers) to a table:</p>
```

```
<table class="table">
```

```
<thead>
```

```
<tr>
```

```
<th>Firstname</th>
```

```
<th>Lastname</th>
```

```
<th>Email</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<tr>
```

```
<td>John</td>
```

```
<td>Doe</td>
```

```
<td>john@example.com</td>
```

```
</tr> <tr>
```

```
<td>Mary</td>
```

```
<td>Moe</td>
```

```
<td>mary@example.com</td>
```

```
</tr>
```

```
<tr>
```

```
<td>July</td>
```

```
<td>Dooley</td>
```

```
<td>july@example.com</td>
```

```
</tr>

</tbody>

</table>

</div>

</body>

</html>
```

Bootstrap Dropdowns

A dropdown menu is a toggleable menu that allows the user to choose one value from a predefined list:

Example

```
<html>

<head>

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">

  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>

</head>

<body>

<div class="container">

  <h2>Dropdowns</h2>

  <p>The .dropdown class is used to indicate a dropdown menu.</p>

  <p>Use the .dropdown-menu class to actually build the dropdown menu.</p>

  <p>To open the dropdown menu, use a button or a link with a class of .dropdown-toggle and data-
toggle="dropdown".</p>

  <div class="dropdown">

    <button class="btn btn-primary dropdown-toggle" type="button" data-
toggle="dropdown">Dropdown Example
```

```
<span class="caret"></span></button>

<ul class="dropdown-menu">

  <li><a href="#">HTML</a></li>

  <li><a href="#">CSS</a></li>

  <li><a href="#">JavaScript</a></li>

</ul>

</div>

</div>

</body>

</html>
```

Bootstrap Navigation Bar

Navigation Bars

A navigation bar is a navigation header that is placed at the top of the page:

With Bootstrap, a navigation bar can extend or collapse, depending on the screen size.

A standard navigation bar is created with `<nav class="navbar navbar-default">`.

The following example shows how to add a navigation bar to the top of the page:

Example

```
<html lang="en">

<head>

  <title>Bootstrap Example</title>

  <meta charset="utf-8">

  <meta name="viewport" content="width=device-width, initial-scale=1">

  <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">

  <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>

  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"></script>
```

```
</head>

<body>

<nav class="navbar navbar-default">

  <div class="container-fluid">

    <div class="navbar-header">

      <a class="navbar-brand" href="#">WebSiteName</a>

    </div>

    <ul class="nav navbar-nav">

      <li class="active"><a href="#">Home</a></li>

      <li><a href="#">Page 1</a></li>

      <li><a href="#">Page 2</a></li>

      <li><a href="#">Page 3</a></li>

    </ul>

  </div>

</nav>

<div class="container">

  <h3>Basic Navbar Example</h3>

  <p>A navigation bar is a navigation header that is placed at the top of the page.</p>

</div>

</body>

</html>
```