

**COVID-19 and its Effects on Society**

Manas R. Panigrahi, Om Prakash Sahu, and Xin X. Ping.

*Department of Physics, Veer Surendra Sai University of Technology, Burla*

(Received 18 Sept 2020; published 7 Oct 2020)

World Health Organization (WHO) announced Corona Virus which is also referred as COVID-19 as a disease on 11th February 2020. It is a respiratory disease which impacts the health of the individual as a whole. The WHO declared the novel Corona Virus as a Pandemic disease in March, 2020. The novel Corona virus and the containment measures posed a challenge to the interpersonal and community interactions that with the social distancing measures and isolation, these social relations became severely impacted. From the human existence, these social connections, interactions and relations have become integral into our life. This paper is a Reviewed paper which is based on secondary information collected from various sources such as published and unpublished Journal Articles, Newspapers, Books, and Reports of various Government Organizations, Non-Governmental Organizations and Commission

DOI: [10.1103/PhysRevB.84.075418](https://doi.org/10.1103/PhysRevB.84.075418)

PACS number(s): 73.22.Pr, 03.65.Vf, 73.43.-f, 81.05.ue

**I. INTRODUCTION**

Pandemics in general are not merely serious public health concern, rather these trigger disastrous socio-economic and political crises in the infected countries. COVID-19, apart from becoming the greatest threat to global public health of the century, is being considered as an indicator of inequity and deficiency of social advancement. As is implied in the name COVID-19, 'CO' stands for 'corona,' 'VI' for 'virus,' and 'D' for disease, and 19 represents the year of its occurrence. Coronavirus is a single stranded RNA virus with a diameter ranging from 80 to 120 nm. The first modern COVID-19 pandemic was reported in December 2019, in Wuhan, Hubei province, China and most initial cases were related to source infection from a seafood wholesale market<sup>1</sup>. Since then, the disease rapidly circled the globe and has eventually affected every continent except Antarctica. It has been categorized as a pandemic by the World Health Organization<sup>2</sup>. International Committee on Taxonomy of Viruses (ICTV) named the virus as severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2)<sup>3</sup>. According to WHO, in 2002–2003, more than 8000 people suffered and 774 died of a coronavirus, called SARS. In 2012, MERS-CoV pandemic broke out infecting more than 2494 persons and killing over 858 lives worldwide<sup>4,5</sup>. Coronaviruses belong to a large diverse family of viruses. These can be categorized into four genera namely,  $\alpha$ -,  $\beta$ -,  $\gamma$ -, and  $\delta$ . All the previously discussed coronaviruses responsible for worldwide spread of pandemic, namely SARS, MERS-CoV and SARS-CoV-2 are  $\beta$ coronaviruses.

Apart from COVID-19, the human civilization has witnessed at least five pandemics in the current

century, e.g. H1N1 in 2009, polio in 2014, Ebola (out broke in West Africa in 2014), Zika (2016) and Ebola (Democratic Republic of Congo in 2019). Subsequently COVID-19 outbreak has been declared as the sixth public health emergency of international concern on 30 Jan 2020 by the WHO. These worldwide outbreaks triggered a large number of fatalities, morbidities, and cost billions of dollars<sup>6,7</sup>. Compared to other diseases and their respective burdens, COVID-19 is likely to cause as much or greater human suffering than other contagious diseases in the whole world. In addition, other global environmental changes such as soil degradation, ozone layer depletion, pollution, and urbanization, changing environment creates an indisputable threat to our planet and human health. Global warming has its roots in industrial development, with the huge release of CO<sub>2</sub> during the industrial revolution and beyond, finally allowing the greenhouse effect to take place. To some extent COVID-19 outbreak may be considered as an indirect consequence of global environmental changes. Besides its upsetting effects on human life, the novel coronavirus disease (COVID-19) has the potential to significantly slowdown the economy not only of China, USA, or India but also of the world as a whole. Therefore, healthcare personnel, governments and the public in general need to show solidarity and fight shoulder to shoulder for prevention and containment of the pandemic<sup>8</sup>. In the present paper, our main focus is to highlight the impacts of COVID-19 on environment & society, and attempt has been made to point out the preventive routes for minimizing the risk factors.

## II. COVID-19 PANDEMIC

The outbreak of the new coronavirus infection, COVID-19 was initiated from the Hunan seafood market in Wuhan city of China in December 2019, and within a couple of months it has turned out to be a global health emergency. Live animals like bat, frog, snake, bird, marmot and rabbit are frequently sold at the Hunan seafood market<sup>9</sup>. Genomic analysis revealed that SARS-CoV-2 is phylogenetically related to severe acute respiratory syndrome-like (SARS-like) bat viruses, bats could therefore be the possible primary source. Although the intermediate source of origin and transfer to humans is not clearly known, the rapid human to human spreading capability of this virus has been established. As per the latest update of WHO on 18 April 2020, the outbreak of COVID-19 had spread in more than 200 countries. Approximately 146,198 people had died after contracting the respiratory virus out of nearly 2,164,111 confirmed cases, whereas more than 402,989 people have recovered from the disease. These numbers are changing rapidly. The detailed up-to-date information about COVID-19, is available in the [WHO website](#). Daily infection of COVID-19 has been steadily raising worldwide ([Fig. 1](#)).

More than 200 countries/regions have reported confirmed COVID19 cases, including China, Italy, Iran, S. Korea, India, Switzerland, Taiwan, USA, Sweden, Singapore, Sri Lanka, France, Australia, Malaysia, Spain, United Arab Emirates, UK, Nepal, Finland, Netherlands, Japan, Belgium, Russia, Thailand, Philippines, Cambodia, and Germany ([Fig. 2](#)). After hitting China in January 2020, COVID-19 severely out broke in countries like South Korea, Iran, and Italy in late February and early March, 2020. As far as the number of COVID infected patients is concerned, USA is at the top of the list followed by Spain ([Fig. 1](#)). In USA, more than 30,000 people died of this disease. According to the report of the Chinese government and the WHO, the current outbreak has infected some 84,180 people in China out of which more than 4642 people have died so far as of April 18. The first case of coronavirus outbreak in India was reported on 30 January 2020 in Kerala's Thrissur district when a student had returned home from Wuhan University in China<sup>10</sup>. The Health Ministry of India has confirmed 14,378 cases of coronavirus infection and 480 deaths in the country so far on 18.04.2020. On the one hand the very high transmissibility of the virus is responsible for its worldwide spread, the improvement and accessibility of international travel & tourism could be a reason for its further worldwide spread on the other hand. Every year, different parts of the world organize various religious, socio-cultural, scientific, sport, and political mass gathering festivals. These types of mass gatherings are likely to exaggerate many of the risk factors of COVID-19, and have historically been

associated with outbreaks of disease both in local and international levels. The emergence and spread of COVID-19 from Asia to the Americas, Africa and the Europe represent a global pandemic threat ([Fig. 3](#)).

## III. COVID-19 AND GLOBAL HEALTH

The relationship between human health and disease is neither a new concept, nor a new subject. The emergence COVID-19 in China at the end of 2019 has caused a large global outbreak and is a major public health issue. This virus is highly infectious and can be transmitted through droplets and close contact. The human to the human spreading of the virus occurs due to close contact with an infected person exposed to coughing, sneezing, respiratory droplets or aerosols ([Fig. 4](#)). These aerosols can penetrate the human body (respiratory system) via inhalation through nose or mouth<sup>11,12</sup>. The clinical spectrum for individuals with COVID-19 infection ranges from mild or non-specific signs and symptoms of acute respiratory illness such as fever, cough, fatigue, shortness of breath, to severe pneumonia with respiratory failure and septic shock, which are very similar to other coronavirus diseases<sup>13</sup>. The presenting features of COVID-19 disease in adults are pronounced. It is a matter of great importance to clarify the correlation between COVID-19 and immune-rheumatologic patients.




FIG.1. The comparative study of COVID-19 cases of India with other Country. (Source: [WHO, 2020](#), Accessed date: 18 April 2020).

Taking into consideration the quick and frantic spread of the epidemic, health of rheumatic patients is a matter of prime concern. COVID-19 being a respiratory disease, damage of the tissues of Lungs is quite obvious, but there is report that other organs and tissues may also be affected. Since viral shedding in plasma or serum is common in respiratory tract infections, there is a possibility of transmission of coronaviruses through the transfusion of labile blood products. COVID-19 is a major public health concern for the world's population and is a leading cause of hospitalization and death,

particularly for middle and old age people in the affected countries.

#### IV. COVID-19 AND ECONOMY

Loss of lives due to any pandemic causes definite irretrievable damage to the society. But apart from this, COVID-19 has severely demobilized the global economy. In order to restrict further transmission of the disease in the community, many of the affected countries have decided to undergo complete lock down. Major international flights and also all types of business transports have been deferred amid different countries.



FIG.2. Current distribution of COVID-19 in different countries. (Source: [WHO, 2020](#), Accessed date: 18 April 2020).

Due to lockdown all domestic flights, railway service (except goods trains), bus, truck, and vehicles transports are suspended with special exemption to those associated with essential commodities.




FIG.3. Case comparison of WHO regions. (Source: [WHO 2020](#), Accessed date: 18 April 2020).

In almost all the COVID-19 stricken countries, entire educational, commercial, sports and spiritual institutions are closed. Industries are suffering a lot as many of these excepting those related to essential amenities, are closed for a long time in many countries. People belonging to the tourism and transportation industry are also facing utmost difficulties. Production level has gone very low.




FIG.4. Transmission dynamics of SARS-CoV-2 infection in People.

Economy of many so called powerful countries are now facing the threat of high inflation and increasing unemployment as a result of lack of productivity and excessive expenditure for the treatment and rehabilitation of the COVID19 victims and their families<sup>14</sup>. Lockdown will directly affect the GDP of each country in the major economics (Fig. 5). For each month there will be an approximate loss of 2% points in annual GDP growth. The tourism sector alone faces an output decrease as high as 50% to 70%.




Fig. 5. The initial impact of containment measures will felt worldwide; Selected countries, in % of GDP at constant prices. (Source: [OECD annual national accounts](#); OECD trade in value added database, and OECD calculations; OECD 2020, <http://www.oecd.org/coronavirus/en/>, Accessed date: 08 April 2020).

According to World Trade Organization (WTO) and Organization for Economic Cooperation and Development (OECD) have indicated COVID-19 pandemic as the largest threat to global economy since the financial emergency of 2008–2009. Some of the experts are even saying that human civilization has not faced such an unprecedented emergency after the World War-II. So, COVID-19 has undoubtedly put forth a remarkably bad effect on the day to day life of the entire human society and also on the world economy.



## V. THE GLOBAL STRATEGY FOR COVID-19 PREVENTION AND CONTROL

COVID-19 is a global threat that requires a global response involving all countries. Governments should be responsible for providing exact information to help the public face this novel infection. To decrease the damage connected with COVID-19, public health and infection control actions are immediately necessary to limit the global spread of the virus. Some Global strategies are discussed below to prevention and control COVID-19 disease.

### A. Restricting mass gathering

Preventing SARS-CoV-2 transmission by restricting mass gathering is an important objective of public health care system. COVID-19 is spread from person to person through direct contact. Thus, the spread of respiratory illnesses during the mass gathering is a major public health concerns with the potential of distribution of these infectious diseases. Based on earlier knowledge of MERS and SARS infections, the WHO in order to reduce the general risk of transmission of COVID-19 has recommended some precautionary measures such as avoiding close contact with people suffering from acute respiratory illness, regular hand washing with soap & water or hand sanitizer particularly after direct contact with sick people or their environment, maintaining cough etiquette, and avoiding unprotected contact with farm or wild animals etc. Govt. of different countries postponed all types of religious, cultural, social, scientific, sport, and political mass gathering events in different parts of the world. Some international events such as Umrah, Hajj and the Olympic Games have already been suspended in order to avoid mass gathering. Media and information technology are providing significant support to the society for prevention and control of COVID-19 outbreak. So, restricting mass gathering could be the primary preventive strategy for COVID-19.

### B. Medicine

The outbreak of COVID-19 has become a clinical threat to the common population and healthcare workers worldwide. Since this is a very new virus, much knowledge about this novel virus is therefore not available. So far, there are no exact antiviral treatments or vaccines for COVID-19 disease. Therefore, it is an urgent necessity of time to develop a safe and stable COVID-19 vaccine. Anti-viral drugs like Chloroquine and hydroxychloroquine have been found to be effective against COVID-19 in laboratory studies and in-vivo studies<sup>15,16</sup>. A recent study by Wang et al. revealed that remdesivir and chloroquine were highly effective in the control of 2019-nCoV in vitro<sup>17,9</sup>. Since SARS-CoV-2 is an RNA virus, any vaccines, effective against other

RNA viruses such as measles, polio, encephalitis B and influenza, could be the most promising alternatives<sup>18,19</sup>. So, research will continue to play an important role to discover new drugs or vaccines to prevent and control the COVID-19 infections.

### C. Global ban on wildlife trade

The starting point of COVID-19 outbreak was Hunan seafood market, Wuhan, China. China has temporary put a ban on wildlife markets where animals such as civet, bat, wolf pup, pangolin etc. are kept alive in small cages while on sale. 60% of emerging transferable diseases originate from animals, and 70% of these are supposed to originate in wild animals. So, the unrestricted wildlife trade might enhance the risks of emerging new viruses. Many scientists have urged different countries to permanently ban the wildlife markets and trades. These actions would help to protect human lives from future pandemics like COVID19. Therefore, considering the national security, biosafety, and public health, it is essential to globally ban wildlife markets and trades.

### D. Forestation

According to World Wildlife Fund, forests cover more than 30% of the Earth's land surface. The unstoppable growths in human population lead to deforestation for resources, industries and land for agriculture or grazing. Rising average temperature and ocean levels, and increased rate of extreme weather events affect not only the global land and ecosystem, but also human health<sup>20</sup>. Deforestations are also linked to different types of disease due to the birds, bat-borne viral outbreaks<sup>21,22</sup>. COVID-19 is bat related epidemic. To prevent this outbreak, billions of dollars are being spent to developing diagnostic, treatment, and medicine. But we are neglecting the primary tools of prevention such as forestation and respecting wildlife habitats. It is therefore very much important for the world to realize the significance of the forests, and to encourage afforestation as much as possible throughout the world.

## VI. SUMMARY AND CONCLUSIONS

Environment change is one of the biggest and most vital challenges of the 21st century. In spite of all their efforts to restore the nature during the last few decades, humans could only move a few steps forward. But during the last few months, consequences of the pandemic have successfully recovered the environment to a large extent that should definitely set positive impact on global climate change. Whatever be the cause or origin, the occurrence of COVID-19 has emphasized to improve the mutually-affective connection between humans and nature. At this point of time, it is indispensable to control the source of disease, cut off the

transmission path, and use the existing drugs & means to Fig. 6. Partial or complete shutdowns will be felt across the economy; Selected G7 countries, in % of GDP at constant prices. (Source: [OECD annual national accounts and OECD calculations, OECD 2020](#), Accessed date: 08 April 2020). 6 I. Chakraborty, P. Maity / Science of the Total Environment 728 (2020) 138882 control the progress of the disease proactively. Like all the preceding disasters on the earth, let all be optimistic enough

that, human beings will definitely win over the pandemic in due course of time, but they should know the limits to which they can thrust nature, before it is too late.

## VII. ACKNOWLEDGMENTS

The authors are thankful to Prof. Syed Sirajul Islam, Department of Chemistry and Chemical Technology, Vidyasagar University, West Bengal, India.

<sup>1</sup> Huang, C., Wang, Y., Li, X., Ren, L., Zhao, J., Hu, Y., et al., 2020. [Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. Lancet 395, 497–506.](#)

<sup>2</sup> World Health Organization, 2020. [Clinical Management of Severe Acute Respiratory Infection When Novel Coronavirus \(2019-nCoV\) Infection Is Suspected: Interim Guidance.](#)

<sup>3</sup> Gorbalenya, A.E., Baker, S.C., Baric, R.S., de Groot, R.J., Drosten, C., Gulyaeva, A.A., et al., 2020. [Severe acute respiratory syndrome-related coronavirus: the species and its viruses—a statement of the Coronavirus Study Group. Bio Rxiv](#)

<sup>4</sup> World Health Organization, 2004. [Summary of probable SARS cases with onset of illness from 1 November 2002 to 31 July 2003.](#), Accessed date: 5 February 2020.

<sup>5</sup> World Health Organization, 2013. [Middle East Respiratory Syndrome Coronavirus\(MERSCoV\).](#), Accessed date: 5 February 2020.

<sup>6</sup> Allocati, N., Petrucci, A.G., Di Giovanni, P., et al., 2016. [Bat-man disease transmission: zoonotic pathogens from wildlife reservoirs to human populations. Cell Death Dis. 2, 16048.](#)

<sup>7</sup> Fan, Y., Zhao, K., Shi, Z.L., et al., 2019. [Bat coronaviruses in China. Viruses 11, 210](#)

<sup>8</sup> Yoo, J.H., 2020. [The fight against the 2019-nCoV outbreak: an arduous march has just begun.](#) J. Korean Med. Sci., 35–56.

<sup>9</sup> Wang, C., Horby, P.W., Hayden, F.G., Gao, G.F., 2020b. [A novel coronavirus outbreak of global health concern. Lancet.](#)

<sup>10</sup> Rawat, Mukesh, . [Coronavirus in India: tracking country's first 50 COVID-19 cases; what numbers,](#) Retrieved 12 March 2020.

<sup>11</sup> Fan, Y., Zhao, K., Shi, Z.L., et al., 2019. [Bat coronaviruses in China. Viruses 11, 210.](#)

<sup>12</sup> Riou, J., Althaus, C.L., 2020. [Pattern of early human-to-human transmission of Wuhan 2019 novel coronavirus](#)

[\(2019-nCoV\), December 2019 to January 2020. Eurosurveillance 25 \(4\).](#)

<sup>13</sup> Backer, J.A., Klinkenberg, D., Wallinga, J., 2020. [Incubation period of 2019 novel coronavirus \(2019-nCoV\) infections among travelers from Wuhan, China, 20–28 January 2020. Euro Surveill 25 \(5\), 1–6.](#)

<sup>14</sup> OECD Interim Economic Assessment, 2 March 2020. [Coronavirus: the world economy at risk.](#)

<sup>15</sup> World Health Organization, 2020. [Clinical Management of Severe Acute Respiratory Infection When Novel Coronavirus \(2019-nCoV\) Infection Is Suspected: Interim Guidance.](#)

<sup>16</sup> Rolain, J.M., Colson, P., Raoult, D., 2007. [Recycling of chloroquine and its hydroxyl analogue to face bacterial, fungal and viral infections in the 21st century. Int. J. Antimicrob. Agents 30, 297–308.](#)

<sup>17</sup> Wang, M., Cao, R., Zhang, L., Yang, X., Liu, J., Xu, M., et al., 2020a. [Remdesivir and chloroquine effectively inhibit the recently emerged novel coronavirus \(2019-nCoV\) in vitro. Cell Res. 30 \(3\), 269–271.](#)

<sup>18</sup> Liu, W., Morse, J.S., Lalonde, T., Xu, S., 2020. [Learning from the past: possible urgent prevention and treatment options for severe acute respiratory infections caused by 2019-nCoV. Chembiochem.](#)

<sup>19</sup> Lu, H., 2020. [Drug treatment options for the 2019-new coronavirus \(2019-nCoV\). Biosci Trends.](#)

<sup>20</sup> Ruscio, B.A., Brubaker, M., Glasser, J., Hueston, W., Hennessy, T.W., 2015. [One health—a strategy for resilience in a changing arctic. Int. J. Circumpolar Health 74, 27913.](#)

<sup>21</sup> Afelt, A., Frutos, R., Devaux, C., 2018. [Bats, coronaviruses, and deforestation: toward the emergence of novel infectious diseases? Front. Microbiol. 9, 702.](#)

<sup>22</sup> Olivero, J., Fa, J.E., Real, R., et al., 2017. [Recent loss of closed forests is associated with Ebola virus disease outbreaks. Sci. Rep. 7, 14291.](#)