PlantCircle

Global iOS & Android Product Requirements Document (PRD)

Working name: PlantCircle (unvalidated brand)
Version: 1.0 | **Date:** 31 October 2026
Status: Proposed for discovery and estimation; not implementation-approved
Platform: iOS + Android, cross-platform React Native app; small supporting organizer/admin web surfaces
Initial footprint: Global accounts and online Circles; activated pilot chapters across Africa and the Americas, expanding by evidence

---

1. Product overview

PlantCircle is a global, mobile-first community for vegans, vegetarians and people exploring plant-based living. The product helps members connect through shared interests, join and build local and international Circles, learn practical skills, organize events, teach cooking, and coordinate shared groceries or ingredient exchanges.

Problem: Existing tools are fragmented: a community discovers one another on social media, plans in messaging apps, tracks attendance in spreadsheets, pays elsewhere, and loses contact afterward. PlantCircle will make that multi-step workflow cohesive and reliable.

Product outcome: Every active member should be able to find relevant people and participate meaningfully in a community activity. Every qualified host should be able to publish, coordinate, and conclude a community Plan without relying on four other platforms.

Differentiated capability: the **Community Plan** system—not the social feed—is the organizing unit of the product. Plans can represent free or paid physical events (paid after MVP), live online teaching, potlucks, recurring gatherings, volunteer efforts and coordinated group orders. Organizers get logistics; members get clarity; post-event continuity grows Circles.

2. Success criteria and constraints

2.1 North Star

Meaningful Community Participations (MCP) per rolling 28 days: number of unique member-Plan outcomes completed and verified using reasonable evidence (attended event, online session participation or completed group coordination). An RSVP by itself does not count. Distinct plan+member pairs counted once; host self-attendance excluded from host performance measures. Review for gaming and false check-ins.

2.2 Suggested discovery targets (not established benchmarks)

Target	Pilot threshold	Instrumentation
7-day new-user activation	>=35% join Circle + take meaningful action	account, circle_joined, rsvp_confirmed, plan_action_completed

Target	Pilot threshold	Instrumentation
RSVP-to-attendance	>=60% for events with valid check-in	attendance_confirmed / confirmed RSVP
Second participation within 30 days	>=25% of first-time attendees	member_plan_completed
Organizer repeat	>=40% create a second completed Plan within 60 days	host_plan_completed
City relevance	>=3 suitable Plans/week for median engaged member	personalized search inventory
App stability	>=99.5% crash-free sessions in initial beta	mobile telemetry
Critical unresolved safety incidents	0 at public release	trust & safety launch checklist

Actual thresholds and sample sizes require agreement in discovery. Report confidence intervals for small pilots and don't interpret tiny cohort changes as statistically significant.

2.3 Product boundaries

In MVP: accounts, preferences, public/approved Circles, local+global activity discovery, Plan creation/templates, capacity/RSVP/waitlist, discussion and notifications, lightweight knowledge posts/recipes, shared task/contribution lists, group-order coordination without payments, check-ins, feedback, host tools, reporting/blocking, staff moderation, language preferences and low-data support.

Later: ticket sales, subscription billing, full supplier marketplace, inventory management, delivery logistics, continuous livestream hosting, sophisticated matching, public API, consumer premium, dating, children's accounts, unmoderated meetups at private addresses.

3. Users, roles and permissions

Role	Capabilities	Restrictions
Guest	View intentionally public chapters, Plans and articles through approved links	Cannot access member lists, private addresses, post, chat or RSVP
Member (18+)	Profile, join Circles, create qualifying Plans, RSVP, contribute, post, message with consent	Must agree to latest rules; rate limits; account trust controls
Circle moderator	Approve members, manage Circle content, handle routine cases	Cannot view unrelated private messages or staff reports
Plan host	Create/edit Plans, manage RSVPs, waitlist, attendee communications, contributions and check-in	Cannot expose data beyond Plan need; subject to host eligibility
Co-host	Selected delegated Plan tasks	Cannot alter ownership, payouts or sensitive trust data
Verified organizer	Additional host trust checks for larger, paid or private events	Verification badge isn't a guarantee of event safety
Chapter steward	Help launch local chapters and flag issues	No unrestricted access to private member data
Trust & safety agent	Triage reports, enforce rules, preserve audit trail	Role-scoped read with access logs and review gates

Role	Capabilities	Restrictions
System administrator	Operations/feature flags/configuration	Sensitive actions require justifications and privileged audit logs

At launch, all accounts must be 18+; no minor guest-to-member conversion. Let users create a pseudonymous public profile and disclose dietary preference only voluntarily.

4. Core information architecture

Mobile bottom navigation (5 tabs):

1. **Home:** relevant local Plans and international learning, invitations, pending tasks, updates from joined Circles; no endless generic algorithmic feed required.
2. **Explore:** search members (privacy-safe), Circles, Plans, recipes/lessons; filters for city, online, language, date, cost, diet rules, accessibility and interests.
3. **My Plans:** upcoming RSVPs, hosted Plans, waitlists, saved details, contributions and past participation. Prominent global **Create** action.
4. **Inbox:** consent-based DMs, Circle discussion and Plan coordination messages; report/block access.
5. **Profile:** identity, interests, visibility, languages, dietary preference (optional), saved learning, settings, privacy and support.

Use consistent routes and deep links for plan/{id}, circle/{id}, learn/{id}, and u/{handle}. Content not intended public must never leak via previews or web SEO.

5. Four key journeys

5.1 New member in Lagos

A member installs Android app -> chooses language -> creates account -> attests age >=18 -> selects interests (food cultures, budget cooking, sports, volunteering) -> optionally chooses Lagos manually -> sees a relevant upcoming potluck and a worldwide Nigerian cooking Circle -> opens Plan -> reviews host, location privacy, allergens and expectations -> joins Circle -> confirms RSVP -> receives reminders -> checks in (host or consent-based) -> gives feedback and joins a recurring Circle.

Minimum outcome: find a worthwhile activity without mandatory precise GPS, following an influencer or publishing diet identity.

5.2 Host in São Paulo

Host creates new Plan -> template “Cooking Workshop” -> sets event language Portuguese, timezone, capacity, skill level, physical/online and free in MVP -> adds instructions, venue disclosure rule, ingredient/allergen notes and RSVP deadline -> chooses Circle(s) -> publishes -> reviews waitlist -> sends organizer update -> checks in -> sends post-event recipe -> proposes a recurring edition.

Minimum outcome: published event contains clear logistics; attendee status and messages remain consistent.

5.3 Online teacher in Nairobi

Member creates a global online Plan -> selects live teaching -> chooses timezone aware start and language -> shares access details only after RSVP -> adds recipe and substitutions -> attendees in New York and Berlin see their

local times -> after participation attendees receive a saved lesson summary with attribution. Initial MVP uses external conferencing links shared privately, not a built-in streaming stack.

5.4 Shared purchase coordinator in New York

Trusted host starts “Bulk beans and pantry staples” Plan -> specifies seller/source, items, quantities, estimated unit price, currency, pickup window, allergen and storage notes -> members express non-binding interest and quantities -> threshold is reached -> host closes coordination and shares external, approved next steps -> members confirm collected/completed -> participants can report disputes. **No PlantCircle checkout or custody of member funds in MVP.**

6. Functional requirements and acceptance criteria

Each requirement carries a priority: **P0** required for public pilot; **P1** after participation is validated; **P2** later optional capability. User stories and tests below are normative until changed in product review.

FR-01 — Accounts, sign-in and onboarding (P0)

- Support email/passwordless or secure OAuth where available; email verification; secure session handling, sign-out and revocation.
- Must gate accounts to 18+ at launch, store policy acceptance with version and timestamp, and permit account deletion from within the app.
- Onboarding asks for interests, preferred language, optional dietary preference and optional manually selected city; GPS permission is prompted **only when needed** for nearby search.
- Support accessibility labels and full navigation without camera, contacts or location access.

AC-01: Given a new adult user who declines location, when onboarding finishes, they can browse online and manually selected city Plans without being blocked.
AC-02: Given a user who doesn't accept community rules, content creation, DMs and RSVPs remain disabled.
AC-03: Given a blocked/disabled account, server rejects protected endpoints regardless of modified client state.
AC-04: Given deletion request, account is disabled promptly and data is erased or retained according to a documented legal/abuse retention schedule, with confirmation and export route.

FR-02 — Profiles, privacy and relationships (P0)

- Profile: display name, optional avatar, bio, city (coarse), interests, languages and optionally diet type.
- Visibility options: discoverable to all members, only Circle members, or restricted; granular show/hide for city and diet.
- Direct messaging requires mutual connection or explicit message request acceptance; members can block and report from profile and conversation.
- No default full name, precise address, contact book upload or public RSVP attendance list.

AC-05: Hidden dietary choice is never exposed through public profile, discovery API response or analytics export shared with partners.
AC-06: Blocking a member prevents new messaging, member discovery to blocked pair where practical, and invitation delivery; prior shared Circle content may remain visible unless separately moderated.

FR-03 — Circles (P0)

- Circle fields: title, topic, global/local scope, city, content language, description, avatar, rules, visibility (public/request/invite), organizer/moderators, membership count.
- Users may browse and join public Circles, request approval, leave, mute and report.

- Hosts can add moderated posts, pinned resources and related Plans. Limit spam/rapid creation. Staff can suspend Circles.

AC-07: Approval-only Circles never expose private posts, member lists or Plan addresses to applicants before approval.
AC-08: On leaving a Circle, a member loses private Circle access; ongoing RSVP rights and safety messages are handled by event-specific rules.
AC-09: A removed moderator cannot continue posting privileged actions from a stale token.

FR-04 — Community Plan creation (P0)

- Templates: meetup, potluck, cooking class, online learning, volunteer activity, group order, food swap and generic activity.
- Universal fields: title, cover, description, category, organizer, language, event start/end (timezone), locality or online, capacity, visibility, eligibility, cost type (MVP free/externally coordinated), accessibility notes, RSVP deadline, cancellation terms and community rules.
- Type-specific fields: ingredients/allergens for food Plans; assignments for potlucks; topic/materials for workshops; item quantities/pickup for group orders; meeting link visibility for online activities.
- Save draft, preview, validate, publish, update, cancel, archive, duplicate and recur (simple repeat in P1). Audit critical revisions.

AC-10: A Plan cannot publish without host, start/end time, timezone, basic description, capacity, visibility and relevant safety fields.
AC-11: When time changes, all confirmed attendees are notified; their local displayed time recalculates correctly across DST boundaries.
AC-12: When a Plan is cancelled, it disappears from upcoming discovery, RSVPs are notified and staff retains audit history.
AC-13: Venue address set to “approved attendees only” is accessible only after accepted RSVP and appropriate release time.

FR-05 — Discovery, ranking and search (P0)

- Search indexes Circles, public Plans and learning posts with filters: city, radius where consented, online/global, date range, category, interests, language, free/paid, accessibility (self-declared) and dietary requirements.
- Onboarding recommendations based on interests, coarse location and Circle membership; show an understandable reason and allow users to change city.
- Do not rank based on sensitive identity inference; separate sponsored content with labels if offered later. New cities show relevant global online Plans rather than an empty screen.

AC-14: Member who refuses GPS still sees selected-city and worldwide online results.
AC-15: Public search never reveals invite-only Circle or private Plan data.
AC-16: A user changing their city can browse new local Plans without rewriting account identity.

FR-06 — RSVPs, capacity and waitlists (P0)

- RSVP states: invited, requested, confirmed, waitlisted, declined, cancelled, checked_in, no_show (terminal business status may follow completed event).
- Atomic seat allocation; configurable approval mode; one RSVP per member per Plan; user cancellation; waitlist promotion in FIFO initially; host attendance management.

- Notification on confirmation, promotion, material edits, reminders and cancellation. Hosts cannot view unnecessary personal contact information.

AC-17: If two users take the last seat simultaneously, no more than capacity are confirmed.
AC-18: If a confirmed attendee cancels, first eligible waitlisted member is offered the spot without silently exceeding capacity.
AC-19: Duplicate RSVP calls and retries are idempotent; no double bookings or duplicate confirmations.
AC-20: Hosts cannot check in people who were not approved or attended under the Plan's rules; overrides are audited.

FR-07 — Plan coordination and shared responsibilities (P0)

- Host posts announcements, checklist items and contribution slots; attendees opt into a dish or task, quantity and note.
- Manage visible assignment status open, claimed, completed, withdrawn. Respect contribution caps (e.g., need only 2 dishes of one type).
- Plan chat (text + selected images) and mute controls; new participants see permitted history.

AC-21: A contribution slot cannot be overclaimed when max participants is reached.
AC-22: Contribution edit/cancel is reflected in host summary and all members receive appropriate updated state.
AC-23: A deleted or blocked account cannot continue accessing the Plan chat after session refresh/revocation.

FR-08 — Learning and recipe exchanges (P0 light; P1 rich)

- P0: member posts: title, ingredients/materials, steps, optional images, prep time, servings, cultural attribution, allergens and dietary suitability disclaimer; save/bookmark, comment/report, associate with Circle or Plan.
- P1: searchable lessons, structured series, video uploads (with moderation), live-session recaps, creator follow; conversion of Plan to reusable learning resource with consent.
- Recipes may be adapted from traditional cuisines; creator must own or have permission for uploads. Do not auto-certify recipes as vegan, medically safe or free of allergens.

AC-24: Members can edit their recipe and remove media; copies in other users' saved collections respect removal rules.
AC-25: A recipe with unknown allergen information is clearly marked “not confirmed,” never automatically labeled safe.
AC-26: Every public post provides report and creator attribution.

FR-09 — Messaging and notifications (P0)

- 1:1 DM uses request/accept by default; group conversations scoped to Circle or Plan and permission-checked server-side.
- Text and compressed images; no audio/video calls in MVP. Report content, block, leave, mute, read/unread status, spam limits.
- Push notifications for invitations, RSVP updates, reminders, messages, moderation outcomes; notification preferences and quiet hours; email fallback for critical account changes only.
- No promise of end-to-end encrypted chat in MVP; transport and at-rest encryption plus controlled moderation access and transparency.

AC-27: A user who blocks sender receives no new direct-message pushes from them.
AC-28: An organizer message cannot be broadcast to unauthorized guests or blocked recipients.

AC-29: Notifications never show a secret venue address or private message on lock screen unless user has explicitly enabled rich previews.

FR-10 — Group buying coordination (P0 limited, P1 enhanced)

- Structured group order Plan fields: organizer, source/supplier description, line item, unit, target quantity, participant quantities, estimated price and currency, pickup method, cutoff, food handling notes and organizer disclaimer.
- Member joins with *interest only*; order-intent is nonbinding. Totals roll up; organizer can lock quantities and record completed/withdrawn status with member acknowledgment.
- No stored card information, split payment wallet, escrow or platform transfer of funds in MVP. Make the absence of payment protection conspicuous.
- P1: validated supplier integrations and approved payment flows with verified merchants, returns/disputes and regulated money movement design.

AC-30: Total requested quantity recalculates correctly with concurrent joins, edits and withdrawals.
AC-31: Currency and unit are explicit; no silently mixed currency totals or per-unit ambiguity.
AC-32: A Plan cannot imply “secure checkout” or platform purchase protection in P0.
AC-33: Supply and pickup date updates notify participants with affected commitments.

FR-11 — Attendance, follow-up and recurring relationships (P0)

- Host check-in via controlled attendee list or time-bounded event QR (QR option P1); optional confirmation from attendee.
- After end time, request event feedback, recipe/resources, host thanks and interest in the next Plan; provide “join related Circle” and consent-based connection request.
- Hosts can duplicate a successful Plan, with editable details and no silent re-RSVP of previous attendees.

AC-34: An RSVP alone does not increment North Star metric.
AC-35: Host cannot submit attendance after a defined grace window without staff-reviewed override.
AC-36: Previous attendee contact details do not become a host export list without user consent and lawful basis.

FR-12 — Report, block and enforcement (P0, ship blocker)

- Reporting entry points: account, profile, post/comment, image, Circle, Plan, host, message and group-order dispute.
- Categories: harassment/hate, threats, stalking, impersonation, scams, unsafe venue, allergen/food deception, misinformation, illegal goods, sexual content, spam, other. Provide optional evidence and urgent-safety instructions.
- Admin queue displays severity, affected item, history, assigned agent, decisions, timestamps, sanctions and appeal. Staff cannot access unrelated private content without audited justifications.
- Enforcement choices: warn, restrict posting, freeze DM, remove content, suspend Plan, remove host privileges, suspend account, permanent ban and referral to appropriate authorities when legally required.

AC-37: Every report generates a case ID and receipt; reporters need not publicly reveal their identity to the accused.
AC-38: Users can block other members in both profile and chat; blocking works across interfaces.
AC-39: Reinstated content after appeal retains audit history and notifies impacted parties where appropriate.
AC-40: Safety team has on-call coverage and a defined escalation playbook before public user growth.

7. Lifecycle/state machines

7.1 Plan

draft -> published -> completed -> archived
Alternative transitions: draft -> deleted; published -> cancelled -> archived; published -> suspended -> (published | cancelled). Past events remain readable to participants subject to content retention rules. Material edits trigger notifications. Host ownership transfer is approval-gated.

7.2 RSVP

invited/requested -> confirmed | declined | waitlisted; waitlisted -> offered -> confirmed | expired; confirmed -> checked_in | cancelled | no_show. Authorization and capacity checks must execute in one server-side transaction.

7.3 Group order

draft -> collecting_interest -> threshold_reached -> locked -> coordinating_pickup -> completed; alternative cancelled/disputed. Payments occur outside the platform under clear MVP disclosures; no implied automatic fulfillment.

7.4 Report

received -> triaged -> investigating -> decided -> appeal_pending? -> closed; emergency escalation can bypass routine queue. All actions auditable and restricted by staff role.

8. Data model (logical, non-exhaustive)

Entity	Primary fields / references	Key constraints
users	id, auth_id, created_at, status, locale, timezone, age_attestation, policy_version	Do not store unnecessary birthdate or precise location
profiles	user_id, handle, display_name, avatar, bio, coarse_city_id, visibility, diet_visibility	Unique normalized handle; separate private/public fields
interests / user_interests	id, label, user_id, interest_id	Internationalized taxonomy
circles	id, owner_id, visibility, city_id, topic, language, status	Privacy-scoped membership
circle_memberships	circle_id, user_id, role, state, joined_at	Unique (circle_id,user_id)
plans	id, host_id, circle_id, type, title, description, start_utc, end_utc, tzid, visibility, capacity, status	UTC + IANA timezone; privacy fields separate
plan_locations	plan_id, coarse_address, private_address, reveal_at, mode	Encrypt or restrict exact addresses
plan_rsvps	plan_id, user_id, state, offered_until, checked_in_at	Unique pair and atomic capacity
plan_tasks	id, plan_id, title, max_claims, status	Prevent overclaim
task_claims	task_id, user_id, quantity, state	Rollup and conflict control

Entity	Primary fields / references	Key constraints
group_order_items	plan_id, sku_text, unit, qty_target, price_estimate_minor, currency	Currency ISO; no stored card data
order_intents	item_id, user_id, quantity, state	Nonbinding only in MVP
posts / recipe_details	id, author_id, circle_id, ingredients, steps, allergen_notes, license, moderation_state	Ownership and safety disclosures
messages / conversations	id, context, sender, recipient/conversation_id, message_body, content_state	Membership permission + retention
blocks / reports / enforcement	actor_id, target_id, report_id, category, status, decision_log	Enforced server-side; confidential
notifications	user_id, channel, event_id, template_key, delivery_status	Opt-out preferences, deduplication
audit_events	actor, target, action, timestamp, before/after hashes	Tamper-evident, least privilege
analytics_events	pseudonymous actor, event_name, plan_id, city, variant	Consent and retention policies

Key indexes: plans(city_id,start_utc,status), plan_rsvps(plan_id,state), circle_memberships(user_id,state), messages(conversation_id,created_at). Use PostgreSQL/PostGIS where spatial queries are necessary, never expose raw precise coordinates by default. Store money amounts in minor units with explicit currency, not floats.

9. API and service contract (illustrative)

Versioned API (/v1) with short-lived auth tokens, server authorization, pagination, rate limits, safe retries and idempotency keys for all state-changing operations. Endpoint names are design examples, not implementation-complete OpenAPI.

HTTP / endpoint	Function	Important rule
POST /auth/onboard	Save adult attestation, preferences and consent version	Never trust client age gate alone as jurisdictional compliance proof
GET/PATCH /me	Member profile and privacy settings	Field-level visibility controls
GET /explore	City/global aggregated discovery	No leakage of private objects
GET/POST /circles	Search/create Circle	Membership + anti-spam limits
POST /circles/{id}/join	Join/request membership	Atomic approval policy
POST /circles/{id}/posts	Create moderated post	Scoped to membership and policy
GET/POST /plans	Search/create Plan	Type-specific validation
GET/PATCH /plans/{id}	Read/edit Plan	Ownership and attendee visibility
POST /plans/{id}/publish	Publish Plan	Required-field safety checks
POST /plans/{id}/rsvp	Confirm/request/waitlist	Transaction + idempotency
POST /plans/{id}/cancel-rsvp	Cancel participation	Release seat and promote waitlist
POST /plans/{id}/check-in	Record attendance	Auth, window, fraud limits
GET/POST /plans/{id}/tasks	Tasks/contributions	Visibility scoped to participant
POST /tasks/{id}/claim	Claim contribution	Atomic max-claim check
GET/POST /plans/{id}/order-items	Set order-intent items	Nonbinding; no payments

HTTP / endpoint	Function	Important rule
POST /order-items/{id}/intent	Submit quantity interest	Decimal/unit precision; dedupe
GET/POST /conversations	Create/fetch chat	Consent and block rules
POST /messages	Send content	Recipient auth + spam controls
POST /reports	Safety report	Confidential queue + receipt ID
POST /users/{id}/block	Block member	Effective across services
GET /notifications	Inbox	Read-only or own user
POST /me/export	Request data export	Secure link and retention controls
DELETE /me	Initiate deletion	Cross-service orchestration

Events/queues: plan.published, rsvp.confirmed, waitlist.offered, plan.updated, plan.cancelled, plan.completed, report.created, message.sent, order.locked -> notification service, analytics projection, scheduled reminders, safety triage. Use transactional outbox/worker patterns to avoid partial failure.

10. Proposed architecture

Mobile client: React Native + Expo + TypeScript, iOS/Android native navigation and secure storage, platform-specific performance optimization, accessibility test automation, Expo SQLite or equivalent for local cache and offline drafts. Test on physical low-end Android devices as well as iPhones. [T1]

Backend services: PostgreSQL/PostGIS as source of truth; authentication and object storage service (Supabase acceptable for MVP); API layer for Plan transactions and permissions; managed queue/workers for messages and reminders; search index after PostgreSQL search reaches limits; caching and CDN for public imagery; signed media URLs for private content. Use least-privilege service roles, backed-up database and row-level restrictions.

Operational surfaces: separate web console for moderation, trust actions, host verification, feature flags and regional chapter health. Admin access with SSO/MFA and detailed audit logs.

Region boundaries: country/region-aware policies for retention, hosting, content rights, compliance and paid-feature eligibility. Avoid assuming a single worldwide PSP, legal entity or tax treatment.

Operational security: CI/CD, staged rollout, signed builds, SAST/dependency scans, server-side audit logging, abuse throttling, media malware scanning, secret management, restore drills, key rotation and incident runbooks. Never put a privileged service key in the mobile app.

11. Non-functional requirements

ID	Requirement	Target / verification
NFR-01	Crash stability	>=99.5% crash-free sessions during pilot
NFR-02	Screen responsiveness	Cached primary screens visually usable within 2 seconds on agreed mid-range test devices under controlled network
NFR-03	API latency	95th percentile ordinary reads <500 ms at measured pilot load, excluding third-party transit and downloads

ID	Requirement	Target / verification
NFR-04	Low bandwidth	Default compressed images, no auto-play video, cached Plan details readable offline
NFR-05	Retry and idempotency	Repeat RSVP and contribution requests never create duplicate states
NFR-06	Accessibility	WCAG 2.2 AA-inspired mobile checklist, screen-reader labels, dynamic type, contrast and touch targets
NFR-07	Internationalization	English and Brazilian Portuguese pilots as needed; full Unicode, timezone and currency correctness
NFR-08	Location privacy	City-only by default; precise location opt-in, never shown publicly
NFR-09	Availability	Pilot objective >=99.5% backend uptime excluding announced maintenance, transparent incident status
NFR-10	Disaster recovery	Daily recoverable backups; define RPO <=24h and initial RTO <=8h then test
NFR-11	Data export/deletion	Documented, authenticated data-rights workflow and regional retention exceptions
NFR-12	Security	TLS, secure token storage, field authorization, abuse throttling, staff MFA and audit logging
NFR-13	Notifications	Best-effort delivery with quiet hours; critical Plan updates also retained in inbox
NFR-14	Media	Size caps, compression, file scanning and access-scoped signed links

Performance values are **engineering acceptance targets**, not observed measurements. Benchmarks must specify devices, OS versions, connectivity and traffic shape.

12. Localization, accessibility and regional behavior

- Store event times in UTC and original IANA timezone; show user-local time with region label, daylight saving transitions and calendar export.
- Support local city names and country standards, BRL/NGN/KES/USD and other ISO currencies; avoid hardcoded dollar sign.
- Support metric and US customary quantities for recipes, without automated substitutions that change food safety.
- Build image/text balance to support users paying for data; allow compressed-only media and offline viewing of confirmed Plan details.
- Test voiceover/talkback, 200% text scaling, colorblind-safe status indicators, keyboard navigation where relevant, and no reliance on color alone.

- Allow member-created content in any language; implement translated interface strings through reviewed catalogs. Community moderation needs local-language coverage.
- Keep diet labels descriptive and optional; avoid moralizing onboarding language or requiring users to disclose personal convictions.

13. Moderation, legal and payments implementation gates

Before app-store launch, implement **in-app report and block**, enforce written UGC terms, staff review and proportional takedown/appeals. Google Play explicitly requires report/block and ongoing moderation for user-generated content; Apple's review guidelines apply separately. [T2] [T3]

In the EU, consider GDPR and applicable DSA obligations (including notice/action, transparency and complaints depending on service and business status); in Brazil LGPD; in Nigeria NDPA 2023; in Kenya DPA 2019; in the US federal/state privacy and consumer rules. Counsel must review data transfers and country launch terms. [T4] [T5] [T6] [T7]

Paid rollout classification: tickets for events consumed physically outside app differ from paid subscriptions/digital experiences inside the app. Apple distinguishes physical goods and services outside the app from digital unlocks and one-to-many services; validate storefront-specific implementation and equivalent Google Play rules before checkout. [T3]

No promise of allergy safety, veterinary/medical advice, or regulatory food certification. Host agreements must cover cancellation/dispute processes, permitted commerce and safe handling expectations. No children under 18 in MVP.

14. Analytics event taxonomy and data governance

Identity/onboarding: app_installed, signup_started, account_created, age_confirmed, onboarding_completed, city_selected, interest_selected, policy_accepted.

Community: circle_impression, circle_join_requested, circle_joined, circle_left, recipe_saved, post_published, connection_requested, connection_accepted.

Plan lifecycle: plan_created, plan_published, plan_viewed, rsvp_requested, rsvp_confirmed, waitlist_joined, rsvp_cancelled, reminder_opened, checkin_recorded, plan_completed, plan_repeated.

Coordination: task_claimed, task_completed, order_intent_added, order_interest_locked, order_confirmed_completed (not payment), plan_message_sent.

Trust: user_blocked, report_created, report_triaged, case_decided, moderation_appealed, safety_intervention.

Monetization later: checkout_started, ticket_paid, refund_completed, host_pro_started, host_pro_churned.

Specify event owners, consent basis, schema versions, retention and sampling; avoid transmitting message bodies, dietary identity, exact GPS or sensitive report details into general-purpose analytics. Exclude bots and staff test accounts from product KPIs.

15. Test scenarios and release gates

15.1 Must-pass functional test matrix

Test	Steps	Expected
T-01 Offline RSVP retry	Tap RSVP while network drops; retry same request	Exactly one RSVP and one notification
T-02 Last-seat race	Two devices request one final seat	One confirmed; other waitlisted or rejected
T-03 International timezone	Nairobi creates Plan; NYC member joins around DST change	Consistent UTC instant and correct local display
T-04 Location permission denied	Deny GPS throughout onboarding	Manual city and global Circles work
T-05 Circle privacy	Invite-only Circle URL opened by outsider	No private member/post/Plan info
T-06 Address privacy	Public Plan hides private residence address	Only approved attendee after release time can read
T-07 Block across features	User A blocks B after a DM	B cannot DM/invite A; no misleading push
T-08 Banned host	Host account suspended before event	New RSVP disabled, attendees informed, staff resolution
T-09 Group order conflict	Two members claim remaining quantity	Totals remain consistent and within applicable limits
T-10 Allergen disclaimer	Food Plan published without required notices	Publication blocked or prominent incomplete-warning rule applies
T-11 Multi-language	Portuguese, diacritics, RTL user content in search	No corrupted strings, inputs or labels
T-12 Large text	iOS/Android text enlarged to 200%	No clipped primary buttons or crucial details
T-13 Weak network	3G-like profile, old Android device	Cached Plan readable and user receives sensible errors
T-14 Deletion & export	Request export, then account deletion	Secure archive; deletion propagates subject to policy
T-15 Staff audit	Moderator changes case outcome	Who/when/why logged, least-privilege works

15.2 Minimum public-beta release checklist

- iOS TestFlight and Android testing tracks complete, including real mid/low-end devices.
- 18+ gate, rules consent, account deletion, report and block, moderator dashboard and staffed escalation passed.
- Security review of object authorization, RLS, event address visibility, media access and push content passed.
- Every active launch city has trained hosts, seeded real Plans, named chapter contact and local-language incident escalation.
- Data rights workflow, privacy policy, terms, host rules and country eligibility reviewed.
- Critical crash rate, mobile performance, offline behavior and load tests pass.
- KPIs, dashboard, experiment flagging, incident management and rollback procedures tested.
- Store submission package contains functional demo account, accurate screenshots and truthful functionality descriptions.

16. Delivery roadmap and dependencies

Sprint / stage	Focus	Deliverables
Discovery, weeks 1-6	User/host research, safety and design	Validated hypotheses, journey maps, clickable prototype, first manual events
Sprint 1-2	Foundation	App shell, auth, roles, onboarding, design system, localization, telemetry
Sprint 3-4	Circles and discovery	Circle CRUD, access rules, chapter selection, explore and search
Sprint 5-6	Plan foundation	Plan templates, validation, publishing, RSVPs, capacity and waitlist
Sprint 7-8	Logistics	Tasks/claims, notifications, event chat, check-in, host management
Sprint 9-10	Content and commerce-free buying	Recipe posts, report/block, group order intent, moderation admin
Sprint 11-12	Hardening and closed beta	Security, accessibility, localization, device/network QA, host onboarding
After 2-city evidence	Enhanced engagement	Recurring Plans, richer lesson library, smarter suggestions, online sessions
After commercial/legal approvals	Revenue	Paid in-person ticketing, local PSP, host pro, billing/tax/refund flows

Sprint lengths and sequencing are planning scaffolding, not guaranteed delivery dates. Larger team/QA staffing or jurisdictional reviews can change the timeline.

17. Prioritized backlog (development-ready overview)

ID	User story	Priority	Dependency
US-001	As adult, I create an account and set privacy preferences	P0	Auth/security
US-002	As member, I discover Circles by interest and city/global	P0	Search/city taxonomy
US-003	As member, I join/leave/request access to a Circle	P0	Membership permissions
US-004	As organizer, I publish a Plan with correct timezone and safety fields	P0	Role/Plan model
US-005	As attendee, I reserve a seat or join a waitlist without races	P0	Atomic state engine
US-006	As host, I coordinate dish assignments and logistics	P0	Plan membership

ID	User story	Priority	Dependency
US-007	As member, I exchange approved messages safely	P0	Consent/moderation
US-008	As attendee, I receive updates and reminders	P0	Outbox/push infrastructure
US-009	As host, I check in attendees and close a Plan	P0	Attendance controls
US-010	As member, I follow up and participate again	P0	Plan completion
US-011	As member, I share and save a recipe or practical tip	P0	UGC/media scanning
US-012	As coordinator, I collect nonbinding shared-order quantities	P0	Units/currency model
US-013	As member, I report abuse or block someone	P0	Moderation queue
US-014	As staff, I triage/escalate incidents with audit trail	P0	Admin console
US-015	As member, I read saved event instructions offline	P0	Local cache
US-016	As member, I use app in English or Portuguese	P0 conditional	Localized catalogs/QA
US-017	As host, I duplicate and schedule recurring Plans	P1	Base Plan engine
US-018	As teacher, I publish lesson collections and live sessions	P1	Learning & media policy
US-019	As attendee, I buy an eligible physical-event ticket	P1	Country legal/PSP/refunds
US-020	As pro host, I subscribe to management tools	P2	Billing/platform rules
US-021	As supplier, I fulfill an approved local group order	P2	Merchant/legal logistics
US-022	As member, I discover safe profile recommendations	P2	Anti-spam, consent and ranking

18. Definition of Done

A story is done when approved designs and acceptance criteria are implemented; unit/integration tests and permission tests pass; iOS and Android checked; analytics documented; localized labels reviewed; accessibility and offline/network states tested; no critical security issues; operational runbook/help center updated; monitoring dashboards defined; and Product + QA + Trust/Safety sign off when applicable.

Public beta decision: proceed only if successful offline participation and repeat usage are observed, host reliability is adequate, safety support is staffed, and the experience compares favorably to existing tools in real user testing.

19. Open decisions for product steering

1. Brand clearance and final name; native app bundle identifiers and global social handles.
2. Confirm first two cities and hosts after city-level research; four-city slate remains candidate list.
3. Finalize first-launch interface languages (recommended English and Portuguese only if Brazil launches simultaneously).
4. Decide whether member DMs are restricted to post-event mutual contact for stricter safety.
5. Clarify food handling and private-home event host policy; define minimum organizer verification.
6. Decide paid event jurisdiction/order and tax/payments providers after legal review.
7. Decide staff moderation coverage schedule and local-language emergency escalation.
8. Approve staffing, telemetry/privacy budgets and initial city density thresholds.
9. Determine whether commercial co-orders add enough value to justify future risk and operational complexity.
10. Finalize benchmark device list and localization testing partners before sprint commitment.

References

[T1] Expo documentation (SQLite/offline and push): https://docs.expo.dev/versions/latest/sdk/sqlite/ ; https://docs.expo.dev/push-notifications/faq/ (accessed 31 Oct 2026).
[T2] Google Play UGC developer policy: https://support.google.com/googleplay/android-developer/answer/9876937?hl=en-GB (accessed 31 Oct 2026).
[T3] Apple App Review Guidelines: https://developer.apple.com/app-store/review/guidelines/ (accessed 31 Oct 2026).
[T4] EU Council DSA overview: https://www.consilium.europa.eu/en/policies/digital-services-act/ (accessed 31 Oct 2026).
[T5] Nigerian NDPA 2023: https://nccc.gov.ng/resources/nigeria-data-protection-act-2023 (accessed 31 Oct 2026).
[T6] Kenyan ODPC: https://www.odpc.go.ke/who-we-are/ (accessed 31 Oct 2026).
[T7] Brazil LGPD summary in EUR-Lex 2026/179: https://eur-lex.europa.eu/legal-content/EN/ALL/?uri=OJ:L_202600179 (accessed 31 Oct 2026).
[T8] Paystack supported market explanation: https://support.paystack.com/en/articles/2130562 (September 2026).

Document control: This PRD is intentionally opinionated and implementation-oriented, but priorities, launch locations, KPIs and commercial flows remain hypotheses until user validation, security review and country-specific legal sign-off. Revise version number as decisions are accepted.