JINGZHANG YIELD v2.0

In an AI city, machines learn to yield first.

3	5	12	84/84	+18%
distinct prototypes	physical components	same-task scenarios	synthetic matches	machine path cost

01 One yield band in a real context

Three areas, three conflict topologies: test, threshold and peak



WHY HERE

PUBLIC REALM EXISTS
Fishbone slow mobility: design interfaces, not a blank greenway
LOCAL-JINGZHANG

PUBLIC INTERFACE
AI Origin visits + civic AI learning
LOCAL-AI-ORIGIN

TESTBED CONTEXT
Governance/service tasks need a human baseline
LOCAL-TESTBED

REAL HERITAGE LIMIT
Qinghuayuan review becomes a stop gate
LOCAL-HERITAGE

V2.0 YIELD

3	5	12
prototypes	components	scenarios

Field unknown: official boundaries, surveyed width, public acceptance, rain-night reliability, cost and authorised operator

02 Three equal-width layouts: choice and cost

One conceptual 8.4 m × 108 m frame; comparison, not survey or global optimisation

ALT-A
Fully mixed

mixed

human clear	0.0 m	crossings/100m	6
retreat	54 m	machine index	1.00

ALT-B
Central machine lane

human | machine | human

human clear	2.2 m	crossings/100m	4
retreat	27 m	machine index	1.04

ALT-C
SELECTED
Human spine + side bays

human spine | slow machine | yield bay

human clear	2.8 m	crossings/100m	1
retreat	18 m	machine index	1.18

108 m CONCEPT TEST

WHY ALT-C IS SELECTED

2.8 m continuous human spine

1 crossing / 100 m

18 m max retreat

100% diagram continuity after power loss

ADVERSE RESULT

+18%

Machine travel is longer than fully mixed use. This is an explicit value choice, not an omission.

Cannot keep 2.8 m → do not squeeze people; time-separate or relocate

03 Three key areas: three spatial conflicts

Shared components; different topology, human baseline and stop gate

PROTO-01

Parallel Yield Court

controlled devices / rain-night / repair



SC-01 SC-02 SC-03

SAME-TASK HUMAN PATH

Staff and fixed signs complete the same route

STOP GATE

spine blocked / no bay / operator absent

PROTO-02

Threshold Yield Cloister

campus-park-neighbourhood / no account



SC-04 SC-05 SC-06 SC-07

SAME-TASK HUMAN PATH

Paper directory + human explanation

STOP GATE

account required / no source / empty desk

PROTO-03

Peak Handover Forecourt

early machine exit / human final leg



SC-08 SC-09 SC-10

SAME-TASK HUMAN PATH

Machine exits; staff complete the final leg

STOP GATE

peak trigger / blocked exit / core intrusion

Participant-authored concept layer • provisional boundaries are not official redlines • field performance unknown

04

Ordinary passage first; AI enters second

One human spine across day, night, rain and failure; all twelve scenarios have parity

DAY
ordinary route + limited machine

NIGHT
fixed light + human help

RAIN
visibility gate + side bay

FAILURE
physical stop + recovery

SC-01
Rain-night slow-machine yield test
human parity ✓

SC-02
Service-robot handover verification
human parity ✓

SC-03
Accessible detour co-verification
human parity ✓

SC-04
No-account civic enquiry
human parity ✓

SC-05
Campus-community co-design work order
human parity ✓

SC-06
Bilingual cultural-route explanation
human parity ✓

SC-07
Elder digital assistance with human parity
human parity ✓

SC-08
Machine exit before peak crowd
human parity ✓

SC-09
Dual-track waiting information
human parity ✓

SC-10
Local-service matching with paper directory
human parity ✓

SC-11
Heritage-landmark narrative correction
human parity ✓

SC-12
Civic-works issue triage
human parity ✓

7 personas × 12 scenarios = 84 planned acceptance cells (not field-run)

Participant-authored concept layer • provisional boundaries are not official redlines • field performance unknown

05 Separate proof, target and unknown

Synthetic pass ≠ field safety; concept dimension ≠ compliance; unknown stays unknown

KNOWN IN PACKAGE	
84/84	synthetic matches
72/72	negative fallback/stop
0	negative AI releases

CONCEPT TARGET	
2.8 m	human spine
18 m	max retreat
+18%	machine path cost

FIELD UNKNOWN	
—	accessibility pass
—	rain-night reliability
—	acceptance / cost

MEASURE BEFORE GATING

首个 100 天 / FIRST 100 DAYS

D01–15	D16–30	D31–55	D56–80	D81–100
evidence lock	same-task baseline	1:1 mock-up	three rehearsals	continue/modify/exit
6 RACI roles	8 delivery packages	3 resource bands	12 monthly gates	10 ledger fields

Participant-authored concept layer • provisional boundaries are not official redlines • field performance unknown

01 One yield band in a real context

Three areas, three conflict topologies: test, threshold and peak



WHY HERE

PUBLIC REALM EXISTS
Fishbone slow mobility: design interfaces, not a blank greenway
LOCAL-JINGZHANG

PUBLIC INTERFACE
AI Origin visits + civic AI learning
LOCAL-AI-ORIGIN

TESTBED CONTEXT
Governance/service tasks need a human baseline
LOCAL-TESTBED

REAL HERITAGE LIMIT
Qinghuayuan review becomes a stop gate
LOCAL-HERITAGE

V2.0 YIELD

3 prototypes

5 components

12 scenarios

Participant-authored concept layer • provisional boundaries are not official redlines • field performance unknown