Jingzhang

Flowlines

Backbone-Capillary Two-Phase Adaptive Flow Network

Centennial Jing-Zhang AI Innovation Belt · conceptual · not statutory planning

Source: provisional boundary (not an official redline) + adaptive flow network | areas recomputed in EPSG:4548

01 Site and evidence chain

Provisional boundary + three key areas + backbone spine



Source: provisional boundary (not an official redline) + adaptive flow network | areas recomputed in EPSG:4548 ingzhang Flowlines · MartinForReal

02 Land-use structure (flow-network partition)

Covers 100.00% of the boundary, gapless and non-overlapping



Source: provisional boundary (not an official redline) + adaptive flow network | areas recomputed in EPSG:4548 [illegible]ingzhang Flowlines · MartinForReal

03 Key areas: three roles in the flow network

Zhongzhiyuan • Source

AI Origin • Origin

Dazhongsi • Hub

Announced ≈ 192.1 ha (provisional)

Announced ≈ 104.3 ha (provisional)

Announced ≈ 72.0 ha (provisional)

Source: provisional boundary (not an official redline) + adaptive flow network | areas recomputed in EPSG:4548

04 Backbone-capillary network and blue-green space

149 backbone / 216 capillary / 109 loops



Source: provisional boundary (not an official redline) + adaptive flow network | areas recomputed in EPSG:4548ingzhang Flowlines · MartinForReal

05 Metrics recomputation and benchmarking (incl. negative results)

Recomputed metrics

Site area
11.41 km²

Green ratio
20.64%

Public space
1.28%

Key areas
3

FAR
pending official data

Sweep: the phenotype continuum



Two resiliences, measured separately (vs full Toussaint hierarchy)



Honest reading:
node coverage 0.3865 — a proposed network layer, not a spanning-tree substitute, so TL<1 is not 'cheaper'.

Denser baselines still win on failure resilience; this design trades cost for recovery resilience.