

Figure 09 | Five project families: G0/G1 gates and exit actions

Project families express responsibility, evidence and exit order only; no institution, budget, permit, procurement or implementation commitment

Project family	G0 / G1 gate	Acceptance focus	Exit action
PF-01 Human buffer and community retention	G0: 规则公开与共创样本；G1: 专业复核	人工服务可达、退出协议、社区席位	投诉/不平等风险即暂停并公开修订
PF-02 Reskilling and night wellbeing	G0: 导航原型；G1: 无障碍与夜间安全复核	人工咨询、可解释路径、夜间反馈	无人工兜底或风险无法解释即退出
PF-03 City API and data governance	G0: 纸面协议；G1: 授权与安全审查	目的限定、撤销按钮、审计日志	授权失效/偏差投诉即冻结
PF-04 Xiaoyue River blue-green and human-machine test	G0: 图上规则；G1: 专项安全复核	人优先、停机、事件记录、生态边界	无许可/安全阈值/水文资料即不进入现场
PF-05 Culture, landmarks and global co-creation loop	G0: 叙事与活动原型；G1: 权利和场地复核	来源可追溯、文化审校、活动后 release note	来源无法证明或误导风险出现即撤展/修订

Public-service order: publish the problem and human route first, then authorize and review professionally; any missing responsibility, evidence, rights or safety gate keeps G0, freezes or exits.


Three focus areas | spatial anchors and scenario cards

Zooms return to the same provisional polygons; each focus area gets a visible question, node sequence, and human fallback.



v1.7

CONCEPT / PROVISIONAL

01 / shared spatial reading



Same GeoJSON input · focus polygons are provisional · display transform only



What this plate adds

The same provisional polygons are shown at overview and focus scale; scenario nodes, green-blue buffers, public-space concepts and human fallback are read together. No line is an official redline or engineering alignment.

Official geometry and field baselines trigger a full geometry / metrics / figure / HTML / PDF / self-check recalculation.

official_boundary=false · geometry_role=provisional_constraint · conceptual suggestion for professional deepening


Three focus areas | spatial anchors and scenario cards

Zooms return to the same provisional polygons; each focus area gets a visible question, node sequence, and human fallback.



v1.7

CONCEPT / PROVISIONAL

01 / shared spatial reading



Same GeoJSON input · focus polygons are provisional · display transform only



What this plate adds

The same provisional polygons are shown at overview and focus scale; scenario nodes, green-blue buffers, public-space concepts and human fallback are read together. No line is an official redline or engineering alignment.

Official geometry and field baselines trigger a full geometry / metrics / figure / HTML / PDF / self-check recalculation.

official_boundary=false · geometry_role=provisional_constraint · conceptual suggestion for professional deepening

FIG. 02 | Shared-cut concept land use: reversible space and services

Candidate visual direction · official_boundary=false · geometry_role=provisional_constraint




FIG. 05 | Metrics—evidence—versions: every claim passes a concept gate

Candidate visual direction · official_boundary=false · geometry_role=provisional_constraint

Spatial recomputation

- Provisional scope
11,412,825.386 sqm
- Green layer 879,519.159 sqm
- Public-space layer
123,473.537 sqm

G0 scenario gate

- 10 scenario cards
- 6 personas
- 100% human fallback


Versioned governance

- Problem release
- Public/professional review
- Release note and exit

One algorithm, one rounding rule, one provisional-boundary warning: recomputable metrics are not legal or scoring areas.

FIG. 04 | People-first mobility rules and Xiaoyuehe resilience

Candidate visual direction · official_boundary=false · geometry_role=provisional_constraint



- People first
Walking, access, human service
- G0 observation
Robot, air, flood begin as rules
- Blue-green gate
No engineering conclusion before evidence
- Night care
Auditable service and screen-free space

Figure 07 | Ordinary-person task chain and stop loop

5 journey steps · 5 rollback steps · 6 acceptance checks · 4/4 routes · G0 concept replay, result_status=not_run

Step	What a person does	Evidence to retain	Rollback if it fails
J-01	enter and choose an ordinary or AI-assisted route	AC-01 · AC-02 · 4 fixture(s)	freeze the AI-assisted route and keep ordinary service available
J-02	request one bounded public service with purpose and data scope	AC-01 · AC-03 · AC-06 · 3 fixture(s)	remove the temporary data request and retain only the decision record
J-03	trigger human takeover or freeze before an unsafe continuation	AC-02 · AC-03 · 4 fixture(s)	offer paper, voice, staffed, or physical-wayfinding alternatives
J-04	appeal, delete, withdraw, or return to a paper route	AC-04 · AC-06 · 4 fixture(s)	publish the hold, complaint, and next review state
J-05	independently replay evidence before expand, repair, or exit	AC-05 · AC-06 · 1 fixture(s)	return to G0 and reopen only after independent replay

Replay evidence: 4/4 routes, 6/6 checks, 5/5 negative cases; remains not_authorized_not_run, not field service results.

Seven-dimension professional review evidence map

REVIEW MAP

28 evidence refs · 7 questions
not an official score

01 · Brief alignment

Does the brief become a traceable chain?

taskbook · scenarios · spatial anchors
compliance matrix · GeoJSON

Next gate: official boundary and annexes

Structural evidence, not an official score

02 · Differentiation

More than an AI label on a plan?

ordinary arrival → staffed takeover
bounded simulation → freeze/exit

Next gate: entry conditions and observers

Counterfactual option, not a site result

03 · AI-native innovation

Can machine interfaces stop and be liable?

authorization · logs · human takeover · G0
ordinary movement stays protected

Next gate: data and safety rehearsal

Rule prototype, not deployment or permit

04 · Deepening path

What is the G0-to-review order?

roles · acceptance · freeze · exit
no construction or funding promise

Next gate: rights, fire, accessibility

Process evidence, not engineering commitment

05 · Public interest

Who stays outside an automated gate?

residents/older people · at-risk workers
paper/voice · staff · appeal · exit

Next gate: community and access walk-through

Design lens, not demographic or jobs data

06 · Risk and compliance

Are formal, background and provisional layers clear?

source registry · rights ledger
no authorization/responsibility/safety → G0

Next gate: official annexes and responsibility

Boundary disclosure, not compliance approval

07 · Expression and traceability

Can maps, HTML and PDF return to one evidence set?

GeoJSON · metrics · bilingual · 28 refs
deterministic runner · full-recompute trigger

Next gate: professional visual and text review

Traceable expression, not merge or publication

Review order

Brief → differentiation → spatial rules → G0 gates → public interest → risk layers → visual readback; any official-data change triggers geometry / metrics / figures / HTML / PDF / self-check together.
official_boundary=false · geometry_role=provisional_constraint · operational_status=not_authorized_not_run · performance_results=null · not_an_official_score=true

Figure 08 | Ten scenario cards: taskbook, space and replay coverage

Every row resolves to a scenario card, space/operation matrix and taskbook; green has ordinary-person replay, amber remains G0 structure evidence

ID / scenario	Taskbook	Spatial refs	Ordinary replay	Boundary
SCN-01 Community-retention desk	agent.4 · agent.5 · agent.6	PUBLIC-01 · LAND-01	G0 structure	G0 · not authorized
SCN-02 Reskilling corridor	agent.5 · agent.6	PUBLIC-02 · LAND-03 · MOBILITY-04	replayed · ROUTE-04	G0 · not authorized
SCN-03 Intergenerational learning navigation	agent.4 · agent.5	PUBLIC-03 · LAND-01	replayed · ROUTE-01	G0 · not authorized
SCN-04 Night human service	agent.4 · agent.6	PUBLIC-04 · LAND-07 · MOBILITY-01	replayed · ROUTE-03	G0 · not authorized
SCN-05 International service assistant	agent.5 · agent.6	PUBLIC-05 · LAND-07	G0 structure	G0 · not authorized
SCN-06 Municipal API governance	agent.4 · agent.6	SCN-06 · SERVICE-ZONE-02	replayed · ROUTE-02	G0 · not authorized
SCN-07 Low-speed robot public test	agent.4 · agent.6	SCN-07 · SERVICE-ZONE-01 · MOBILITY-05	G0 structure	G0 · not authorized
SCN-08 Low-air logistics rule sandbox	agent.4 · agent.6	SCN-08 · GREEN-02	G0 structure	G0 · not authorized
SCN-09 Flooding simulation observatory	agent.4 · agent.6	SCN-09 · GREEN-01 · GREEN-03	G0 structure	G0 · not authorized
SCN-10 Energy-compute-heat ledger	agent.4 · agent.6	SCN-10 · LAND-05 · SERVICE-ZONE-02	G0 structure	G0 · not authorized
Coverage: 4/10 cards have ordinary-person replay; the rest need field, professional and authorization evidence; not_an_official_score=true.				


From AI showcase to a human city | spatial evidence atlas

The same provisional geometry is read as human arrival, staffed explanation, bounded interface and reversible exit.

v1.7

CONCEPT / PROVISIONAL

01 / shared spatial base



Reading rule

Green = blue-green / screen-free retreat · amber = public-space concepts · blue/orange = human-priority design proposals · circles = scenario nodes.

The map is a display transform from local GeoJSON; EPSG:4548 figures are recomputed metrics, not legal area or route length.

02 / four-stage public interface

Zhongzhiyuan PROV-KEY-001 question → How are machine tests bounded and taken over? same provisional anchor	01 · arrival Ordinary arrival and observation forecourt open / human-priority	02 · staffed Human explanation and takeover desk open / fallback	03 · bounded Bounded API simulation and test boundary gated / simulated	04 · exit / replay Freeze, replay and safe retreat stop / review
AI Origin Community PROV-KEY-002 question → How can people learn and exit without AI? same provisional anchor	01 · arrival Daily arrival and low-stimulation dwell open / ordinary-route	02 · staffed Paper, phone and staff service open / equivalent	03 · bounded Reskilling and intergenerational learning gated / voluntary	04 · exit / replay Screen-free recovery and exit open / quiet
Dazhongsi PROV-KEY-003 question → How does innovation become contestable service? same provisional anchor	01 · arrival Cultural arrival and ordinary movement open / ordinary-route	02 · staffed Multilingual human explanation and console desk open / explainable	03 · bounded Withdrawable display bounded service gated / review	04 · exit / replay Redress, freeze and night fallback stop / fallback

Evidence boundary

Every row binds existing geometry, functional bands, scenario references and stop rules. It is a concept interface, not a route, section, capacity, service result, permit, operation or official score.

Recompute trigger: official geometry, rights, safety, accessibility, climate, energy, and public-baseline evidence.

official_boundary=false · geometry_role=provisional_constraint · conceptual suggestion for professional deepening


From AI showcase to a human city | spatial evidence atlas

The same provisional geometry is read as human arrival, staffed explanation, bounded interface and reversible exit.

v1.7

CONCEPT / PROVISIONAL

01 / shared spatial base



Reading rule

Green = blue-green / screen-free retreat · amber = public-space concepts · blue/orange = human-priority design proposals · circles = scenario nodes.

The map is a display transform from local GeoJSON; EPSG:4548 figures are recomputed metrics, not legal area or route length.

02 / four-stage public interface

Zhongzhiyuan PROV-KEY-001 question → How are machine tests bounded and taken over? same provisional anchor	01 · arrival Ordinary arrival and observation forecourt open / human-priority	02 · staffed Human explanation and takeover desk open / fallback	03 · bounded Bounded API simulation and test boundary gated / simulated	04 · exit / replay Freeze, replay and safe retreat stop / review
AI Origin Community PROV-KEY-002 question → How can people learn and exit without AI? same provisional anchor	01 · arrival Daily arrival and low-stimulation dwell open / ordinary-route	02 · staffed Paper, phone and staff service open / equivalent	03 · bounded Reskilling and intergenerational learning gated / voluntary	04 · exit / replay Screen-free recovery and exit open / quiet
Dazhongsi PROV-KEY-003 question → How does innovation become contestable service? same provisional anchor	01 · arrival Cultural arrival and ordinary movement open / ordinary-route	02 · staffed Multilingual human explanation and console desk open / explainable	03 · bounded Withdrawable display bounded service gated / review	04 · exit / replay Redress, freeze and night fallback stop / fallback

Evidence boundary


Every row binds existing geometry, functional bands, scenario references and stop rules. It is a concept interface, not a route, section, capacity, service result, permit, operation or official score.

Recompute trigger: official geometry, rights, safety, accessibility, climate, energy, and public-baseline evidence.

official_boundary=false · geometry_role=provisional_constraint · conceptual suggestion for professional deepening

Figure 06 | Node-level public interfaces

Arrival → human service → bounded state → freeze/exit · functional_bands_only · provisional readout=min gap



Readout = provisional GeoJSON minimum gaps, rounded to 10 m; not an access distance; recompute with formal data.
Evidence: anchors + package JSON + human fallback. No route, permit, deployment, operator, or performance claim.

Figure 10 | Taskbook, public space and annual operation

agent.4 public space · agent.5 cultural narrative · agent.6 global events/long-term operation; all remain G0 concept evidence

agent.4 Public space

Three landmarks bring problems, human override and exit rules into daily space.

L-01 Open Problem Mile Marker · L-02 Calibration Court · L-03 Human Override Beacon

agent.5 Cultural narrative

Timeline + problem line + human-service line; heritage review remains pending.

Centennial Jing-Zhang / Zhongguancun / AI culture

agent.6 Annual operation

Spring publish, summer walk, autumn protocol camp, winter v0.x check; release notes retain the trail.

Public Problem Week · Xiaoyue River walk · Protocol Camp · City check

Four-season rhythm: make version governance visible in public time

Spring | Public Problem Week

Problem, data boundary, human Q&A

Summer | Xiaoyue River Walk

Older people, workers, accessibility seats

Autumn | Developer Protocol Camp

Authorization, exit and explainable G0 protocol

Winter | City v0.x Check

Keep, pause, revise and data gaps

Five conceptual families: spatial carrier → G0 gate → professional review → reversible release

PF-01

Human buffer and community retention

PF-02

Reskilling and night wellbeing

PF-03

City API and data governance

PF-04

Xiaoyue River blue-green and human-machine test

PF-05

Culture, landmarks and global co-creation loop

This board resolves only package JSON and taskbook relations; it is not an official score, confirmed event, operator, heritage permit, partnership or field result.