


Human City OS | reviewer-facing spatial evidence atlas

One display-transformed geometry frame + three focus areas × five human-first action stages

PACKAGE v2.2
CONCEPT / PROVISIONAL

01 / shared geometry frame



02 / visible action rooms

	ARRIVE	EXPLAIN	BOUND	PAUSE	EXIT / REPLAY
Beijing AI Origin Con PROV-KEY-002 official_boundary=false How can ordinary people act learn, and exit without human equivalent + stop/re	01 · STAFF Make staffed, paper, and phone HUMAN Staff / paper / phone STOP / RETURN	02 · CHOICE Place retention records and HUMAN Resident explanation / STOP / RETURN	03 · BOUND Hand off from intake to HUMAN Career advice / job referral STOP / RETURN	04 · PAUSE Use shade, sound, static HUMAN On-site help / accompaniment STOP / RETURN	05 · REPLAY Retain paper receipts, HUMAN Human reply / deletion STOP / RETURN
Zhongzhiyuan PROV-KEY-001 official_boundary=false How are machine tests bounded, taken over, and human equivalent + stop/re	01 · STAFF Separate ordinary HUMAN Walking / static cues / staff STOP / RETURN	02 · CHOICE Expose minimum fields, logs, HUMAN Staff explain purpose STOP / RETURN	03 · BOUND Record entry, takeover, and HUMAN Stop / evacuate / replay STOP / RETURN	04 · PAUSE Make flood conveyance, HUMAN Wayfinding / manual STOP / RETURN	05 · REPLAY Use a redacted event record to HUMAN Independent review / public STOP / RETURN
Dazhongsi AI Indust PROV-KEY-003 official_boundary=false How does innovation become legible, contestable, human equivalent + stop/re	01 · STAFF Make problems, data boundaries, HUMAN Human intake / paper directory STOP / RETURN	02 · CHOICE Make fair applications and HUMAN Open application / human booking STOP / RETURN	03 · BOUND Register replayed HUMAN Human review / objection window STOP / RETURN	04 · PAUSE Support visitors and residents HUMAN Human translation / STOP / RETURN	05 · REPLAY Put the annual review, changes, HUMAN Accountable reply / public STOP / RETURN

GEOMETRY

7 GeoJSON layers · display transform

METRICS

11.41 km² provisional input · EPSG:4548

HUMAN PATH

paper / phone / staffed appeal retained

UNKNOWN

official boundary · rights · safety · energy ·
field baseline

Reading rule

The same reviewer-facing contract runs through every row: arrive → human explanation → bounded interface → screen-free pause → staffed exit / replay. No card is an operating result or an official redline.

official_boundary=false · geometry_role=provisional_constraint · conceptual suggestions for professional teams to deepen

六层分区


Six-layer spatial operating system

相邻多边形共享边界；面积与占比只来自 GeoJSON / EPSG:4548 · shared edges; areas and shares come only from GeoJSON / EPSG:4548

PACKAGE v1.7

CONCEPT / PROVISIONAL

02 / six bands



six reversible units

H01 Community retention / service
2.09 km2 · 18.28%
D01 International / OPC
2.02 km2 · 17.68%
C01 Skills / public data
1.95 km2 · 17.06%
B01 Reversible meanwhile
1.72 km2 · 15.09%
B02 City API / embodied
1.77 km2 · 15.48%
C02 Screen-free resilience
1.87 km2 · 16.40%

100% coverage · zero overlap · shared coordinates

concept allocation, not FAR, height, construction or demolition

official_boundary=false · geometry_role=provisional_constraint · all actions are conceptual suggestions for professional deepening

三处重点区



Three focus areas

每个放大框都回指同一临时 geometry，并把动作、人工边界与机器边界并列 · each zoom returns to the same provisional geometry; actions sit beside human and machine boundaries

PACKAGE v1.7

CONCEPT / PROVISIONAL

03 / location + relation



Spatial action / Zhongzhiyuan

bounded test → stop → blue-green retreat


provisional anchor · no operating claim



Spatial action / AI Origin Community

staffed access → skill transition → quiet recovery

provisional anchor · no operating claim



Spatial action / Dazhongsi

public data desk → OPC → version replay

provisional anchor · no operating claim

人机共行与蓝绿韧性


Human-machine co-presence + blue-green resilience

四条概念廊道与三处节点交叉；人行优先、人工接管、退避与回放并列 · four conceptual corridors meet three nodes; pedestrian priority, human takeover, retreat and replay are explicit

PACKAGE v1.7

CONCEPT / PROVISIONAL

04 / corridors + crossing nodes



four spatial rules

SKILL / skill transition
5.919 km
retraining → new work

SILICON / silicon right-of-way
4.586 km
human priority + controlled test

LOW-AIR / vertical layer
2.015 km
conceptual layer; later review

SPONGE / Xiaoyue River
area / line
floodway + sponge inspection

At every crossing: visible state, low-speed pause, staffed takeover, incident replay.

concept corridor; not an engineering alignment or approved route

official_boundary=false · geometry_role=provisional_constraint · all actions are conceptual suggestions for professional deepening


指标与证据

Metrics + evidence

数字只来自几何回算；未知控制条件单列，不用代理值填空 · numbers come from geometry replay; unknown controls remain visible rather than filled by proxies

PACKAGE v1.7
CONCEPT / PROVISIONAL

05 / geometry → metric → gap



replayable values

Site area 11.41 km2 site_boundary.geojson · EPSG:4548	Land-use coverage 100.00% six polygons · shared edges
Green space 11.12% 1,269,257 m2	Public space 1.06% 121,447 m2
Skill corridor 5.919 km ROAD-A-SKILL	Scenario nodes 16 constraints.geojson

unknown / 待补数据

official boundary · FAR/height controls · resident retention · employment transition · manual-service equivalence · PUE · green electricity · recovered heat

Every unknown is a gate, not a hidden assumption.

official_boundary=false · geometry_role=provisional_constraint · all actions are conceptual suggestions for professional deepening

Brief → spatial response: one-page alignment atlas

3 positions · 5 functions · 3 areas + 2 wings · 4 differentiated value chains

PACKAGE v1.9

CONCEPT / PROVISIONAL

POSITIONING

P1 Jing-Zhang Centennial Heritage Belt

百年京张文化带

P2 Urban AI Everyday-Life Belt

都市 AI 生活体验带

P3 AI Integration and Innovation Belt

AI 融合创新带

FUNCTIONS

F1 Full-stack AI self-innovation system

research → prototype → review

F2 World-class AI innovation ecosystem

cases, talent, capital, compute, data

F3 AI+ scenario enablement paradigm

scenarios with human fallback

F4 Intelligent, vibrant AI city

public space, culture, mobility

F5 Global voice in AI governance

rights, standards, versioned learning

SPATIAL DELIVERY

A1 Zhongzhiyuan AI Self-innovation Accelerator

controlled tests · compute-energy audit · incident replay
PROV-KEY-001
· provisional constraint

A2 Beijing AI Origin Community

community retention · human channel · skill transition
· screen-free recovery
PROV-KEY-002
· provisional constraint

A3 Dazhongsi AI Industry Cluster

city API · OPC · public data
· international services
PROV-KEY-003
· provisional constraint

W1 Zhongguancun Technology-Service Wing

standards / data / compute interfaces; conceptual only
SC-D04 → conceptual interface

W2 Xiaoyuehe Scenario-Enablement Wing

human-machine sharing / sponge resilience / flood simulation; conceptual only
SC-C03
· conceptual interface

DIFFERENTIATION → EVIDENCE

A · Human dignity

People-first: AI Origin Community + ROAD-A-SKILL | Scenarios: SC-A01 / SC-A03 / SC-A05 | Metric: community_retention_support_area_ratio | gap: resident / shop / employment baselines missing

B · Machine usability

Machine-ready: Zhongzhiyuan + ROAD-B-SILICON | Scenarios: SC-B01 / SC-B02 / SC-B04 | Metric: silicon_right_of_way_length_m | gap: road / airspace / responsibility sections missing

C · Hard constraints

Guardrails: Xiaoyuehe wing + SC-C01—SC-C05 | Scenarios: energy, flood, sandbox, data authorization | Metric: operational_pue (unknown) | gap: energy / hydrology / insurance / authorization inputs missing

D · Spillovers

Spillovers: Dazhongsi + W1/W2 interfaces | Scenarios: SC-D01—SC-D04 | Metric: version_release_count | gap: actors / IP / cross-region cooperation unverified

All spatial moves are conceptual suggestions / reference schemes for professional teams. official_boundary=false; geometry_role=provisional_constraint. Evidence paths are package-local, not an official score, field result, or implementation approval.


Three key areas: actions before slogans

Put action, handoff and stop conditions into provisional spatial evidence; no official redlines.

v0.2 · concept

01 Zhongzhiyuan AI Acceleration

Machine entry begins with a stop right




- 1 Human-first edge
Pedestrians, access and human help enter first
- 2 Controlled test
Low speed, time-boxed, reversible
- 3 Incident replay
Positive and negative results stay visible
- 4 Sponge buffer
Simulation and inspection only

Spatial refs: PROV-KEY-001 · SC-B02 · SC-C03 · ROAD-B-SILICON · GREEN-C-SPONGE

Role classes: 交通/能源/水务/安全/公众观察

02 Beijing AI Origin Community

Keep transition and service in daily life




- 1 Human entrance
Counter, phone and paper stay available
- 2 Skills transition
Ability, paid training, trial role, new role
- 3 Resident retention
Spatial support is not a retention result
- 4 Version release
Questions, pauses and missing data are public

Spatial refs: PROV-KEY-002 · SC-A02 · SC-A03 · ROAD-A-SKILL · PUBLIC-A-INCLUSIO

Role classes: 社区/就业/无障碍/资料责任

03 Dazhongsi AI Industry Cluster

Make data, energy and service legible



- 1 Data authorization
Catalogue, permission, log and exit
- 2 Compute-energy audit
PUE, green power and heat demand first
- 3 Small-team service
Shared lab, legal help and fair access
- 4 International commons
Multilingual help and human explanation

Spatial refs: PROV-KEY-003 · SC-C01 · SC-C04 · SC-D03 · BLDG-C-01 · BLDG-D-01/02

Role classes: 数据/能源/OPC/多语服务

The same five-stage spatial sequence, with a different human question at each provisional anchor

CONCEPT / PROVISIONAL

provisional anchor / first question

Arrival / staffed edge

Public explanation / choice

Bounded machine interface

Blue-green pause / recovery

Exit / appeal / replay




Common spatial rule

Human-readable arrival → public explanation → bounded interface → screen-free pause → staffed exit and replay. Every move remains conceptual until official geometry, rights, safety, accessibility, energy, climate, and public baselines are supplied.

FIG. 08

HUMAN-MACHINE INTERFACES: STOP ACTIONS

Non-scaled concepts: human priority and review precede testing. Not an engineering section or permit.



Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 09

v0.7 · REVIEW MAP × HUMAN ACCEPTANCE
PROVISIONAL · CONCEPT · NOT OFFICIAL

HUMAN CITY ACCEPTANCE ATLAS: WHO ENTERS, WHO STOPS

Six users, 16 scenario cards, provisional spatial anchors, and three release gates resolve on one page; not an operating dashboard or delivery commitment.

16

FULL SCENARIO CARDS

6

PERSONA PATHWAYS

10

REPRESENTATIVE LINKS

3

RELEASE GATES

P-01

Residents, tenants, and older people

USER SC-A01 / SC-A03

ANCHOR SC-A01

HUMAN FLOOR Staffed, paper, and telephone routes; understandable negotiation and ...

FALLBACK Paper, telephone, and on-site consultation remain available.

STOP / ROLLBACK Stop display or collection without consent or explainable eligibil...

P-02

Workers at displacement risk

USER SC-A02

ANCHOR SC-A02

HUMAN FLOOR Voluntary participation, human counselling, and deletable records; no...

FALLBACK Skip automated matching and obtain human career advice.

STOP / ROLLBACK Pause with no job path or discriminatory automated diversion.

P-03

Night AI workers and night-service staff

USER SC-A04

ANCHOR SC-A04

HUMAN FLOOR No continuous location or emotion profiles; anonymous feedback remain...

FALLBACK On-site help, assisted walking, and anonymous feedback come first.

STOP / ROLLBACK Stop technical functions without human help, safety check, or wher...

P-04

OPCs, small merchants, and small teams

USER SC-D01 / SC-D03

ANCHOR SC-D01

HUMAN FLOOR No platform score replaces human negotiation; no named vendor.

FALLBACK Human application, explanation, and dispute handling remain availa...

STOP / ROLLBACK Pause if the offer becomes a closed club or locks in a vendor.

P-05

Public-service staff and data stewards

USER SC-B01 / SC-B04 / SC-C04

ANCHOR SC-B01

HUMAN FLOOR AI cannot autonomously determine permits, cutoffs, enforcement, or in...

FALLBACK Human review, withdrawn consent, and non-digital service coexist.

STOP / ROLLBACK Freeze on unauthorized access, opaque output, or no takeover.

P-06

Disabled people, carers, and low-digital users

USER SC-A03 / SC-B02 / SC-D03

ANCHOR SC-B02

HUMAN FLOOR Every digital entry needs an equivalent human alternative and user wa...

FALLBACK Pedestrian priority, human escort, and one-button stop come first.

STOP / ROLLBACK Return to paper protocol after contact, incident, complaint, or no...

PROVISIONAL-GEOMETRY CORRIDOR MAP

16 small points = full scenario registry; P1–P6 = representative provisional anchors for persona paths.

Map is conceptual reading of submitted provisional geometry, not a service point, alignment, or engineering location.

THREE SHARED RELEASE GATES: MISSING EVIDENCE STAYS CONCEPTUAL

v0.1

Observe, baseline, and public consent

DO NOT ADVANCE Withdraw and revise on misleading claims, no human channel, unconsented data, or unexplained gr...

v0.2

Reversible pilot and independent review

DO NOT ADVANCE Stop and return to evidence or paper protocol on safety, unauthorized data, access barriers, op...

v1.0

Reviewed scaling and standards spillover

DO NOT ADVANCE Withdraw the scaling suggestion when evidence is unverifiable, public interest fails, rights ar...

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

Public space + culture + annual operation atlas

3 concept landmarks · 4-season operating rhythm · 5 project families

PACKAGE v2.0

CONCEPT / NO OPERATOR

LANDMARKS

L1 People's Version Hall

issue · change · retract
SC-C05
/ PROV-KEY-002 · conceptual anchor

L2 Rail Interface Clock

rail time · version change · public explanation
SC-D02 / PROV-KEY-003
· conceptual anchor

L3 Screen-free Recovery Beacon

shade · sound · night safety · no forced interaction
GREEN-A-QUIET-1
/ PROV-KEY-002 · conceptual anchor

ANNUAL RHYTHM

SPRING Public problem open week

public questions, data
boundary, human answers

SUMMER City API + embodied test month

four-limit reversible
concept checks

AUTUMN Work transition + OPC co-creation

workers, mentors, small
teams, replay

WINTER City version conference

audit, issue response,
rollback, next gate

PROJECT FAMILIES → SPACE / GATE

PF-A Human buffer + community retention

A2 / v0.1 · conceptual scope

PF-B City API + reversible space

A3 / v0.2 · conceptual scope

PF-C Human-machine, climate + compute-energy gate

A1 + W2 / v0.2 · conceptual scope

PF-D Public-data authorization + version governance

L1 / v0.1 - v1.0 · conceptual scope

PF-E Small-team ecology + spillovers

A3 + W1 / v1.0 · conceptual scope

CULTURE GRAMMAR

Rail = Jing-Zhang continuity; time = annual version release; interface = public explanation and human authority.

All landmarks and operating rhythms are conceptual suggestions / reference schemes for professional teams. official_boundary=false; geometry_role=provisional_constraint; no operator, permit, funding, capacity, or field outcome is claimed.

Regional interfaces: exchange questions before scaling

v0.2 · concept

Four layers from belt to region; interfaces are not existing partnerships or resource commitments



五个接口卡 / Five interface cards

RI-01 In-belt relay

Three areas pass issues, tests, service and release gates

Stop: No actor or evidence, no copying

RI-02 Community receipt

Only de-identified questions, re-tests and receipts are reserved

Stop: Boundary, representation or consent unclear

RI-03 Metro calibration

Exchange material for innovation, engineering and application

Stop: No automatic mutual recognition

RI-04 Regional protocol

Draft protocols for rights, data, access and incidents

Stop: Scope unclear means withdraw

RI-05 International human entry

Service categories, multilingual and human help

Stop: No verified service means no brand claim

Seven-dimension review evidence map

七维评审证据地图

Reviewer order: question → evidence → boundary → next verification

7 dimensions · registered workflow questions

01 Brief alignment	20% template	Provisional boundaries, design partitions, and conceptual deliverables are not official redlines, statutory controls, or an implementation scheme.
evidence: proposal.md		
02 Originality	10% template	Contract-level replay proves reviewable structure, not real service performance, public acceptance, or deployed capability.
evidence: proposal.md		
03 AI + planning innovation	15% template	Local scripts cover offline structure and negative tests only; they do not call external systems or replace professional models, permits, or field tests.
evidence: assets/run-human-city-ordinary-journey.⋯		
04 Implementation feasibility	20% template	Suggested roles are not confirmed operators; missing data, insurance, approvals, budget, real OD, and field baselines remain for authorized parties to establish.
evidence: assets/implementation-operation-matrix.⋯		
05 Public interest + inclusion	10% template	The package provides design requirements and an offline contract; real coverage, group experience, consent, and outcomes require walk-throughs, sampling, and independent evaluation.
evidence: assets/personas-and-fairness.json		
06 Risk + compliance	10% template	Source registration and usage boundaries are not permits, rights clearance, data authorization, or safety review.
evidence: assumptions.json		
07 Expression completeness	15% template	Navigation completeness does not raise evidence level; HTML, drawings, and ledgers cannot replace formal data or field validation.
evidence: proposal.md		

PACKAGE v1.8

EVIDENCE / NO SCORE

read this map

1 · Start

Open the proposal section named by the dimension.

2 · Trace

Follow the shortest path to geometry, metrics, ledgers, or drawings.

3 · Bound

Do not turn a conceptual suggestion or unknown into a result.

4 · Verify next

Use the missing-input gate before any professional deepening.

No score is generated by this figure.

FIG. 10

REVIEW EVIDENCE MAP: 13 TASKBOOK + 7 WORKFLOW QUESTIONS

The two question sets retain separate sources and boundaries; this page shows offline reading paths only, not a score, official finding, or delivery commitment.

13/13 TASKBOOK DIMENSIONS

7/7 REPOSITORY WORKFLOW QUESTIONS

42/42 PACKAGE-LOCAL PATHS RESOLVE

NOT A SCORE
NO ORGANIZER WEIGHT OR RESULT INFERRED

Read the 13 taskbook questions and their evidence entries first; then use the 7-question repository formal-scorecard workflow. Its percentages are recorded only in JSON as a repository template source, never as organizer scoring.

01 Objective alignment
From the global AI highland and pilgrimage ambition ...
PATH proposal.md

02 Function match
The three positions, five functions, and three areas...
PATH proposal.md

03 Brand identity
Jingzhang Human City OS organizes rail, open interfa...
PATH proposal.md

04 Regional synergy
Technology, standards, knowledge, OPC, and internati...
PATH proposal.md

05 Planning innovation
Human-machine interfaces, reversible reserve, city A...
PATH proposal.md

06 Industry support
Skill transition, bounded tests, shared OPC labs, da...
PATH visual/assets/scenario-cards.json

07 Scenario perceptibility
Sixteen scenario cards, six personas, ten representa...
PATH visual/assets/scenario-cards.json

08 Spatial clarity
Three key areas, conceptual service corridors, blue...
PATH geometry/key_areas.geojson

09 Transferability
Release gates, data gaps, human takeover, and recom...
PATH visual/assets/release-gate-ledger.json

10 Expression completeness
Bilingual prose, figures, drawing sets, webpages, an...
PATH proposal.md

11 Public compliance
Sources, rights boundaries, provisional geometry, un...
PATH sources.json

12 International communication
Bilingual deliverables, the international-service lo...
PATH proposal.md

13 Long-term operational value
Annual review, public issues, release notes, inciden...
PATH visual/assets/release-gate-ledger.json

FIVE EVIDENCE SPINES: PATHS RESOLVE; THEY DO NOT PROVE OUTCOMES

1 THREE-SCOPE NARRATIVE
BILINGUAL PROPOSAL + TASK COVERAGE
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

2 SPACE + METRICS
GEOJSON + EPSG:4548 RECALCULATION
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

3 PEOPLE + SCENARIOS
6 PERSONAS / 16 SCENARIOS / HUMAN STOP
MISSING FORMAL INPUT: CONCEPT / UNKNOWN


4 DATA + RELEASE GATES
UNKNOWN, FALLBACKS, RECOMPUTATION
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

5 REVIEW + BOUNDARIES
REFERENCE AUDIT + 13/13 PATH MAP
MISSING FORMAL INPUT: CONCEPT / UNKNOWN

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

CITY RELEASE GATES: EVERY EXPANSION CAN BE VETOED

All 16 scenarios progress from observation through bounded pilots to expansion only with data boundaries, human fallback, review evidence, and exit conditions.



16

scenario cards

6

test/validation scenarios

3

release gates

0

authorized implementation commitments

Every gate is a conceptual review interface, not a permit, engineering feasibility finding, investment commitment, or settled policy.

Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

FIG. 07

DATA READINESS: TURNING GAPS INTO CLOSABLE RELEASE GATES

Seven evidence paths connect assumptions, scenarios, metrics, and fallbacks; missing data remains unknown or conceptual.



Derived from geometry/*.geojson and structured evidence; the ordinary-person journey, spatial interfaces, acceptance atlas, and reviewer navigation perform only offline reference or path checks and expected-FAIL negative tests; missing evidence remains unknown or conceptual.

PARAMETRIC SPATIAL TRADE-OFFS | BASELINE, PEOPLE-FIRST, MACHINE-READY


v0.8

ONE PROVISIONAL BOUNDARY · SIX CONCEPTUAL BANDS · REPLAYABLE AREA FORMULA

CONCEPT ONLY


Six-band area parameters

share × provisional site_area_sqm



Review readout

Current baseline



Three candidates

- People-first: more community, learning, and reversible space
- Balanced: a middle comparison set for professional calibration
- Machine-ready: more API discussion while retaining human and resilience floors


Conceptual suggestions only; no FAR, building-height, engineering, investment, or policy conclusion.
formula: area = share × provisional site area

Identity system: make the human decision visible

Original concept mark, colors, applications and evidence fields; not an organizer or government mark

v0.2 · concept

CONCEPT MARK



JINGZHANG HUMAN CITY OS

From an AI showcase to a city for people

- Open bracket: callable interface
- Rail line: century continuity
- Human dot: final decision remains human
- Red: stop/appeal; blue: constrained machine; green: hard limits; orange: spillover

COLOR AND APPLICATION RULES

-  Human dignity / stop
-  Machine / interface
-  Energy + climate / limits
-  Spillover
-  Version record

Every spatial card shows:

- | | |
|----------------|------------------------------------|
| Spatial action | Affected people |
| Human fallback | Entry evidence |
| Stop condition | Version / role class / update time |