



THE LUCID SHANSHUI

Public-space infrastructure for human-machine switching

BOOKLET STRUCTURE

01 COVER / 02 CONTEXT + DATA GAPS / 03 OVERALL / 04 LAND USE / 05 MOBILITY

06 KEY AREAS / 07 PLAN-LINKED SECTIONS / 08-10 AREA DELIVERY SHEETS


11-12 AI+ PROTOCOLS / 13 RESPONSIBILITY-BOUNDARY-EXIT / 14 HANDOFF + RISK

Overall Design and Three Key Areas

One civic spine · three differentiated pilots · twelve auditable service nodes

CENTENNIAL JING-ZHANG AI BELT

01 INQUIRY • ZHONGZHIYUAN • Open innovation edges • Safety-evaluation court • Shared compute and human review	02 INSIGHT • ORIGIN COMMUNITY • Learning-living mix • Screen-optional elder service • Community co-governance	03 ACTION • DAZHONGSI • Industry validation • Heritage-compatible edge • Long-term operations	<table><tr><td>SITE</td><td>11.41 km²</td></tr><tr><td>GREEN</td><td>10.8%</td></tr><tr><td>PUBLIC</td><td>0.9%</td></tr><tr><td>MASSING</td><td>127</td></tr></table>	SITE	11.41 km²	GREEN	10.8%	PUBLIC	0.9%	MASSING	127
SITE	11.41 km²										
GREEN	10.8%										
PUBLIC	0.9%										
MASSING	127										



CONCEPT DESIGN | Provisional rough boundaries | Recompute when official data is released

Data: submitted GeoJSON / metrics.json; not an official redline or construction document


Existing Context, Policy Basis and Data Gaps

Separate public task evidence, provisional geometry, design models and missing professional inputs

Existing Context, Policy Basis and Data Gaps

Separate public task evidence, provisional geometry, design models and missing professional inputs

CENTENNIAL JING-ZHANG AI BELT



AVAILABLE EVIDENCE / PERMITTED USE

- Public announcement: project name, three scope levels and announced approximate areas; no usable official redline.
- 12 Aug 2026 approval news: confirms approval status only; approved plan text/graphics/vector data are not in the package.
- Cleared taskbook: agent tasks, twelve scenarios and delivery requirements.
- Standards/classification: terminology, professional dimensions and verification checklist.
- Repository geometry: one overall scope and three provisional key areas for concept comparison and recomputation only.
- Submitted design model: land use, massing, centerlines, green/public space and phasing.

MISSING INPUTS / NO-CONCLUSION ZONE

- Approved-plan deliverables, official overall/key-area/parcel/road redlines and statutory controls
- Existing-building, ownership, population and service-capacity surveys
- Rail, heritage, fire, hazard and other binding constraints
- Terrain levels, hydrology, drainage, underground and geotechnical data
- Utilities, energy/compute interfaces, traffic flows and operating capacity
- Statutory FAR, height, density, setbacks and retain/renew/remove decisions



Data: submitted GeoJSON / metrics.json; not an official redline or construction document

FIG-06 / EXISTING CONTEXT + DATA GAP

Overall Design and Three Key Areas

One civic spine · three differentiated pilots · twelve auditable service nodes

Overall Design and Three Key Areas

One civic spine · three differentiated pilots · twelve auditable service nodes

CENTENNIAL JING-ZHANG AI BELT

01 INQUIRY · ZHONGZHIYUAN

- Open innovation edges
- Safety-evaluation court
- Shared compute and human review

02 INSIGHT · ORIGIN COMMUNITY


- Learning-living mix
- Screen-optional elder service
- Community co-governance

03 ACTION · DAZHONGSI

- Industry validation
- Heritage-compatible edge
- Long-term operations

SITE	11.41 km²
GREEN	10.8%
PUBLIC	0.9%
MASSING	127

Plan rotated 90 degrees clockwise for the linear site; follow the north arrow



CONCEPT DESIGN | Provisional rough boundaries | Recompute when official data is released

Data: submitted GeoJSON / metrics.json; not an official redline or construction document

Data: submitted GeoJSON / metrics.json; not an official redline or construction document

FIG-01 / SITE OVERVIEW

Land-use Structure and Spatial Closure

All units derive from one site partition; areas recomputed in EPSG:4548

Land-use Structure and Spatial Closure


All units derive from one site partition; areas recomputed in EPSG:4548

CENTENNIAL JING-ZHANG AI BELT

LEGEND

	Housing and talent community	16.5%
	Commercial service	15.6%
	Community service facilities	10.2%
	Culture and exhibition	10.4%
	AI research and innovation	16.9%
	Education and research	6.6%
	Flexible reserve	7.0%
	Design-model road area	5.1%
	Park green space	10.8%
	Public squares and stations	0.9%

AREA CLOSURE




100% SITE PARTITION

Design-model value (not statutory)

Statutory FAR caps, height limits, setbacks and redlines await official controls.

Plan rotated 90 degrees clockwise for the linear site; follow the north arrow



Data: submitted GeoJSON / metrics.json; not an official redline or construction document

FIG-02 / LAND-USE STRUCTURE

Mobility · Blue-green · Public-service System

A locatable, countable and stoppable network rather than a linear slogan

CENTENNIAL JING-ZHANG AI BELT

Mobility · Blue-green · Public-service System

A locatable, countable and stoppable network rather than a linear slogan

01

CONTINUOUS MOBILITY

02


NON-DIGITAL CHANNEL

03

HUMAN FALLBACK

04

STOPPABLE / REVERSIBLE



Network centerlines

11

Blue-green space

01

AI+ service node

12

AI pilgrimage landmark

03

Data: submitted GeoJSON / metrics.json; not an official redline or construction document

FIG-04 / MOBILITY + BLUE-GREEN

Three Key-area Concept Designs


Parallel comparison; each area fits its extent and carries its own scale bar

Three Key-area Concept Designs

Parallel comparison; each area fits its extent and carries its own scale bar

CENTENNIAL JING-ZHANG AI BELT


01 INQUIRY • ZHONGZHIYUAN



CONCEPT MASSING 53 · ROAD CENTERLINES 5 · GREEN FEATURES 1
PUBLIC-SPACE POLYGONS 3 · SERVICE POINTS 3

- Open innovation edges
- Safety-evaluation court
- Shared compute and human review


02 INSIGHT • ORIGIN COMMUNITY



CONCEPT MASSING 34 · ROAD CENTERLINES 4 · GREEN FEATURES 1
PUBLIC-SPACE POLYGONS 2 · SERVICE POINTS 1

- Learning-living mix
- Screen-optional elder service
- Community co-governance

03 ACTION • DAZHONGSI



CONCEPT MASSING 40 · ROAD CENTERLINES 4 · GREEN FEATURES 1
PUBLIC-SPACE POLYGONS 1 · SERVICE POINTS 1

- Industry validation
- Heritage-compatible edge
- Long-term operations

Data: submitted GeoJSON / metrics.json; not an official redline or construction document

FIG-03 / KEY AREAS

Three Key Areas: Plan-linked Section Kit


Each A-A' section returns to its plan; independent plan scales; terrain and engineering levels remain unverified

Three Key Areas: Plan-linked Section Kit


Each A-A' section returns to its plan; independent plan scales; terrain and engineering levels remain unverified

CENTENNIAL JING-ZHANG AI BELT

01 INQUIRY • ZHONGZHIYUAN




A-A' PLAN-LINKED CONCEPT MASSING PROFILE




EVIDENCE / GAP	Existing buildings/ownership, energy and fire interfaces unverified
PILOT BOUNDARY	Reversible open courts and evaluation services inside the provisional key area
RESPONSIBLE ROLE	Area operator + safety evaluator + accountable data steward
TRIGGER INPUTS	Base map, ownership, energy, fire and service demand all verified
EXIT STATE	If a gate fails, return to at-grade public space and staff booking

02 INSIGHT • ORIGIN COMMUNITY




A-A' PLAN-LINKED CONCEPT MASSING PROFILE




EVIDENCE / GAP	Population profiles, service capacity and accessibility baseline unverified
PILOT BOUNDARY	Time-boxed community service pilot with a complete non-digital channel
RESPONSIBLE ROLE	Subdistrict/community + service provider + human appeal owner
TRIGGER INPUTS	Capacity, accessibility, consent and data-minimisation rules verified
EXIT STATE	If review fails, scale down or stop and publish the review

03 ACTION • DAZHONGSI



A-A' PLAN-LINKED CONCEPT MASSING PROFILE



EVIDENCE / GAP	Rail, heritage, ownership, traffic and long-term operations unverified
PILOT BOUNDARY	Removable validation events outside heritage/rail control zones
RESPONSIBLE ROLE	Local authority + competent agencies + site operator
TRIGGER INPUTS	Rail/heritage, egress, structure, traffic and cost gates verified
EXIT STATE	Any binding-gate failure triggers removal and restores public passage


Data: submitted GeoJSON / metrics.json; not an official redline or construction document

FIG-07 / PLAN-LINKED KEY-AREA SECTIONS


INQUIRY · ZHONGZHIYUAN

SAME DESIGN MODEL · INDEPENDENT PLAN SCALE · SECTION LINKED TO A-A' · LEVELS UNVERIFIED

01 INQUIRY · ZHONGZHIYUAN



A-A' PLAN-LINKED CONCEPT MASSING PROFILE



AREA	MASSING	MODEL FAR	MODEL DENSITY
1.93 km²	53	0.551	12.1%

DESIGN MOVES

- Open innovation edges
- Safety-evaluation court
- Shared compute and human review


EVIDENCE—BOUNDARY—ROLE—TRIGGER—EXIT

EVIDENCE / GAP	Existing buildings/ownership, energy and fire interfaces unverified
PILOT BOUNDARY	Reversible open courts and evaluation services inside the provisional key area
RESPONSIBLE ROLE	Area operator + safety evaluator + accountable data steward
TRIGGER INPUTS	Base map, ownership, energy, fire and service demand all verified
EXIT STATE	If a gate fails, return to at-grade public space and staff booking


INSIGHT · ORIGIN COMMUNITY

SAME DESIGN MODEL · INDEPENDENT PLAN SCALE · SECTION LINKED TO A-A' · LEVELS UNVERIFIED

02 INSIGHT · ORIGIN COMMUNITY



A-A' PLAN-LINKED CONCEPT MASSING PROFILE



AREA	MASSING	MODEL FAR	MODEL DENSITY
1.04 km²	34	0.666	12.1%

DESIGN MOVES

- Learning-living mix
- Screen-optional elder service
- Community co-governance


EVIDENCE—BOUNDARY—ROLE—TRIGGER—EXIT

EVIDENCE / GAP	Population profiles, service capacity and accessibility baseline unverified
PILOT BOUNDARY	Time-boxed community service pilot with a complete non-digital channel
RESPONSIBLE ROLE	Subdistrict/community + service provider + human appeal owner
TRIGGER INPUTS	Capacity, accessibility, consent and data-minimisation rules verified
EXIT STATE	If review fails, scale down or stop and publish the review


ACTION · DAZHONGSI

SAME DESIGN MODEL · INDEPENDENT PLAN SCALE · SECTION LINKED TO A-A' · LEVELS UNVERIFIED

03 ACTION · DAZHONGSI



A-A' PLAN-LINKED CONCEPT MASSING PROFILE



AREA

0.72 km²

MASSING

40

MODEL FAR

1.066

MODEL DENSITY

15.9%

DESIGN MOVES

- Industry validation
- Heritage-compatible edge
- Long-term operations

EVIDENCE—BOUNDARY—ROLE—TRIGGER—EXIT

EVIDENCE / GAP Rail, heritage, ownership, traffic and long-term operations unverified

PILOT BOUNDARY Removable validation events outside heritage/rail control zones

RESPONSIBLE ROLE Local authority + competent agencies + site operator

TRIGGER INPUTS Rail/heritage, egress, structure, traffic and cost gates verified

EXIT STATE Any binding-gate failure triggers removal and restores public passage

TWELVE AI+ SERVICE PROTOCOLS

PLACE · SERVICE · NON-AI BASELINE · EVIDENCE/FREQUENCY · VALIDITY · RENEW/SCALE DOWN/STOP

01 Registry of Public Sensing

PLACE	Public-facility entrance
SERVICE	Read purpose/term → object → track response
NON-AI BASELINE	Paper register + staffed desk
EVIDENCE / FREQ.	Cross-sample tickets/device register / public monthly review
VALIDITY	90-day concept pilot (not approved)
RENEW / EXIT	Pause if ownership, traceability or appeal chain is incomplete; renew after repair
KPI	Registration completeness, traceability, appeal closure

02 Clear Screen-Free Walk

PLACE	Continuous ground trail
SERVICE	Tactile/large-print guide → rest → ask staff
NON-AI BASELINE	Fixed map + tactile signs + attendant
EVIDENCE / FREQ.	Observe screen-free completion / quarterly access review
VALIDITY	180-day concept pilot (not approved)
RENEW / EXIT	Scale down/stop if completion does not improve or route defects remain
KPI	Screen-free completion, repaired breaks, rest-point availability

03 Inquiry Tactile Model Hall

PLACE	Community cultural facility
SERVICE	Touch model → optional explanation → ask
NON-AI BASELINE	Physical model + human guide + Braille/print
EVIDENCE / FREQ.	Task-based user test / review each term
VALIDITY	One-term concept pilot (not approved)
RENEW / EXIT	Disable digital explanation if access test fails; keep model and guide
KPI	Accessibility result, content correction, response record

04 Study Deep-Reading Room

PLACE	Quiet indoor public space
SERVICE	Borrow print → book table → discuss
NON-AI BASELINE	Print catalogue + librarian search + offline booking
EVIDENCE / FREQ.	Sample citation/opening logs / monthly review
VALIDITY	90-day concept pilot (not approved)
RENEW / EXIT	Pause retrieval overlay if source notices are incomplete or reading is displaced
KPI	Source completeness, opening record, quiet-space complaints

05 Sincerity Algorithm Clinic

PLACE	Near service counter
SERVICE	State issue → check rule → human appeal → receipt
NON-AI BASELINE	Full staffed counter + paper receipt
EVIDENCE / FREQ.	Professional sample of referral records / weekly review
VALIDITY	30-day concept pilot (not approved)
RENEW / EXIT	Stop and transfer to staff after safety, explanation or human-service failure
KPI	Referral error, human transfer, appeal closure

06 Rectify Edge Experiment Market

PLACE	Demountable test area
SERVICE	Test note → review → timed demo → feedback → retrospective
NON-AI BASELINE	Offline counter + paper process + physical feedback card
EVIDENCE / FREQ.	Consent, complaint and removal records / monthly review
VALIDITY	One-market-season concept pilot (not approved)
RENEW / EXIT	Stop the stall/session after data breach, unmanageable complaint or scope expansion
KPI	Voluntary use, removal execution, feedback closure

TWELVE AI+ SERVICE PROTOCOLS

PLACE · SERVICE · NON-AI BASELINE · EVIDENCE/FREQUENCY · VALIDITY · RENEW/SCALE DOWN/STOP

07 Cultivate Safety-Drill Court

PLACE	Isolated test space
SERVICE	Publish boundary → exercise → log → human review → summary
NON-AI BASELINE	Human evaluation + physical isolation + immediate stop
EVIDENCE / FREQ.	Issue and shutdown ledgers / review after every session
VALIDITY	90-day concept pilot (not approved)
RENEW / EXIT	Stop if a critical issue remains open, the test leaks or isolation fails
KPI	Issue grading, closure, recurrence record

08 Family Elder-Friendly Loop

PLACE	Community ground route
SERVICE	Choose short loop → rest/drink → ask for help → return
NON-AI BASELINE	Volunteer escort + physical signs + staffed point
EVIDENCE / FREQ.	Observe passage/inspect hazards / monthly review
VALIDITY	180-day concept pilot (not approved)
RENEW / EXIT	Scale down/close if passage does not improve or heat, water or lighting risk remains
KPI	Independent passage, amenity availability, help response

09 Stewardship Open Compute Day

PLACE	Controlled shared facility
SERVICE	Apply → purpose/resource review → timed use → log → retrospective
NON-AI BASELINE	Staff approval + offline schedule + human technical support
EVIDENCE / FREQ.	Booking, delivery, energy and termination logs / monthly review
VALIDITY	180-day concept pilot (not approved)
RENEW / EXIT	Scale down/stop if delivery, energy/security or ownership gates fail
KPI	Resource delivery, energy disclosure, termination record

10 Practice Quiet Retail Street

PLACE	Station ground floor
SERVICE	Physical/tactile choice → staffed transaction → optional digital help
NON-AI BASELINE	Cash/physical receipt + complete staffed service
EVIDENCE / FREQ.	Channel completion and noise/clear-width inspection / quarterly review
VALIDITY	180-day concept pilot (not approved)
RENEW / EXIT	End digital-first routing if baseline worsens, an app is forced or nuisance persists
KPI	Non-digital completion, noise complaints, clear passage

11 Ground-Floor Five-Piece Set

PLACE	Street frontage and forecourt
SERVICE	Shade → seat → drink → toilet → help
NON-AI BASELINE	Named manager + physical directions + alternatives
EVIDENCE / FREQ.	Availability/repair ledger / quarterly community review
VALIDITY	One-year concept pilot (not approved)
RENEW / EXIT	Disable overlays and repair/scale down if a basic facility lacks an alternative
KPI	Basic-facility availability, repair closure, alternative directions

12 Virtue Answer Bell Event

PLACE	Cultural node
SERVICE	Read notice → join/bypass → optional soundscape → comment
NON-AI BASELINE	Silent visual version + moderator + public hearing
EVIDENCE / FREQ.	Event record / annual public retrospective
VALIDITY	One-year-renewable concept pilot (not approved)
RENEW / EXIT	Cancel after heritage/noise/content/safety failure; hearing decides renew/scale-down/stop
KPI	Bypass availability, correction response, stop-decision execution

VISIBLE RESPONSIBILITY · VISIBLE BOUNDARY · VISIBLE EXIT

EVIDENCE ESCALATION AND DELIVERY PROTOCOL

VISIBLE RESPONSIBILITY

- Name the public decision-maker, operator, data steward and human appeal owner.
- Record accountable roles and sign-off at every review.

VISIBLE BOUNDARY

- State the provisional spatial boundary, users, minimum data and validity period.
- Keep a non-AI baseline and complete human channel.

VISIBLE EXIT

- Publish stop thresholds, rollback, data disposition and site-restoration duty in advance.
- Record every renew, scale-down or stop decision.



CURRENT EVIDENCE	ESCALATION INPUT	NEXT PERMITTED CONCLUSION
Announcement text + provisional scopes	Usable official redline/GIS	Precise scope, area and statutory interface
Participant design model	Survey/ownership/statutory controls	Retain/renew/remove, capacity and engineering
Draft service protocol	Non-AI baseline + time-boxed pilot record	Renew, scale down or stop

PROFESSIONAL VERIFICATION, RISK AND RENEWAL / EXIT

Data: submitted GeoJSON / metrics.json; not an official redline or construction document

CURRENT USABLE EVIDENCE	REQUIRED PROFESSIONAL INPUT	DECISION STATUS NOW
Announcement text + provisional rough scopes	Official overall/key-area/parcel/road redlines	Hold approval-boundary conclusions; replace and recompute when supplied
127 concept-massing features	Existing buildings, ownership, controls, fire and daylight	No retain/renew/remove, statutory capacity or permission conclusion
Plan-linked concept-massing profiles	Terrain levels, rail/heritage, utilities, hydrology and geotechnics	Keep at-grade default; do not assume underpasses or engineering levels
Road-centerline and public-space design model	Traffic, road redlines, accessibility and facility capacity	Test network relationships only; not a construction/traffic plan
Twelve service protocols	Non-AI baselines, pilot evidence, appeals and operations records	Renew, scale down or stop after public review

Conclusion boundary: drawings never supersede GeoJSON/metrics; no AI decorative rendering; any binding-gate failure returns to a reversible, at-grade, non-digital baseline.