

Protocol Garden

- Design corridors and nodes
- Provisional rough extent (low-contrast dashed)
- Constraints pending verification
- Provisional overall extent
- Concept blue-green space
- Public space and AI nodes
- Existing background buildings
- Concept building massing
- Public verification spine
- Validation loop and wings
- Public services and transport-municipal
- Blue-green and heritage
- Industry conversion and innovation mix
- Research and validation

Brand and visual identity

Logo / mark

An original double railway line bends into an open brace; three nodes represent the key areas and the negative space suggests a person and open port. It copies no third-party logo.

Min 24 px · monochrome/reverse · zh/en wordmarks may separate · concept use

Concept brand · not approved

Symbol grammar

The double line joins railway time to algorithmic process, the open brace signals contestability and iteration, and three nodes represent mutual validation among research, civic review, and conversion.

Palette

heritage rust

garden green

verification blue

paper white

High contrast · color independent · monochrome/reverse

Type + street section

edge

green

access

cycle

help

gate

edge

green

movement

mark

SECTION-STREET-01 · SECTION-PARK-01

Placement: A3 cover, A0 overall and HTML task_coverage; caption says concept brand, not approved, taskbook source, agent.1 evidence.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Agent Open-Call Taskbook Excerpt for the Centennial Jing-Zhang AI Innovation Belt · data gaps per the assumptions list

Design Basis and Data Boundaries

- Design corridors and nodes

Provisional rough extent (low-contrast dashed)

Constraints pending verification

Provisional overall extent

Concept blue-green space
- Public space and AI nodes

Existing background buildings

Concept building massing

Public verification spine

Validation loop and wings

Public services and transport-municipal
- Blue-green and heritage

Industry conversion and innovation mix

Research and validation

	proposal	drawings	geometry	metrics	sources	self-check
DD-DIAGNOSIS	covered · traceable proposal / DIAGNOSIS	covered · traceable drawings / DIAGNOSIS	covered · traceable geometry / DIAGNOSIS	covered · traceable metrics / DIAGNOSIS	covered · traceable sources / DIAGNOSIS	covered · traceable self-check / DIAGNOSIS
DD-OVERALL-STRUCTURE	covered · traceable proposal / STRUCTURE	covered · traceable drawings / STRUCTURE	covered · traceable geometry / STRUCTURE	covered · traceable metrics / STRUCTURE	covered · traceable sources / STRUCTURE	covered · traceable self-check / STRUCTURE
DD-LAND-USE	covered · traceable proposal / USE	covered · traceable drawings / USE	covered · traceable geometry / USE	covered · traceable metrics / USE	covered · traceable sources / USE	covered · traceable self-check / USE
DD-KEY-AREA-DETAIL	covered · traceable proposal / DETAIL	covered · traceable drawings / DETAIL	covered · traceable geometry / DETAIL	covered · traceable metrics / DETAIL	covered · traceable sources / DETAIL	covered · traceable self-check / DETAIL
DD-PHASING	covered · traceable proposal / PHASING	covered · traceable drawings / PHASING	covered · traceable geometry / PHASING	covered · traceable metrics / PHASING	covered · traceable sources / PHASING	covered · traceable self-check / PHASING
DD-RISK-MISSING-DATA	covered · traceable proposal / DATA	covered · traceable drawings / DATA	covered · traceable geometry / DATA	covered · traceable metrics / DATA	covered · traceable sources / DATA	covered · traceable self-check / DATA
Six evidence domains cross-bound: proposal, drawings, geometry, metrics, sources, and self-check						


Grey dashed marks are provisional or pending.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Prequalification Announcement for the International Solicitation of Urban Design Proposals for the Centennial Jing-Zhang AI Innovation Belt; Provisional rough polygons for the three scope levels and three key areas; Central source registry (authority, allowed uses and prohibited uses) · data gaps per the assumptions list

Three-level Scope Framework

- Design corridors and nodes
- Provisional rough extent (low-contrast dashed)
- Constraints pending verification
- Provisional overall extent
- Concept blue-green space
- Public space and AI nodes
- Existing background buildings
- Concept building massing



Three scopes

Coordination Research Area 43.60 km2 Regional industry-city coordination and external links
Overall Design Area 11.40 km2 Corridor structure, land use, mobility and blue-green framework
Key Detailed Design Area 3.68 km2 Public-space and renewal design across three key areas
Zhongzhiyuan AI Acceleration Area 1.92 km2 Verification studios, labs and open test grounds
Beijing AI Origin Community 1.04 km2 Public verification, community services and talent interface
Dazhongsi AI Industry Cluster 0.72 km2 Industry collaboration, exchange and adaptive renewal

Every scope card carries a provisional badge.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Prequalification Announcement for the International Solicitation of Urban Design Proposals for the Centennial Jing-Zhang AI Innovation Belt; Provisional rough polygons for the three scope levels and three key areas · data gaps per the assumptions list

Heritage Armature, Breaks and Data Gaps

- Design corridors and nodes

■ Provisional rough extent (low-contrast dashed)

■ Constraints pending verification

■ Provisional overall extent

■ Concept blue-green space
- Public space and AI nodes

■ Existing background buildings

■ Concept building massing

■ Public verification spine

■ Validation loop and wings

■ Public services and transport-municipal
- Blue-green and heritage

■ Industry conversion and innovation mix

■ Research and validation

	proposal	drawings	geometry	metrics	sources	self-check
DD-DIAGNOSIS	covered · traceable proposal / DIAGNOSIS	covered · traceable drawings / DIAGNOSIS	covered · traceable geometry / DIAGNOSIS	covered · traceable metrics / DIAGNOSIS	covered · traceable sources / DIAGNOSIS	covered · traceable self-check / DIAGNOSIS
DD-OVERALL-STRUCTURE	covered · traceable proposal / STRUCTURE	covered · traceable drawings / STRUCTURE	covered · traceable geometry / STRUCTURE	covered · traceable metrics / STRUCTURE	covered · traceable sources / STRUCTURE	covered · traceable self-check / STRUCTURE
DD-LAND-USE	covered · traceable proposal / USE	covered · traceable drawings / USE	covered · traceable geometry / USE	covered · traceable metrics / USE	covered · traceable sources / USE	covered · traceable self-check / USE
DD-KEY-AREA-DETAIL	covered · traceable proposal / DETAIL	covered · traceable drawings / DETAIL	covered · traceable geometry / DETAIL	covered · traceable metrics / DETAIL	covered · traceable sources / DETAIL	covered · traceable self-check / DETAIL
DD-PHASING	covered · traceable proposal / PHASING	covered · traceable drawings / PHASING	covered · traceable geometry / PHASING	covered · traceable metrics / PHASING	covered · traceable sources / PHASING	covered · traceable self-check / PHASING
DD-RISK-MISSING-DATA	covered · traceable proposal / DATA	covered · traceable drawings / DATA	covered · traceable geometry / DATA	covered · traceable metrics / DATA	covered · traceable sources / DATA	covered · traceable self-check / DATA
Six evidence domains cross-bound: proposal, drawings, geometry, metrics, sources, and self-check						

Low-confidence diagnosis requiring formal review.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Provisional rough polygons for the three scope levels and three key areas · data gaps per the assumptions list

AI Ecosystem and Industry - Space Validation Chain

- Design corridors and nodes
- Provisional rough extent (low-contrast dashed)
- Constraints pending verification
- Provisional overall extent
- Concept blue-green space
- Public space and AI nodes
- Existing background buildings
- Concept building massing
- Public verification spine
- Validation loop and wings
- Public services and transport-municipal
- Blue-green and heritage
- Industry conversion and innovation mix
- Research and validation

AI innovation ecosystem

The three-area loop links research, controlled testing, public explanation, human review, procurement or public-service pilots, annual reassessment, and expansion or exit; the Zhongguancun wing connects research and professional services while the Xiaoyue River wing connects communities and open space.

Foundation Models and Evaluation

innovation space

Embodied AI

innovation space

Urban Intelligence and Digital Twins

innovation space

AI-enabled Civic Services

innovation space

Venture and Industry Conversion

innovation space

Placement: A3 coordination, A0 AI operations and HTML ai_scenarios; captions state source, concept status and agent.2 evidence.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources · data gaps per the assumptions list

Public Verification Spine and Three-area Validation Loop



Three scopes

Coordination Research Area 43.60 km2 Regional industry-city coordination and external links
Overall Design Area 11.40 km2 Corridor structure, land use, mobility and blue-green framework
Key Detailed Design Area 3.68 km2 Public-space and renewal design across three key areas
Zhongzhiyuan AI Acceleration Area 1.92 km2 Verification studios, labs and open test grounds
Beijing AI Origin Community 1.04 km2 Public verification, community services and talent interface
Dazhongsi AI Industry Cluster 0.72 km2 Industry collaboration, exchange and adaptive renewal


Concept structure, not road redlines or approved projects.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Prequalification Announcement for the International Solicitation of Urban Design Proposals for the Centennial Jing-Zhang AI Innovation Belt; Agent Open-Call Taskbook Excerpt for the Centennial Jing-Zhang AI Innovation Belt · data gaps per the assumptions list

Zhongzhiyuan: Reversible Validation Foundry

- Design corridors and nodes
- Provisional rough extent (low-contrast dashed)
- Provisional overall extent
- Concept blue-green space
- Public space and AI nodes
- Concept building massing



Zhongzhiyuan AI Autonomous Innovation Acceleration Area

Provisional recomputed area
192.9 ha

Controlled test R&D, Shared test and civic interface, Talent and support

Spatial structure
7 audited elements

People / scenario
8 movement links · Validation foundry

Human gate
Review · reversible · phased

Known background · Pending constraint · Concept intervention · Human review


Pending regulatory plans, survey, fire review and permission.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Prequalification Announcement for the International Solicitation of Urban Design Proposals for the Centennial Jing-Zhang AI Innovation Belt; Agent Open-Call Taskbook Excerpt for the Centennial Jing-Zhang AI Innovation Belt · data gaps per the assumptions list

Beijing AI Origin: Civic Translator

Design corridors and nodes Provisional rough extent (low-contrast dashed) Provisional overall extent Concept blue-green space Public space and AI nodes Concept building massing



Beijing AI Origin Community

Provisional recomputed area
104.3 ha

Civic governance and human service, Learning and open archive, Civic ground

Spatial structure

9 audited elements

People / scenario

8 movement links · Civic translator

Human gate

Review · reversible · phased

Known background · Pending constraint · Concept intervention · Human review


Physical signs and human service may not be replaced.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Prequalification Announcement for the International Solicitation of Urban Design Proposals for the Centennial Jing-Zhang AI Innovation Belt; Law of the People's Republic of China on the Construction of a Barrier-Free Environment; Implementation Plan on Effectively Addressing the Difficulties Faced by the Elderly in Using Smart Technologies (Guobanfa [2020] No. 45) · data gaps per the assumptions list

Dazhongsi: Auditable Integration and Release Forum

Design corridors and nodes Provisional rough extent (low-contrast dashed) Provisional overall extent Concept blue-green space Public space and AI nodes Concept building massing



Dazhongsi AI Industry Cluster

Provisional recomputed area
72.0 ha

Industry integration and co-development, Release and procurement clinic, Public exchange

Spatial structure
7 audited elements

People / scenario
8 movement links · Integration and release

Human gate
Review · reversible · phased

Known background · Pending constraint · Concept intervention · Human review


Ownership, controls, fire and event permits are pending.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Prequalification Announcement for the International Solicitation of Urban Design Proposals for the Centennial Jing-Zhang AI Innovation Belt; Agent Open-Call Taskbook Excerpt for the Centennial Jing-Zhang AI Innovation Belt · data gaps per the assumptions list

Land Use, Building Massing and Renewal Boundaries

Design corridors and nodes Provisional rough extent (low-contrast dashed) Innovation R&D mixed Civic service and community Heritage and culture Blue-green open space Industry conversion mixed Mobility and municipal service



Land use area & ratio

Innovation R&D mixed
182.3 ha · 16.0%
Civic service and community
215.7 ha · 18.9%
Heritage and culture
208.8 ha · 18.3%
Blue-green open space
183.9 ha · 16.1%
Industry conversion mixed
177.9 ha · 15.6%
Mobility and municipal service
172.6 ha · 15.1%


Saturated colors express design and grey dashed marks constraints.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Guidelines for the Classification of Land and Sea Use in Territorial Spatial Survey, Planning and Use Control; Measures for the Preparation and Approval of Regulatory Detailed Plans for Cities and Towns · data gaps per the assumptions list

Mobility, Rail, Municipal and Blue-green Public Realm

- Design corridors and nodes
- Provisional rough extent (low-contrast dashed)
- Constraints pending verification
- Concept blue-green space
- Public space and AI nodes
- Public verification spine
- Validation loop and wings



Mobility proposals

• Pedestrian network 2 proposals · Public Verification Spine, East-west Learning Link	• Cycling network 3 proposals · Three-area Validation Loop, Zhongguancun Technology Service Wing, Xiaoyue River Scenario Wing
• Crossing treatments 3 proposals · Raised Ring Crossing Break Treatment, North Slow-priority Crossing, South Slow-network Break Treatment	• Non-motorized parking 3 proposals · Zhongzhiyuan Cycle Parking, Origin Community Cycle Parking, Dazhongsi Cycle Parking

OSM is background only; road redlines, blue lines and capacity await review.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Measures for the Administration of Urban Design · data gaps per the assumptions list

Renewal Projects, Landmarks and Public-space Components

- Design corridors and nodes
- Provisional rough extent (low-contrast dashed)
- Constraints pending verification
- Provisional overall extent
- Concept blue-green space
- Public space and AI nodes
- Existing background buildings
- Concept building massing
- Public verification spine
- Validation loop and wings
- Public services and transport-municipal
- Blue-green and heritage
- Industry conversion and innovation mix
- Research and validation

Landmarks and public components

AI Origin Switchyard
Use reversible ground markings to show branching paths from research and testing to public review without presuming permanent construction.
Open Model Verification Hall
Display model cards, failures, reproducibility processes, and correction records so visitors can see how AI is verified.
Commons Contribution Honor Wall
With contributor consent, honor research, maintenance, data governance, accessibility testing, and community collaboration rather than ranking only by funding.
Century Signal Garden
Link railway signal memory to current scenario status through reversible light and seasonal planting, pending professional light and ecology assessment.
Scenario Protocol Card
Place at AI scenario entries, public ground floors and human-service windows beside physical milestone signs.
Civic Verification Seal
Use at cross-area review nodes in Zhongzhiyuan, AI Origin and Dazhongsi, never as government certification.
Correctable Failure Archive Kiosk
Place at the Open Model Hall, Jing-Zhang memory nodes and learning commons, avoiding pending heritage controls.
Commons Contribution Honor Node
Place at the Honor Wall and Century Signal Garden using reversible construction.

Placement: A3 projects, A0 heritage-bluegreen and HTML blue_green; each has caption, taskbook source, concept status and agent.4 evidence.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Agent Open-Call Taskbook Excerpt for the Centennial Jing-Zhang AI Innovation Belt; Measures for the Administration of Urban Design · data gaps per the assumptions list

Recomputed Metrics and Four Concept-indicator States

Known recomputed metric Unknown baseline (pending) Provisional boundary; recalculate

site_area_sqm 1,141.3 ha ha	green_space_area_sqm 22.8 ha ha	public_space_area_sqm 55.7 ha ha	green_ratio 2.0% ratio
public_space_ratio 4.9% ratio	building_footprint_area_sqm 106.9 ha ha	road_length_m 40,890.38 m	key_area_beijing_ai_origin_community_area_sqm 104.3 ha ha
key_area_dazhongsi_ai_industry_cluster_area_sqm 72.0 ha ha	key_area_zhongzhiyuan_ai_acceleration_area_area_sqm 192.9 ha ha	ai_innovation_index pending Baseline pending official data target 2030 conceptual scenario; reset after launch baseline	ai_talent_density pending Baseline pending official data target 2030 conceptual scenario; reset after launch baseline
ai_output_scale pending Baseline pending official data target 2030 annual conceptual scenario; reset after launch baseline	ecosystem_conversion_rate pending Baseline pending official data target 2030 annual cohort conceptual scenario; reset after launch baseline		

Recomputed values are not controls; targets are not commitments.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Prequalification Announcement for the International Solicitation of Urban Design Proposals for the Centennial Jing-Zhang AI Innovation Belt; Processed fact pack and checklists (agent fact pack, scope summary, task requirements, source-use matrix, missing-data checklist); Central source registry (authority, allowed uses and prohibited uses) · data gaps per the assumptions list

Twelve Scenarios: Space - Operation - Privacy - Human Review

■ Design corridors and nodes ■ Provisional rough extent (low-contrast dashed) ■ Constraints pending verification ■ Provisional overall extent ■ Concept blue-green space
■ Public space and AI nodes ■ Existing background buildings ■ Concept building massing ■ Public verification spine ■ Validation loop and wings ■ Public services and transport-municipal
■ Blue-green and heritage ■ Industry conversion and innovation mix ■ Research and validation

Phase 0 pilot acceptance & evidence ledger (template)

Phase 0 operation card <-> 12 scenario cards: authorization, data boundary, trigger, human stop, independent review, public abstract, expand/exit; operators and permits pending

Test / site	Authorization & operator	Minimum data boundary	Human stop / independent review	Public abstract / expand or exit
Public Model Evaluation Foundry #model_eval_foundry controlled evaluation bays in Zhongzhiyuan	proposed operator, pending confirmation	authorized and de-identified data only	human stop and independent review required; trigger: abnormal/boundary event; stop right: on-site human lead; review: independent record	Public incident abstract; file review evidence; if not passed, exit or return to controlled site
Reversible Low-speed Robotics Yard #robot_slow_zone contained yard and permit-dependent timed path	proposed operator, pending confirmation	authorized and de-identified data only	human stop and independent review required; trigger: abnormal/boundary event; stop right: on-site human lead; review: independent record	Public incident abstract; file review evidence; if not passed, exit or return to controlled site
Urban Digital Twin Calibration Room #urban_twin_trial digital-twin room in Zhongzhiyuan or the AI Origin Community	proposed operator, pending confirmation	authorized and de-identified data only	human stop and independent review required; trigger: abnormal/boundary event; stop right: on-site human lead; review: independent record	Public incident abstract; file review evidence; if not passed, exit or return to controlled site
AI Energy Microgrid Validation Station #energy_ai_lab controlled equipment test room	proposed operator, pending confirmation	authorized and de-identified data only	human stop and independent review required; trigger: abnormal/boundary event; stop right: on-site human lead; review: independent record	Public incident abstract; file review evidence; if not passed, exit or return to controlled site

Template status: proposed / pending confirmation; not a substitute for permit, safety, accessibility, data, or local professional review.

Placement: A3/A0 AI operations and HTML ai_scenarios; operators pending, taskbook/scenario sources, agent.2/3/6 evidence.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Agent Open-Call Taskbook Excerpt for the Centennial Jing-Zhang AI Innovation Belt; Scenario templates and open-operation framework; Interim Measures for the Management of Generative Artificial Intelligence Services · data gaps per the assumptions list

Six Personas, Rights Boundaries and Cultural Wayfinding

- Design corridors and nodes
- Provisional rough extent (low-contrast dashed)
- Constraints pending verification
- Provisional overall extent
- Concept blue-green space
- Public space and AI nodes
- Existing background buildings
- Concept building massing
- Public verification spine
- Validation loop and wings
- Public services and transport-municipal
- Blue-green and heritage
- Industry conversion and innovation mix
- Research and validation

Personas

Frontier Researcher A researcher seeking reproducible experiments, cross-institution peers, and clear data responsibility.
Start-up Builder A founder needing shared test resources, compliance coaching, real user feedback, and a limited procurement path.
Local Elder An everyday service user who needs explainability, human responsibility, and freedom from digital exclusion.
Transitioning Industry Worker A worker seeking affordable reskilling, hands-on equipment practice, and a verifiable career pathway.
Civic Steward A public-interest steward needing audits, appeals, safety gates, and comparable operating data.
Heritage Visitor A cultural visitor seeking bilingual, accessible, low-surveillance interpretation with a correction pathway.

Placement: A3 rights, A0 heritage-bluegreen and HTML task_coverage; physical/tactile/audio channels, taskbook source, concept status and agent.3/5 evidence.

Provisional boundary: limited precision; recalculate when official geometry is published

From locked sources Agent Open-Call Taskbook Excerpt for the Centennial Jing-Zhang AI Innovation Belt; Law of the People's Republic of China on the Construction of a Barrier-Free Environment; Implementation Plan on Effectively Addressing the Difficulties Faced by the Elderly in Using Smart Technologies (Guobanfa [2020] No. 45) · data gaps per the assumptions list